

Xuqi Li

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/3591187/xuqi-li-publications-by-year.pdf>

Version: 2024-04-26

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

74
papers

2,116
citations

29
h-index

43
g-index

74
ext. papers

2,492
ext. citations

5.2
avg, IF

4.57
L-index

#	Paper	IF	Citations
74	4-(Methylnitrosamino)-1-(3-pyridyl)-1-butanone provokes progression from chronic pancreatitis to pancreatic intraepithelial neoplasia.. <i>IScience</i> , 2022 , 25, 103647	6.1	0
73	The Inhibitory Effects of Naringin in a Rat Model of Postoperative Intraperitoneal Adhesion Formation.. <i>Evidence-based Complementary and Alternative Medicine</i> , 2022 , 2022, 5331537	2.3	
72	A combination of hybrid polydopamine-human keratinocyte growth factor nanoparticles and sodium hyaluronate for the efficient prevention of postoperative abdominal adhesion formation. <i>Acta Biomaterialia</i> , 2021 ,	10.8	2
71	TMIGD1 Inhibited Abdominal Adhesion Formation by Alleviating Oxidative Stress in the Mitochondria of Peritoneal Mesothelial Cells. <i>Oxidative Medicine and Cellular Longevity</i> , 2021 , 2021, 9993704	6.7	1
70	Long-term survival outcomes and adverse effects of nasopharyngeal carcinoma patients treated with IMRT in a non-endemic region: a population-based retrospective study. <i>BMJ Open</i> , 2021 , 11, e045417	3.7	1
69	Cav-1 Ablation in Pancreatic Stellate Cells Promotes Pancreatic Cancer Growth through Nrf2-Induced shh Signaling. <i>Oxidative Medicine and Cellular Longevity</i> , 2020 , 2020, 1868764	6.7	4
68	Resveratrol Ameliorates the Malignant Progression of Pancreatic Cancer by Inhibiting Hypoxia-induced Pancreatic Stellate Cell Activation. <i>Cell Transplantation</i> , 2020 , 29, 963689720929987	4	12
67	Positive feedback in Cav-1-ROS signalling in PSCs mediates metabolic coupling between PSCs and tumour cells. <i>Journal of Cellular and Molecular Medicine</i> , 2020 , 24, 9397-9408	5.6	14
66	Huaier extract restrains pancreatic cancer by suppressing Wnt/ β Catenin pathway. <i>Biomedicine and Pharmacotherapy</i> , 2020 , 127, 110126	7.5	8
65	Resveratrol Counteracts Hypoxia-Induced Gastric Cancer Invasion and EMT through Hedgehog Pathway Suppression. <i>Anti-Cancer Agents in Medicinal Chemistry</i> , 2020 , 20, 1105-1114	2.2	13
64	Danhong Injection Alleviates Postoperative Intra-abdominal Adhesion in a Rat Model. <i>Oxidative Medicine and Cellular Longevity</i> , 2019 , 2019, 4591384	6.7	9
63	Curcumin Suppresses Hepatic Stellate Cell-Induced Hepatocarcinoma Angiogenesis and Invasion through Downregulating CTGF. <i>Oxidative Medicine and Cellular Longevity</i> , 2019 , 2019, 8148510	6.7	27
62	High glucose microenvironment accelerates tumor growth via SREBP1-autophagy axis in pancreatic cancer. <i>Journal of Experimental and Clinical Cancer Research</i> , 2019 , 38, 302	12.8	30
61	Exosomal MiR-744 Inhibits Proliferation and Sorafenib Chemoresistance in Hepatocellular Carcinoma by Targeting PAX2. <i>Medical Science Monitor</i> , 2019 , 25, 7209-7217	3.2	45
60	Hypoxia-inducible Factor-1 β Mediates Hyperglycemia-induced Pancreatic Cancer Glycolysis. <i>Anti-Cancer Agents in Medicinal Chemistry</i> , 2019 , 19, 1503-1512	2.2	11
59	Resveratrol enhances the chemotherapeutic response and reverses the stemness induced by gemcitabine in pancreatic cancer cells via targeting SREBP1. <i>Cell Proliferation</i> , 2019 , 52, e12514	7.9	42
58	Upregulation of MiR-212 Inhibits Migration and Tumorigenicity and Inactivates Wnt/ β Catenin Signaling in Human Hepatocellular Carcinoma. <i>Technology in Cancer Research and Treatment</i> , 2018 , 17, 1533034618765221	2.7	18

57	Gastrointestinal stromal tumors: Fibrinogen levels are associated with prognosis of patients as blood-based biomarker. <i>Medicine (United States)</i> , 2018 , 97, e0568	1.8	9
56	Inhibiting YAP expression suppresses pancreatic cancer progression by disrupting tumor-stromal interactions. <i>Journal of Experimental and Clinical Cancer Research</i> , 2018 , 37, 69	12.8	34
55	Metformin suppresses the invasive ability of pancreatic cancer cells by blocking autocrine TGF- β signaling. <i>Oncology Reports</i> , 2018 , 40, 1495-1502	3.5	12
54	A comprehensive nutritional survey of hospitalized patients: Results from nutritionDay 2016 in China. <i>PLoS ONE</i> , 2018 , 13, e0194312	3.7	9
53	Prognostic value of fibrinogen and D-dimer-fibrinogen ratio in resectable gastrointestinal stromal tumors. <i>World Journal of Gastroenterology</i> , 2018 , 24, 5046-5056	5.6	14
52	Gallic Acid Attenuates Postoperative Intra-Abdominal Adhesion by Inhibiting Inflammatory Reaction in a Rat Model. <i>Medical Science Monitor</i> , 2018 , 24, 827-838	3.2	13
51	Upregulation of microRNA-300 induces the proliferation of liver cancer by downregulating transcription factor FOXO1. <i>Oncology Reports</i> , 2018 , 40, 3561-3572	3.5	5
50	Activation of Nrf2 by Sulforaphane Inhibits High Glucose-Induced Progression of Pancreatic Cancer via AMPK Dependent Signaling. <i>Cellular Physiology and Biochemistry</i> , 2018 , 50, 1201-1215	3.9	35
49	Long non-coding RNA FOXD2-AS1 plays an oncogenic role in hepatocellular carcinoma by targeting miR-206. <i>Oncology Reports</i> , 2018 , 40, 3625-3634	3.5	19
48	miR-539 inhibits FSCN1 expression and suppresses hepatocellular carcinoma migration and invasion. <i>Oncology Reports</i> , 2017 , 37, 2593-2602	3.5	33
47	Resveratrol inhibits hepatocellular carcinoma progression driven by hepatic stellate cells by targeting Gli-1. <i>Molecular and Cellular Biochemistry</i> , 2017 , 434, 17-24	4.2	11
46	Laparoscopic Versus Open Resection of Gastric Gastrointestinal Stromal Tumors Larger Than 5 cm: A Single-Center, Retrospective Study. <i>Surgical Innovation</i> , 2017 , 24, 582-589	2	7
45	Lipoxin A4 reverses mesenchymal phenotypes to attenuate invasion and metastasis via the inhibition of autocrine TGF- β signaling in pancreatic cancer. <i>Journal of Experimental and Clinical Cancer Research</i> , 2017 , 36, 181	12.8	22
44	Ginkgolic acid inhibits the invasiveness of colon cancer cells through AMPK activation. <i>Oncology Letters</i> , 2017 , 14, 5831-5838	2.6	21
43	Desmoplasia suppression by metformin-mediated AMPK activation inhibits pancreatic cancer progression. <i>Cancer Letters</i> , 2017 , 385, 225-233	9.9	69
42	Paeoniflorin prevents postoperative peritoneal adhesion formation in an experimental rat model. <i>Oncotarget</i> , 2017 , 8, 93899-93911	3.3	10
41	Effect of Emodin on Preventing Postoperative Intra-Abdominal Adhesion Formation. <i>Oxidative Medicine and Cellular Longevity</i> , 2017 , 2017, 1740317	6.7	17
40	Effect of Resveratrol on the Prevention of Intra-Abdominal Adhesion Formation in a Rat Model. <i>Cellular Physiology and Biochemistry</i> , 2016 , 39, 33-46	3.9	25

39	Delayed traumatic diaphragmatic hernia: A case-series report and literature review. <i>Medicine (United States)</i> , 2016 , 95, e4362	1.8	29
38	β-adrenogenic signaling regulates NNK-induced pancreatic cancer progression via upregulation of HIF-1β. <i>Oncotarget</i> , 2016 , 7, 17760-72	3.3	9
37	The Prognostic Role of SIRT1-Autophagy Axis in Gastric Cancer. <i>Disease Markers</i> , 2016 , 2016, 6869415	3.2	21
36	Reactive Oxygen Species and Targeted Therapy for Pancreatic Cancer. <i>Oxidative Medicine and Cellular Longevity</i> , 2016 , 2016, 1616781	6.7	69
35	Lipoxin A4 Attenuates Cell Invasion by Inhibiting ROS/ERK/MMP Pathway in Pancreatic Cancer. <i>Oxidative Medicine and Cellular Longevity</i> , 2016 , 2016, 6815727	6.7	27
34	The Relevance of Nrf2 Pathway and Autophagy in Pancreatic Cancer Cells upon Stimulation of Reactive Oxygen Species. <i>Oxidative Medicine and Cellular Longevity</i> , 2016 , 2016, 3897250	6.7	19
33	Keratinocyte Growth Factor Combined with a Sodium Hyaluronate Gel Inhibits Postoperative Intra-Abdominal Adhesions. <i>International Journal of Molecular Sciences</i> , 2016 , 17,	6.3	16
32	Preventive Effects of the Intestine Function Recovery Decoction, a Traditional Chinese Medicine, on Postoperative Intra-Abdominal Adhesion Formation in a Rat Model. <i>Evidence-based Complementary and Alternative Medicine</i> , 2016 , 2016, 1621894	2.3	3
31	Pancreatic stellate cells contribute pancreatic cancer pain via activation of SHH signaling pathway. <i>Oncotarget</i> , 2016 , 7, 18146-58	3.3	33
30	Recovery of Urinary Functions After Laparoscopic Total Mesorectal Excision for T4 Rectal Cancer. <i>Journal of Laparoendoscopic and Advanced Surgical Techniques - Part A</i> , 2016 , 26, 614-7	2.1	2
29	SIRT1 is a regulator of autophagy: Implications in gastric cancer progression and treatment. <i>FEBS Letters</i> , 2015 , 589, 2034-42	3.8	50
28	Gli-1 is crucial for hypoxia-induced epithelial-mesenchymal transition and invasion of breast cancer. <i>Tumor Biology</i> , 2015 , 36, 3119-26	2.9	39
27	Resveratrol in the treatment of pancreatic cancer. <i>Annals of the New York Academy of Sciences</i> , 2015 , 1348, 10-9	6.5	40
26	Chronic alcohol exposure exacerbates inflammation and triggers pancreatic acinar-to-ductal metaplasia through PI3K/Akt/IKK. <i>International Journal of Molecular Medicine</i> , 2015 , 35, 653-63	4.4	12
25	Inhibition of cyclooxygenase-2 prevents intra-abdominal adhesions by decreasing activity of peritoneal fibroblasts. <i>Drug Design, Development and Therapy</i> , 2015 , 9, 3083-98	4.4	16
24	Ginkgolic acid suppresses the development of pancreatic cancer by inhibiting pathways driving lipogenesis. <i>Oncotarget</i> , 2015 , 6, 20993-1003	3.3	56
23	Overexpression of Nodal induces a metastatic phenotype in pancreatic cancer cells via the Smad2/3 pathway. <i>Oncotarget</i> , 2015 , 6, 1490-506	3.3	33
22	Stromal-derived factor-1/CXCL12-CXCR4 chemotactic pathway promotes perineural invasion in pancreatic cancer. <i>Oncotarget</i> , 2015 , 6, 4717-32	3.3	47

21	miR-221/222 induces pancreatic cancer progression through the regulation of matrix metalloproteinases. <i>Oncotarget</i> , 2015 , 6, 14153-64	3.3	63
20	Hydrogen peroxide mediates hyperglycemia-induced invasive activity via ERK and p38 MAPK in human pancreatic cancer. <i>Oncotarget</i> , 2015 , 6, 31119-33	3.3	26
19	PTTG regulates the metabolic switch of ovarian cancer cells via the c-myc pathway. <i>Oncotarget</i> , 2015 , 6, 40959-69	3.3	18
18	Upregulated miR-106a plays an oncogenic role in pancreatic cancer. <i>FEBS Letters</i> , 2014 , 588, 705-12	3.8	58
17	The SDF-1/CXCR4 axis induces epithelial-mesenchymal transition in hepatocellular carcinoma. <i>Molecular and Cellular Biochemistry</i> , 2014 , 392, 77-84	4.2	49
16	γ-Mangostin inhibits hypoxia-driven ROS-induced PSC activation and pancreatic cancer cell invasion. <i>Cancer Letters</i> , 2014 , 347, 129-38	9.9	61
15	Curcumin inhibits hypoxia inducible factor-1-induced epithelial-mesenchymal transition in HepG2 hepatocellular carcinoma cells. <i>Molecular Medicine Reports</i> , 2014 , 10, 2505-10	2.9	45
14	γ-Mangostin suppresses the viability and epithelial-mesenchymal transition of pancreatic cancer cells by downregulating the PI3K/Akt pathway. <i>BioMed Research International</i> , 2014 , 2014, 546353	3	51
13	Sonic hedgehog paracrine signaling activates stromal cells to promote perineural invasion in pancreatic cancer. <i>Clinical Cancer Research</i> , 2014 , 20, 4326-38	12.9	97
12	Disrupting the balance between tumor epithelia and stroma is a possible therapeutic approach for pancreatic cancer. <i>Medical Science Monitor</i> , 2014 , 20, 2002-6	3.2	9
11	The Activation of β1-integrin by Type I Collagen Coupling with the Hedgehog Pathway Promotes the Epithelial-Mesenchymal Transition in Pancreatic Cancer. <i>Current Cancer Drug Targets</i> , 2014 , 14, 446-57	2.8	24
10	Hedgehog signaling regulates hypoxia induced epithelial to mesenchymal transition and invasion in pancreatic cancer cells via a ligand-independent manner. <i>Molecular Cancer</i> , 2013 , 12, 66	42.1	109
9	Neurotransmitter substance P mediates pancreatic cancer perineural invasion via NK-1R in cancer cells. <i>Molecular Cancer Research</i> , 2013 , 11, 294-302	6.6	55
8	Potent Antitumor Activity Generated by a Novel Tumor Specific Cytotoxic T Cell. <i>PLoS ONE</i> , 2013 , 8, e66659	5.9	6
7	α-AR-HIF-1α novel regulatory axis for stress-induced pancreatic tumor growth and angiogenesis. <i>Current Molecular Medicine</i> , 2013 , 13, 1023-34	2.5	41
6	Biomarkers screening between preoperative and postoperative patients in pancreatic cancer. <i>Asian Pacific Journal of Cancer Prevention</i> , 2013 , 14, 4161-5	1.7	5
5	Role of glial cell line-derived neurotrophic factor in perineural invasion of pancreatic cancer. <i>Biochimica Et Biophysica Acta: Reviews on Cancer</i> , 2012 , 1826, 112-20	11.2	20
4	SDF-1/CXCR4 signaling induces pancreatic cancer cell invasion and epithelial-mesenchymal transition in vitro through non-canonical activation of Hedgehog pathway. <i>Cancer Letters</i> , 2012 , 322, 169-76	9.9	147

3	Paracrine sonic hedgehog signaling derived from tumor epithelial cells: a key regulator in the pancreatic tumor microenvironment. <i>Critical Reviews in Eukaryotic Gene Expression</i> , 2012 , 22, 97-108	1-3	20
2	Therapeutic potential of perineural invasion, hypoxia and desmoplasia in pancreatic cancer. <i>Current Pharmaceutical Design</i> , 2012 , 18, 2395-403	3-3	35
1	Targeting the cancer-stroma interaction: a potential approach for pancreatic cancer treatment. <i>Current Pharmaceutical Design</i> , 2012 , 18, 2404-15	3-3	54