

Agnieszka GaÅ,uska

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3591304/publications.pdf>

Version: 2024-02-01

72
papers

7,874
citations

159525

30
h-index

88593

70
g-index

73
all docs

73
docs citations

73
times ranked

8030
citing authors

#	ARTICLE	IF	CITATIONS
1	The Anthropocene is functionally and stratigraphically distinct from the Holocene. <i>Science</i> , 2016, 351, aad2622.	6.0	1,543
2	The 12 principles of green analytical chemistry and the SIGNIFICANCE mnemonic of green analytical practices. <i>TrAC - Trends in Analytical Chemistry</i> , 2013, 50, 78-84.	5.8	1,293
3	Analytical Eco-Scale for assessing the greenness of analytical procedures. <i>TrAC - Trends in Analytical Chemistry</i> , 2012, 37, 61-72.	5.8	1,228
4	The geological cycle of plastics and their use as a stratigraphic indicator of the Anthropocene. <i>Anthropocene</i> , 2016, 13, 4-17.	1.6	622
5	Green Chemistry Metrics with Special Reference to Green Analytical Chemistry. <i>Molecules</i> , 2015, 20, 10928-10946.	1.7	334
6	The Working Group on the Anthropocene: Summary of evidence and interim recommendations. <i>Anthropocene</i> , 2017, 19, 55-60.	1.6	310
7	The Characteristics, Occurrence, and Geochemical Behavior of Rare Earth Elements in the Environment: A Review. <i>Critical Reviews in Environmental Science and Technology</i> , 2015, 45, 429-471.	6.6	283
8	Stratigraphic and Earth System approaches to defining the Anthropocene. <i>Earth's Future</i> , 2016, 4, 324-345.	2.4	162
9	A review of geochemical background concepts and an example using data from Poland. <i>Environmental Geology</i> , 2007, 52, 861-870.	1.2	157
10	Global Boundary Stratotype Section and Point (GSSP) for the Anthropocene Series: Where and how to look for potential candidates. <i>Earth-Science Reviews</i> , 2018, 178, 379-429.	4.0	153
11	Can nuclear weapons fallout mark the beginning of the Anthropocene Epoch?. <i>Bulletin of the Atomic Scientists</i> , 2015, 71, 46-57.	0.2	135
12	Moving your laboratories to the field – Advantages and limitations of the use of field portable instruments in environmental sample analysis. <i>Environmental Research</i> , 2015, 140, 593-603.	3.7	133
13	Extraordinary human energy consumption and resultant geological impacts beginning around 1950 CE initiated the proposed Anthropocene Epoch. <i>Communications Earth & Environment</i> , 2020, 1, .	2.6	101
14	Geochemical background - an environmental perspective. <i>Mineralogia</i> , 2011, 42, 7-17.	0.4	95
15	Polynuclear aromatic hydrocarbons, phenols, and trace metals in selected soil profiles and plant bioindicators in the Holy Cross Mountains, South-Central Poland. <i>Environment International</i> , 2002, 28, 303-313.	4.8	94
16	Rare earth and trace element signatures for assessing an impact of rock mining and processing on the environment: WiÅniÅ³wka case study, south-central Poland. <i>Environmental Science and Pollution Research</i> , 2016, 23, 24943-24959.	2.7	65
17	The Anthropocene: Comparing Its Meaning in Geology (Chronostratigraphy) with Conceptual Approaches Arising in Other Disciplines. <i>Earth's Future</i> , 2021, 9, e2020EF001896.	2.4	61
18	The influence of chloride deicers on mineral nutrition and the health status of roadside trees in the city of Kielce, Poland. <i>Environmental Monitoring and Assessment</i> , 2011, 176, 451-464.	1.3	60

#	ARTICLE	IF	CITATIONS
19	Extreme enrichment of arsenic and rare earth elements in acid mine drainage: Case study of WiÅ³wka mining area (south-central Poland). <i>Environmental Pollution</i> , 2019, 244, 898-906.	3.7	60
20	Colonization of the Americas, "Little Ice Age" climate, and bomb-produced carbon: Their role in defining the Anthropocene. <i>Infrastructure Asset Management</i> , 2015, 2, 117-127.	1.2	57
21	Interspecies and interregional comparisons of the chemistry of PAHs and trace elements in mosses <i>Hylocomium splendens</i> (Hedw.) B.S.G. and <i>Pleurozium schreberi</i> (Brid.) Mitt. from Poland and Alaska. <i>Atmospheric Environment</i> , 2009, 43, 1464-1473.	1.9	56
22	The Chemistry of Soils, Rocks and Plant Bioindicators in Three Ecosystems of the Holy Cross Mountains, Poland. <i>Environmental Monitoring and Assessment</i> , 2005, 110, 55-70.	1.3	50
23	Distribution patterns of PAHs and trace elements in mosses <i>Hylocomium splendens</i> (Hedw.) B.S.G. and <i>Pleurozium schreberi</i> (Brid.) Mitt. from different forest communities: A case study, south-central Poland. <i>Chemosphere</i> , 2007, 67, 1415-1422.	4.2	47
24	Geochemical background of potentially toxic trace elements in soils of the historic copper mining area: a case study from Miedzianka Mt., Holy Cross Mountains, south-central Poland. <i>Environmental Earth Sciences</i> , 2015, 74, 4589-4605.	1.3	41
25	Prospecting for hyperaccumulators of trace elements: a review. <i>Critical Reviews in Biotechnology</i> , 2015, 35, 522-532.	5.1	40
26	Assessing the Anthropocene with geochemical methods. <i>Geological Society Special Publication</i> , 2014, 395, 221-238.	0.8	39
27	The study of rare earth elements in farmer's well waters of the PodwiÅ³wka acid mine drainage area (south-central Poland). <i>Environmental Monitoring and Assessment</i> , 2014, 186, 1609-1622.	1.3	36
28	Geochemistry and stable sulfur and oxygen isotope ratios of the PodwiÅ³wka pit pond water generated by acid mine drainage (Holy Cross Mountains, south-central Poland). <i>Applied Geochemistry</i> , 2008, 23, 3620-3634.	1.4	35
29	Seasonal changes in organotin compounds in water and sediment samples from the semi-closed Port of Gdynia. <i>Science of the Total Environment</i> , 2012, 441, 57-66.	3.9	32
30	Stable isotope geochemistry of acid mine drainage from the WiÅ³wka area (south-central Poland). <i>Applied Geochemistry</i> , 2018, 95, 45-56.	1.4	31
31	Arsenic in the WiÅ³wka acid mine drainage area (south-central Poland) "Mineralogy, hydrogeochemistry, remediation. <i>Chemical Geology</i> , 2018, 493, 491-503.	1.4	31
32	Title is missing!. <i>Water, Air, and Soil Pollution</i> , 2001, 129, 369-386.	1.1	26
33	The Use of Stable Sulfur, Oxygen and Hydrogen Isotope Ratios as Geochemical Tracers of Sulfates in the PodwiÅ³wka Acid Drainage Area (South-Central Poland). <i>Aquatic Geochemistry</i> , 2013, 19, 261-280.	1.5	24
34	Glass microspheres as a potential indicator of the Anthropocene: A first study in an urban environment. <i>Holocene</i> , 2018, 28, 323-329.	0.9	24
35	Middle Oxfordian "Lower Kimmeridgian chert nodules in the Holy Cross Mountains, south-central Poland. <i>Sedimentary Geology</i> , 2006, 187, 11-28.	1.0	23
36	Pesticide burial grounds in Poland: A review. <i>Environment International</i> , 2011, 37, 1265-1272.	4.8	23

#	ARTICLE	IF	CITATIONS
37	Geochemical anomalies of trace elements in unremediated soils of Mt. KarczÅ³wka, a historic lead mining area in the city of Kielce, Poland. <i>Science of the Total Environment</i> , 2018, 639, 397-405.	3.9	23
38	Assessing the impact of Serwis mine tailings site on farmersâ€™ wells using element and isotope signatures (Holy Cross Mountains, south-central Poland). <i>Environmental Earth Sciences</i> , 2015, 74, 629-647.	1.3	19
39	Geochemical background of potentially toxic trace elements in reclaimed soils of the abandoned pyriteâ€“uranium mine (south-central Poland). <i>International Journal of Environmental Science and Technology</i> , 2016, 13, 2649-2662.	1.8	19
40	Trace elements and stable sulfur isotopes in plants of acid mine drainage area: Implications for revegetation of degraded land. <i>Journal of Environmental Sciences</i> , 2020, 94, 128-136.	3.2	19
41	Abundance and fate of thallium and its stable isotopes in the environment. <i>Reviews in Environmental Science and Biotechnology</i> , 2021, 20, 5-30.	3.9	18
42	The use of the barbell cluster ANOVA design for the assessment of environmental pollution: a case study, Wigierski National Park, NE Poland. <i>Environmental Pollution</i> , 2005, 133, 213-223.	3.7	17
43	Surface sediments pollution due to shipwreck s/s â€œStuttgartâ€: a multidisciplinary approach. <i>Stochastic Environmental Research and Risk Assessment</i> , 2015, 29, 1797-1807.	1.9	17
44	Significance of the long-term biomonitoring studies for understanding the impact of pollutants on the environment based on a synthesis of 25-year biomonitoring in the Holy Cross Mountains, Poland. <i>Environmental Science and Pollution Research</i> , 2021, 28, 10413-10435.	2.7	16
45	The role of analytical chemistry in the study of the Anthropocene. <i>TrAC - Trends in Analytical Chemistry</i> , 2017, 97, 146-152.	5.8	15
46	The role of sample preparation in interpretation of trace element concentration variability in moss bioindication studies. <i>Environmental Chemistry Letters</i> , 2011, 9, 323-329.	8.3	14
47	The use of gadolinium and europium concentrations as contaminant tracers in the Nida River watershed in south-central Poland. <i>Geological Quarterly</i> , 2016, 60, .	0.1	14
48	A consideration of polychlorinated biphenyls as a chemostratigraphic marker of the Anthropocene. <i>Infrastructure Asset Management</i> , 2020, 7, 138-158.	1.2	13
49	Glass microspheres in road dust of the city of Kielce (south-central Poland) as markers of traffic-related pollution. <i>Journal of Hazardous Materials</i> , 2021, 413, 125355.	6.5	13
50	Mercury in mosses <i>Hylocomium splendens</i> (Hedw.) B.S.G. and <i>Pleurozium schreberi</i> (Brid.) Mitt. from Poland and Alaska: Understanding the origin of pollution sources. <i>Ecotoxicology and Environmental Safety</i> , 2010, 73, 1345-1351.	2.9	12
51	Remobilization of polychlorinated biphenyls from sediment and its consequences for their transport in river waters. <i>Environmental Monitoring and Assessment</i> , 2013, 185, 4449-4459.	1.3	11
52	An impact of moss sample cleaning on uncertainty of analytical measurement and pattern profiles of rare earth elements. <i>Chemosphere</i> , 2017, 188, 190-198.	4.2	11
53	Abundance and fate of glass microspheres in river sediments and roadside soils: Lessons from the ÅšwiÅ™tokrzyskie region case study (south-central Poland). <i>Science of the Total Environment</i> , 2022, 821, 153410.	3.9	11
54	Gorceixite from the Upper Cambrian Rocks of the podwiÅ™niÅ³wka Mine Pit, Holy Cross Mountains (South-Central Poland). <i>Mineralogia</i> , 2007, 38, 171-184.	0.4	10

#	ARTICLE	IF	CITATIONS
55	Seasonal changes in concentrations of trace elements and rare earth elements in shoot samples of <i>Juncus effusus</i> L. collected from natural habitats in the Holy Cross Mountains, south-central Poland. <i>Chemosphere</i> , 2019, 219, 954-960.	4.2	10
56	Chemical and isotopic variations in the PodwiÅ³wka MaÅ³a mine pit water, Holy Cross Mountains (south-central Poland). <i>Environmental Geology</i> , 2009, 57, 29-40.	1.2	9
57	A new two-step screening method for prospecting of trace element accumulating plants. <i>International Journal of Environmental Science and Technology</i> , 2015, 12, 3071-3078.	1.8	9
58	Comprehensive stabilization of all streams of solid residues formed during sewage sludge thermal treatment – Case study. <i>Journal of Cleaner Production</i> , 2018, 178, 757-767.	4.6	9
59	Green Analytical Chemistry: Summary of Existing Knowledge and Future Trends. <i>Green Chemistry and Sustainable Technology</i> , 2019, , 431-449.	0.4	8
60	The origin of pyrite mineralization: Implications for Late Cambrian geology of the Holy Cross Mountains (south-central Poland). <i>Sedimentary Geology</i> , 2019, 390, 45-61.	1.0	8
61	Presence and possible origin of positive Eu anomaly in shoot samples of <i>Juncus effusus</i> L. <i>Journal of Trace Elements in Medicine and Biology</i> , 2020, 58, 126432.	1.5	8
62	Groundwater quality as a geoindicator of organochlorine pesticide contamination after pesticide tomb reclamation: a case study of Franciszkowo, northwestern Poland. <i>Environmental Earth Sciences</i> , 2012, 67, 2441-2447.	1.3	7
63	Assessing soil sampling uncertainty in heterogeneous historic metal ore mining sites. <i>Accreditation and Quality Assurance</i> , 2015, 20, 163-170.	0.4	6
64	A comparison of green chemistry metrics for two methods of bromination and nitration of bis-pyrazolo[3,4-b;4â€²,3â€²-e]pyridines. <i>Heterocyclic Communications</i> , 2011, 17, .	0.6	4
65	Heterogeneous areas – identification of outliers and calculation of soil sampling uncertainty using the modified RANOVA method. <i>Environmental Monitoring and Assessment</i> , 2016, 188, 581.	1.3	4
66	Analysis and Bioanalysis: an Effective Tool for Data Collection of Environmental Conditions and Processes. <i>Polish Journal of Environmental Studies</i> , 2016, 25, 45-53.	0.6	4
67	Xenotime from the PodwiÅ³wka mine pit, Holy Cross Mountains (South-Central Poland). <i>Mineralogia</i> , 2010, 41, .	0.4	3
68	Characterization of Microbial Communities in Acidified, Sulfur Containing Soils. <i>Polish Journal of Microbiology</i> , 2017, 66, 509-517.	0.6	3
69	The use of FPXRF in the determinations of selected trace elements in historic mining soils in the Holy Cross Mts., south-central Poland. <i>Geological Quarterly</i> , 2015, 59, .	0.1	3
70	Bioavailability of selected trace and rare earth elements to <i>Juncus effusus</i> L.: the potential role of de-icing chlorides in the roadside environment. <i>Plant and Soil</i> , 2022, 472, 641.	1.8	3
71	The 1st Conference on Contemporary Problems of Geochemistry. <i>Mineralogia</i> , 2011, 42, 3-5.	0.4	0
72	Geochemistry and petrology of striped chert as a provenance tool for artefacts from the KRZEMIONKI NEOLITHIC mining area (Poland). <i>Archaeometry</i> , 2022, 64, 1093-1109.	0.6	0