

Jianying Shang

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3592149/publications.pdf>

Version: 2024-02-01

76
papers

2,692
citations

147801

31
h-index

189892

50
g-index

79
all docs

79
docs citations

79
times ranked

2627
citing authors

#	ARTICLE	IF	CITATIONS
1	Hydrogen peroxide and high-temperature heating differently alter the stability and aggregation of black soil colloids. <i>Chemosphere</i> , 2022, 287, 132018.	8.2	8
2	Goethite modified biochar simultaneously mitigates the arsenic and cadmium accumulation in paddy rice (<i>Oryza sativa</i>) L. <i>Environmental Research</i> , 2022, 206, 112238.	7.5	34
3	Effect of phytic acid and morphology on Fe (oxyhydr)oxide transport under saturated flow condition. <i>Journal of Hazardous Materials</i> , 2022, 424, 127659.	12.4	6
4	Short-term biochar effect on soil physicochemical and microbiological properties of a degraded alpine grassland. <i>Pedosphere</i> , 2022, 32, 426-437.	4.0	11
5	Elucidating the impact of goethite-modified biochar on arsenic mobility, bioaccumulation in paddy rice (<i>Oryza sativa</i> L.) along with soil enzyme activities. <i>Chemical Engineering Research and Design</i> , 2022, 160, 958-967.	5.6	32
6	Aggregation kinetics of biochar nanoparticles in aqueous environment: Interplays of anion type and bovine serum albumin. <i>Science of the Total Environment</i> , 2022, 833, 155148.	8.0	10
7	Effects of low molecular weight organic acids on aggregation behavior of biochar colloids at acid and neutral conditions. <i>Biochar</i> , 2022, 4, 1.	12.6	26
8	Coupled impact of proteins with different molecular weights and surface charges on TiO_2 mobility. <i>Environmental Science: Nano</i> , 2022, 9, 2773-2787.	4.3	1
9	Combined effects of ferrihydrite coating and ionic type on the transport of compost-derived dissolved organic matter in saturated porous media. <i>Environmental Pollution</i> , 2022, 307, 119501.	7.5	1
10	Cation exchange capacity and soil pore system play key roles in water vapour sorption. <i>Geoderma</i> , 2022, 424, 116017.	5.1	5
11	Influence of dissolved organic matter, kaolinite, and iron oxides on aggregation and transport of biochar colloids in aqueous and soil environments. <i>Chemosphere</i> , 2022, 306, 135555.	8.2	11
12	A new model for soil water vapor sorption isotherms considering adsorption and condensation. <i>Soil Science Society of America Journal</i> , 2021, 85, 195-206.	2.2	6
13	Distinct interactions of pig and cow manure-derived colloids with TiO_2 nanoparticles and their impact on stability and transport. <i>Journal of Hazardous Materials</i> , 2021, 416, 125910.	12.4	10
14	Accumulation of sulfamethazine and ciprofloxacin on grain surface decreases the transport of biochar colloids in saturated porous media. <i>Journal of Hazardous Materials</i> , 2021, 417, 125908.	12.4	16
15	Role of nonspherical DLVO and capillary forces in the transport of 2D delaminated Ti_3C_2Tx MXene in saturated and unsaturated porous media. <i>Environmental Research</i> , 2021, 200, 111451.	7.5	4
16	Arsenic removal via a novel hydrochar from livestock waste co-activated with thiourea and $\hat{I}^3-Fe_2O_3$ nanoparticles. <i>Journal of Hazardous Materials</i> , 2021, 419, 126457.	12.4	28
17	PAHs sorption to biochar colloids changes their mobility over time. <i>Journal of Hydrology</i> , 2021, 603, 126839.	5.4	10
18	Estimation of soil specific surface area from adsorbed soil water content. <i>European Journal of Soil Science</i> , 2021, 72, 1718-1725.	3.9	7

#	ARTICLE	IF	CITATIONS
19	Estimation of soil water content at permanent wilting point using hygroscopic water content. <i>European Journal of Soil Science</i> , 2020, 71, 392-398.	3.9	8
20	Effect of sulfamethazine on surface characteristics of biochar colloids and its implications for transport in porous media. <i>Environmental Pollution</i> , 2020, 256, 113482.	7.5	36
21	Goethite-modified biochar restricts the mobility and transfer of cadmium in soil-rice system. <i>Chemosphere</i> , 2020, 242, 125152.	8.2	51
22	The role of Fe oxyhydroxide coating, illite clay, and peat moss in nanoscale titanium dioxide (nTiO ₂) retention and transport in geochemically heterogeneous media. <i>Environmental Pollution</i> , 2020, 257, 113625.	7.5	7
23	Surface and colloid properties of biochar and implications for transport in porous media. <i>Critical Reviews in Environmental Science and Technology</i> , 2020, 50, 2484-2522.	12.8	56
24	Goethite modified biochar as a multifunctional amendment for cationic Cd(II), anionic As(III), roxarsone, and phosphorus in soil and water. <i>Journal of Cleaner Production</i> , 2020, 247, 119579.	9.3	141
25	Green sustainable and highly efficient hematite nanoparticles modified biochar-clay granular composite for Cr(VI) removal and related mechanism. <i>Journal of Cleaner Production</i> , 2020, 276, 123009.	9.3	55
26	Ferrihydrite Transformation Impacted by Coprecipitation of Phytic Acid. <i>Environmental Science & Technology</i> , 2020, 54, 8837-8847.	10.0	25
27	Coupled effect of flow velocity and structural heterogeneity on transport and release of kaolinite colloids in saturated porous media. <i>Environmental Science and Pollution Research</i> , 2020, 27, 35065-35077.	5.3	3
28	Release of colloidal biochar during transient chemical conditions: The humic acid effect. <i>Environmental Pollution</i> , 2020, 260, 114068.	7.5	11
29	Critical insight and indication on particle size effects towards uranium release from uranium mill tailings: Geochemical and mineralogical aspects. <i>Chemosphere</i> , 2020, 250, 126315.	8.2	37
30	Humic acid induced weak attachment of fullerene nC ₆₀ nanoparticles and subsequent detachment upon reduction of solution ionic strength in saturated porous media. <i>Journal of Contaminant Hydrology</i> , 2020, 231, 103630.	3.3	5
31	Goethite-modified biochar ameliorates the growth of rice (<i>Oryza sativa</i> L.) plants by suppressing Cd and As-induced oxidative stress in Cd and As co-contaminated paddy soil. <i>Science of the Total Environment</i> , 2020, 717, 137086.	8.0	106
32	Simultaneous removal of Cd(II) and As(III) from co-contaminated aqueous solution by $\hat{\pm}$ -FeOOH modified biochar. <i>Biochar</i> , 2020, 2, 81-92.	12.6	63
33	Synthesis of novel mesoporous carbon nanoparticles and their phytotoxicity to rice (<i>Oryza sativa</i> L.). <i>Journal of Saudi Chemical Society</i> , 2019, 23, 75-82.	5.2	40
34	Kinetics and Mechanisms of Protein Adsorption and Conformational Change on Hematite Particles. <i>Environmental Science & Technology</i> , 2019, 53, 10157-10165.	10.0	36
35	Spatial patterns in soil physicochemical and microbiological properties in a grassland adjacent to a newly built lake. <i>MicrobiologyOpen</i> , 2019, 8, e912.	3.0	3
36	Graphene oxide-facilitated uranium transport and release in saturated medium: Effect of ionic strength and medium structure. <i>Environmental Pollution</i> , 2019, 247, 668-677.	7.5	20

#	ARTICLE	IF	CITATIONS
37	Nanoscale titanium dioxide (nTiO ₂) aggregation and transport in the co-presence of dissolved phosphate, illite colloid, and Fe oxyhydroxide coating. <i>Colloids and Surfaces A: Physicochemical and Engineering Aspects</i> , 2019, 578, 123560.	4.7	12
38	Chemical Aging Changed Aggregation Kinetics and Transport of Biochar Colloids. <i>Environmental Science & Technology</i> , 2019, 53, 8136-8146.	10.0	91
39	Effect of bovine serum albumin on stability and transport of kaolinite colloid. <i>Water Research</i> , 2019, 155, 204-213.	11.3	53
40	Transport of biochar colloids in saturated porous media in the presence of humic substances or proteins. <i>Environmental Pollution</i> , 2019, 246, 855-863.	7.5	55
41	Colloidal stability and aggregation kinetics of biochar colloids: Effects of pyrolysis temperature, cation type, and humic acid concentrations. <i>Science of the Total Environment</i> , 2019, 658, 1306-1315.	8.0	86
42	Mechanism of uranium release from uranium mill tailings under long-term exposure to simulated acid rain: Geochemical evidence and environmental implication. <i>Environmental Pollution</i> , 2019, 244, 174-181.	7.5	86
43	Structural effects on the catalytic activity of carbon-supported magnetite nanocomposites in heterogeneous Fenton-like reactions. <i>RSC Advances</i> , 2018, 8, 16193-16201.	3.6	14
44	Effect of physicochemical factors on transport and retention of graphene oxide in saturated media. <i>Environmental Pollution</i> , 2018, 236, 168-176.	7.5	47
45	Nitrate attenuation in low-permeability sediments based on isotopic and microbial analyses. <i>Science of the Total Environment</i> , 2018, 618, 15-25.	8.0	19
46	Effects of ionic strength, electrolyte type, pH, and flow rate on transport and retention of atmospheric deposition particles in saturated porous media. <i>Journal of Soils and Sediments</i> , 2018, 18, 1066-1075.	3.0	10
47	Advancing Soil Physics for Securing Food, Water, Soil and Ecosystem Services. <i>Vadose Zone Journal</i> , 2018, 17, 1-7.	2.2	6
48	Anomalous Attachment Behavior of Nanoparticles inside Narrow Channels. <i>Vadose Zone Journal</i> , 2018, 17, 1-9.	2.2	3
49	Effect of Biochar Application on Hydraulic Properties of Sandy Soil under Dry and Wet Conditions. <i>Vadose Zone Journal</i> , 2018, 17, 1-8.	2.2	36
50	Microscale water distribution and its effects on organic carbon decomposition in unsaturated soils. <i>Science of the Total Environment</i> , 2018, 644, 1036-1043.	8.0	12
51	Uranium (VI) transport in saturated heterogeneous media: Influence of kaolinite and humic acid. <i>Environmental Pollution</i> , 2018, 240, 219-226.	7.5	49
52	Antagonistic effect of humic acid and naphthalene on biochar colloid transport in saturated porous media. <i>Chemosphere</i> , 2017, 189, 556-564.	8.2	54
53	Contributions of Nanoscale Roughness to Anomalous Colloid Retention and Stability Behavior. <i>Langmuir</i> , 2017, 33, 10094-10105.	3.5	94
54	Effect of naphthalene on transport and retention of biochar colloids through saturated porous media. <i>Colloids and Surfaces A: Physicochemical and Engineering Aspects</i> , 2017, 530, 146-154.	4.7	59

#	ARTICLE	IF	CITATIONS
55	Toxicity and bio-effects of CuO nanoparticles on transgenic lpt-cotton. <i>Journal of Plant Interactions</i> , 2016, 11, 108-116.	2.1	36
56	Effects of CuO nanoparticles on insecticidal activity and phytotoxicity in conventional and transgenic cotton. <i>Chemosphere</i> , 2016, 144, 661-670.	8.2	138
57	Nitrate bioreduction in redox-variable low permeability sediments. <i>Science of the Total Environment</i> , 2016, 539, 185-195.	8.0	32
58	A Fluorescence-Based Method for Rapid and Direct Determination of Polybrominated Diphenyl Ethers in Water. <i>Journal of Analytical Methods in Chemistry</i> , 2015, 2015, 1-10.	1.6	5
59	Effect of Subgrid Heterogeneity on Scaling Geochemical and Biogeochemical Reactions: A Case of U(VI) Desorption. <i>Environmental Science & Technology</i> , 2014, 48, 1745-1752.	10.0	34
60	Long-term kinetics of uranyl desorption from sediments under advective conditions. <i>Water Resources Research</i> , 2014, 50, 855-870.	4.2	14
61	Investigation of U(VI) Adsorption in Quartz-Chlorite Mineral Mixtures. <i>Environmental Science & Technology</i> , 2014, 48, 7766-7773.	10.0	16
62	A Unified Multiscale Model for Pore-Scale Flow Simulations in Soils. <i>Soil Science Society of America Journal</i> , 2014, 78, 108-118.	2.2	23
63	Scale-dependent rates of uranyl surface complexation reaction in sediments. <i>Geochimica Et Cosmochimica Acta</i> , 2013, 105, 326-341.	3.9	54
64	Transport and retention of engineered nanoporous particles in porous media: Effects of concentration and flow dynamics. <i>Colloids and Surfaces A: Physicochemical and Engineering Aspects</i> , 2013, 417, 89-98.	4.7	30
65	A β -Like Peptide Displayed on Bacteriophage T7 Catalyzes Chromate and Uranyl Reduction. <i>Journal of Environmental Protection</i> , 2013, 04, 857-868.	0.7	0
66	Fluorescent Functionalized Mesoporous Silica for Radioactive Material Extraction. <i>Separation Science and Technology</i> , 2012, 47, 1507-1513.	2.5	11
67	Effect of Grain Size on Uranium(VI) Surface Complexation Kinetics and Adsorption Additivity. <i>Environmental Science & Technology</i> , 2011, 45, 6025-6031.	10.0	60
68	Multispecies diffusion models: A study of uranyl species diffusion. <i>Water Resources Research</i> , 2011, 47, .	4.2	43
69	Contact angles of aluminosilicate clays as affected by relative humidity and exchangeable cations. <i>Colloids and Surfaces A: Physicochemical and Engineering Aspects</i> , 2010, 353, 1-9.	4.7	66
70	In-Situ Measurements of Engineered Nanoporous Particle Transport in Saturated Porous Media. <i>Environmental Science & Technology</i> , 2010, 44, 8190-8195.	10.0	25
71	Force measurements between particles and the air-water interface: Implications for particle mobilization in unsaturated porous media. <i>Water Resources Research</i> , 2009, 45, .	4.2	60
72	Comparison of different methods to measure contact angles of soil colloids. <i>Journal of Colloid and Interface Science</i> , 2008, 328, 299-307.	9.4	189

#	ARTICLE	IF	CITATIONS
73	Impact of flow rate, water content, and capillary forces on in situ colloid mobilization during infiltration in unsaturated sediments. <i>Water Resources Research</i> , 2008, 44, .	4.2	115
74	Coating of silica sand with aluminosilicate clay. <i>Journal of Colloid and Interface Science</i> , 2006, 294, 155-164.	9.4	24
75	A simple method for estimating the optimum water content for tillage. <i>European Journal of Soil Science</i> , 0, , .	3.9	0
76	Reversing the order of changes in environmental conditions alters aggregation behavior of hematite nanoparticles. <i>Environmental Science: Nano</i> , 0, , .	4.3	2