

# Simon Boitard

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3592386/publications.pdf>

Version: 2024-02-01

33  
papers

3,585  
citations

361413

20  
h-index

395702

33  
g-index

42  
all docs

42  
docs citations

42  
times ranked

5295  
citing authors

#	ARTICLE	IF	CITATIONS
1	Heterogeneity in effective size across the genome: effects on the inverse instantaneous coalescence rate (IICR) and implications for demographic inference under linked selection. <i>Genetics</i> , 2022, 220, .	2.9	10
2	Gene Banks as Reservoirs to Detect Recent Selection: The Example of the Asturiana de los Valles Bovine Breed. <i>Frontiers in Genetics</i> , 2021, 12, 575405.	2.3	6
3	Inferring number of populations and changes in connectivity under the n-island model. <i>Heredity</i> , 2021, 126, 896-912.	2.6	20
4	The quail genome: insights into social behaviour, seasonal biology and infectious disease response. <i>BMC Biology</i> , 2020, 18, 14.	3.8	40
5	Coalescence times for three genes provide sufficient information to distinguish population structure from population size changes. <i>Journal of Mathematical Biology</i> , 2019, 78, 189-224.	1.9	10
6	A guinea fowl genome assembly provides new evidence on evolution following domestication and selection in galliformes. <i>Molecular Ecology Resources</i> , 2019, 19, 997-1014.	4.8	24
7	An ABC Method for Whole-Genome Sequence Data: Inferring Paleolithic and Neolithic Human Expansions. <i>Molecular Biology and Evolution</i> , 2019, 36, 1565-1579.	8.9	27
8	Inference of Selection from Genetic Time Series Using Various Parametric Approximations to the Wright-Fisher Model. <i>G3: Genes, Genomes, Genetics</i> , 2019, 9, 4073-4086.	1.8	18
9	The IICR (inverse instantaneous coalescence rate) as a summary of genomic diversity: insights into demographic inference and model choice. <i>Heredity</i> , 2018, 120, 13-24.	2.6	74
10	Meta-analysis of genome-wide association studies for cattle stature identifies common genes that regulate body size in mammals. <i>Nature Genetics</i> , 2018, 50, 362-367.	21.4	286
11	Mapping QTL for white striping in relation to breast muscle yield and meat quality traits in broiler chickens. <i>BMC Genomics</i> , 2018, 19, 202.	2.8	53
12	The IICR and the non-stationary structured coalescent: towards demographic inference with arbitrary changes in population structure. <i>Heredity</i> , 2018, 121, 663-678.	2.6	32
13	Identification of genomic regions and candidate genes for chicken meat ultimate pH by combined detection of selection signatures and QTL. <i>BMC Genomics</i> , 2018, 19, 294.	2.8	18
14	Accounting for linkage disequilibrium in genome scans for selection without individual genotypes: The local score approach. <i>Molecular Ecology</i> , 2017, 26, 3700-3714.	3.9	65
15	Inferring Population Size History from Large Samples of Genome-Wide Molecular Data - An Approximate Bayesian Computation Approach. <i>PLoS Genetics</i> , 2016, 12, e1005877.	3.5	144
16	Uncovering Adaptation from Sequence Data: Lessons from Genome Resequencing of Four Cattle Breeds. <i>Genetics</i> , 2016, 203, 433-450.	2.9	93
17	Combined QTL and Selective Sweep Mappings with Coding SNP Annotation and <i>cis</i> -eQTL Analysis Revealed <i>PARK2</i> and <i>JAG2</i> as New Candidate Genes for Adiposity Regulation. <i>G3: Genes, Genomes, Genetics</i> , 2015, 5, 517-529.	1.8	17
18	Genomic Signature of Selective Sweeps Illuminates Adaptation of <i>Medicago truncatula</i> to Root-Associated Microorganisms. <i>Molecular Biology and Evolution</i> , 2015, 32, 2097-2110.	8.9	51

#	ARTICLE	IF	CITATIONS
19	Selection Signatures in Worldwide Sheep Populations. PLoS ONE, 2014, 9, e103813.	2.5	197
20	Functional investigation of a QTL affecting resistance to Haemonchus contortus in sheep. Veterinary Research, 2014, 45, 68.	3.0	18
21	Detecting Signatures of Selection Through Haplotype Differentiation Among Hierarchically Structured Populations. Genetics, 2013, 193, 929-941.	2.9	340
22	Poolâ€ohmm: a Python program for estimating the allele frequency spectrum and detecting selective sweeps from next generation sequencing of pooled samples. Molecular Ecology Resources, 2013, 13, 337-340.	4.8	55
23	Detecting Selective Sweeps from Pooled Next-Generation Sequencing Samples. Molecular Biology and Evolution, 2012, 29, 2177-2186.	8.9	75
24	Genome-Wide Analysis of the World's Sheep Breeds Reveals High Levels of Historic Mixture and Strong Recent Selection. PLoS Biology, 2012, 10, e1001258.	5.6	719
25	Genetic characterization of the Blonde dâ€™Aquitaine cattle breed using microsatellite markers and relationship with three other French cattle populations. Journal of Animal Breeding and Genetics, 2011, 128, 201-208.	2.0	16
26	Sparse PLS discriminant analysis: biologically relevant feature selection and graphical displays for multiclass problems. BMC Bioinformatics, 2011, 12, 253.	2.6	699
27	Epilepsy Caused by an Abnormal Alternative Splicing with Dosage Effect of the SV2A Gene in a Chicken Model. PLoS ONE, 2011, 6, e26932.	2.5	37
28	Detecting Selection in Population Trees: The Lewontin and Krakauer Test Extended. Genetics, 2010, 186, 241-262.	2.9	122
29	Asymptotic Distribution of the "Orthogonal" Quantitative Transmission Disequilibrium Test in a Structured Population: Exact Formula. Statistical Applications in Genetics and Molecular Biology, 2010, 9, Article 11.	0.6	1
30	Detecting Selection in Population Trees: The Lewontin and Krakauer Test Extended. Genetics, 2010, 186, 241-262.	2.9	243
31	Detecting Selective Sweeps: A New Approach Based on Hidden Markov Models. Genetics, 2009, 181, 1567-1578.	2.9	48
32	Probability distribution of haplotype frequencies under the two-locus Wrightâ€™Fisher model by diffusion approximation. Theoretical Population Biology, 2007, 71, 380-391.	1.1	6
33	Linkage disequilibrium interval mapping of quantitative trait loci. BMC Genomics, 2006, 7, 54.	2.8	7