

Bogdan A Stoica

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3593388/publications.pdf>

Version: 2024-02-01

104
papers

8,733
citations

29994

54
h-index

45213

90
g-index

110
all docs

110
docs citations

110
times ranked

10213
citing authors

#	ARTICLE	IF	CITATIONS
1	Enhanced Akt/GSK β /CREB signaling mediates the anti-inflammatory actions of mGluR5 positive allosteric modulators in microglia and following traumatic brain injury in male mice. <i>Journal of Neurochemistry</i> , 2021, 156, 225-248.	2.1	24
2	Spinal cord injury alters microRNA and CD81+ exosome levels in plasma extracellular nanoparticles with neuroinflammatory potential. <i>Brain, Behavior, and Immunity</i> , 2021, 92, 165-183.	2.0	62
3	Proton extrusion during oxidative burst in microglia exacerbates pathological acidosis following traumatic brain injury. <i>Glia</i> , 2021, 69, 746-764.	2.5	42
4	Bidirectional Brain-Systemic Interactions and Outcomes After TBI. <i>Trends in Neurosciences</i> , 2021, 44, 406-418.	4.2	17
5	Traumatic Brain Injury Induces cGAS Activation and Type I Interferon Signaling in Aged Mice. <i>Frontiers in Immunology</i> , 2021, 12, 710608.	2.2	33
6	Delayed microglial depletion after spinal cord injury reduces chronic inflammation and neurodegeneration in the brain and improves neurological recovery in male mice. <i>Theranostics</i> , 2020, 10, 11376-11403.	4.6	88
7	Mithramycin selectively attenuates DNA-damage-induced neuronal cell death. <i>Cell Death and Disease</i> , 2020, 11, 587.	2.7	8
8	Irradiation-Induced Upregulation of miR-711 Inhibits DNA Repair and Promotes Neurodegeneration Pathways. <i>International Journal of Molecular Sciences</i> , 2020, 21, 5239.	1.8	7
9	Longitudinal Assessment of Sensorimotor Function after Controlled Cortical Impact in Mice: Comparison of Beamwalk, Rotarod, and Automated Gait Analysis Tests. <i>Journal of Neurotrauma</i> , 2020, 37, 2709-2717.	1.7	6
10	Putative mGluR4 positive allosteric modulators activate Gi-independent anti-inflammatory mechanisms in microglia. <i>Neurochemistry International</i> , 2020, 138, 104770.	1.9	2
11	Down-Regulation of miR-23a-3p Mediates Irradiation-Induced Neuronal Apoptosis. <i>International Journal of Molecular Sciences</i> , 2020, 21, 3695.	1.8	17
12	Microglial Depletion with CSF1R Inhibitor During Chronic Phase of Experimental Traumatic Brain Injury Reduces Neurodegeneration and Neurological Deficits. <i>Journal of Neuroscience</i> , 2020, 40, 2960-2974.	1.7	193
13	Interferon- γ Plays a Detrimental Role in Experimental Traumatic Brain Injury by Enhancing Neuroinflammation That Drives Chronic Neurodegeneration. <i>Journal of Neuroscience</i> , 2020, 40, 2357-2370.	1.7	78
14	Inhibition of microRNA-711 limits angiopoietin-1 and Akt changes, tissue damage, and motor dysfunction after contusive spinal cord injury in mice. <i>Cell Death and Disease</i> , 2019, 10, 839.	2.7	24
15	Old age increases microglial senescence, exacerbates secondary neuroinflammation, and worsens neurological outcomes after acute traumatic brain injury in mice. <i>Neurobiology of Aging</i> , 2019, 77, 194-206.	1.5	99
16	Iron accentuated reactive oxygen species release by NADPH oxidase in activated microglia contributes to oxidative stress in vitro. <i>Journal of Neuroinflammation</i> , 2019, 16, 41.	3.1	79
17	Inhibition of miR-155 Limits Neuroinflammation and Improves Functional Recovery After Experimental Traumatic Brain Injury in Mice. <i>Neurotherapeutics</i> , 2019, 16, 216-230.	2.1	57
18	Neutral Sphingomyelinase Inhibition Alleviates LPS-Induced Microglia Activation and Neuroinflammation after Experimental Traumatic Brain Injury. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2019, 368, 338-352.	1.3	42

#	ARTICLE	IF	CITATIONS
19	Comparing effects of CDK inhibition and E2F1/2 ablation on neuronal cell death pathways in vitro and after traumatic brain injury. <i>Cell Death and Disease</i> , 2018, 9, 1121.	2.7	17
20	MicroRNA-711 Induced Downregulation of Angiotensin-1 Mediates Neuronal Cell Death. <i>Journal of Neurotrauma</i> , 2018, 35, 2462-2481.	1.7	23
21	Microglial-derived microparticles mediate neuroinflammation after traumatic brain injury. <i>Journal of Neuroinflammation</i> , 2017, 14, 47.	3.1	228
22	Visual saliency analysis in paintings. , 2017, , .		1
23	Mechanisms Involved in the Long-Term Effects of Traumatic Brain Injury on Colonic Homeostasis. <i>Gastroenterology</i> , 2017, 152, S731.	0.6	0
24	Bidirectional brain-gut interactions and chronic pathological changes after traumatic brain injury in mice. <i>Brain, Behavior, and Immunity</i> , 2017, 66, 56-69.	2.0	109
25	NOX2 deficiency alters macrophage phenotype through an IL-10/STAT3 dependent mechanism: implications for traumatic brain injury. <i>Journal of Neuroinflammation</i> , 2017, 14, 65.	3.1	65
26	Deep-learning-assisted visualization for live-cell images. , 2017, , .		1
27	Endoplasmic Reticulum Stress and Disrupted Neurogenesis in the Brain Are Associated with Cognitive Impairment and Depressive-Like Behavior after Spinal Cord Injury. <i>Journal of Neurotrauma</i> , 2016, 33, 1919-1935.	1.7	94
28	NOX2 drives M1-like microglial/macrophage activation and neurodegeneration following experimental traumatic brain injury. <i>Brain, Behavior, and Immunity</i> , 2016, 58, 291-309.	2.0	152
29	Latest progress of research on acute abdominal injuries. <i>Journal of Acute Disease</i> , 2016, 5, 16-21.	0.0	3
30	Microglial/Macrophage Polarization Dynamics following Traumatic Brain Injury. <i>Journal of Neurotrauma</i> , 2016, 33, 1732-1750.	1.7	248
31	Progressive inflammation-mediated neurodegeneration after traumatic brain or spinal cord injury. <i>British Journal of Pharmacology</i> , 2016, 173, 681-691.	2.7	217
32	Trauma pattern in a level I east-European trauma center. <i>Journal of Acute Disease</i> , 2015, 4, 322-326.	0.0	1
33	Voluntary Exercise Preconditioning Activates Multiple Antiapoptotic Mechanisms and Improves Neurological Recovery after Experimental Traumatic Brain Injury. <i>Journal of Neurotrauma</i> , 2015, 32, 1347-1360.	1.7	43
34	Neuroprotection for traumatic brain injury. <i>Handbook of Clinical Neurology</i> / Edited By P J Vinken and G W Bruyn, 2015, 127, 343-366.	1.0	68
35	S100B Inhibition Reduces Behavioral and Pathologic Changes in Experimental Traumatic Brain Injury. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2015, 35, 2010-2020.	2.4	37
36	Mortality after acute trauma: Progressive decreasing rather than a trimodal distribution. <i>Journal of Acute Disease</i> , 2015, 4, 205-209.	0.0	8

#	ARTICLE	IF	CITATIONS
37	Massive lower gastrointestinal bleeding after low anterior resection for middle rectal cancer – case report. <i>Journal of Acute Disease</i> , 2015, 4, 73-77.	0.0	0
38	Acyl-2-aminobenzimidazoles: A novel class of neuroprotective agents targeting mGluR5. <i>Bioorganic and Medicinal Chemistry</i> , 2015, 23, 2211-2220.	1.4	21
39	Cyclopropyl-containing positive allosteric modulators of metabotropic glutamate receptor subtype 5. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2015, 25, 2275-2279.	1.0	9
40	Ablation of the transcription factors E2F1-2 limits neuroinflammation and associated neurological deficits after contusive spinal cord injury. <i>Cell Cycle</i> , 2015, 14, 3698-3712.	1.3	32
41	Protective effect of magnesium and metformin on endometrium and ovary in experimental diabetes mellitus. <i>Magnesium Research</i> , 2014, 27, 69-76.	0.4	10
42	Quality management in general surgery: a review of the literature. <i>Journal of Acute Disease</i> , 2014, 3, 253-257.	0.0	8
43	Downregulation of miR-23a and miR-27a following Experimental Traumatic Brain Injury Induces Neuronal Cell Death through Activation of Proapoptotic Bcl-2 Proteins. <i>Journal of Neuroscience</i> , 2014, 34, 10055-10071.	1.7	129
44	Novel mGluR5 Positive Allosteric Modulator Improves Functional Recovery, Attenuates Neurodegeneration, and Alters Microglial Polarization after Experimental Traumatic Brain Injury. <i>Neurotherapeutics</i> , 2014, 11, 857-869.	2.1	70
45	Isolated spinal cord contusion in rats induces chronic brain neuroinflammation, neurodegeneration, and cognitive impairment. <i>Cell Cycle</i> , 2014, 13, 2446-2458.	1.3	90
46	Progressive Neurodegeneration After Experimental Brain Trauma. <i>Journal of Neuropathology and Experimental Neurology</i> , 2014, 73, 14-29.	0.9	406
47	Spinal Cord Injury Causes Brain Inflammation Associated with Cognitive and Affective Changes: Role of Cell Cycle Pathways. <i>Journal of Neuroscience</i> , 2014, 34, 10989-11006.	1.7	201
48	PARP-1 Inhibition Attenuates Neuronal Loss, Microglia Activation and Neurological Deficits after Traumatic Brain Injury. <i>Journal of Neurotrauma</i> , 2014, 31, 758-772.	1.7	103
49	CR8, a Novel Inhibitor of CDK, Limits Microglial Activation, Astrocytosis, Neuronal Loss, and Neurologic Dysfunction after Experimental Traumatic Brain Injury. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2014, 34, 502-513.	2.4	56
50	Repeated Mild Traumatic Brain Injury Causes Chronic Neuroinflammation, Changes in Hippocampal Synaptic Plasticity, and Associated Cognitive Deficits. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2014, 34, 1223-1232.	2.4	207
51	Positive Allosteric Modulators (PAMs) of Metabotropic Glutamate Receptor 5 (mGluR5) Attenuate Microglial Activation. <i>CNS and Neurological Disorders - Drug Targets</i> , 2014, 13, 558-566.	0.8	19
52	Late exercise reduces neuroinflammation and cognitive dysfunction after traumatic brain injury. <i>Neurobiology of Disease</i> , 2013, 54, 252-263.	2.1	127
53	Neuroprotective Effects of Geranylgeranylacetone in Experimental Traumatic Brain Injury. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2013, 33, 1897-1908.	2.4	39
54	Traumatic brain injury in aged animals increases lesion size and chronically alters microglial/macrophage classical and alternative activation states. <i>Neurobiology of Aging</i> , 2013, 34, 1397-1411.	1.5	213

#	ARTICLE	IF	CITATIONS
55	The effects of a 6-OHDA induced lesion in murine nucleus accumbens on memory and oxidative stress status. <i>Open Medicine (Poland)</i> , 2013, 8, 443-449.	0.6	1
56	Activation of mGluR5 and Inhibition of NADPH Oxidase Improves Functional Recovery after Traumatic Brain Injury. <i>Journal of Neurotrauma</i> , 2013, 30, 403-412.	1.7	78
57	Selective CDK Inhibitor Limits Neuroinflammation and Progressive Neurodegeneration after Brain Trauma. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2012, 32, 137-149.	2.4	82
58	Delayed cell cycle pathway modulation facilitates recovery after spinal cord injury. <i>Cell Cycle</i> , 2012, 11, 1782-1795.	1.3	41
59	Comparing the Predictive Value of Multiple Cognitive, Affective, and Motor Tasks after Rodent Traumatic Brain Injury. <i>Journal of Neurotrauma</i> , 2012, 29, 2475-2489.	1.7	91
60	Cyclin D1 Gene Ablation Confers Neuroprotection in Traumatic Brain Injury. <i>Journal of Neurotrauma</i> , 2012, 29, 813-827.	1.7	53
61	Delayed expression of cell cycle proteins contributes to astroglial scar formation and chronic inflammation after rat spinal cord contusion. <i>Journal of Neuroinflammation</i> , 2012, 9, 169.	3.1	53
62	Overexpression of HSP70 attenuates caspase-dependent and caspase-independent pathways and inhibits neuronal apoptosis. <i>Journal of Neurochemistry</i> , 2012, 123, 542-554.	2.1	104
63	Metabotropic glutamate receptor-mediated signaling in neuroglia. <i>Environmental Sciences Europe</i> , 2012, 1, 136-150.	2.6	36
64	CR8, a Selective and Potent CDK Inhibitor, Provides Neuroprotection in Experimental Traumatic Brain Injury. <i>Neurotherapeutics</i> , 2012, 9, 405-421.	2.1	49
65	Combined inhibition of cell death induced by apoptosis inducing factor and caspases provides additive neuroprotection in experimental traumatic brain injury. <i>Neurobiology of Disease</i> , 2012, 46, 745-758.	2.1	52
66	Delayed mGluR5 activation limits neuroinflammation and neurodegeneration after traumatic brain injury. <i>Journal of Neuroinflammation</i> , 2012, 9, 43.	3.1	144
67	Inhibition of E2F1/CDK1 Pathway Attenuates Neuronal Apoptosis In Vitro and Confers Neuroprotection after Spinal Cord Injury In Vivo. <i>PLoS ONE</i> , 2012, 7, e42129.	1.1	46
68	Cell Cycle Activation and Spinal Cord Injury. <i>Neurotherapeutics</i> , 2011, 8, 221-228.	2.1	63
69	Cell Death Mechanisms and Modulation in Traumatic Brain Injury. <i>Neurotherapeutics</i> , 2010, 7, 3-12.	2.1	236
70	Fluid-percussion-induced traumatic brain injury model in rats. <i>Nature Protocols</i> , 2010, 5, 1552-1563.	5.5	138
71	Pathophysiological Response to Experimental Diffuse Brain Trauma Differs as a Function of Developmental Age. <i>Developmental Neuroscience</i> , 2010, 32, 442-453.	1.0	37
72	Programmed Neuronal Cell Death Mechanisms in CNS Injury. , 2010, , 169-200.		4

#	ARTICLE	IF	CITATIONS
73	Activation of Metabotropic Glutamate Receptor 5 Modulates Microglial Reactivity and Neurotoxicity by Inhibiting NADPH Oxidase. <i>Journal of Biological Chemistry</i> , 2009, 284, 15629-15639.	1.6	96
74	Activation of metabotropic glutamate receptor 5 improves recovery after spinal cord injury in rodents. <i>Annals of Neurology</i> , 2009, 66, 63-74.	2.8	71
75	Metabotropic glutamate receptor 5 activation inhibits microglial associated inflammation and neurotoxicity. <i>Glia</i> , 2009, 57, 550-560.	2.5	157
76	Cell Cycle Activation and CNS Injury. <i>Neurotoxicity Research</i> , 2009, 16, 221-237.	1.3	55
77	Multifunctional Drug Treatment in Neurotrauma. <i>Neurotherapeutics</i> , 2009, 6, 14-27.	2.1	44
78	Roscovitine Reduces Neuronal Loss, Glial Activation, and Neurologic Deficits after Brain Trauma. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2008, 28, 1845-1859.	2.4	108
79	Cell cycle activation contributes to post-mitotic cell death and secondary damage after spinal cord injury. <i>Brain</i> , 2007, 130, 2977-2992.	3.7	149
80	Neuroprotection. <i>Archives of Neurology</i> , 2007, 64, 794.	4.9	110
81	Cell Migration along the Lateral Cortical Stream to the Developing Basal Telencephalic Limbic System. <i>Journal of Neuroscience</i> , 2006, 26, 11562-11574.	1.7	87
82	Role of the Cell Cycle in the Pathobiology of Central Nervous System Trauma. <i>Cell Cycle</i> , 2005, 4, 1286-1293.	1.3	107
83	Cell cycle inhibition provides neuroprotection and reduces glial proliferation and scar formation after traumatic brain injury. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2005, 102, 8333-8338.	3.3	355
84	Ceramide induces neuronal apoptosis through mitogen-activated protein kinases and causes release of multiple mitochondrial proteins. <i>Molecular and Cellular Neurosciences</i> , 2005, 29, 355-371.	1.0	92
85	BOK and NOXA Are Essential Mediators of p53-dependent Apoptosis. <i>Journal of Biological Chemistry</i> , 2004, 279, 28367-28374.	1.6	127
86	Anandamide-induced cell death in primary neuronal cultures: role of calpain and caspase pathways. <i>Cell Death and Differentiation</i> , 2004, 11, 1121-1132.	5.0	74
87	The "Dark Side" of Endocannabinoids: A Neurotoxic Role for Anandamide. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2004, 24, 564-578.	2.4	57
88	Caspase Inhibitor z-DEVD-fmk Attenuates Calpain and Necrotic Cell Death in Vitro and after Traumatic Brain Injury. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2004, 24, 1119-1132.	2.4	111
89	MGLuR5 activation reduces β -amyloid-induced cell death in primary neuronal cultures and attenuates translocation of cytochrome c and apoptosis-inducing factor. <i>Journal of Neurochemistry</i> , 2004, 89, 1528-1536.	2.1	66
90	On the mechanism coupling phospholipase C β 1 to the B- and T-cell antigen receptors. <i>Advances in Enzyme Regulation</i> , 2003, 43, 245-269.	2.9	16

#	ARTICLE	IF	CITATIONS
91	Ceramide-induced neuronal apoptosis is associated with dephosphorylation of Akt, BAD, FKHR, GSK-3 β , and induction of the mitochondrial-dependent intrinsic caspase pathway. <i>Molecular and Cellular Neurosciences</i> , 2003, 22, 365-382.	1.0	150
92	Modulation of Stretch-Induced Enhancement of Neuronal NMDA Receptor Current by mGluR1 Depends upon Presence of Glia. <i>Journal of Neurotrauma</i> , 2003, 20, 1233-1249.	1.7	13
93	Gene Expression Profile Changes Are Commonly Modulated across Models and Species after Traumatic Brain Injury. <i>Journal of Neurotrauma</i> , 2003, 20, 907-927.	1.7	109
94	Ceramide induces neuronal apoptosis through the caspase-9/caspase-3 pathway. <i>Biochemical and Biophysical Research Communications</i> , 2002, 299, 201-207.	1.0	93
95	Acetaminophen Induces a Caspase-Dependent and Bcl-xL Sensitive Apoptosis in Human Hepatoma Cells and Lymphocytes. <i>Basic and Clinical Pharmacology and Toxicology</i> , 2002, 90, 38-50.	0.0	63
96	Mechanisms of JP-8 Jet Fuel Toxicity. I. Induction of Apoptosis in Rat Lung Epithelial Cells. <i>Toxicology and Applied Pharmacology</i> , 2001, 171, 94-106.	1.3	33
97	Mechanisms of JP-8 Jet Fuel Cell Toxicity. II. Induction of Necrosis in Skin Fibroblasts and Keratinocytes and Modulation of Levels of Bcl-2 Family Members. <i>Toxicology and Applied Pharmacology</i> , 2001, 171, 107-116.	1.3	27
98	A Role of the Ca ²⁺ /Mg ²⁺ -dependent Endonuclease in Apoptosis and Its Inhibition by Poly(ADP-ribose) Polymerase. <i>Journal of Biological Chemistry</i> , 2000, 275, 21302-21308.	1.6	117
99	Differential effects of Cbl and 70Z/3 Cbl on T cell receptor-induced phospholipase C β -1 activity. <i>FEBS Letters</i> , 2000, 470, 273-280.	1.3	13
100	Role of DNAS1L3 in Ca ²⁺ - and Mg ²⁺ -dependent cleavage of DNA into oligonucleosomal and high molecular mass fragments. <i>Nucleic Acids Research</i> , 1999, 27, 1999-2005.	6.5	63
101	Role of Poly(ADP-ribose) Polymerase (PARP) Cleavage in Apoptosis. <i>Journal of Biological Chemistry</i> , 1999, 274, 22932-22940.	1.6	748
102	Functional Independence and Interdependence of the Src Homology Domains of Phospholipase C β -1 in B-Cell Receptor Signal Transduction. <i>Molecular and Cellular Biology</i> , 1999, 19, 7388-7398.	1.1	38
103	Sequences Surrounding the Src-Homology 3 Domain of Phospholipase C β -1 Increase the Domain's Association with Cbl. <i>Biochemical and Biophysical Research Communications</i> , 1998, 249, 537-541.	1.0	20
104	Cbl-mediated Regulation of T Cell Receptor-induced AP1 Activation. <i>Journal of Biological Chemistry</i> , 1997, 272, 30806-30811.	1.6	53