

Mark D Szczelkun

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3593396/publications.pdf>

Version: 2024-02-01

63
papers

2,235
citations

236925

25
h-index

243625

44
g-index

69
all docs

69
docs citations

69
times ranked

1820
citing authors

#	ARTICLE	IF	CITATIONS
1	Direct observation of R-loop formation by single RNA-guided Cas9 and Cascade effector complexes. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2014, 111, 9798-9803.	7.1	397
2	Evidence for DNA Translocation by the ISWI Chromatin-Remodeling Enzyme. <i>Molecular and Cellular Biology</i> , 2003, 23, 1935-1945.	2.3	131
3	Enzyme-Mediated DNA Looping. <i>Annual Review of Biophysics and Biomolecular Structure</i> , 2004, 33, 1-24.	18.3	102
4	Subunit assembly and mode of DNA cleavage of the type III restriction endonucleases EcoP1I and EcoP15I. Edited by J. Karn. <i>Journal of Molecular Biology</i> , 2001, 306, 417-431.	4.2	83
5	The Helicase-Like Domains of Type III Restriction Enzymes Trigger Long-Range Diffusion Along DNA. <i>Science</i> , 2013, 340, 353-356.	12.6	75
6	How to get from A to B: strategies for analysing protein motion on DNA. <i>European Biophysics Journal</i> , 2002, 31, 257-267.	2.2	70
7	Motor step size and ATP coupling efficiency of the dsDNA translocase EcoR124I. <i>EMBO Journal</i> , 2008, 27, 1388-1398.	7.8	62
8	Type III restriction enzymes communicate in 1D without looping between their target sites. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2009, 106, 1748-1753.	7.1	61
9	Sequence-Specific Binding of DNA by the EcoRV Restriction and Modification Enzymes with Nucleic Acid and Cofactor Analogs. <i>Biochemistry</i> , 1995, 34, 10724-10733.	2.5	58
10	DNA excision by the SfiI restriction endonuclease. <i>Journal of Molecular Biology</i> , 1998, 281, 419-432.	4.2	58
11	Controlling the motor activity of a transcription-repair coupling factor: autoinhibition and the role of RNA polymerase. <i>Nucleic Acids Research</i> , 2007, 35, 1802-1811.	14.5	58
12	When a helicase is not a helicase: dsDNA tracking by the motor protein EcoR124I. <i>EMBO Journal</i> , 2006, 25, 2230-2239.	7.8	57
13	Continuous Assays for DNA Translocation Using Fluorescent Triplex Dissociation: Application to Type I Restriction Endonucleases. <i>Journal of Molecular Biology</i> , 2005, 348, 895-915.	4.2	54
14	Evolutionary Ecology and Interplay of Prokaryotic Innate and Adaptive Immune Systems. <i>Current Biology</i> , 2020, 30, R1189-R1202.	3.9	48
15	Sequence-specific assembly of FtsK hexamers establishes directional translocation on DNA. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2010, 107, 20263-20268.	7.1	46
16	Selection of non-specific DNA cleavage sites by the type IC restriction endonuclease EcoR124I. <i>Journal of Molecular Biology</i> , 1997, 271, 112-123.	4.2	43
17	Type III restriction enzymes cleave DNA by long-range interaction between sites in both head-to-head and tail-to-tail inverted repeat. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2010, 107, 9123-9128.	7.1	41
18	Analysis of DNA looping interactions by type II restriction enzymes that require two copies of their recognition sites. Edited by J. Karn. <i>Journal of Molecular Biology</i> , 2001, 311, 515-527.	4.2	36

#	ARTICLE	IF	CITATIONS
19	S-Adenosyl Methionine Prevents Promiscuous DNA Cleavage by the EcoP1I type III Restriction Enzyme. <i>Journal of Molecular Biology</i> , 2003, 333, 321-335.	4.2	34
20	Dynamics of initiation, termination and reinitiation of DNA translocation by the motor protein EcoR124I. <i>EMBO Journal</i> , 2005, 24, 4188-4197.	7.8	33
21	Comparison Between Shear Force and Tapping Mode AFM - High Resolution Imaging of DNA. <i>Single Molecules</i> , 2002, 3, 105-110.	0.9	30
22	Bacteriostatic antibiotics promote CRISPR-Cas adaptive immunity by enabling increased spacer acquisition. <i>Cell Host and Microbe</i> , 2022, 30, 31-40.e5.	11.0	30
23	Kinetic Models of Translocation, Head-On Collision, and DNA Cleavage by Type I Restriction Endonucleases. <i>Biochemistry</i> , 2002, 41, 2067-2074.	2.5	29
24	Type III restriction endonucleases are heterotrimeric: comprising one helicase nuclelease subunit and a dimeric methyltransferase that binds only one specific DNA. <i>Nucleic Acids Research</i> , 2014, 42, 5139-5150.	14.5	29
25	Length heterogeneity at conserved sequence block 2 in human mitochondrial DNA acts as a rheostat for RNA polymerase POLRMT activity. <i>Nucleic Acids Research</i> , 2016, 44, 7817-7829.	14.5	29
26	The Effect of DNA Topology on Observed Rates of R-Loop Formation and DNA Strand Cleavage by CRISPR Cas12a. <i>Genes</i> , 2019, 10, 169.	2.4	29
27	DNA communications by Type III restriction endonucleases--confirmation of 1D translocation over 3D looping. <i>Nucleic Acids Research</i> , 2004, 32, 4166-4174.	14.5	28
28	Characterization of the Type III restriction endonuclease PstII from <i>Providencia stuartii</i> . <i>Nucleic Acids Research</i> , 2005, 33, 4775-4787.	14.5	27
29	A general assay for restriction endonucleases and other DNA-modifying enzymes with plasmid substrates. <i>Molecular Biotechnology</i> , 1995, 4, 259-268.	2.4	26
30	Translocation-coupled DNA cleavage by the Type ISP restriction-modification enzymes. <i>Nature Chemical Biology</i> , 2015, 11, 870-877.	8.0	26
31	Random walk models for DNA synapsis by resolvase. <i>Journal of Molecular Biology</i> , 1997, 270, 413-425.	4.2	25
32	A chlorite mineral surface actively drives the deposition of DNA molecules in stretched conformations. <i>Nanotechnology</i> , 2006, 17, 3897-3902.	2.6	25
33	DNA cleavage and methylation specificity of the single polypeptide restriction modification enzyme LlaCI. <i>Nucleic Acids Research</i> , 2009, 37, 7206-7218.	14.5	25
34	5' modifications to CRISPR-Cas9 gRNA can change the dynamics and size of R-loops and inhibit DNA cleavage. <i>Nucleic Acids Research</i> , 2020, 48, 6811-6823.	14.5	25
35	Maintaining a sense of direction during long-range communication on DNA. <i>Biochemical Society Transactions</i> , 2010, 38, 404-409.	3.4	24
36	A RecB-family nuclease motif in the Type I restriction endonuclease EcoR124I. <i>Nucleic Acids Research</i> , 2008, 36, 3939-3949.	14.5	22

#	ARTICLE	IF	CITATIONS
37	The Interrelationship of Helicase and Nuclease Domains during DNA Translocation by the Molecular Motor EcoR124I. <i>Journal of Molecular Biology</i> , 2008, 384, 1273-1286.	4.2	17
38	The single polypeptide restriction modification enzyme LlaGI is a self-contained molecular motor that translocates DNA loops. <i>Nucleic Acids Research</i> , 2009, 37, 7219-7230.	14.5	17
39	Mitochondrial import, health and mtDNA copy number variability using type II and type V CRISPR effectors. <i>Journal of Cell Science</i> , 2020, 133, .	2.0	16
40	The Type ISP Restriction-Modification enzymes LlaBIII and LlaGI use a translocation-collision mechanism to cleave non-specific DNA distant from their recognition sites. <i>Nucleic Acids Research</i> , 2013, 41, 1071-1080.	14.5	15
41	CRISPR-Cas12a-mediated DNA clamping triggers target-strand cleavage. <i>Nature Chemical Biology</i> , 2022, 18, 1014-1022.	8.0	15
42	Translocation, switching and gating: potential roles for ATP in long-range communication on DNA by Type III restriction endonucleases. <i>Biochemical Society Transactions</i> , 2011, 39, 589-594.	3.4	14
43	Structural insights into DNA sequence recognition by Type ISP restriction-modification enzymes. <i>Nucleic Acids Research</i> , 2016, 44, 4396-4408.	14.5	14
44	How to proteins move along DNA? Lessons from type-I and type-III restriction endonucleases. <i>Essays in Biochemistry</i> , 2000, 35, 131-143.	4.7	14
45	Subunit assembly modulates the activities of the Type III restriction-modification enzyme PstII in vitro. <i>Nucleic Acids Research</i> , 2005, 33, 4788-4796.	14.5	11
46	An Mrr-family nuclease motif in the single polypeptide restriction modification enzyme LlaGI. <i>Nucleic Acids Research</i> , 2009, 37, 7231-7238.	14.5	11
47	Recycling of protein subunits during DNA translocation and cleavage by Type I restriction-modification enzymes. <i>Nucleic Acids Research</i> , 2011, 39, 7656-7666.	14.5	11
48	Hexameric assembly of the AAA+ protein McrB is necessary for GTPase activity. <i>Nucleic Acids Research</i> , 2019, 47, 868-882.	14.5	11
49	Direct and random routing of a molecular motor protein at a DNA junction. <i>Nucleic Acids Research</i> , 2006, 34, 4387-4394.	14.5	10
50	S-Adenosyl homocysteine and DNA ends stimulate promiscuous nuclease activities in the Type III restriction endonuclease EcoPI. <i>Nucleic Acids Research</i> , 2009, 37, 3934-3945.	14.5	10
51	DNA cleavage by CgII and NgoAVII requires interaction between N- and R-proteins and extensive nucleotide hydrolysis. <i>Nucleic Acids Research</i> , 2014, 42, 13887-13896.	14.5	10
52	Re-evaluating the kinetics of ATP hydrolysis during initiation of DNA sliding by Type III restriction enzymes. <i>Nucleic Acids Research</i> , 2015, 43, 10870-10881.	14.5	10
53	DNA cleavage site selection by Type III restriction enzymes provides evidence for head-on protein collisions following 1D bidirectional motion. <i>Nucleic Acids Research</i> , 2011, 39, 8042-8051.	14.5	9
54	Roles for Helicases as ATP-Dependent Molecular Switches. <i>Advances in Experimental Medicine and Biology</i> , 2013, 767, 225-244.	1.6	8

#	ARTICLE	IF	CITATIONS
55	DNA cleavage by Type IIS Restriction-Modification enzymes is initially targeted to the 3'-5' strand. <i>Nucleic Acids Research</i> , 2013, 41, 1081-1090.	14.5	7
56	ClpXP protease targets long-lived DNA translocation states of a helicase-like motor to cause restriction alleviation. <i>Nucleic Acids Research</i> , 2014, 42, 12082-12091.	14.5	5
57	Mapping DNA cleavage by the Type IIS restriction-modification enzymes following long-range communication between DNA sites in different orientations. <i>Nucleic Acids Research</i> , 2015, 43, gkv1129.	14.5	5
58	Dissociation from DNA of Type III Restriction-Modification enzymes during helicase-dependent motion and following endonuclease activity. <i>Nucleic Acids Research</i> , 2012, 40, 6752-6764.	14.5	4
59	Switching roles for a helicase. <i>Cell Cycle</i> , 2013, 12, 3125-3126.	2.6	4
60	How to Build a DNA Unwinding Machine. <i>Structure</i> , 2012, 20, 1127-1128.	3.3	3
61	CgII cleaves DNA using a mechanism distinct from other ATP-dependent restriction endonucleases. <i>Nucleic Acids Research</i> , 2017, 45, 8435-8447.	14.5	2
62	The H-subunit of the restriction endonuclease CgII contains a prototype DEAD-Z1 helicase-like motor. <i>Nucleic Acids Research</i> , 2018, 46, 2560-2572.	14.5	1
63	ENDO-Pore: high-throughput linked-end mapping of single DNA cleavage events using nanopore sequencing. <i>Nucleic Acids Research</i> , 2021, 49, e118-e118.	14.5	1