

Matteo Tosato

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/359344/matteo-tosato-publications-by-year.pdf>

Version: 2024-04-26

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

77
papers

4,652
citations

36
h-index

68
g-index

86
ext. papers

5,851
ext. citations

4.2
avg, IF

5.25
L-index

#	Paper	IF	Citations
77	Impaired Endothelial Function in Convalescent Phase of COVID-19: A 3 Month Follow Up Observational Prospective Study.. <i>Journal of Clinical Medicine</i> , 2022 , 11,	5.1	4
76	ASSOCIATION BETWEEN VITAMIN D STATUS AND PHYSICAL PERFORMANCE IN COVID-19 SURVIVORS: RESULTS FROM THE GEMELLI AGAINST COVID-19 POST-ACUTE CARE PROJECT.. <i>Mechanisms of Ageing and Development</i> , 2022 , 111684	5.6	3
75	Multicomponent intervention to prevent mobility disability in frail older adults: randomised controlled trial (SPRINTT project).. <i>BMJ, The</i> , 2022 , 377, e068788	5.9	9
74	Effects of a New Multicomponent Nutritional Supplement on Muscle Mass and Physical Performance in Adult and Old Patients Recovered from COVID-19: A Pilot Observational CaseControl Study. <i>Nutrients</i> , 2022 , 14, 2316	6.7	1
73	"Say Ninety-nine": It's Never too Late to Recover from COVID-19. <i>Journal of Frailty & Aging, the</i> , 2021 , 10, 70-71	2.6	1
72	Oropharyngeal Dysphagia After Hospitalization for COVID-19 Disease: Our Screening Results. <i>Dysphagia</i> , 2021 , 1	3.7	6
71	Predicting In-Hospital Mortality in COVID-19 Older Patients with Specifically Developed Scores. <i>Journal of the American Geriatrics Society</i> , 2021 , 69, 37-43	5.6	32
70	The sarcopenia and physical frailty in older people: multi-component treatment strategies (SPRINTT) project: description and feasibility of a nutrition intervention in community-dwelling older Europeans. <i>European Geriatric Medicine</i> , 2021 , 12, 303-312	3	4
69	Seroprevalence of anti-SARS-CoV-2 IgG antibodies in children with household exposure to adults with COVID-19: Preliminary findings. <i>Pediatric Pulmonology</i> , 2021 , 56, 1374-1377	3.5	24
68	Prevalence and Predictors of Persistence of COVID-19 Symptoms in Older Adults: A Single-Center Study. <i>Journal of the American Medical Directors Association</i> , 2021 , 22, 1840-1844	5.9	12
67	Determinants of SARS-COV-2 seroconversion in a cohort of recovered patients. <i>Infezioni in Medicina</i> , 2021 , 29, 163-164	3.6	1
66	Gemelli decision tree Algorithm to Predict the need for home monitoring or hospitalization of confirmed and unconfirmed COVID-19 patients (GAP-Covid19): preliminary results from a retrospective cohort study. <i>European Review for Medical and Pharmacological Sciences</i> , 2021 , 25, 2785-2794	2.9	1
65	Normative values of muscle strength across ages in a 'real world' population: results from the longevity check-up 7+ project. <i>Journal of Cachexia, Sarcopenia and Muscle</i> , 2020 , 11, 1562-1569	10.3	14
64	Post-COVID-19 global health strategies: the need for an interdisciplinary approach. <i>Aging Clinical and Experimental Research</i> , 2020 , 32, 1613-1620	4.8	78
63	The New Challenge of Geriatrics: Saving Frail Older People from the SARS-COV-2 Pandemic Infection. <i>Journal of Nutrition, Health and Aging</i> , 2020 , 24, 466-470	5.2	54
62	Baricitinib as rescue therapy in a patient with COVID-19 with no complete response to sarilumab. <i>Infection</i> , 2020 , 48, 767-771	5.8	21
61	The Geriatrician: The Frontline Specialist in the Treatment of COVID-19 Patients. <i>Journal of the American Medical Directors Association</i> , 2020 , 21, 937-938	5.9	7

60	The Function vs. Disease Dilemma in Contemporary Medicine: Physical Frailty & Sarcopenia as a Prototypic Condition of New-Generation Geriatric Medicine. <i>FASEB Journal</i> , 2020 , 34, 1-1	0.9	
59	Treatment of COVID-19 disease in older people with cognitive impairment: a challenge into the challenge. <i>Journal of Gerontology and Geriatrics</i> , 2020 , 68, 224-230	0.3	1
58	Sarcopenia Identified According to the EWGSOP2 Definition in Community-Living People: Prevalence and Clinical Features. <i>Journal of the American Medical Directors Association</i> , 2020 , 21, 1470-1474	5.9	7
57	Relationship between pulmonary function and physical performance among community-living people: results from Look-up 7+ study. <i>Journal of Cachexia, Sarcopenia and Muscle</i> , 2020 , 11, 38-45	10.3	10
56	Assessment of neurological manifestations in hospitalized patients with COVID-19. <i>European Journal of Neurology</i> , 2020 , 27, 2322-2328	6	19
55	COVID-19 and intestinal inflammation: Role of fecal calprotectin. <i>Digestive and Liver Disease</i> , 2020 , 52, 1231-1233	3.3	20
54	Age-related changes of skeletal muscle mass and strength among Italian and Taiwanese older people: Results from the Milan EXPO 2015 survey and the I-Lan Longitudinal Aging Study. <i>Experimental Gerontology</i> , 2018 , 102, 76-80	4.5	35
53	Cardiovascular health metrics, muscle mass and function among Italian community-dwellers: the Lookup 7+ project. <i>European Journal of Public Health</i> , 2018 , 28, 766-772	2.1	13
52	Impact of habitual physical activity and type of exercise on physical performance across ages in community-living people. <i>PLoS ONE</i> , 2018 , 13, e0191820	3.7	36
51	Biomarkers for Sarcopenia: Reductionism vs. Complexity. <i>Current Protein and Peptide Science</i> , 2018 , 19, 639-642	2.8	11
50	Sarcopenia: An Overview on Current Definitions, Diagnosis and Treatment. <i>Current Protein and Peptide Science</i> , 2018 , 19, 633-638	2.8	69
49	Relationship between cardiovascular health metrics and physical performance in community-living people: Results from the Longevity check-up (Lookup) 7+ project. <i>Scientific Reports</i> , 2018 , 8, 16353	4.9	12
48	Body Mass Index is Strongly Associated with Hypertension: Results from the Longevity Check-up 7+ Study. <i>Nutrients</i> , 2018 , 10,	6.7	43
47	The "Sarcopenia and Physical Frailty IN older people: multi-component Treatment strategies" (SPRINTT) randomized controlled trial: Case finding, screening and characteristics of eligible participants. <i>Experimental Gerontology</i> , 2018 , 113, 48-57	4.5	40
46	Prevalence of dyslipidaemia and awareness of blood cholesterol levels among community-living people: results from the Longevity check-up 7+ (Lookup 7+) cross-sectional survey. <i>BMJ Open</i> , 2018 , 8, e021627	3	5
45	Biomarkers for physical frailty and sarcopenia. <i>Aging Clinical and Experimental Research</i> , 2017 , 29, 29-34	4.8	42
44	Sarcopenia: an overview. <i>Aging Clinical and Experimental Research</i> , 2017 , 29, 11-17	4.8	193
43	Measurement of muscle mass in sarcopenia: from imaging to biochemical markers. <i>Aging Clinical and Experimental Research</i> , 2017 , 29, 19-27	4.8	133

42	Physical activity and exercise as countermeasures to physical frailty and sarcopenia. <i>Aging Clinical and Experimental Research</i> , 2017 , 29, 35-42	4.8	154
41	Age-Related Variations of Muscle Mass, Strength, and Physical Performance in Community-Dwellers: Results From the Milan EXPO Survey. <i>Journal of the American Medical Directors Association</i> , 2017 , 18, 88.e17-88.e24	5.9	69
40	Animal-Derived Protein Consumption Is Associated with Muscle Mass and Strength in Community-Dwellers: Results from the Milan EXPO Survey. <i>Journal of Nutrition, Health and Aging</i> , 2017 , 21, 1050-1056	5.2	32
39	Exercise and Protein Intake: A Synergistic Approach against Sarcopenia. <i>BioMed Research International</i> , 2017 , 2017, 2672435	3	67
38	Impact of physical function impairment and multimorbidity on mortality among community-living older persons with sarcopenia: results from the iLSIRENTE prospective cohort study. <i>BMJ Open</i> , 2016 , 6, e008281	3	60
37	Sarcopenia and frailty: From theoretical approach into clinical practice. <i>European Geriatric Medicine</i> , 2016 , 7, 197-200	3	19
36	Sarcopenia in heart failure: mechanisms and therapeutic strategies. <i>Journal of Geriatric Cardiology</i> , 2016 , 13, 615-24	1.7	39
35	The Aging Muscle and Sarcopenia 2016 , 355-361		
34	Anorexia of Aging: Risk Factors, Consequences, and Potential Treatments. <i>Nutrients</i> , 2016 , 8, 69	6.7	212
33	Protein Intake and Muscle Health in Old Age: From Biological Plausibility to Clinical Evidence. <i>Nutrients</i> , 2016 , 8,	6.7	111
32	Serum levels of C-terminal agrin fragment (CAF) are associated with sarcopenia in older multimorbid community-dwellers: Results from the iLSIRENTE study. <i>Experimental Gerontology</i> , 2016 , 79, 31-6	4.5	35
31	Sarcopenia as the Biological Substrate of Physical Frailty. <i>Clinics in Geriatric Medicine</i> , 2015 , 31, 367-74	3.8	145
30	Biomarkers for physical frailty and sarcopenia: state of the science and future developments. <i>Journal of Cachexia, Sarcopenia and Muscle</i> , 2015 , 6, 278-86	10.3	149
29	Treating sarcopenia in older and oldest old. <i>Current Pharmaceutical Design</i> , 2015 , 21, 1715-22	3.3	47
28	Potentially inappropriate drug use among hospitalised older adults: results from the CRIME study. <i>Age and Ageing</i> , 2014 , 43, 767-73	3	84
27	Serum levels of C-terminal agrin fragment (CAF) are associated with sarcopenia in older hip fractured patients. <i>Experimental Gerontology</i> , 2014 , 60, 79-82	4.5	42
26	Calf circumference, frailty and physical performance among older adults living in the community. <i>Clinical Nutrition</i> , 2014 , 33, 539-44	5.9	124
25	Recommendations to prescribe in complex older adults: results of the CRITERIA to assess appropriate Medication use among Elderly complex patients (CRIME) project. <i>Drugs and Aging</i> , 2014 , 31, 33-45	4.7	54

24	Cognitive performance is associated with left ventricular function in older chronic hemodialysis patients: result of a pilot study. <i>Aging Clinical and Experimental Research</i> , 2014 , 26, 445-51	4.8	6
23	Association of anorexia with sarcopenia in a community-dwelling elderly population: results from the iLSIRENTE study. <i>European Journal of Nutrition</i> , 2013 , 52, 1261-8	5.2	86
22	Polypharmacy in nursing home residents with severe cognitive impairment: results from the SHELTER Study. <i>Alzheimer's and Dementia</i> , 2013 , 9, 587-93	1.2	58
21	Sarcopenia and mortality risk in frail older persons aged 80 years and older: results from iLSIRENTE study. <i>Age and Ageing</i> , 2013 , 42, 203-9	3	387
20	Intradialytic hypotension is associated with dialytic age in patients on chronic hemodialysis. <i>Renal Failure</i> , 2013 , 35, 1260-3	2.9	4
19	Prevalence of the seven cardiovascular health metrics in a Mediterranean country: results from a cross-sectional study. <i>European Journal of Public Health</i> , 2013 , 23, 858-62	2.1	30
18	Anorexia of aging: a modifiable risk factor for frailty. <i>Nutrients</i> , 2013 , 5, 4126-33	6.7	84
17	Pattern of medication use among older inpatients in seven hospitals in Italy: results from the CRITERIA to assess Appropriate Medication use among Elderly complex patients (CRIME) project. <i>Current Drug Safety</i> , 2013 , 8, 98-103	1.4	22
16	Association of pain with behavioral and psychiatric symptoms among nursing home residents with cognitive impairment: results from the SHELTER study. <i>Pain</i> , 2012 , 153, 305-310	8	61
15	Effects of anorexia on mortality among older adults receiving home care: an observation study. <i>Journal of Nutrition, Health and Aging</i> , 2012 , 16, 79-83	5.2	41
14	Sarcopenia and mortality among older nursing home residents. <i>Journal of the American Medical Directors Association</i> , 2012 , 13, 121-6	5.9	201
13	Sarcopenia as a risk factor for falls in elderly individuals: results from the iLSIRENTE study. <i>Clinical Nutrition</i> , 2012 , 31, 652-8	5.9	513
12	Assessment of nursing home residents in Europe: the Services and Health for Elderly in Long TERM care (SHELTER) study. <i>BMC Health Services Research</i> , 2012 , 12, 5	2.9	175
11	Polypharmacy in nursing home in Europe: results from the SHELTER study. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2012 , 67, 698-704	6.4	185
10	Inappropriate drugs in elderly patients with severe cognitive impairment: results from the shelter study. <i>PLoS ONE</i> , 2012 , 7, e46669	3.7	35
9	Anorexia, physical function, and incident disability among the frail elderly population: results from the iLSIRENTE study. <i>Journal of the American Medical Directors Association</i> , 2010 , 11, 268-74	5.9	64
8	Comparison Between Vo2max And Vo2peak In Elderly Subjects. <i>Medicine and Science in Sports and Exercise</i> , 2010 , 42, 332	1.2	
7	Midarm muscle circumference, physical performance and mortality: results from the aging and longevity study in the Sirente geographic area (iLSIRENTE study). <i>Clinical Nutrition</i> , 2010 , 29, 441-7	5.9	110

6	Self-assessed health status, walking speed and mortality in older Mexican-Americans. <i>Gerontology</i> , 2009 , 55, 194-201	5.5	24
5	Development of CRIteria to assess appropriate Medication use among Elderly complex patients (CRIME) project: rationale and methodology. <i>Drugs and Aging</i> , 2009 , 26 Suppl 1, 3-13	4.7	29
4	Sleep disruption following paramedian pontine stroke. <i>BMJ Case Reports</i> , 2009 , 2009,	0.9	5
3	Congestive Heart Failure/Heart Transplant 2009 , 151-162		
2	The aging process and potential interventions to extend life expectancy. <i>Clinical Interventions in Aging</i> , 2007 , 2, 401-12	4	116
1	Preoperative assessment and risk factors in the surgical treatment of esophageal cancer: the role of age. <i>Rays</i> , 2005 , 30, 335-9		2