

Jeffrey A Frelinger

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3594385/publications.pdf>

Version: 2024-02-01

286
papers

12,081
citations

23500

58
h-index

34900

98
g-index

291
all docs

291
docs citations

291
times ranked

9513
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 1 | Mouse Model of a Human STAT4 Point Mutation That Predisposes to Disseminated Coccidiomycosis. <i>ImmunoHorizons</i> , 2022, 6, 130-143. | 0.8 | 9 |
| 2 | A Protease Activatable Interleukin-2 Fusion Protein Engenders Antitumor Immune Responses by Interferon Gamma-Dependent and Interferon Gamma-Independent Mechanisms. <i>Journal of Interferon and Cytokine Research</i> , 2022, 42, 316-328. | 0.5 | 1 |
| 3 | A Chronic Murine Disease Model of Coccidioidomycosis Using <i>Coccidioides posadasii</i> , Strain 1038. <i>Journal of Infectious Diseases</i> , 2021, 223, 166-173. | 1.9 | 17 |
| 4 | Editorial: The Present and Future of Immunology Education. <i>Frontiers in Immunology</i> , 2021, 12, 744090. | 2.2 | 2 |
| 5 | Î³cps1 vaccine protects dogs against experimentally induced coccidioidomycosis. <i>Vaccine</i> , 2021, 39, 6894-6901. | 1.7 | 14 |
| 6 | Vaccine Protection of Mice With Primary Immunodeficiencies Against Disseminated Coccidioidomycosis. <i>Frontiers in Cellular and Infection Microbiology</i> , 2021, 11, 790488. | 1.8 | 5 |
| 7 | TNF± Blockade Inhibits Both Initial and Continued Control of Pulmonary Coccidioides. <i>Frontiers in Cellular and Infection Microbiology</i> , 2021, 11, 796114. | 1.8 | 3 |
| 8 | Early Events in Coccidioidomycosis. <i>Clinical Microbiology Reviews</i> , 2019, 33, . | 5.7 | 19 |
| 9 | Development of an Interleukin-12 Fusion Protein That Is Activated by Cleavage with Matrix Metalloproteinase 9. <i>Journal of Interferon and Cytokine Research</i> , 2019, 39, 233-245. | 0.5 | 21 |
| 10 | 2888. STAT4 Mutation in Three Generations with Disseminated Coccidioidomycosis (DCM) also Exhibits Increased Susceptibility to Coccidioidal Infection in Transfected Mice. <i>Open Forum Infectious Diseases</i> , 2019, 6, S77-S78. | 0.4 | 3 |
| 11 | 1732. A Canine Target Species Challenge Model to Evaluate Efficacy of a Coccidioidomycosis Vaccine. <i>Open Forum Infectious Diseases</i> , 2019, 6, S634-S635. | 0.4 | 2 |
| 12 | Inoculating a New Generation: Immunology in Medical Education. <i>Frontiers in Immunology</i> , 2019, 10, 2548. | 2.2 | 18 |
| 13 | A Natural Mouse Model for Neisseria Colonization. <i>Infection and Immunity</i> , 2018, 86, . | 1.0 | 20 |
| 14 | Lifelong CMV infection improves immune defense in old mice by broadening the mobilized TCR repertoire against third-party infection. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2018, 115, E6817-E6825. | 3.3 | 52 |
| 15 | Adaptive Immunity to Francisella tularensis and Considerations for Vaccine Development. <i>Frontiers in Cellular and Infection Microbiology</i> , 2018, 8, 115. | 1.8 | 27 |
| 16 | Viable spores of Coccidioides posadasii Î³cps1 are required for vaccination and provide long lasting immunity. <i>Vaccine</i> , 2018, 36, 3375-3380. | 1.7 | 22 |
| 17 | The Commensal <i>Neisseria musculi</i> Modulates Host Innate Immunity To Promote Oral Colonization. <i>ImmunoHorizons</i> , 2018, 2, 305-313. | 0.8 | 7 |
| 18 | Efficacy of Resistance to Francisella Imparted by ITY/NRAMP/SLC11A1 Depends on Route of Infection. <i>Frontiers in Immunology</i> , 2017, 8, 206. | 2.2 | 6 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 19 | A <i>Coccidioides posadasii</i> CPS1 Deletion Mutant Is Avirulent and Protects Mice from Lethal Infection. <i>Infection and Immunity</i> , 2016, 84, 3007-3016. | 1.0 | 47 |
| 20 | iWAS – A novel approach to analyzing Next Generation Sequence data for immunology. <i>Cellular Immunology</i> , 2016, 299, 6-13. | 1.4 | 8 |
| 21 | Distinct innate responses are induced by attenuated <i>Salmonella enterica</i> serovar Typhimurium mutants. <i>Cellular Immunology</i> , 2016, 299, 42-49. | 1.4 | 14 |
| 22 | Peptide/MHC Tetramer-Based Sorting of CD8+ T Cells to a Leukemia Antigen Yields Clonotypes Drawn Nonspecifically from an Underlying Restricted Repertoire. <i>Cancer Immunology Research</i> , 2015, 3, 228-235. | 1.6 | 16 |
| 23 | Depletion of alveolar macrophages in CD11c diphtheria toxin receptor mice produces an inflammatory response. <i>Immunity, Inflammation and Disease</i> , 2015, 3, 71-81. | 1.3 | 15 |
| 24 | Characterization of an IL-12 p40/p35 Truncated Fusion Protein That Can Inhibit the Action of IL-12. <i>Journal of Interferon and Cytokine Research</i> , 2015, 35, 690-697. | 0.5 | 7 |
| 25 | Big Data, Big Opportunities, and Big Challenges. <i>Journal of Investigative Dermatology Symposium Proceedings</i> , 2015, 17, 33-35. | 0.8 | 13 |
| 26 | Using the emerging Collaborative Cross to probe the immune system. <i>Genes and Immunity</i> , 2014, 15, 38-46. | 2.2 | 71 |
| 27 | TLR2 Signaling is Required for the Innate, but Not Adaptive Response to LVS clpB. <i>Frontiers in Immunology</i> , 2014, 5, 426. | 2.2 | 6 |
| 28 | IFN- γ , but not IL-17A, is required for survival during secondary pulmonary <i>Francisella tularensis</i> Live Vaccine Strain infection. <i>Vaccine</i> , 2014, 32, 3595-3603. | 1.7 | 21 |
| 29 | Overcoming the Limitations Posed by TCR-beta Repertoire Modeling through a GPU-Based In-Silico DNA Recombination Algorithm. , 2014, , . | | 1 |
| 30 | Identification of Early Interactions between <i>Francisella</i> and the Host. <i>Infection and Immunity</i> , 2014, 82, 2504-2510. | 1.0 | 29 |
| 31 | Flagellin Treatment Prevents Increased Susceptibility to Systemic Bacterial Infection after Injury by Inhibiting Anti-Inflammatory IL-10+ IL-12- Neutrophil Polarization. <i>PLoS ONE</i> , 2014, 9, e85623. | 1.1 | 52 |
| 32 | Elimination of <i>Pasteurella pneumotropica</i> from a mouse barrier facility by using a modified enrofloxacin treatment regimen. <i>Journal of the American Association for Laboratory Animal Science</i> , 2014, 53, 517-22. | 0.6 | 11 |
| 33 | IFN- γ Mediates the Antitumor Effects of Radiation Therapy in a Murine Colon Tumor. <i>American Journal of Pathology</i> , 2013, 182, 2345-2354. | 1.9 | 112 |
| 34 | Polymorphisms and tissue expression of the feline leukocyte antigen class I loci FLAI-E, FLAI-H, and FLAI-K. <i>Immunogenetics</i> , 2013, 65, 675-689. | 1.2 | 14 |
| 35 | Deletion of naive T cells recognizing the minor histocompatibility antigen HY with toxin-coupled peptide-MHC class I tetramers inhibits cognate CTL responses and alters immunodominance. <i>Transplant Immunology</i> , 2013, 29, 138-145. | 0.6 | 10 |
| 36 | Generation of a Dual-Functioning Antitumor Immune Response in the Peritoneal Cavity. <i>American Journal of Pathology</i> , 2013, 183, 1318-1328. | 1.9 | 21 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 37 | Infection with <i>Francisella tularensis</i> LVS <i>clpB</i> Leads to an Altered yet Protective Immune Response. <i>Infection and Immunity</i> , 2013, 81, 2028-2042. | 1.0 | 29 |
| 38 | Recent Advances in Our Understanding of the Environmental, Epidemiological, Immunological, and Clinical Dimensions of Coccidioidomycosis. <i>Clinical Microbiology Reviews</i> , 2013, 26, 505-525. | 5.7 | 223 |
| 39 | Identification of <i>Francisella novicida</i> mutants that fail to induce prostaglandin E2 synthesis by infected macrophages. <i>Frontiers in Microbiology</i> , 2013, 4, 16. | 1.5 | 13 |
| 40 | The LCMV gp33-specific memory T cell repertoire narrows with age. <i>Immunity and Ageing</i> , 2012, 9, 17. | 1.8 | 14 |
| 41 | Plexin-B2 and Plexin-D1 in Dendritic Cells: Expression and IL-12/IL-23p40 Production. <i>PLoS ONE</i> , 2012, 7, e43333. | 1.1 | 43 |
| 42 | Allelic diversity at the <i>DLA*88</i> locus in Golden Retriever and Boxer breeds is limited. <i>Tissue Antigens</i> , 2012, 80, 175-183. | 1.0 | 27 |
| 43 | Identification of T-cell epitopes in <i>Francisella tularensis</i> using an ordered protein array of serological targets. <i>Immunology</i> , 2011, 132, 348-360. | 2.0 | 23 |
| 44 | A broadly applicable approach to T cell epitope identification: Application to improving tumor associated epitopes and identifying epitopes in complex pathogens. <i>Journal of Immunological Methods</i> , 2011, 373, 111-126. | 0.6 | 8 |
| 45 | HLA-A2-Matched Peripheral Blood Mononuclear Cells From Type 1 Diabetic Patients, but Not Nondiabetic Donors, Transfer Insulinitis to NOD-scid/Ånull/HLA-A2 Transgenic Mice Concurrent With the Expansion of Islet-Specific CD8+ T cells. <i>Diabetes</i> , 2011, 60, 1726-1733. | 0.3 | 31 |
| 46 | Life in the MHC. <i>Journal of Immunology</i> , 2011, 187, 2035-2037. | 0.4 | 0 |
| 47 | Genetic analysis of complex traits in the emerging Collaborative Cross. <i>Genome Research</i> , 2011, 21, 1213-1222. | 2.4 | 327 |
| 48 | IL-12 Suppresses Vascular Endothelial Growth Factor Receptor 3 Expression on Tumor Vessels by Two Distinct IFN-γ-Dependent Mechanisms. <i>Journal of Immunology</i> , 2010, 184, 1858-1866. | 0.4 | 40 |
| 49 | Lung CD4 ⁺ CD8 ⁻ Double-Negative T Cells Are Prominent Producers of IL-17A and IFN-γ during Primary Respiratory Murine Infection with <i>Francisella tularensis</i> Live Vaccine Strain. <i>Journal of Immunology</i> , 2010, 184, 5791-5801. | 0.4 | 96 |
| 50 | Heterotypic Humoral and Cellular Immune Responses following Norwalk Virus Infection. <i>Journal of Virology</i> , 2010, 84, 1800-1815. | 1.5 | 125 |
| 51 | Toxin-Coupled MHC Class I Tetramers Can Specifically Ablate Autoreactive CD8+ T Cells and Delay Diabetes in Nonobese Diabetic Mice. <i>Journal of Immunology</i> , 2010, 184, 4196-4204. | 0.4 | 55 |
| 52 | β2 Cell-Specific CD4+ T Cell Clonotypes in Peripheral Blood and the Pancreatic Islets Are Distinct. <i>Journal of Immunology</i> , 2009, 183, 7585-7591. | 0.4 | 29 |
| 53 | Identification of a dominant CD4 T cell epitope in the membrane lipoprotein Tul4 from <i>Francisella tularensis</i> LVS. <i>Molecular Immunology</i> , 2009, 46, 1830-1838. | 1.0 | 19 |
| 54 | Islet lymphocyte subsets in male and female NOD mice are qualitatively similar but quantitatively distinct. <i>Autoimmunity</i> , 2009, 42, 678-691. | 1.2 | 28 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 55 | Outsmarting the host: bacteria modulating the immune response. <i>Immunologic Research</i> , 2008, 41, 188-202. | 1.3 | 31 |
| 56 | Rescue of cytotoxic function in the CD8 $\hat{\pm}$ knockout mouse by removal of MHC class II. <i>European Journal of Immunology</i> , 2008, 38, 1511-1521. | 1.6 | 7 |
| 57 | Respiratory <i>Francisella tularensis</i> Live Vaccine Strain Infection Induces Th17 Cells and Prostaglandin E ₂ , Which Inhibits Generation of Gamma Interferon-Positive T Cells. <i>Infection and Immunity</i> , 2008, 76, 2651-2659. | 1.0 | 95 |
| 58 | T-Cell Promiscuity in Autoimmune Diabetes. <i>Diabetes</i> , 2008, 57, 2099-2106. | 0.3 | 27 |
| 59 | Infected-Host-Cell Repertoire and Cellular Response in the Lung following Inhalation of <i>Francisella tularensis</i> Schu S4, LVS, or U112. <i>Infection and Immunity</i> , 2008, 76, 5843-5852. | 1.0 | 185 |
| 60 | Characterization of Islet Infiltrating Lymphocytes in NOD mice. <i>FASEB Journal</i> , 2008, 22, 667-27. | 0.2 | 0 |
| 61 | Diversity of a diabetogenic T cell population decreases with age in pre-diabetic NOD mice. <i>FASEB Journal</i> , 2008, 22, 462-462. | 0.2 | 0 |
| 62 | Novel epitope begets a novel pathway in type 1 diabetes progression. <i>Journal of Clinical Investigation</i> , 2008, 118, 3268-71. | 3.9 | 0 |
| 63 | <i>Francisella tularensis</i> -Infected Macrophages Release Prostaglandin E ₂ that Blocks T Cell Proliferation and Promotes a Th2-Like Response. <i>Journal of Immunology</i> , 2007, 178, 2065-2074. | 0.4 | 74 |
| 64 | Identical $\hat{2}$ Cell-Specific CD8+ T Cell Clonotypes Typically Reside in Both Peripheral Blood Lymphocyte and Pancreatic Islets. <i>Journal of Immunology</i> , 2007, 178, 1388-1395. | 0.4 | 36 |
| 65 | CD8+ T Cell Activation Is Governed by TCR-Peptide/MHC Affinity, Not Dissociation Rate. <i>Journal of Immunology</i> , 2007, 179, 2952-2960. | 0.4 | 111 |
| 66 | Selective deletion of antigen-specific CD8+ T cells by MHC class I tetramers coupled to the type I ribosome-inactivating protein saporin. <i>Blood</i> , 2007, 109, 3300-3307. | 0.6 | 40 |
| 67 | In Vivo Study of T-Cell Responses to Skin Alloantigens in <i>Xenopus</i> Using a Novel Whole-Mount Immunohistology Method. <i>Transplantation</i> , 2007, 83, 159-166. | 0.5 | 12 |
| 68 | Spatial And Temporal Expression of Herpes Simplex Virus Type 1 Amplicon-Encoded Genes: Implications for Their Use As Immunization Vectors. <i>Human Gene Therapy</i> , 2007, 18, 93-105. | 1.4 | 15 |
| 69 | Transgene expression levels and kinetics determine risk of humoral immune response modeled in factor IX knockout and missense mutant mice. <i>Gene Therapy</i> , 2007, 14, 429-440. | 2.3 | 40 |
| 70 | Preferential Attachment of Peritoneal Tumor Metastases to Omental Immune Aggregates and Possible Role of a Unique Vascular Microenvironment in Metastatic Survival and Growth. <i>American Journal of Pathology</i> , 2006, 169, 1739-1752. | 1.9 | 159 |
| 71 | The Mechanics of Class II Processing: Establishment of a Peptide Class II Hierarchy. , 2006, , 31-55. | | 1 |
| 72 | Class I MHC Antigen Processing. , 2006, , 1-30. | | 0 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 73 | Endogenous Antigen Processing. , 2006, , 73-87. | | 0 |
| 74 | Regulation of Early T-Cell Development in the Thymus. , 2006, , 89-108. | | 0 |
| 75 | Immunodominance in Tuberculosis. , 2006, , 163-188. | | 1 |
| 76 | Effects of Pathogens on the Immune Response: HIV. , 2006, , 209-231. | | 0 |
| 77 | T-Cell Specificity and Respiratory Virus Infections. , 2006, , 189-207. | | 0 |
| 78 | Immunodominance in the T-Cell Response to Herpesviruses. , 2006, , 255-283. | | 0 |
| 79 | CD8 T-cell Immunodominance, Repertoire, and Memory. , 2006, , 109-145. | | 4 |
| 80 | Listeria monocytogenes Infection and the CD8+ T-Cell Hierarchy. , 2006, , 147-162. | | 1 |
| 81 | The Effects of Pathogens on the Immune System: Viral Hepatitis. , 2006, , 233-254. | | 0 |
| 82 | Increased Toll-Like Receptor 4 Expression on T Cells May Be a Mechanism for Enhanced T cell Response Late After Burn Injury. Journal of Trauma, 2006, 61, 293-299. | 2.3 | 45 |
| 83 | The Effect of Burn Injury on CD8+ and CD4+ T Cells in an Irradiation Model of Homeostatic Proliferation. Journal of Trauma, 2006, 61, 1062-1068. | 2.3 | 10 |
| 84 | The Phenomenon of Immunodomination: Speculations on the Nature of Immunodominance. , 2006, , 57-71. | | 4 |
| 85 | Low-avidity CD8lo T cells induced by incomplete antigen stimulation in vivo regulate naive higher avidity CD8hi T cell responses to the same antigen. European Journal of Immunology, 2006, 36, 397-410. | 1.6 | 32 |
| 86 | Lymphopenia-Induced Homeostatic Proliferation of CD8+T Cells Is a Mechanism for Effective Allogeneic Skin Graft Rejection following Burn Injury. Journal of Immunology, 2006, 176, 6717-6726. | 0.4 | 22 |
| 87 | Early Autoimmune Destruction of Islet Grafts Is Associated with a Restricted Repertoire of IGRP-Specific CD8+ T Cells in Diabetic Nonobese Diabetic Mice. Journal of Immunology, 2006, 176, 1637-1644. | 0.4 | 41 |
| 88 | Memory CD8+ T cells require CD8 coreceptor engagement for calcium mobilization and proliferation, but not cytokine production. Immunology, 2005, 114, 44-52. | 2.0 | 5 |
| 89 | Characterization of a lymph node within the mouse prostate: Detailed analysis using whole mount histology. Prostate, 2005, 63, 105-116. | 1.2 | 3 |
| 90 | Cellular and Humoral Immunity following Snow Mountain Virus Challenge. Journal of Virology, 2005, 79, 2900-2909. | 1.5 | 236 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|------|-----------|
| 91 | Peripheral α CD8 Tuning Dynamically Modulates the Size and Responsiveness of an Antigen-Specific T Cell Pool In Vivo. <i>Journal of Immunology</i> , 2005, 174, 619-627. | 0.4 | 73 |
| 92 | Local Radiation Therapy of B16 Melanoma Tumors Increases the Generation of Tumor Antigen-Specific Effector Cells That Traffic to the Tumor. <i>Journal of Immunology</i> , 2005, 174, 7516-7523. | 0.4 | 822 |
| 93 | Correction of factor IX deficiency in mice by embryonic stem cells differentiated in vitro. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2005, 102, 2958-2963. | 3.3 | 44 |
| 94 | CD4 α CD8 α T cells control intracellular bacterial infections both in vitro and in vivo. <i>Journal of Experimental Medicine</i> , 2005, 202, 309-319. | 4.2 | 118 |
| 95 | Vaccination of macaques with SIV immunogens delivered by Venezuelan equine encephalitis virus replicon particle vectors followed by a mucosal challenge with SIVsmE660. <i>Vaccine</i> , 2005, 23, 4969-4979. | 1.7 | 38 |
| 96 | Cutting Edge: Tumor-Specific CTL Are Constitutively Cross-Armed in Draining Lymph Nodes and Transiently Disseminate to Mediate Tumor Regression following Systemic CD40 Activation. <i>Journal of Immunology</i> , 2004, 173, 5923-5928. | 0.4 | 68 |
| 97 | Dendritic cells can be rapidly expanded ex vivo and safely administered in patients with metastatic breast cancer. <i>Cancer Immunology, Immunotherapy</i> , 2004, 53, 777-785. | 2.0 | 31 |
| 98 | Transfection of the genes for interleukin-12 into the K1735 melanoma and the EMT6 mammary sarcoma murine cell lines reveals distinct mechanisms of antitumor activity. <i>International Journal of Cancer</i> , 2003, 106, 690-698. | 2.3 | 11 |
| 99 | Identification of T-cell epitopes in clotting factor IX and lack of tolerance in inbred mice. <i>Journal of Thrombosis and Haemostasis</i> , 2003, 1, 95-102. | 1.9 | 15 |
| 100 | Adoptive transfer of <i>E. faecalis</i> -pulsed dendritic cells accelerates colitis in IL-10 deficient mice. <i>Gastroenterology</i> , 2003, 124, A73. | 0.6 | 3 |
| 101 | Induction of Tumor Cell Apoptosis In Vivo Increases Tumor Antigen Cross-Presentation, Cross-Priming Rather than Cross-Tolerizing Host Tumor-Specific CD8 T Cells. <i>Journal of Immunology</i> , 2003, 170, 4905-4913. | 0.4 | 401 |
| 102 | Mechanism of IL-12 mediated alterations in tumour blood vessel morphology: analysis using whole-tissue mounts. <i>British Journal of Cancer</i> , 2003, 88, 1453-1461. | 2.9 | 37 |
| 103 | High Affinity Xenoreactive TCR:MHC Interaction Recruits CD8 in Absence of Binding to MHC. <i>Journal of Immunology</i> , 2003, 170, 373-383. | 0.4 | 26 |
| 104 | Interplay between TCR Affinity and Necessity of Coreceptor Ligation: High-Affinity Peptide-MHC/TCR Interaction Overcomes Lack of CD8 Engagement. <i>Journal of Immunology</i> , 2003, 171, 4493-4503. | 0.4 | 80 |
| 105 | HIV Antigens Can Induce TGF- β 1-Producing Immunoregulatory CD8 $^{+}$ T Cells. <i>Journal of Immunology</i> , 2002, 168, 2247-2254. | 0.4 | 125 |
| 106 | Peptidic Termini Play a Significant Role in TCR Recognition. <i>Journal of Immunology</i> , 2002, 169, 3137-3145. | 0.4 | 21 |
| 107 | Responses to smallpox vaccine. <i>New England Journal of Medicine</i> , 2002, 347, 689-90; author reply 689-90. | 13.9 | 5 |
| 108 | Dendritic Cell Vaccination Induces Cross-Reactive Cytotoxic T Lymphocytes Specific for Wild-Type and Natural Variant Human Immunodeficiency Virus Type 1 Epitopes in HLA-A*0201/Kb Transgenic Mice. <i>Clinical Immunology</i> , 2001, 101, 51-58. | 1.4 | 13 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 109 | CD8+ T cells express a T-helper 1-like phenotype after burn injury. <i>Surgery</i> , 2001, 130, 210-216. | 1.0 | 17 |
| 110 | Dendritic Cells Transduced With HIV Nef Express Normal Levels of HLA-A and HLA-B Class I Molecules. <i>Journal of Acquired Immune Deficiency Syndromes</i> (1999), 2001, 27, 417-425. | 0.9 | 13 |
| 111 | T-cell antigen discovery (T-CAD) assay: a novel technique for identifying T cell epitopes. <i>Journal of Immunological Methods</i> , 2001, 256, 107-119. | 0.6 | 24 |
| 112 | Intracellular cytokine staining for TGF- β 2. <i>Journal of Immunological Methods</i> , 2001, 258, 193-198. | 0.6 | 15 |
| 113 | Antigen-Specific Modulation of an Immune Response by In Vivo Administration of Soluble MHC Class I Tetramers. <i>Journal of Immunology</i> , 2001, 167, 3708-3714. | 0.4 | 71 |
| 114 | Multiple Paths for Activation of Naive CD8+ T Cells: CD4-Independent Help. <i>Journal of Immunology</i> , 2001, 167, 1283-1289. | 0.4 | 95 |
| 115 | In Vivo Behavior of Peptide-Specific T Cells During Mucosal Tolerance Induction: Antigen Introduced Through the Mucosa of the Conjunctiva Elicits Prolonged Antigen-Specific T Cell Priming Followed by Anergy. <i>Journal of Immunology</i> , 2000, 164, 4543-4550. | 0.4 | 66 |
| 116 | T Cell Activity After Dendritic Cell Vaccination Is Dependent on Both the Type of Antigen and the Mode of Delivery. <i>Journal of Immunology</i> , 2000, 164, 4961-4967. | 0.4 | 80 |
| 117 | Quantitation of CD8 + T-Lymphocyte Responses to Multiple Epitopes from Simian Virus 40 (SV40) Large T Antigen in C57BL/6 Mice Immunized with SV40, SV40 T-Antigen-Transformed Cells, or Vaccinia Virus Recombinants Expressing Full-Length T Antigen or Epitope Minigenes. <i>Journal of Virology</i> , 2000, 74, 6922-6934. | 1.5 | 86 |
| 118 | Naive CD8+ T Cells Do Not Require Costimulation for Proliferation and Differentiation into Cytotoxic Effector Cells. <i>Journal of Immunology</i> , 2000, 164, 1216-1222. | 0.4 | 99 |
| 119 | Vaccination of Macaques against Pathogenic Simian Immunodeficiency Virus with Venezuelan Equine Encephalitis Virus Replicon Particles. <i>Journal of Virology</i> , 2000, 74, 371-378. | 1.5 | 198 |
| 120 | Distribution and Characterization of GFP+ Donor Hematogenous Cells in Twitcher Mice after Bone Marrow Transplantation. <i>American Journal of Pathology</i> , 2000, 156, 1849-1854. | 1.9 | 64 |
| 121 | The Structural Basis for the Increased Immunogenicity of Two HIV-Reverse Transcriptase Peptide Variant/Class I Major Histocompatibility Complexes. <i>Journal of Biological Chemistry</i> , 1999, 274, 37259-37264. | 1.6 | 44 |
| 122 | Human Immunodeficiency Virus Type 1-Specific Cytotoxic T Lymphocyte Activity Is Inversely Correlated with HIV Type 1 Viral Load in HIV Type 1-Infected Long-Term Survivors. <i>AIDS Research and Human Retroviruses</i> , 1999, 15, 1219-1228. | 0.5 | 120 |
| 123 | Analysis of the mutant HLA-A*0201 heavy chain H74L: impaired TAP-dependent peptide loading. <i>Human Immunology</i> , 1999, 60, 743-754. | 1.2 | 2 |
| 124 | Venezuelan equine encephalitis virus vectors expressing HIV-1 proteins: vector design strategies for improved vaccine efficacy. <i>Vaccine</i> , 1999, 17, 3124-3135. | 1.7 | 64 |
| 125 | Altered peptide ligand design: altering immune responses to class I MHC/peptide complexes. <i>Immunological Reviews</i> , 1998, 163, 151-160. | 2.8 | 20 |
| 126 | Tumor immunotherapy: cytokines and antigen presentation. <i>Cancer Immunology, Immunotherapy</i> , 1998, 46, 75-81. | 2.0 | 19 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 127 | The Effector Component of the Cytotoxic T-Lymphocyte Response Has a Biphasic Pattern after Burn Injury. <i>Journal of Surgical Research</i> , 1998, 80, 243-251. | 0.8 | 39 |
| 128 | H2 Class I. , 1998, , 1035-1040. | | 0 |
| 129 | Immune Response of \hat{I}^{22} -Microglobulin-Deficient Mice to Pathogens. <i>Current Topics in Microbiology and Immunology</i> , 1998, 232, 99-114. | 0.7 | 3 |
| 130 | Immunogenicity of Cultured Keratinocyte Allografts Deficient in Major Histocompatibility Complex Antigens. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 1998, 45, 25-34. | 1.1 | 5 |
| 131 | Early But Not Late Burn Wound Excision Partially Restores Viral-Specific T Lymphocyte Cytotoxicity. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 1997, 43, 441-447. | 1.1 | 21 |
| 132 | Virus-specific, CD8+ major histocompatibility complex class I-restricted cytotoxic T lymphocytes in lymphocytic choriomeningitis virus-infected beta2-microglobulin-deficient mice. <i>Journal of Virology</i> , 1997, 71, 8392-8396. | 1.5 | 16 |
| 133 | Cross-clade human immunodeficiency virus (HIV)-specific cytotoxic T-lymphocyte responses in HIV-infected Zambians. <i>Journal of Virology</i> , 1997, 71, 8908-8911. | 1.5 | 92 |
| 134 | Humoral, mucosal, and cellular immunity in response to a human immunodeficiency virus type 1 immunogen expressed by a Venezuelan equine encephalitis virus vaccine vector. <i>Journal of Virology</i> , 1997, 71, 3031-3038. | 1.5 | 116 |
| 135 | A method for the production of CD4+ chronic myelogenous leukemia-specific allogeneic T lymphocytes. <i>Cancer Research</i> , 1997, 57, 1547-53. | 0.4 | 11 |
| 136 | A Point Mutation in HLA-A*0201 Results in Failure to Bind the TAP Complex and to Present Virus-Derived Peptides to CTL. <i>Immunity</i> , 1996, 4, 505-514. | 6.6 | 131 |
| 137 | Fas-dependent CD4+ cytotoxic T-cell-mediated pathogenesis during virus infection. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1996, 93, 14730-14735. | 3.3 | 71 |
| 138 | A physical map of the Q region of B10.P. <i>Mammalian Genome</i> , 1996, 7, 200-205. | 1.0 | 7 |
| 139 | CD4 + cytolytic effectors are inefficient in the clearance of <i>Listeria monocytogenes</i> . <i>Immunology</i> , 1996, 88, 544-550. | 2.0 | 11 |
| 140 | The Role of Peptide Specificity in MHC Class I-Restricted Allogeneic Responses. <i>Immunological Reviews</i> , 1996, 154, 45-58. | 2.8 | 17 |
| 141 | Effects of HIV-1 Tat on Expression of HLA Class I Molecules. <i>Journal of Acquired Immune Deficiency Syndromes</i> , 1996, 11, 233-240. | 0.3 | 26 |
| 142 | The 1995 Moyer Award. <i>Journal of Burn Care and Research</i> , 1995, 16, 573-580. | 1.7 | 14 |
| 143 | Amino-terminal alteration of the HLA-A*0201-restricted human immunodeficiency virus pol peptide increases complex stability and in vitro immunogenicity.. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1995, 92, 8166-8170. | 3.3 | 120 |
| 144 | BURN INJURY IMPAIRS SECOND-SET REJECTION AND CTL REACTIVITY IN MICE PRIMED BY CULTURED KERATINOCYTE ALLOGRAFTS. <i>Transplantation</i> , 1995, 60, 584-588. | 0.5 | 6 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|------|-----------|
| 145 | Synergistic effects of co-expression of the Th1 cytokines il-2 and IFN γ on generation of murine tumor-reactive cytotoxic cells. International Journal of Cancer, 1995, 61, 628-634. | 2.3 | 25 |
| 146 | The Cell-Mediated Immune Response Against Lymphocytic Choriomeningitis Virus in beta2-microglobulin Deficient Mice. Immunological Reviews, 1995, 148, 151-168. | 2.8 | 8 |
| 147 | Analysis of the Effect of Cytokines (Interleukins 2, 3, 4, and 6, Granulocyte-Monocyte Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50 6 against a Weakly Immunogenic Tumor. Cellular Immunology, 1995, 165, 183-192. | 1.4 | 29 |
| 148 | Natural killer cell activity in lymphocytic choriomeningitis virus-infected β 2-microglobulin-deficient mice. International Immunology, 1995, 7, 1545-1556. | 1.8 | 23 |
| 149 | Different MHC class I alleles compete for presentation of overlapping viral epitopes. Immunity, 1995, 3, 65-77. | 6.6 | 74 |
| 150 | Alterations of a dominant epitope of lymphocytic choriomeningitis virus which affect class I binding and cytotoxic T cell recognition. Molecular Immunology, 1995, 32, 725-731. | 1.0 | 3 |
| 151 | Early, complete burn wound excision partially restores cytotoxic T lymphocyte function*. Surgery, 1995, 118, 421-430. | 1.0 | 25 |
| 152 | Genetic evidence for difference between intracellular and extracellular peptides in influenza A matrix peptide-specific CTL recognition. Journal of Immunology, 1995, 154, 1088-96. | 0.4 | 19 |
| 153 | Restoration of CTL recognition of a mutant FMP peptide by a compensatory change in HLA-A2. Immunogenetics, 1994, 40, 66-69. | 1.2 | 3 |
| 154 | Mutations inside but not outside the peptide binding cleft of the H-2 Ld molecule affects CTL recognition and binding of the nucleoprotein peptide from the lymphocytic choriomeningitis. Immunogenetics, 1994, 40, 222-229. | 1.2 | 7 |
| 155 | Absence of MHC class ii molecules reduces CNS demyelination, microglial/macrophage infiltration, and twitching in murine globoid cell leukodystrophy. Cell, 1994, 78, 645-656. | 13.5 | 116 |
| 156 | Significance of the six peptide-binding pockets of HLA-A2.1 in influenza a matrix peptide-specific cytotoxic T-lymphocyte reactivity. Human Immunology, 1994, 41, 160-166. | 1.2 | 21 |
| 157 | Differences in peptide presentation between B27 subtypes: The importance of the P1 side chain in maintaining high affinity peptide binding to B α ...2703. Immunity, 1994, 1, 121-130. | 6.6 | 61 |
| 158 | Mutation of the β 2 domain disulfide bridge of the class I molecule HLA-A α -0201 Effect on maturation and peptide presentation. Human Immunology, 1994, 39, 261-271. | 1.2 | 48 |
| 159 | CULTURED MOUSE KERATINOCYTE ALLOGRAFTS PRIME FOR ACCELERATED SECOND SET REJECTION AND ENHANCED CYTOTOXIC LYMPHOCYTE RESPONSE1,2. Transplantation, 1994, 58, 67-71. | 0.5 | 11 |
| 160 | Analysis of mutant HLA-A2 molecules. Differential effects on peptide binding and CTL recognition. Journal of Immunology, 1994, 152, 1213-21. | 0.4 | 40 |
| 161 | Transfer of lymphocytic choriomeningitis disease in β 2-microglobulin-deficient mice by CD4+ T cells. International Immunology, 1993, 5, 1193-1198. | 1.8 | 44 |
| 162 | Roles of the six peptide-binding pockets of the HLA-A2 molecule in allorecognition by human cytotoxic T-cell clones.. Proceedings of the National Academy of Sciences of the United States of America, 1993, 90, 674-678. | 3.3 | 68 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 163 | Allele-specific B pocket transplant in class I major histocompatibility complex protein changes requirement for anchor residue at P2 of peptide.. Proceedings of the National Academy of Sciences of the United States of America, 1993, 90, 6879-6883. | 3.3 | 46 |
| 164 | Immunobiology of β 2 -Microglobulin-Deficient Mice. , 1993, , 145-150. | | 1 |
| 165 | LCMV-specific, class II-restricted cytotoxic T cells in beta 2-microglobulin-deficient mice. Science, 1992, 255, 1576-1578. | 6.0 | 180 |
| 166 | Production and Characterization of Two New Mouse Monoclonal Antibodies Reactive with Denatured Mouse Class II Beta Chains. Hybridoma, 1992, 11, 217-223. | 0.9 | 18 |
| 167 | A cross-species functional interaction between the murine major histocompatibility complex class I β 3 domain and human CD8 revealed by peptide-specific cytotoxic T lymphocytes. European Journal of Immunology, 1992, 22, 1643-1646. | 1.6 | 13 |
| 168 | CD4-class II major histocompatibility complex interaction does not enhance killing by a class I-restricted CD4+CD8+ cytotoxic T cell clone. European Journal of Immunology, 1992, 22, 2461-2464. | 1.6 | 2 |
| 169 | Production and characterization of a peptide specific, anti-major histocompatibility complex class II, monoclonal antibody. Molecular Immunology, 1991, 28, 499-504. | 1.0 | 8 |
| 170 | Detergent enhances binding of a secreted HLA-A2 molecule to solid phase peptides. Human Immunology, 1991, 32, 183-193. | 1.2 | 5 |
| 171 | EXPRESSION OF A MHC NON-CLASSICAL CLASS I GENE, O4, IS SIMILAR TO A CLASSICAL CLASS I GENE, Dp. International Journal of Immunogenetics, 1991, 18, 315-321. | 1.2 | 2 |
| 172 | Class-I MHC expression in the mouse lung carcinoma, line 1: A model for class-I inducible tumors. International Journal of Cancer, 1991, 47, 82-89. | 2.3 | 10 |
| 173 | Structure function analysis of the H-2 Ab p gene. Immunogenetics, 1991, 34, 358-365. | 1.2 | 5 |
| 174 | A cluster of mutations in HLA-A2 β 2 helix abolishes peptide recognition by T cells. Immunogenetics, 1991, 34, 141-8. | 1.2 | 28 |
| 175 | A single amino acid substitution in an MHC class I molecule allows heteroclitic recognition by lymphocytic choriomeningitis virus-specific cytotoxic T lymphocytes. Journal of Immunology, 1991, 147, 1392-7. | 0.4 | 12 |
| 176 | Differential expression of Q4 proteins (Qb-1) in fibroblasts and lymphocytes. Journal of Immunology, 1991, 147, 3427-33. | 0.4 | 5 |
| 177 | Mutations in the β 1 domain of a class I gene define residues important for specific allorecognition. Cellular Immunology, 1990, 128, 220-230. | 1.4 | 9 |
| 178 | Alteration of the metastatic potential of line 1 lung carcinoma cells: Opposite effects of class I antigen induction by interferons versus DMSO or gene transfection. Cellular Immunology, 1990, 127, 299-310. | 1.4 | 14 |
| 179 | cDNA cloning and localization of the mouse leukosialin gene (Ly48) to chromosome 7. Immunogenetics, 1990, 31, 307-314. | 1.2 | 19 |
| 180 | Analysis of novel residues of class I involved in recognition by alloreactive T cells. Immunogenetics, 1990, 32, 138-41. | 1.2 | 3 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 181 | The transport of class I major histocompatibility complex antigens is determined by sequences in the ?1 and ?2 protein domains. Immunogenetics, 1990, 31, 169-78. | 1.2 | 45 |
| 182 | Differential expression of interleukin 1 \pm by Thy-1+ and Thy-1 $\hat{\sim}$ lung fibroblast subpopulations: Enhancement of interleukin 1 \pm production by tumor necrosis factor-1 \pm . European Journal of Immunology, 1990, 20, 1723-1727. | 1.6 | 56 |
| 183 | Evidence of widespread binding of HLA class I molecules to peptides.. Journal of Experimental Medicine, 1990, 172, 827-834. | 4.2 | 57 |
| 184 | Antibodies specific for Ig idiotype, but not isotype, can substitute for antigen to induce IgM secretion by a B cell clone. International Immunology, 1990, 2, 285-290. | 1.8 | 12 |
| 185 | Random Mutagenesis by Oligonucleotides: A Probe for MHC Structure and Function. , 1990, , 26-32. | | 0 |
| 186 | Relationship Between Class II Structure and B Cell Signaling. , 1990, , 36-38. | | 0 |
| 187 | Diminished Expression of the T Cell Receptor on the Expanded Lymphocyte Population in Mrl/Mp-1pr/1prMice. Autoimmunity, 1989, 2, 97-111. | 1.2 | 9 |
| 188 | Evidence for a subpopulation of antigen-presenting cells specific for the induction of the delayed-type hypersensitivity response. Cellular Immunology, 1989, 119, 171-181. | 1.4 | 11 |
| 189 | Differential transport requirements of HLA and H-2 class I glycoproteins. Immunogenetics, 1989, 29, 380-388. | 1.2 | 142 |
| 190 | Haplotype-specific differences in signaling by transfected class II molecules to a Ly-1+ B-cell clone.. Proceedings of the National Academy of Sciences of the United States of America, 1989, 86, 5933-5937. | 3.3 | 26 |
| 191 | CYTOTOXIC T LYMPHOCYTE RECOGNITION OF HYBRID MHC CLASS I MOLECULES. International Journal of Immunogenetics, 1988, 15, 295-305. | 1.2 | 1 |
| 192 | Signaling to a B-cell clone by Ek, but not Ak, does not reflect alteration of A k genes. Immunogenetics, 1988, 28, 184-192. | 1.2 | 20 |
| 193 | Gene regulation, organization and function. Trends in Immunology, 1988, 9, 3-4. | 7.5 | 6 |
| 194 | Random oligonucleotide mutagenesis: application to a large protein coding sequence of a major histocompatibility complex class I gene,H-2DP. Nucleic Acids Research, 1988, 16, 9761-9773. | 6.5 | 14 |
| 195 | High-level expression of a bioengineered, cysteine-free hepatocyte-stimulating factor (interleukin) Tj ETQq1 1 0.784314 rgBT /Overload 85, 9426-9430. | 3.3 | 41 |
| 196 | Saturation mutagenesis of a major histocompatibility complex protein domain: identification of a single conserved amino acid important for allorecognition.. Proceedings of the National Academy of Sciences of the United States of America, 1988, 85, 3535-3539. | 3.3 | 21 |
| 197 | A simple, rapid method for the purification of poly A+ RNA. BioTechniques, 1988, 6, 114-6. | 0.8 | 313 |
| 198 | New family of exon-shuffled recombinant genes reveals extensive interdomain interactions in class I histocompatibility antigens and identifies residues involved.. Journal of Experimental Medicine, 1987, 165, 211-222. | 4.2 | 18 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 199 | Widespread transcription of a Qa region gene in adult mice.. Journal of Experimental Medicine, 1987, 166, 95-108. | 4.2 | 17 |
| 200 | The expression and detection of MHC class I antigens on murine neuroblastoma and ependymoblastoma lines. Journal of Neuroimmunology, 1987, 14, 87-98. | 1.1 | 6 |
| 201 | The ?1 and ?2 domains of H-2 class I molecules interact to form unique epitopes. Immunogenetics, 1987, 25, 110-115. | 1.2 | 5 |
| 202 | The Class II Molecule as a Signal Transducer to the B Cell: Cellular and Molecular Approaches. , 1987, , 517-522. | | 0 |
| 203 | Class I Antigen Expression in Line 1 Cells: Molecular Biology and Immunological Effects. , 1987, , 611-622. | | 0 |
| 204 | A new murine lymphocyte alloantigen, Ly-27.2. Immunogenetics, 1986, 23, 406-408. | 1.2 | 2 |
| 205 | The nucleotide sequence and comparative analysis of the H-2Dp class I H-2 gene. Journal of Immunology, 1986, 136, 3489-95. | 0.4 | 32 |
| 206 | Induction of antigen presentation ability in purified cultures of astroglia by interferon-gamma. The Journal of Molecular and Cellular Immunology: JMCI, 1986, 2, 269-80. | 0.5 | 17 |
| 207 | Expression in L cells of transfected class I genes from the mouse major histocompatibility complex.. Proceedings of the National Academy of Sciences of the United States of America, 1985, 82, 5505-5509. | 3.3 | 5 |
| 208 | An Analysis of Monoclonal T Cell and Antibody Recognition Sites on Ia Molecules. Journal of Investigative Dermatology, 1985, 85, S30-S33. | 0.3 | 2 |
| 209 | Response of glioma cells to interferon-gamma: increase in class II RNA, protein and mixed lymphocyte reaction-stimulating ability. European Journal of Immunology, 1985, 15, 809-814. | 1.6 | 69 |
| 210 | The defect in delayed-type hypersensitivity of young adult SJL mice is due to a lack of functional antigen-presenting cells. European Journal of Immunology, 1985, 15, 913-916. | 1.6 | 29 |
| 211 | Distinct epitopes are recognized by cytolytic T lymphocyte clones on the same class I molecule: direct demonstration using DNA-transfected targets and longterm cytolytic T cell clones. European Journal of Immunology, 1984, 14, 969-974. | 1.6 | 6 |
| 212 | Cloning and identification of the H-2D p gene. Immunogenetics, 1984, 19, 195-204. | 1.2 | 12 |
| 213 | Functional characterization of the H-2Dp gene product. Immunogenetics, 1984, 19, 205-216. | 1.2 | 7 |
| 214 | Fine Specificity and Genetic Restriction of T Cell Clones Specific for Mouse Hepatitis Virus, Strain JHM. Advances in Experimental Medicine and Biology, 1984, 173, 331-343. | 0.8 | 0 |
| 215 | Immunogenetic Approaches to Cell Surface Molecules in the Mouse. , 1984, , 1-25. | | 0 |
| 216 | Production and characterization of T cell clones specific for mouse hepatitis virus, strain JHM: in vivo and in vitro analysis. Journal of Immunology, 1984, 133, 1016-21. | 0.4 | 18 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|------|-----------|
| 217 | Monoclonal antibodies reactive with H-2 determinants. Immunogenetics, 1983, 18, 541-545. | 1.2 | 52 |
| 218 | Brain Ia antigens have a bone marrow origin. Immunogenetics, 1983, 17, 295-301. | 1.2 | 40 |
| 219 | Antigenic relationships of murine coronaviruses: Analysis using monoclonal antibodies to JHM (MHV-4) virus. Virology, 1983, 131, 296-307. | 1.1 | 170 |
| 220 | Evidence for extensive polymorphism of class I genes in the rat major histocompatibility complex (RT1).. Proceedings of the National Academy of Sciences of the United States of America, 1983, 80, 7616-7620. | 3.3 | 26 |
| 221 | LOW-DENSITY MONONUCLEAR CELLS. Transplantation, 1983, 35, 463-468. | 0.5 | 5 |
| 222 | Use of cloned H-2 genes for study of H-2-restricted cytotoxicity: Ld is the LCMV restriction element for H-2d. Transplantation Proceedings, 1983, 15, 2024-6. | 0.3 | 9 |
| 223 | Identification of a BALB/c H-2Ld gene by DNA-mediated gene transfer. Science, 1982, 215, 677-679. | 6.0 | 102 |
| 224 | Construction of microcell hybrid clones containing specific mouse chromosomes: application to autosomes 8 and 17.. Molecular and Cellular Biology, 1982, 2, 526-534. | 1.1 | 43 |
| 225 | Specific recognition of the product of a transferred major histocompatibility complex gene by cytotoxic T lymphocytes.. Proceedings of the National Academy of Sciences of the United States of America, 1982, 79, 3613-3617. | 3.3 | 29 |
| 226 | BONE MARROW-DERIVED CELLS ARE RESPONSIBLE FOR STIMULATING I REGION-INCOMPATIBLE SKIN GRAFT REJECTION. Transplantation, 1982, 33, 254-259. | 0.5 | 17 |
| 227 | Acute autoimmune encephalomyelitis in mice. II. Susceptibility is controlled by the combination of H-2 and histamine sensitization genes.. Journal of Experimental Medicine, 1982, 156, 31-40. | 4.2 | 155 |
| 228 | The role of Ia antigens and Fc receptor-bearing T-cells in the inhibition of macrophage receptors for cytophilic antibody induced by soluble immune complexes. Cellular Immunology, 1982, 74, 370-382. | 1.4 | 0 |
| 229 | Ia antigens on non-lymphoid tissues their origins and functions. Trends in Immunology, 1982, 3, 339-342. | 7.5 | 30 |
| 230 | Product of a transferred H-2Ld gene acts as restriction element for LCMV-specific killer T cells. Nature, 1982, 297, 415-417. | 13.7 | 70 |
| 231 | Macrophage antiviral activity: extrinsic versus intrinsic activity. Infection and Immunity, 1982, 36, 672-677. | 1.0 | 54 |
| 232 | BIOLOGICAL PROPERTIES OF CLASS I MHC MOLECULES EXPRESSED AFTER DNA-MEDIATED GENE TRANSFER11This work was supported by NIH Grant CA 22662 and GM 06965. , 1982, , 209-213. | | 0 |
| 233 | Construction of Microcell Hybrid Clones Containing Specific Mouse Chromosomes: Application to Autosomes 8 and 17. Molecular and Cellular Biology, 1982, 2, 526-534. | 1.1 | 17 |
| 234 | A pseudogene homologous to mouse transplantation antigens: Transplantation antigens are encoded by eight exons that correlate with protein domains. Cell, 1981, 25, 683-692. | 13.5 | 340 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|------|-----------|
| 235 | STRUCTURAL STUDIES OF MOUSE TRANSPLANTATION ANTIGEN GENES. Biochemical Society Transactions, 1981, 9, 102P-102P. | 1.6 | 0 |
| 236 | Expression and synthesis of murine immune response-associated (Ia) antigens by brain cells.. Proceedings of the National Academy of Sciences of the United States of America, 1981, 78, 3170-3174. | 3.3 | 77 |
| 237 | Tryptic peptide map analyses of mouse transplantation antigens. Immunogenetics, 1981, 12, 21-32. | 1.2 | 6 |
| 238 | Peptide map comparisons of epidermal and spleen H-2 molecules. Immunogenetics, 1981, 12, 569-577. | 1.2 | 5 |
| 239 | Serological and biochemical characterization of rat (RT1) class II molecules with restricted mouse anti-Ia sera. Immunogenetics, 1981, 13, 93-107. | 1.2 | 14 |
| 240 | Structure of murine Ia antigens. Two dimensional electrophoretic analyses and high pressure liquid chromatography tryptic peptide maps of products of the I-A and I-E subregions and of an associated invariant polypeptide.. Journal of Experimental Medicine, 1981, 153, 936-950. | 4.2 | 75 |
| 241 | Macrophages and Resistance to JHM Virus CNS Infection. Advances in Experimental Medicine and Biology, 1981, 142, 387-398. | 0.8 | 9 |
| 242 | Characterization of responding cells in oxidative mitogen stimulation. Immunogenetics, 1980, 10, 133-140. | 1.2 | 5 |
| 243 | H-2 effects on cell-cell interactions in the response to single non-H-2 alloantigens. Immunogenetics, 1980, 10, 211-225. | 1.2 | 34 |
| 244 | Multiple H-2 and non-H-2 genes controlling the anti-lysozyme response: Alternative gene constellations can lead to responsiveness. European Journal of Immunology, 1980, 10, 384-391. | 1.6 | 38 |
| 245 | Bone Marrow Origin of Ia Molecules Purified from Epidermal Cells. Journal of Investigative Dermatology, 1980, 75, 68-70. | 0.3 | 16 |
| 246 | Role of self carriers in the immune response and tolerance. V. Reversal of trinitrophenyl-modified self suppression of the B-cell response by blocking of H-2 antigens.. Journal of Experimental Medicine, 1980, 151, 133-143. | 4.2 | 12 |
| 247 | GENETIC CONTROL OF RESISTANCE OF MOUSE HEPATITIS VIRUS, STRAIN JHM, INDUCED ENCEPHALOMYELITIS. , 1980, , 233-239. | | 0 |
| 248 | GENETIC CONTROL OF RESISTANCE TO JHM, A NEUROTROPIC STRAIN OF MOUSE HEPATITIS. , 1980, , 247-251. | | 0 |
| 249 | Resistance to fatal central nervous system disease by mouse hepatitis virus, strain JHM. II. Adherent cell-mediated protection. Journal of Immunology, 1980, 124, 1733-9. | 0.4 | 50 |
| 250 | Characterization of responding cells in oxidative mitogen stimulation. I. Ia+ cells and Ly-1+2+ cells are required for the proliferative response. Journal of Immunology, 1980, 124, 2693-9. | 0.4 | 16 |
| 251 | Mouse epidermal Ia molecules have a bone marrow origin. Nature, 1979, 282, 321-323. | 13.7 | 194 |
| 252 | T lymphocyte response to H-2 mutants: cytotoxic effectors are Ly-1+2+.. Proceedings of the National Academy of Sciences of the United States of America, 1979, 76, 3455-3459. | 3.3 | 38 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 253 | Epidermal Ia molecules from the I-A and I-E/C subregions of the mouse H-2 complex. <i>Immunogenetics</i> , 1978, 6, 125-135. | 1.2 | 28 |
| 254 | Partial amino acid sequences of mouse transplantation antigens. <i>Immunogenetics</i> , 1978, 7, 425-444. | 1.2 | 23 |
| 255 | Resistance to fatal central nervous system disease by mouse hepatitis virus, strain JHM. <i>Immunogenetics</i> , 1978, 6, 277-281. | 1.2 | 81 |
| 256 | T-lymphocyte response to H-2 mutants. I. Proliferation is dependent on Ly 1+2+ cells. <i>Journal of Experimental Medicine</i> , 1978, 147, 1395-1404. | 4.2 | 45 |
| 257 | Murine Ia and human DR antigens: homology of amino-terminal sequences. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1978, 75, 3953-3956. | 3.3 | 119 |
| 258 | Expression of I-A and I-E,C region-coded Ia antigens on functional B cell subpopulations. <i>Journal of Immunology</i> , 1978, 121, 2376-80. | 0.4 | 4 |
| 259 | H-2 effects on cell-cell interactions in the response to single non-H-2 alloantigens. I. Donor H-2D region control of H-7.1-immunogenicity and lack of restriction in vivo. <i>Journal of Experimental Medicine</i> , 1977, 146, 1346-1355. | 4.2 | 25 |
| 260 | Immune mechanisms in leukemia role of the Ia antigens. <i>Journal of Experimental Medicine</i> , 1977, 145, 1077-1081. | 4.2 | 7 |
| 261 | H-2 effects on cell-cell interactions in the response to single non-H-2 alloantigens. II. H-2 D region control of H-7.1-specific stimulator function in mixed lymphocyte culture and susceptibility to lysis by H-7.1-specific cytotoxic cells. <i>Journal of Experimental Medicine</i> , 1977, 146, 1356-1366. | 4.2 | 45 |
| 262 | Chemical characterization of murine Ia alloantigens determined by the i-E/i-C subregions of the H-2 complex. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1977, 74, 5131-5134. | 3.3 | 38 |
| 263 | Con A induced suppressor cells: Suppression with I region incompatibility. <i>Cellular Immunology</i> , 1977, 29, 322-330. | 1.4 | 4 |
| 264 | Ia-bearing cells promote the concanavalin A mitogenic response of Ia-negative T cells. <i>European Journal of Immunology</i> , 1977, 7, 447-450. | 1.6 | 32 |
| 265 | Serological and Functional Evidence for Further Subdivision of the I Regions of the H-2 Gene Complex. <i>Cold Spring Harbor Symposia on Quantitative Biology</i> , 1977, 41, 477-487. | 2.0 | 81 |
| 266 | The relationship of the major murine histocompatibility region associated IA antigens to mitogen responses. <i>Journal of Surgical Research</i> , 1976, 20, 563-570. | 0.8 | 1 |
| 267 | Expression of Ia Antigens on T and B Cells and their Relationship to Immune-Response Functions. <i>Immunological Reviews</i> , 1976, 30, 101-121. | 2.8 | 14 |
| 268 | A new alloantigen, Ly-8, recognized by C3H anti-AKR serum. <i>Immunogenetics</i> , 1976, 3, 481-487. | 1.2 | 35 |
| 269 | A cautionary note regarding Ia and H-2 typing of murine lymphoid tumors. <i>Immunogenetics</i> , 1976, 3, 507-516. | 1.2 | 23 |
| 270 | Effects of anti-Ia sera on mitogenic responses. II. Differential expression of the Ia marker on phytohemagglutinin and concanavalin A-reactive T cells. <i>Journal of Experimental Medicine</i> , 1976, 143, 372-381. | 4.2 | 65 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 271 | Effects of anti-Ia sera on mitogenic responses. III. Mapping the genes controlling the expression of Ia determinants on concanavalin A-reactive cells to the I-J subregion of the H-2 gene complex.. Journal of Experimental Medicine, 1976, 144, 1141-1146. | 4.2 | 55 |
| 272 | Murine Ia Antigens. Expression On T and B Cells and Their Role In Immune Response. , 1976, , 379-392. | | 3 |
| 273 | Expression of Ia antigens on T and B cells and their relationship to immune-response functions. Transplantation Reviews, 1976, 30, 101-21. | 1.1 | 10 |
| 274 | Inhibition of immune responses in vitro by specific antisera to Ia antigens. Science, 1975, 188, 268-270. | 6.0 | 85 |
| 275 | The distribution of Ia antigens of the H-2 complex on lymph node cells by immunoferritin labelling. Cellular Immunology, 1975, 16, 125-134. | 1.4 | 12 |
| 276 | The Major Histocompatibility Complexes. , 1975, , 81-116. | | 12 |
| 277 | Effects of anti-Ia serum on mitogenic responses. I. Inhibition of the proliferative response to B cell mitogen, LPS, by specific anti-Ia sera. Journal of Immunology, 1975, 115, 1672-6. | 0.4 | 67 |
| 278 | EVIDENCE FOR THE EXPRESSION OF Ia (H-2-ASSOCIATED) ANTIGENS ON THYMUS-DERIVED LYMPHOCYTES. Journal of Experimental Medicine, 1974, 140, 1273-1284. | 4.2 | 227 |
| 279 | New lymphocyte antigens controlled by the Ir-IgG region of the H-2 gene complex. Transplantation, 1974, 17, 122-5. | 0.5 | 12 |
| 280 | New Lymphocyte Antigen System (Lna) Controlled by the Ir Region of the Mouse H-2 Complex. Proceedings of the National Academy of Sciences of the United States of America, 1973, 70, 2509-2514. | 3.3 | 264 |
| 281 | Chemical basis of transferrin polymorphism in pigeons. Animal Blood Groups and Biochemical Genetics, 1973, 4, 35-40. | 0.0 | 2 |
| 282 | Transferrin Polymorphism and Hardy-Weinberg Ratios. American Naturalist, 1973, 107, 314-317. | 1.0 | 4 |
| 283 | Serologic detection of lymphocyte cell-surface antigens controlled by the Ir region of the H-2 gene complex. Transplantation Proceedings, 1973, 5, 1815-6. | 0.3 | 5 |
| 284 | The Maintenance of Transferrin Polymorphism in Pigeons. Proceedings of the National Academy of Sciences of the United States of America, 1972, 69, 326-329. | 3.3 | 46 |
| 285 | Synthesis and conservation of ribosomal RNA in adult mosquito ovaries. Journal of Insect Physiology, 1971, 17, 1401-1410. | 0.9 | 4 |
| 286 | Maternally Derived Transferrin in Pigeon Squabs. Science, 1971, 171, 1260-1261. | 6.0 | 14 |