
## Vladimir V Rafalski

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/3594564/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Canagliflozin and Cardiovascular and Renal Events in Type 2 Diabetes. New England Journal of Medicine, 2017, 377, 644-657.	13.9	5,629
2	Angiotensin–Neprilysin Inhibition versus Enalapril in Heart Failure. New England Journal of Medicine, 2014, 371, 993-1004.	13.9	5,052
3	Lixisenatide in Patients with Type 2 Diabetes and Acute Coronary Syndrome. New England Journal of Medicine, 2015, 373, 2247-2257.	13.9	1,856
4	Angiotensin–Neprilysin Inhibition in Heart Failure with Preserved Ejection Fraction. New England Journal of Medicine, 2019, 381, 1609-1620.	13.9	1,485
5	A Comparison of Entecavir and Lamivudine for HBeAg-Positive Chronic Hepatitis B. New England Journal of Medicine, 2006, 354, 1001-1010.	13.9	1,345
6	Entecavir versus Lamivudine for Patients with HBeAg-Negative Chronic Hepatitis B. New England Journal of Medicine, 2006, 354, 1011-1020.	13.9	1,118
7	Sotagliflozin in Patients with Diabetes and Chronic Kidney Disease. New England Journal of Medicine, 2021, 384, 129-139.	13.9	662
8	Angiotensin Receptor Neprilysin Inhibition Compared With Enalapril on the Risk of Clinical Progression in Surviving Patients With Heart Failure. Circulation, 2015, 131, 54-61.	1.6	552
9	Vedolizumab versus Adalimumab for Moderate-to-Severe Ulcerative Colitis. New England Journal of Medicine, 2019, 381, 1215-1226.	13.9	457
10	Simeprevir with pegylated interferon alfa 2a plus ribavirin in treatment-naive patients with chronic hepatitis C virus genotype 1 infection (QUEST-1): a phase 3, randomised, double-blind, placebo-controlled trial. Lancet, The, 2014, 384, 403-413.	6.3	431
11	Cardiac Myosin Activation with Omecamtiv Mecarbil in Systolic Heart Failure. New England Journal of Medicine, 2021, 384, 105-116.	13.9	381
12	Dual angiotensin receptor and neprilysin inhibition as an alternative to angiotensinâ€converting enzyme inhibition in patients with chronic systolic heart failure: rationale for and design of the Prospective comparison of ARNI with ACEI to Determine Impact on Global Mortality and morbidity in Heart Failure trial (PARADIGMâ€HF). European Journal of Heart Failure, 2013, 15, 1062-1073.	2.9	358
13	Eltrombopag before Procedures in Patients with Cirrhosis and Thrombocytopenia. New England Journal of Medicine, 2012, 367, 716-724.	13.9	274
14	Risk Related to Pre–Diabetes Mellitus and Diabetes Mellitus in Heart Failure With Reduced Ejection Fraction. Circulation: Heart Failure, 2016, 9, .	1.6	260
15	Once-daily simeprevir (TMC435) with pegylated interferon and ribavirin in treatment-naÃ⁻ve genotype 1 hepatitis C: The randomized PILLAR study. Hepatology, 2013, 58, 1918-1929.	3.6	255
16	Efficacy and Safety of Canagliflozin, an Inhibitor of Sodium–Glucose Cotransporter 2, When Used in Conjunction With Insulin Therapy in Patients With Type 2 Diabetes. Diabetes Care, 2015, 38, 403-411.	4.3	196
17	Efficacy and safety of LCZ696 (sacubitril-valsartan) according to age: insights from PARADIGM-HF. European Heart Journal, 2015, 36, 2576-2584.	1.0	187
18	Baseline characteristics and treatment of patients in Prospective comparison of <scp>ARNI</scp> with <scp>ACEI</scp> to Determine Impact on Global Mortality and morbidity in Heart Failure trial ( <scp>PARADIGMâ€HF</scp> ). European Journal of Heart Failure, 2014, 16, 817-825.	2.9	148

#	Article	IF	CITATIONS
19	Importance of Clinical Worsening of Heart Failure Treated in the Outpatient Setting. Circulation, 2016, 133, 2254-2262.	1.6	142
20	Rationale, design and baseline characteristics of the CANagliflozin cardioVascular Assessment Study–Renal ( <scp>CANVASâ€R</scp> ): A randomized, placeboâ€controlled trial. Diabetes, Obesity and Metabolism, 2017, 19, 387-393.	2.2	139
21	Comparing LCZ696 With Enalapril According to Baseline Risk Using the MAGGIC and EMPHASIS-HF Risk Scores. Journal of the American College of Cardiology, 2015, 66, 2059-2071.	1.2	118
22	Type of Atrial Fibrillation and Outcomes inÂPatients With Heart Failure and ReducedÂEjectionÂFraction. Journal of the American College of Cardiology, 2017, 70, 2490-2500.	1.2	114
23	Influenza Vaccination in Patients WithÂChronic Heart Failure. JACC: Heart Failure, 2016, 4, 152-158.	1.9	112
24	Influence of Sacubitril/Valsartan (LCZ696)ÂonÂ30-Day Readmission After Heart Failure Hospitalization. Journal of the American College of Cardiology, 2016, 68, 241-248.	1.2	101
25	Dementiaâ€related adverse events in <scp>PARADIGMâ€HF</scp> and other trials in heart failure with reduced ejection fraction. European Journal of Heart Failure, 2017, 19, 129-137.	2.9	95
26	Estimating the Long-Term Treatment Benefits of Sacubitril–Valsartan. New England Journal of Medicine, 2015, 373, 2289-2290.	13.9	92
27	Ferric Carboxymaltose Prevents Recurrence of Anemia in Patients With Inflammatory Bowel Disease. Clinical Gastroenterology and Hepatology, 2013, 11, 269-277.	2.4	91
28	Rationale, design, and baseline characteristics in Evaluation of LIXisenatide in Acute Coronary Syndrome, a long-term cardiovascular end point trial of lixisenatide versus placebo. American Heart Journal, 2015, 169, 631-638.e7.	1.2	88
29	Effects of Sacubitril/Valsartan in the PARADIGM-HF Trial (Prospective Comparison of ARNI with ACEI to) Tj ETQq1 Therapy. Circulation: Heart Failure, 2016, 9, .	1 0.78431 1.6	4 rgBT /Ove 83
30	A putative placebo analysis of the effects of LCZ696 on clinical outcomes in heart failure. European Heart Journal, 2015, 36, 434-439.	1.0	80
31	1425 SIMEPREVIR (TMC435) WITH PEGINTERFERON/RIBAVIRIN FOR CHRONIC HCV GENOTYPE-1 INFECTION IN TREATMENT-NAÃVE PATIENTS: RESULTS FROM QUEST-1, A PHASE III TRIAL. Journal of Hepatology, 2013, 58, S574.	1.8	76
32	Efficacy and safety of canagliflozin when used in conjunction with incretinâ€mimetic therapy in patients with type 2 diabetes. Diabetes, Obesity and Metabolism, 2016, 18, 82-91.	2.2	74
33	Randomized trial of peginterferon alfa-2b and ribavirin for 48 or 72 weeks in patients with hepatitis C virus genotype 1 and slow virologic response. Hepatology, 2010, 52, 1201-1207.	3.6	63
34	Income Inequality and Outcomes in HeartÂFailure. JACC: Heart Failure, 2019, 7, 336-346.	1.9	63
35	Growth differentiation factorâ€15 is not modified by sacubitril/valsartan and is an independent marker of risk in patients with heart failure and reduced ejection fraction: the PARADIGMâ€HF trial. European Journal of Heart Failure, 2018, 20, 1701-1709.	2.9	56
36	Prognostic Value of N-Terminal Pro-B-Type Natriuretic Peptide Levels in Heart Failure Patients With and Without Atrial Fibrillation. Circulation: Heart Failure, 2017, 10, .	1.6	53

VLADIMIR V RAFALSKI

#	Article	IF	CITATIONS
37	Sharing Data from Cardiovascular Clinical Trials — A Proposal. New England Journal of Medicine, 2016, 375, 407-409.	13.9	49
38	Omecamtiv mecarbil in chronic heart failure with reduced ejection fraction: <scp>GALACTICâ€HF</scp> baseline characteristics and comparison with contemporary clinical trials. European Journal of Heart Failure, 2020, 22, 2160-2171.	2.9	47
39	Sacubitril/valsartan reduces serum uric acid concentration, an independent predictor of adverse outcomes in PARADIGMâ€HF. European Journal of Heart Failure, 2018, 20, 514-522.	2.9	35
40	Quinolones for uncomplicated acute cystitis in women. The Cochrane Library, 2006, , CD003597.	1.5	34
41	The effects of sacubitril/valsartan on coronary outcomes in PARADIGM-HF. American Heart Journal, 2017, 188, 35-41.	1.2	32
42	Efficacy and safety of Ergoferon versus oseltamivir in adult outpatients with seasonal influenza virus infection: a multicenter, open-label, randomized trial. International Journal of Infectious Diseases, 2016, 51, 47-55.	1.5	28
43	Antimicrobial susceptibility of pathogens isolated from adult patients with uncomplicated community-acquired urinary tract infections in the Russian Federation: two multicentre studies, UTIAP-1 and UTIAP-2. International Journal of Antimicrobial Agents, 2006, 28, 4-9.	1.1	24
44	Assessing routine healthcare pattern for type 2 diabetes mellitus in Russia: the results of Ñ€harmacoepidemiological study (FORSIGHT-DM2). Diabetes Mellitus, 2016, 19, 443-456.	0.5	23
45	Distribution and antibiotic resistance profile of key Gram-negative bacteria that cause community-onset urinary tract infections in the Russian Federation: RESOURCE multicentre surveillance 2017 study. Journal of Global Antimicrobial Resistance, 2020, 21, 188-194.	0.9	21
46	Cost-of-Illness Analysis of Type 2 Diabetes Mellitus in the Russian Federation: Results from Russian multicenter observational pharmacoepidemiologic study of diabetes care for patients with type 2 diabetes mellitus (FORSIGHT-D¢2DM). Diabetes Mellitus, 2017, 20, 403-419.	0.5	18
47	Surface-enhanced Raman spectroscopy for antiplatelet therapy effectiveness assessment. Laser Physics Letters, 2020, 17, 045601.	0.6	17
48	Prospects for Raman spectroscopy in cardiology. Cardiovascular Therapy and Prevention (Russian) Tj ETQq0 0 0 r	gBT /Over 0.4	loçk 10 Tf 50
49	Dataset of human platelets in healthy and individuals with cardiovascular pathology obtained by surface-enhanced Raman spectroscopy. Data in Brief, 2020, 29, 105145.	0.5	7
50	EPIDEMIOLOGY OF UNCOMPLICATED OUTPATIENT URINARY TRACT INFECTIONS IN THE RUSSIAN FEDERATION. Urology Herald, 2018, 6, 30-37.	0.1	4
51	Antibiotic resistance of pathogens causing uncomplicated urinary tract infections in Russian Federation. Urology Herald, 2018, 6, 50-56.	0.1	4
52	Sa2072 Simeprevir (TMC435) With Peginterferon/Ribavirin for Chronic HCV Genotype-1 Infection in Treatment-Nai;auve Patients: Results From QUEST-1, a Phase III Trial. Gastroenterology, 2013, 144, S-374.	0.6	3
53	NMR spectroscopy reveals acetylsalicylic acid metabolites in the human urine for drug compliance monitoring. PLoS ONE, 2021, 16, e0247102.	1.1	3
54	LOW DOSAGE ACETYLSALICYLIC ACID: A VARIETY OF FORMULATIONS. Cardiovascular Therapy and Prevention (Russian Federation), 2017, 16, 68-75.	0.4	2

#	Article	IF	CITATIONS
55	The results of phase III multicenter open randomized controlled study REM-Chol-III-16 in patients with intrahepatic cholestasis syndrome caused by chronic diffuse liver diseases. Terapevticheskii Arkhiv, 2021, 93, 1470-1476.	0.2	2
56	Spectral homogeneity of human platelets investigated by SERS. PLoS ONE, 2022, 17, e0265247.	1.1	2
57	247 PREDICTING TREATMENT OUTCOME AMONG SLOW RESPONDERS: A RETROSPECTIVE ANALYSIS OF THE SUCCESS STUDY. Journal of Hepatology, 2010, 52, S104.	1.8	1
58	Single human platelet study using surface-enhanced Raman spectroscopy as a perspective tool for antiplatelet therapy effectiveness prediction. , 2019, , .		1
59	Prospects for Raman spectroscopy in cardiology. Cardiovascular Therapy and Prevention (Russian) Tj ETQq1 1 0.7	784314 rg 0.4	BT <sub>1</sub> /Overloc
60	3-5 DAYS FLUOROQUINOLONES THERAPY IS MORE EFFECTIVE FOR ACUTE UNCOMPLICATED CYSTITIS THEN SINGLE DOSE FOSFOMYCIN: SYSTEMATIC REVIEW AND META-ANALYSIS. European Urology Supplements, 2008, 7, 268.	0.1	0
61	Use of secondary prevention drug therapy in patients with acute coronary syndrome after hospital discharge in Russian practice. European Heart Journal, 2013, 34, P2514-P2514.	1.0	0
62	Spectral and time-resolved photoluminescence of human platelets doped with platinum nanoparticles. PLoS ONE, 2021, 16, e0256621.	1.1	0
63	Pharmacokinetic peculiarities of intravenous and oral ciprofloxacin administration in preoperative prophylaxis in patients with benign prostatic hyperplasia. Reviews on Clinical Pharmacology and Drug Therapy, 2014, 12, 64-66.	0.2	0
64	Treatment of acute respiratory viral infections: results of a multicenter, double-blind, placebo-controlled, randomized clinical trial. Infektsionnye Bolezni, 2020, 18, 178-189.	0.2	0