

Stacey B Daughters

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/35949/publications.pdf>

Version: 2024-02-01

92
papers

5,418
citations

94433

37
h-index

85541

71
g-index

96
all docs

96
docs citations

96
times ranked

5184
citing authors

#	ARTICLE	IF	CITATIONS
1	Act Healthy: A Randomized Clinical Trial Evaluating a Behavioral Activation Intervention to Address Substance Use and Medication Adherence Among Low-Income, Black/African American Individuals Living with HIV/AIDS. <i>AIDS and Behavior</i> , 2022, 26, 102-115.	2.7	8
2	Expanding the continuum of substance use disorder treatment: Nonabstinence approaches. <i>Clinical Psychology Review</i> , 2022, 91, 102110.	11.4	29
3	Diagnostic accuracy of Achenbach scales in detecting youths' substance use disorders.. <i>Psychological Assessment</i> , 2022, 34, 570-582.	1.5	2
4	Behavioral activation for depression delivered by drug and alcohol treatment workers: A pilot randomized controlled trial. <i>Journal of Substance Abuse Treatment</i> , 2022, 139, 108769.	2.8	1
5	Feasibility, acceptability and future adaptation of the Chinese translated Behavioural activation (<sc>C&EBA</sc>) treatment for depression: A pilot study. <i>International Journal of Psychology</i> , 2021, 56, 238-248.	2.8	3
6	Lost in Translation: the Gap Between Neurobiological Mechanisms and Psychosocial Treatment Research for Substance Use Disorders. <i>Current Addiction Reports</i> , 2021, 8, 440-451.	3.4	3
7	A Mobile App to Enhance Behavioral Activation Treatment for Substance Use Disorder: App Design, Use, and Integration Into Treatment in the Context of a Randomized Controlled Trial. <i>JMIR Formative Research</i> , 2021, 5, e25749.	1.4	4
8	Alpha-tACS effect on inhibitory control and feasibility of administration in community outpatient substance use treatment. <i>Drug and Alcohol Dependence</i> , 2020, 213, 108132.	3.2	14
9	Evaluating Differential Item Functioning (DIF) of the Chinese Version of the Behavioral Activation for Depression Scale (C-BADS). <i>European Journal of Psychological Assessment</i> , 2020, 36, 303-323.	3.0	1
10	Cultural Differences in Environmental Reward Across Individuals in China, Taiwan, and the United States. <i>Journal of Psychopathology and Behavioral Assessment</i> , 2019, 41, 507-523.	1.2	2
11	Transcranial electrical and magnetic stimulation (tES and TMS) for addiction medicine: A consensus paper on the present state of the science and the road ahead. <i>Neuroscience and Biobehavioral Reviews</i> , 2019, 104, 118-140.	6.1	198
12	Neural reward response to substance-free activity images in opiate use disorder patients with depressive symptoms. <i>Drug and Alcohol Dependence</i> , 2019, 198, 180-189.	3.2	7
13	Substance type moderates the longitudinal association between depression and substance use from pre-treatment through a 1-year follow-up. <i>Drug and Alcohol Dependence</i> , 2019, 197, 87-94.	3.2	14
14	A Roadmap for Integrating Neuroscience Into Addiction Treatment: A Consensus of the Neuroscience Interest Group of the International Society of Addiction Medicine. <i>Frontiers in Psychiatry</i> , 2019, 10, 877.	2.6	64
15	Triple Network Resting State Connectivity Predicts Distress Tolerance and Is Associated with Cocaine Use. <i>Journal of Clinical Medicine</i> , 2019, 8, 2135.	2.4	17
16	Returning to work after fatigue treatment and counseling in HIV/AIDS. <i>Work</i> , 2019, 64, 843-852.	1.1	3
17	Distress tolerance trajectories following substance use treatment.. <i>Journal of Consulting and Clinical Psychology</i> , 2019, 87, 645-656.	2.0	22
18	Low distress tolerance predicts heightened drug seeking and taking after extended abstinence from cocaine self-administration. <i>Addiction Biology</i> , 2018, 23, 130-141.	2.6	6

#	ARTICLE	IF	CITATIONS
19	The effect of a behavioral activation treatment for substance use on post-treatment abstinence: a randomized controlled trial. <i>Addiction</i> , 2018, 113, 535-544.	3.3	126
20	Distress tolerance to auditory feedback and functional connectivity with the auditory cortex. <i>Psychiatry Research - Neuroimaging</i> , 2018, 282, 1-10.	1.8	4
21	The Role of Negative Affect in the Course of Substance Use Disorders. , 2018, , .		0
22	Distress tolerance among substance users is associated with functional connectivity between prefrontal regions during a distress tolerance task. <i>Addiction Biology</i> , 2017, 22, 1378-1390.	2.6	30
23	Distress tolerance interacts with circumstances, motivation, and readiness to predict substance abuse treatment retention. <i>Addictive Behaviors</i> , 2017, 73, 99-104.	3.0	17
24	Emotion differentiation predicts likelihood of initial lapse following substance use treatment. <i>Drug and Alcohol Dependence</i> , 2017, 180, 439-444.	3.2	22
25	The Role of Emotion Regulation Difficulties in the Relation Between PTSD Symptoms and the Learned Association Between Trauma-Related and Cocaine Cues. <i>Substance Use and Misuse</i> , 2016, 51, 1318-1329.	1.4	15
26	LETS Act: a behavioral activation treatment for substance use and depression. <i>Advances in Dual Diagnosis</i> , 2016, 9, .	0.5	24
27	Acculturation and Substance Use among Hispanic-Latino and Asian Adolescents. <i>Current Psychiatry Reviews</i> , 2016, 12, 139-149.	0.9	3
28	Developing a smartphone application for the life enhancement treatment for substance use (lets act). <i>Proceedings of the Human Factors and Ergonomics Society</i> , 2015, 59, 1100-1104.	0.3	4
29	Cortisol Reactivity to Stress and Its Association With White Matter Integrity in Adults With Schizophrenia. <i>Psychosomatic Medicine</i> , 2015, 77, 733-742.	2.0	28
30	Is risk-taking propensity a familial vulnerability factor for alcohol use? An examination in two independent samples. <i>Journal of Psychiatric Research</i> , 2015, 68, 54-60.	3.1	12
31	Emotion Regulation Promotes Persistence in a Residential Substance Abuse Treatment. <i>Substance Use and Misuse</i> , 2015, 50, 251-256.	1.4	33
32	The interacting effect of depressive symptoms, gender, and distress tolerance on substance use problems among residential treatment-seeking substance users. <i>Drug and Alcohol Dependence</i> , 2015, 148, 21-26.	3.2	41
33	Can behavioral theory inform the understanding of depression and medication nonadherence among HIV-positive substance users?. <i>Journal of Behavioral Medicine</i> , 2015, 38, 337-347.	2.1	6
34	Discrepancies About Adolescent Relationships as a Function of Informant Attachment and Depressive Symptoms. <i>Journal of Research on Adolescence</i> , 2014, 24, 654-666.	3.7	26
35	Implementing Behavioral Activation and Life-Steps for Depression and HIV Medication Adherence in a Community Health Center. <i>Cognitive and Behavioral Practice</i> , 2014, 21, 386-403.	1.5	28
36	Distress Tolerance as a Predictor of Risky and Aggressive Driving. <i>Traffic Injury Prevention</i> , 2014, 15, 349-354.	1.4	22

#	ARTICLE	IF	CITATIONS
37	Distress intolerance and clinical functioning in persons with schizophrenia. <i>Psychiatry Research</i> , 2014, 220, 31-36.	3.3	24
38	Maternal and adolescent distress tolerance: The moderating role of gender.. <i>Emotion</i> , 2014, 14, 416-424.	1.8	28
39	Gender Specific Effect of Psychological Stress and Cortisol Reactivity on Adolescent Risk Taking. <i>Journal of Abnormal Child Psychology</i> , 2013, 41, 749-758.	3.5	37
40	Rumination Mediates the Relationship Between Distress Tolerance and Depressive Symptoms Among Substance Users. <i>Cognitive Therapy and Research</i> , 2013, 37, 456-465.	1.9	35
41	Clinical characteristics as a function of referral status among substance users in residential treatment. <i>Addictive Behaviors</i> , 2013, 38, 1924-1930.	3.0	4
42	The prevalence of substance use disorders and psychiatric disorders as a function of psychotic symptoms. <i>Drug and Alcohol Dependence</i> , 2013, 131, 78-84.	3.2	17
43	Hurried driving: Relationship to distress tolerance, driver anger, aggressive and risky driving in college students. <i>Accident Analysis and Prevention</i> , 2013, 51, 51-55.	5.7	50
44	The role of gender and race in the relation between adolescent distress tolerance and externalizing and internalizing psychopathology. <i>Journal of Adolescence</i> , 2013, 36, 1053-1065.	2.4	28
45	Trait Aggression and Problematic Alcohol Use Among College Students: The Moderating Effect of Distress Tolerance. <i>Alcoholism: Clinical and Experimental Research</i> , 2013, 37, 2138-2144.	2.4	24
46	Distress Tolerance and Use of Antiretroviral Therapy Among HIV-Infected Individuals in Substance Abuse Treatment. <i>AIDS Patient Care and STDs</i> , 2013, 27, 518-523.	2.5	6
47	Adolescent friendships in the context of dual risk: The roles of low adolescent distress tolerance and harsh parental response to adolescent distress.. <i>Emotion</i> , 2013, 13, 843-851.	1.8	12
48	The role of distress tolerance in the relationship between depressive symptoms and problematic alcohol use.. <i>Psychology of Addictive Behaviors</i> , 2012, 26, 621-626.	2.1	91
49	Initial RCT of a distress tolerance treatment for individuals with substance use disorders. <i>Drug and Alcohol Dependence</i> , 2012, 122, 70-76.	3.2	170
50	Development and Preliminary Validation of a Behavioral Task of Negative Reinforcement Underlying Risk-Taking and Its Relation to Problem Alcohol Use in College Freshmen. <i>Alcoholism: Clinical and Experimental Research</i> , 2012, 36, 950-957.	2.4	20
51	Genetic associations with performance on a behavioral measure of distress intolerance. <i>Journal of Psychiatric Research</i> , 2012, 46, 87-94.	3.1	52
52	Ten Year Revision of the Brief Behavioral Activation Treatment for Depression: Revised Treatment Manual. <i>Behavior Modification</i> , 2011, 35, 111-161.	1.6	425
53	Examining the effect of the Life Enhancement Treatment for Substance Use (LETS ACT) on residential substance abuse treatment retention. <i>Addictive Behaviors</i> , 2011, 36, 615-623.	3.0	76
54	Biological mechanisms underlying the relationship between stress and smoking: State of the science and directions for future work. <i>Biological Psychology</i> , 2011, 88, 1-12.	2.2	98

#	ARTICLE	IF	CITATIONS
55	An examination of psychiatric comorbidities as a function of gender and substance type within an inpatient substance use treatment program. <i>Drug and Alcohol Dependence</i> , 2011, 118, 92-99.	3.2	116
56	Shared Variance Among Self-Report and Behavioral Measures of Distress Intolerance. <i>Cognitive Therapy and Research</i> , 2011, 35, 266-275.	1.9	176
57	Unique roles of antisocial personality disorder and psychopathic traits in distress tolerance.. <i>Journal of Abnormal Psychology</i> , 2011, 120, 987-992.	1.9	31
58	Application of the social action theory to understand factors associated with risky sexual behavior among individuals in residential substance abuse treatment.. <i>Psychology of Addictive Behaviors</i> , 2010, 24, 311-321.	2.1	20
59	Positive and Negative Reinforcement Underlying Risk Behavior in Early Adolescents. <i>Prevention Science</i> , 2010, 11, 331-342.	2.6	66
60	ACT HEALTHY: A Combined Cognitive-Behavioral Depression and Medication Adherence Treatment for HIV-Infected Substance Users. <i>Cognitive and Behavioral Practice</i> , 2010, 17, 309-321.	1.5	59
61	Relationships of personality and psychiatric disorders to multiple domains of smoking motives and dependence in middle-aged adults. <i>Nicotine and Tobacco Research</i> , 2010, 12, 381-389.	2.6	33
62	Motivations for Sexual Risk Behavior Across Commercial and Casual Partners Among Male Urban Drug Users: Contextual Features and Clinical Correlates. <i>Behavior Modification</i> , 2010, 34, 219-246.	1.6	8
63	Personality, psychiatric disorders, and smoking in middle-aged adults. <i>Nicotine and Tobacco Research</i> , 2009, 11, 833-841.	2.6	58
64	Extending extant models of the pathogenesis of borderline personality disorder to childhood borderline personality symptoms: The roles of affective dysfunction, disinhibition, and self- and emotion-regulation deficits. <i>Development and Psychopathology</i> , 2009, 21, 1263-1291.	2.3	67
65	The effect of posttraumatic stress disorder on risk-taking propensity among crack/cocaine users in residential substance abuse treatment. <i>Depression and Anxiety</i> , 2009, 26, 1158-1164.	4.1	30
66	Distress Tolerance and Rational-Emotive Behavior Therapy: A New Role for Behavioral Analogue Tasks. <i>Journal of Rational - Emotive and Cognitive - Behavior Therapy</i> , 2009, 27, 97-120.	1.7	19
67	HPA axis response to psychological stress and treatment retention in residential substance abuse treatment: A prospective study. <i>Drug and Alcohol Dependence</i> , 2009, 105, 202-208.	3.2	50
68	Distress tolerance and early adolescent externalizing and internalizing symptoms: The moderating role of gender and ethnicity. <i>Behaviour Research and Therapy</i> , 2009, 47, 198-205.	3.1	153
69	The role of anxiety sensitivity and difficulties in emotion regulation in posttraumatic stress disorder among crack/cocaine dependent patients in residential substance abuse treatment. <i>Journal of Anxiety Disorders</i> , 2009, 23, 591-599.	3.2	111
70	A multimodal assessment of the relationship between emotion dysregulation and borderline personality disorder among inner-city substance users in residential treatment. <i>Journal of Psychiatric Research</i> , 2008, 42, 717-726.	3.1	121
71	The interactive effects of antisocial personality disorder and court-mandated status on substance abuse treatment dropout. <i>Journal of Substance Abuse Treatment</i> , 2008, 34, 157-164.	2.8	34
72	Anxiety sensitivity: A unique predictor of dropout among inner-city heroin and crack/cocaine users in residential substance use treatment. <i>Behaviour Research and Therapy</i> , 2008, 46, 811-818.	3.1	97

#	ARTICLE	IF	CITATIONS
73	The Relationship Between Distress Tolerance and Antisocial Personality Disorder Among Male Inner-City Treatment Seeking Substance Users. <i>Journal of Personality Disorders</i> , 2008, 22, 509-524.	1.4	68
74	Effectiveness of a Brief Behavioral Treatment for Inner-City Illicit Drug Users With Elevated Depressive Symptoms. <i>Journal of Clinical Psychiatry</i> , 2008, 69, 122-129.	2.2	126
75	Reliability and Validity of the Youth Version of the Balloon Analogue Risk Task (BART-Y) in the Assessment of Risk-Taking Behavior Among Inner-City Adolescents. <i>Journal of Clinical Child and Adolescent Psychology</i> , 2007, 36, 106-111.	3.4	34
76	Risk factors in the relationship between gender and crack/cocaine.. <i>Experimental and Clinical Psychopharmacology</i> , 2007, 15, 165-175.	1.8	116
77	How does Dialectical Behavior Therapy facilitate treatment retention among individuals with comorbid borderline personality disorder and substance use disorders?. <i>Clinical Psychology Review</i> , 2007, 27, 923-943.	11.4	51
78	Implicit associations between smoking and social consequences among smokers in cessation treatment. <i>Behaviour Research and Therapy</i> , 2007, 45, 2066-2077.	3.1	26
79	Reliability and Validity of the Youth Version of the Balloon Analogue Risk Task (BART-Y) in the Assessment of Risk-Taking Behavior Among Inner-City Adolescents. <i>Journal of Clinical Child and Adolescent Psychology</i> , 2007, 36, 106-111.	3.4	186
80	The association between heroin use and anxiety sensitivity among inner-city individuals in residential drug use treatment. <i>Behaviour Research and Therapy</i> , 2006, 44, 667-677.	3.1	103
81	Construct Validity of the Balloon Analogue Risk Task (BART): Relationship with MDMA Use by Inner-City Drug Users in Residential Treatment. <i>Journal of Psychopathology and Behavioral Assessment</i> , 2006, 28, 95-101.	1.2	105
82	Differences in impulsivity and risk-taking propensity between primary users of crack cocaine and primary users of heroin in a residential substance-use program.. <i>Experimental and Clinical Psychopharmacology</i> , 2005, 13, 311-318.	1.8	169
83	Distress Tolerance as a Predictor of Early Treatment Dropout in a Residential Substance Abuse Treatment Facility.. <i>Journal of Abnormal Psychology</i> , 2005, 114, 729-734.	1.9	275
84	Psychological Distress Tolerance and Duration of Most Recent Abstinence Attempt Among Residential Treatment-Seeking Substance Abusers.. <i>Psychology of Addictive Behaviors</i> , 2005, 19, 208-211.	2.1	159
85	The Relationship among Negative Affect, Distress Tolerance, and Length of Gambling Abstinence Attempt. <i>Journal of Gambling Studies</i> , 2005, 21, 363-378.	1.6	59
86	Impulsivity as a common process across borderline personality and substance use disorders. <i>Clinical Psychology Review</i> , 2005, 25, 790-812.	11.4	213
87	Differences in impulsivity and sexual risk behavior among inner-city crack/cocaine users and heroin users. <i>Drug and Alcohol Dependence</i> , 2005, 77, 169-175.	3.2	101
88	An analogue investigation of the relationships among perceived parental criticism, negative affect, and borderline personality disorder features: the role of thought suppression. <i>Behaviour Research and Therapy</i> , 2005, 43, 257-268.	3.1	117
89	Using the Rasch Model to Develop a Revised Gambling Attitudes and Beliefs Scale (GABS) for Use with Male College Student Gamblers. <i>Substance Use and Misuse</i> , 2004, 39, 1013-1024.	1.4	19
90	Risk-taking propensity and risky sexual behavior of individuals in residential substance use treatment. <i>Addictive Behaviors</i> , 2004, 29, 1643-1647.	3.0	141

#	ARTICLE	IF	CITATIONS
91	Examining the inventory of interpersonal problems as a tool for conducting analogue studies of mechanisms underlying Borderline Personality Disorder. <i>Journal of Behavior Therapy and Experimental Psychiatry</i> , 2003, 34, 313-324.	1.2	26
92	Towards a better understanding of gambling treatment failure: implications of translational research. <i>Clinical Psychology Review</i> , 2003, 23, 573-586.	11.4	32