

Roberto Romero Gonzlez

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/3595173/roberto-romero-gonzalez-publications-by-year.pdf>

Version: 2024-04-10

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

196 papers	5,933 citations	42 h-index	67 g-index
203 ext. papers	6,621 ext. citations	4.9 avg, IF	6.16 L-index

#	Paper	IF	Citations
196	A metabolomics approach based on 1H NMR fingerprinting and chemometrics for quality control and geographical discrimination of black pepper. <i>Journal of Food Composition and Analysis</i> , 2022 , 105, 104235	4.1	2
195	Recent applications of chromatography for analysis of contaminants in cannabis products: a review. <i>Pest Management Science</i> , 2022 , 78, 19-29	4.6	3
194	Targeted and untargeted analysis of triazole fungicides and their metabolites in fruits and vegetables by UHPLC-orbitrap-MS. <i>Food Chemistry</i> , 2022 , 368, 130860	8.5	5
193	Critical Evaluation of Analytical Methods for the Determination of Anthropogenic Organic Contaminants in Edible Oils: An Overview of the Last Five Years.. <i>Critical Reviews in Analytical Chemistry</i> , 2022 , 1-15	5.2	
192	Targeted and non-targeted analysis of pesticides and aflatoxins in baby foods by liquid chromatography coupled to quadrupole Orbitrap mass spectrometry. <i>Food Control</i> , 2022 , 139, 109072	6.2	1
191	Looking beyond the Active Substance: Comprehensive Dissipation Study of Myclobutanil-Based Plant Protection Products in Tomatoes and Grapes Using Chromatographic Techniques Coupled to High-Resolution Mass Spectrometry. <i>Journal of Agricultural and Food Chemistry</i> , 2022 , 70, 6385-6396	5.7	0
190	Fingerprinting based on gas chromatography-Orbitrap high-resolution mass spectrometry and chemometrics to reveal geographical origin, processing, and volatile markers for thyme authentication. <i>Food Chemistry</i> , 2022 , 133377	8.5	2
189	Applying an instrument-agnostic methodology for the standardization of pesticide quantitation using different liquid chromatography-mass spectrometry platforms: A case study.. <i>Journal of Chromatography A</i> , 2021 , 1664, 462791	4.5	1
188	A laboratory study on dissipation and risk assessment of the proinsecticide thiocyclam and its metabolite nereistoxin in tomato using liquid chromatography high resolution mass spectrometry. <i>Food Chemistry</i> , 2021 , 344, 128729	8.5	5
187	Feasibility of Applying Untargeted Metabolomics with GC-Orbitrap-HRMS and Chemometrics for Authentication of Black Pepper (L.) and Identification of Geographical and Processing Markers. <i>Journal of Agricultural and Food Chemistry</i> , 2021 , 69, 5547-5558	5.7	6
186	Monitoring of polar pesticides and contaminants in edible oils and nuts by liquid chromatography-tandem mass spectrometry. <i>Food Chemistry</i> , 2021 , 343, 128495	8.5	4
185	Natural Occurrence, Legislation, and Determination of Aflatoxins Using Chromatographic Methods in Food: A Review (from 2010 to 2019). <i>Food Reviews International</i> , 2021 , 37, 244-275	5.5	9
184	Applicability of high-resolution NMR in combination with chemometrics for the compositional analysis and quality control of spices and plant-derived condiments. <i>Journal of the Science of Food and Agriculture</i> , 2021 , 101, 3541-3550	4.3	2
183	Determination of 3-monochloropropanediol esters and glycidyl esters in fatty matrices by ultra-high performance liquid chromatography-tandem mass spectrometry. <i>Journal of Chromatography A</i> , 2021 , 1639, 461940	4.5	3
182	Persistent organic pollutants (PCBs and PCDD/Fs), PAHs, and plasticizers in spices, herbs, and tea - A review of chromatographic methods from the last decade (2010-2020). <i>Critical Reviews in Food Science and Nutrition</i> , 2021 , 1-21	11.5	4
181	Offline Solid-Phase Extraction and Separation of Mineral Oil Saturated Hydrocarbons and Mineral Oil Aromatic Hydrocarbons in Edible Oils, and Analysis via GC with a Flame Ionization Detector. <i>Foods</i> , 2021 , 10,	4.9	2
180	Co-formulants in plant protection products: An analytical approach to their determination by gas chromatography-high resolution mass accuracy spectrometry. <i>Talanta</i> , 2021 , 234, 122641	6.2	4

179	Application of an innovative metabolomics approach to discriminate geographical origin and processing of black pepper by untargeted UHPLC-Q-Orbitrap-HRMS analysis and mid-level data fusion. <i>Food Research International</i> , 2021 , 150, 110722	7	3
178	Identification of adjuvants in plant protection products applying a suspect screening workflow based on orthogonal techniques. <i>Analytical and Bioanalytical Chemistry</i> , 2020 , 412, 4301-4311	4.4	1
177	Development and Application of a Novel Pluri-Residue Method to Determine Polar Pesticides in Fruits and Vegetables through Liquid Chromatography High Resolution Mass Spectrometry. <i>Foods</i> , 2020 , 9,	4.9	5
176	Comprehensive tropane alkaloids analysis and retrospective screening of contaminants in honey samples using liquid chromatography-high resolution mass spectrometry (Orbitrap). <i>Food Research International</i> , 2020 , 133, 109130	7	4
175	Mass spectrometry approaches to ensure food safety. <i>Analytical Methods</i> , 2020 , 12, 1148-1162	3.2	23
174	H NMR and multi-technique data fusion as metabolomic tool for the classification of golden rums by multivariate statistical analysis. <i>Food Chemistry</i> , 2020 , 317, 126363	8.5	13
173	Stability of antibacterial and coccidiostat drugs on chicken meat burgers upon cooking and in vitro digestion. <i>Food Chemistry</i> , 2020 , 316, 126367	8.5	4
172	A new strategy based on gas chromatography-high resolution mass spectrometry (GC-HRMS-Q-Orbitrap) for the determination of alkenylbenzenes in pepper and its varieties. <i>Food Chemistry</i> , 2020 , 321, 126727	8.5	14
171	Dissipation kinetics of fenamidone, propamocarb and their metabolites in ambient soil and water samples and unknown screening of metabolites. <i>Journal of Environmental Management</i> , 2020 , 254, 109818	7.9	4
170	Simultaneous determination of polar pesticides in human blood serum by liquid chromatography coupled to triple quadrupole mass spectrometer. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2020 , 190, 113492	3.5	6
169	Degradation studies of dimethachlor in soils and water by UHPLC-HRMS: putative elucidation of unknown metabolites. <i>Pest Management Science</i> , 2020 , 76, 721-729	4.6	4
168	Metabolomics approaches for the determination of multiple contaminants in food. <i>Current Opinion in Food Science</i> , 2019 , 28, 49-57	9.8	16
167	Residues and dissipation kinetics of famoxadone and its metabolites in environmental water and soil samples under different conditions. <i>Environmental Pollution</i> , 2019 , 252, 163-170	9.3	9
166	Determination of mycotoxins in nuts by ultra high-performance liquid chromatography-tandem mass spectrometry: Looking for a representative matrix. <i>Journal of Food Composition and Analysis</i> , 2019 , 82, 103228	4.1	17
165	Ultrahigh-pressure liquid chromatography-mass spectrometry: An overview of the last decade. <i>TrAC - Trends in Analytical Chemistry</i> , 2019 , 118, 170-181	14.6	31
164	Monitoring of organophosphate and pyrethroid metabolites in human urine samples by an automated method (TurboFlow) coupled to ultra-high performance liquid chromatography-Orbitrap mass spectrometry. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2019 , 178, 31-38	3.5	13
163	Dissipation studies of famoxadone in vegetables under greenhouse conditions using liquid chromatography coupled to high-resolution mass spectrometry: putative elucidation of a new metabolite. <i>Journal of the Science of Food and Agriculture</i> , 2019 , 99, 5368-5376	4.3	10
162	Dissipation kinetic studies of fenamidone and propamocarb in vegetables under greenhouse conditions using liquid and gas chromatography coupled to high-resolution mass spectrometry. <i>Chemosphere</i> , 2019 , 226, 36-46	8.4	9

161	A rapid method for the determination of mycotoxins in edible vegetable oils by ultra-high performance liquid chromatography-tandem mass spectrometry. <i>Food Chemistry</i> , 2019 , 288, 22-28	8.5	40
160	Fast analysis of glufosinate, glyphosate and its main metabolite, aminomethylphosphonic acid, in edible oils, by liquid chromatography coupled with electrospray tandem mass spectrometry. <i>Food Additives and Contaminants - Part A Chemistry, Analysis, Control, Exposure and Risk Assessment</i> , 2019 , 36, 1376-1384	3.2	7
159	Determination of etidronic acid in vegetable-washing water by a simple and validated quantitative ³¹ P nuclear magnetic resonance method. <i>Microchemical Journal</i> , 2019 , 150, 104083	4.8	2
158	Effect of tea making and boiling processes on the degradation of tropane alkaloids in tea and pasta samples contaminated with Solanaceae seeds and coca leaf. <i>Food Chemistry</i> , 2019 , 287, 265-272	8.5	15
157	An Innovative Metabolomic Approach for Golden Rum Classification Combining Ultrahigh-Performance Liquid Chromatography-Orbitrap Mass Spectrometry and Chemometric Strategies. <i>Journal of Agricultural and Food Chemistry</i> , 2019 , 67, 1302-1311	5.7	12
156	Degradation of tropane alkaloids in baked bread samples contaminated with Solanaceae seeds. <i>Food Research International</i> , 2019 , 122, 585-592	7	9
155	Reliable determination of tropane alkaloids in cereal based baby foods coupling on-line SPE to mass spectrometry avoiding chromatographic step. <i>Food Chemistry</i> , 2019 , 275, 746-753	8.5	16
154	Automated Determination of Xenobiotics (Pesticides, PCBs, PAHs, and PBDEs) in Sediment Samples Applying HS-SPME-GC-HRMS. <i>Journal of AOAC INTERNATIONAL</i> , 2018 ,	1.7	5
153	Behavior of quinalofop-p and its commercial products in water by liquid chromatography coupled to high resolution mass spectrometry. <i>Ecotoxicology and Environmental Safety</i> , 2018 , 157, 285-291	7	9
152	A new anthraquinoid ligand for the iron-catalyzed hydrosilylation of carbonyl compounds at room temperature: new insights and kinetics. <i>Dalton Transactions</i> , 2018 , 47, 7272-7281	4.3	12
151	Determination of steroid hormones and their metabolite in several types of meat samples by ultra high performance liquid chromatography-Orbitrap high resolution mass spectrometry. <i>Journal of Chromatography A</i> , 2018 , 1540, 21-30	4.5	23
150	Simultaneous analysis of tropane alkaloids in teas and herbal teas by liquid chromatography coupled to high-resolution mass spectrometry (Orbitrap). <i>Journal of Separation Science</i> , 2018 , 41, 1938-1946	3.4	21
149	Identification and quantification of phenolic compounds in edible wild leafy vegetables by UHPLC/Orbitrap-MS. <i>Journal of the Science of Food and Agriculture</i> , 2018 , 98, 945-954	4.3	4
148	Development of a HS-SPME/GC-MS method for the analysis of volatile organic compounds from fabrics for forensic reconstruction applications. <i>Forensic Science International</i> , 2018 , 290, 207-218	2.6	17
147	Rum classification using fingerprinting analysis of volatile fraction by headspace solid phase microextraction coupled to gas chromatography-mass spectrometry. <i>Talanta</i> , 2018 , 187, 348-356	6.2	22
146	Analytical methods, occurrence and trends of tropane alkaloids and calystegines: An update. <i>Journal of Chromatography A</i> , 2018 , 1564, 1-15	4.5	31
145	Sesquiterpene lactones and inositol 4-hydroxyphenylacetic acid derivatives in wild edible leafy vegetables from Central Italy. <i>Journal of Food Composition and Analysis</i> , 2018 , 72, 1-6	4.1	13
144	Study of the occurrence of tropane alkaloids in animal feed using LC-HRMS. <i>Analytical Methods</i> , 2018 , 10, 3340-3346	3.2	11

143	Pushing the frontiers: boron-11 NMR as a method for quantitative boron analysis and its application to determine boric acid in commercial biocides. <i>Analyst, The</i> , 2018 , 143, 4707-4714	5	10
142	Analysis of calystegines in tomato-based products by liquid chromatography-Orbitrap mass spectrometry. <i>Journal of Chromatography A</i> , 2018 , 1576, 51-57	4.5	10
141	Screening of drugs and homeopathic products from Atropa belladonna seed extracts: Tropane alkaloids determination and untargeted analysis. <i>Drug Testing and Analysis</i> , 2018 , 10, 1579-1589	3.5	7
140	Phytochemical composition and in vitro anti-tumour activities of selected tomato varieties. <i>Journal of the Science of Food and Agriculture</i> , 2017 , 97, 488-496	4.3	14
139	Determination of rodenticides and related metabolites in rabbit liver and biological matrices by liquid chromatography coupled to Orbitrap high resolution mass spectrometry. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2017 , 137, 235-242	3.5	8
138	The metabolic pathway of flonicamid in oranges using an orthogonal approach based on high-resolution mass spectrometry and nuclear magnetic resonance. <i>Analytical Methods</i> , 2017 , 9, 1718-1726	3.2	17
137	Application of HRMS in Pesticide Residue Analysis in Food From Animal Origin 2017 , 203-232		0
136	HRMS 2017 , 1-14		3
135	Multi-analysis determination of tropane alkaloids in cereals and solanaceae seeds by liquid chromatography coupled to single stage Exactive-Orbitrap. <i>Journal of Chromatography A</i> , 2017 , 1518, 46-58	4.5	24
134	Solid phase microextraction and gas chromatography coupled to magnetic sector high resolution mass spectrometry for the ultra-trace determination of contaminants in surface water. <i>Journal of Chromatography A</i> , 2017 , 1518, 15-24	4.5	13
133	Semiautomated determination of neonicotinoids and characteristic metabolite in urine samples using TurboFlow coupled to ultra high performance liquid chromatography coupled to Orbitrap analyzer. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2017 , 146, 378-386	3.5	34
132	Degradation studies of quizalofop-p and related compounds in soils using liquid chromatography coupled to low and high resolution mass analyzers. <i>Science of the Total Environment</i> , 2017 , 607-608, 204-213	10.3	12
131	Simultaneous determination of atropine and scopolamine in buckwheat and related products using modified QuEChERS and liquid chromatography tandem mass spectrometry. <i>Food Chemistry</i> , 2017 , 218, 173-180	8.5	42
130	Simple and Fast Determination of Acrylamide and Metabolites in Potato Chips and Grilled Asparagus by Liquid Chromatography Coupled to Mass Spectrometry. <i>Food Analytical Methods</i> , 2016 , 9, 1237-1245	3.4	5
129	Multi-class determination of pesticides and mycotoxins in isoflavones supplements obtained from soy by liquid chromatography coupled to Orbitrap high resolution mass spectrometry. <i>Food Control</i> , 2016 , 59, 218-224	6.2	26
128	Multiclass Determination of Phenolic Compounds in Different Varieties of Tomato and Lettuce by Ultra High Performance Liquid Chromatography Coupled to Tandem Mass Spectrometry. <i>International Journal of Food Properties</i> , 2016 , 19, 494-507	3	15
127	Sample Treatment in Pesticide Residue Determination in Food by High-Resolution Mass Spectrometry: Are Generic Extraction Methods the End of the Road?. <i>Journal of AOAC INTERNATIONAL</i> , 2016 , 99, 1395-1402	1.7	11
126	Automated and semi-automated extraction methods for GC/MS determination of pesticides in environmental samples. <i>Trends in Environmental Analytical Chemistry</i> , 2016 , 12, 1-12	12	31

125	Headspace solid-phase microextraction coupled to gas chromatography-tandem mass spectrometry for the determination of haloanisoles in sparkling (cava and cider) and non-sparkling (wine) alcoholic beverages. <i>Food Additives and Contaminants - Part A Chemistry, Analysis, Control, Exposure and Risk Assessment</i> , 2016 , 33, 1535-1544	3.2	3
124	Enantiomeric determination and evaluation of the racemization process of atropine in Solanaceae seeds and contaminated samples by high performance liquid chromatography-tandem mass spectrometry. <i>Journal of Chromatography A</i> , 2016 , 1474, 79-84	4.5	19
123	Determination of polycyclic aromatic hydrocarbons in soy isoflavone nutraceutical products by gas chromatography coupled to triple quadrupole tandem mass spectrometry. <i>Journal of Separation Science</i> , 2016 , 39, 528-36	3.4	6
122	Quality control evaluation of nutraceutical products from Ginkgo biloba using liquid chromatography coupled to high resolution mass spectrometry. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2016 , 121, 151-160	3.5	21
121	Influence of storage conditions in the evolution of phytochemicals in nutraceutical products applying high resolution mass spectrometry. <i>Food Chemistry</i> , 2016 , 201, 59-63	8.5	3
120	Determination of polyphenols in grape-based nutraceutical products using high resolution mass spectrometry. <i>LWT - Food Science and Technology</i> , 2016 , 71, 249-259	5.4	11
119	Multi-class methodology to determine pesticides and mycotoxins in green tea and royal jelly supplements by liquid chromatography coupled to Orbitrap high resolution mass spectrometry. <i>Food Chemistry</i> , 2016 , 197, 907-15	8.5	92
118	Assessment of ochratoxin A stability following gamma irradiation: experimental approaches for feed detoxification perspectives. <i>World Mycotoxin Journal</i> , 2016 , 9, 289-298	2.5	8
117	Phenolic profiling of the aerial part of Chrysanthemum trifurcatum using ultra high performance liquid chromatography coupled to Orbitrap high resolution mass spectrometry. <i>Analytical Methods</i> , 2016 , 8, 3517-3527	3.2	5
116	Simple and quick determination of analgesics and other contaminants of emerging concern in environmental waters by on-line solid phase extraction coupled to liquid chromatography-tandem mass spectrometry. <i>Journal of Chromatography A</i> , 2016 , 1446, 27-33	4.5	13
115	Fast determination of four polar contaminants in soy nutraceutical products by liquid chromatography coupled to tandem mass spectrometry. <i>Analytical and Bioanalytical Chemistry</i> , 2016 , 408, 8089-8098	4.4	18
114	Determination of flonicamid and its metabolites in bell pepper using ultra-high-performance liquid chromatography coupled to high-resolution mass spectrometry (Orbitrap). <i>Food Additives and Contaminants - Part A Chemistry, Analysis, Control, Exposure and Risk Assessment</i> , 2016 , 33, 1685-1692	3.2	18
113	Food safety: how analytical chemists ensure it. <i>Analytical Methods</i> , 2015 , 7, 7193-7201	3.2	17
112	Identification and quantification of phytochemicals in nutraceutical products from green tea by UHPLC-Orbitrap-MS. <i>Food Chemistry</i> , 2015 , 173, 607-18	8.5	33
111	Simultaneous and highly sensitive determination of PCBs and PBDEs in environmental water and sediments by gas chromatography coupled to high resolution magnetic sector mass spectrometry. <i>Analytical Methods</i> , 2015 , 7, 3036-3047	3.2	15
110	Determination of Pesticides and Transformation Products in Ginkgo biloba Nutraceutical Products by Chromatographic Techniques Coupled to Mass Spectrometry. <i>Food Analytical Methods</i> , 2015 , 8, 2194-2201	3.4	6
109	Occurrence of pesticide residues and transformation products in different types of dietary supplements. <i>Food Additives and Contaminants - Part A Chemistry, Analysis, Control, Exposure and Risk Assessment</i> , 2015 , 32, 849-56	3.2	3
108	Identification of transformation products of pesticides and veterinary drugs in food and related matrices: use of retrospective analysis. <i>Journal of Chromatography A</i> , 2015 , 1389, 133-8	4.5	22

107	Analysis of veterinary drug and pesticide residues in animal feed by high-resolution mass spectrometry: comparison between time-of-flight and Orbitrap. <i>Food Additives and Contaminants - Part A Chemistry, Analysis, Control, Exposure and Risk Assessment</i> , 2015 , 32, 1637-46	3.2	30
106	Evaluation of the Presence of Phenolic Compounds in Different Varieties of Apple by Ultra-High-Performance Liquid Chromatography Coupled to Tandem Mass Spectrometry. <i>Food Analytical Methods</i> , 2015 , 8, 696-709	3.4	18
105	Multifamily determination of pesticide residues in soya-based nutraceutical products by GC/MS-MS. <i>Food Chemistry</i> , 2015 , 173, 796-807	8.5	48
104	Determination of toxic substances, pesticides and mycotoxins, in ginkgo biloba nutraceutical products by liquid chromatography Orbitrap-mass spectrometry. <i>Microchemical Journal</i> , 2015 , 118, 124-130	4.8	36
103	Multi-pesticide residue analysis in nutraceuticals from grape seed extracts by gas chromatography coupled to triple quadrupole mass spectrometry. <i>Food Control</i> , 2015 , 47, 369-380	6.2	30
102	Analysis of pesticide and veterinary drug residues in baby food by liquid chromatography coupled to Orbitrap high resolution mass spectrometry. <i>Talanta</i> , 2015 , 131, 1-7	6.2	47
101	Residues and Organic Contaminants in Agricultural Soils in Intensive Agricultural Areas of Spain: A Three Years Survey. <i>Clean - Soil, Air, Water</i> , 2015 , 43, 746-753	1.6	8
100	Systematic Study of the Content of Phytochemicals in Fresh and Fresh-Cut Vegetables. <i>Antioxidants</i> , 2015 , 4, 345-58	7.1	4
99	Application of QuEChERS based method for the determination of pesticides in nutraceutical products (<i>Camellia sinensis</i>) by liquid chromatography coupled to triple quadrupole tandem mass spectrometry. <i>Food Chemistry</i> , 2015 , 177, 182-90	8.5	31
98	Analytical approaches for the determination of pesticide residues in nutraceutical products and related matrices by chromatographic techniques coupled to mass spectrometry. <i>Talanta</i> , 2014 , 118, 277-91	6.2	45
97	Identification and quantification of the main isoflavones and other phytochemicals in soy based nutraceutical products by liquid chromatography-orbitrap high resolution mass spectrometry. <i>Journal of Chromatography A</i> , 2014 , 1348, 125-36	4.5	38
96	Determination of Phenolic Compounds in Artichoke, Garlic and Spinach by Ultra-High-Performance Liquid Chromatography Coupled to Tandem Mass Spectrometry. <i>Food Analytical Methods</i> , 2014 , 7, 2095-2106	3.4	35
95	Simultaneous analysis of antibiotics in biological samples by ultra high performance liquid chromatography-tandem mass spectrometry. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2014 , 89, 203-12	3.5	90
94	Monitoring of phytochemicals in fresh and fresh-cut vegetables: a comparison. <i>Food Chemistry</i> , 2014 , 142, 392-9	8.5	39
93	Comprehensive analysis of toxics (pesticides, veterinary drugs and mycotoxins) in food by UHPLC-MS. <i>TrAC - Trends in Analytical Chemistry</i> , 2014 , 63, 158-169	14.6	89
92	Determination of multi-class pesticide residue in dietary supplements from grape seed extracts by ultra-high-performance liquid chromatography coupled to triple quadrupole mass spectrometry. <i>Food Additives and Contaminants - Part A Chemistry, Analysis, Control, Exposure and Risk Assessment</i> , 2014 , 31, 1550-61	3.2	6
91	Multi-class pesticide determination in royal jelly by gas chromatography coupled to triple quadrupole tandem mass spectrometry. <i>Analytical Methods</i> , 2014 , 6, 5376-5386	3.2	6
90	Fast analysis of polyphenols in royal jelly products using automated TurboFlow liquid chromatography-Orbitrap high resolution mass spectrometry. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2014 , 973C, 17-28	3.2	40

89	Wide-scope analysis of pesticide and veterinary drug residues in meat matrices by high resolution MS: detection and identification using Exactive-Orbitrap. <i>Journal of Mass Spectrometry</i> , 2014 , 49, 27-36	2.2	45
88	Evaluation of the potential of GC-APCI-MS for the analysis of pesticide residues in fatty matrices. <i>Journal of the American Society for Mass Spectrometry</i> , 2014 , 25, 899-902	3.5	16
87	Ultrahigh-Performance Liquid Chromatography Coupled with High-Resolution Mass Spectrometry: A Reliable Tool for Analysis of Veterinary Drugs in Food 2014 , 167-212		
86	Multiresidue Analysis: State of the Art and Prospects 2014 , 1-29		
85	QuEChERS approach for the determination of biopesticides in organic and nonorganic vegetables and fruits by ultra-performance liquid chromatography/tandem mass spectrometry. <i>Journal of AOAC INTERNATIONAL</i> , 2014 , 97, 1027-33	1.7	7
84	Determination of several families of phytochemicals in different pre-cooked convenience vegetables: effect of lifetime and cooking. <i>International Journal of Food Sciences and Nutrition</i> , 2014 , 65, 791-6	3.7	2
83	Multiresidue method for the fast determination of pesticides in nutraceutical products (Camellia sinensis) by GC coupled to triple quadrupole MS. <i>Journal of Separation Science</i> , 2014 , 37, 665-74	3.4	13
82	Highly sensitive determination of polybrominated diphenyl ethers in surface water by GC coupled to high-resolution MS according to the EU Water Directive 2008/105/EC. <i>Journal of Separation Science</i> , 2014 , 37, 69-76	3.4	13
81	Simultaneous and Fast Determination of Malachite Green, Leucomalachite Green, Crystal Violet, and Brilliant Green in Seafood by Ultrahigh Performance Liquid Chromatography/Tandem Mass Spectrometry. <i>Food Analytical Methods</i> , 2013 , 6, 406-414	3.4	37
80	Wide-scope analysis of veterinary drug and pesticide residues in animal feed by liquid chromatography coupled to quadrupole-time-of-flight mass spectrometry. <i>Analytical and Bioanalytical Chemistry</i> , 2013 , 405, 6543-53	4.4	40
79	Multiclass determination of phytochemicals in vegetables and fruits by ultra high performance liquid chromatography coupled to tandem mass spectrometry. <i>Food Chemistry</i> , 2013 , 141, 1120-9	8.5	48
78	Rapid and semiautomated method for the analysis of veterinary drug residues in honey based on turbulent-flow liquid chromatography coupled to ultrahigh-performance liquid chromatography-Orbitrap mass spectrometry (TFC-UHPLC-Orbitrap-MS). <i>Journal of Agricultural and Food Chemistry</i> , 2013 , 61, 822-30	5.7	39
77	Analysis of veterinary drug residues in cheese by ultra-high-performance LC coupled to triple quadrupole MS/MS. <i>Journal of Separation Science</i> , 2013 , 36, 1223-30	3.4	29
76	Rapid and sensitive on-line solid phase extraction-ultra high performance liquid chromatography-electrospray-tandem mass spectrometry analysis of pesticides in surface waters. <i>Journal of Chromatography A</i> , 2013 , 1305, 193-202	4.5	35
75	Systematic study of the contamination of wastewater treatment plant effluents by organic priority compounds in Almeria province (SE Spain). <i>Science of the Total Environment</i> , 2013 , 447, 381-9	10.2	29
74	Priority organic compounds in wastewater effluents from the Mediterranean and Atlantic basins of Andalusia (Spain). <i>Environmental Sciences: Processes and Impacts</i> , 2013 , 15, 2194-203	4.3	5
73	Determination of nitrofurans metabolites in seafood by ultra high performance liquid chromatography coupled to triple quadrupole tandem mass spectrometry. <i>Journal of Food Composition and Analysis</i> , 2013 , 30, 86-93	4.1	38
72	Analysis of triphenylmethane dyes in seafood products: a review of extraction methods and determination by liquid chromatography coupled to mass spectrometry. <i>Analytical Methods</i> , 2013 , 5, 3434	3.2	24

71	Study of the distribution of 204 organic contaminants between the aqueous phase and the suspended particulate matter in treated wastewater for proper environmental control. <i>Desalination and Water Treatment</i> , 2013 , 51, 2497-2515		7
70	Multiresidue determination of veterinary drugs in aquaculture fish samples by ultra high performance liquid chromatography coupled to tandem mass spectrometry. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2012 , 895-896, 39-47	3.2	91
69	Innovative determination of polar organophosphonate pesticides based on high-resolution Orbitrap mass spectrometry. <i>Journal of Mass Spectrometry</i> , 2012 , 47, 1458-65	2.2	12
68	Evaluation of soil contamination in intensive agricultural areas by pesticides and organic pollutants: south-eastern Spain as a case study. <i>Journal of Environmental Monitoring</i> , 2012 , 14, 1182-9		35
67	Development and validation of a multiclass method for the determination of veterinary drug residues in chicken by ultra high performance liquid chromatography-tandem mass spectrometry. <i>Talanta</i> , 2012 , 89, 201-8	6.2	93
66	Multi-mycotoxin determination in cereals and derived products marketed in Tunisia using ultra-high performance liquid chromatography coupled to triple quadrupole mass spectrometry. <i>Food and Chemical Toxicology</i> , 2012 , 50, 2376-81	4.7	61
65	Comprehensive qualitative and quantitative determination of pesticides and veterinary drugs in honey using liquid chromatography-Orbitrap high resolution mass spectrometry. <i>Journal of Chromatography A</i> , 2012 , 1248, 130-8	4.5	149
64	Simultaneous determination of four biogenic and three volatile amines in anchovy by ultra-high-performance liquid chromatography coupled to tandem mass spectrometry. <i>Journal of Agricultural and Food Chemistry</i> , 2012 , 60, 5324-9	5.7	34
63	Comparison of several extraction procedures for the determination of biopesticides in soil samples by ultrahigh pressure LC-MS/MS. <i>Journal of Separation Science</i> , 2012 , 35, 861-8	3.4	18
62	Multiclass method for fast determination of veterinary drug residues in baby food by ultra-high-performance liquid chromatography-tandem mass spectrometry. <i>Food Chemistry</i> , 2012 , 132, 2171-2180	8.5	80
61	Analysis of phenolic compounds in olive oil by solid-phase extraction and ultra high performance liquid chromatography-tandem mass spectrometry. <i>Food Chemistry</i> , 2012 , 134, 2465-72	8.5	81
60	Single solid phase extraction method for the simultaneous analysis of polar and non-polar pesticides in urine samples by gas chromatography and ultra high pressure liquid chromatography coupled to tandem mass spectrometry. <i>Talanta</i> , 2011 , 85, 183-96	6.2	64
59	Simultaneous analysis of chlorophenols, alkylphenols, nitrophenols and cresols in wastewater effluents, using solid phase extraction and further determination by gas chromatography-tandem mass spectrometry. <i>Talanta</i> , 2011 , 85, 2397-404	6.2	73
58	Food contaminant analysis at high resolution mass spectrometry: application for the determination of veterinary drugs in milk. <i>Journal of Chromatography A</i> , 2011 , 1218, 9353-65	4.5	57
57	Comparison of solid phase microextraction and hollow fiber liquid phase microextraction for the determination of pesticides in aqueous samples by gas chromatography triple quadrupole tandem mass spectrometry. <i>Analytical and Bioanalytical Chemistry</i> , 2011 , 399, 2043-59	4.4	25
56	Comparison of the efficiency of different extraction methods for the simultaneous determination of mycotoxins and pesticides in milk samples by ultra high-performance liquid chromatography-tandem mass spectrometry. <i>Analytical and Bioanalytical Chemistry</i> , 2011 , 399, 2863-75	4.4	80
55	Determination of 19 volatile organic compounds in wastewater effluents from different treatments by purge and trap followed by gas-chromatography coupled to mass spectrometry. <i>Analytical and Bioanalytical Chemistry</i> , 2011 , 400, 3537-46	4.4	10
54	Multi-mycotoxin analysis in eggs using a QuEChERS-based extraction procedure and ultra-high-pressure liquid chromatography coupled to triple quadrupole mass spectrometry. <i>Journal of Chromatography A</i> , 2011 , 1218, 4349-56	4.5	192

53	QuEChERS-based extraction procedure for multifamily analysis of phytohormones in vegetables by UHPLC-MS/MS. <i>Journal of Separation Science</i> , 2011 , 34, 1517-24	3-4	33
52	HPLCMS Determination of Vitamin C in Fortified Food Products 2011 , 111-121		
51	Simultaneous determination of pesticides, biopesticides and mycotoxins in organic products applying a quick, easy, cheap, effective, rugged and safe extraction procedure and ultra-high performance liquid chromatography-tandem mass spectrometry. <i>Journal of Chromatography A</i> , 2011 , 1218, 1477-85	4-5	133
50	Comprehensive analysis of polycyclic aromatic hydrocarbons in wastewater using stir bar sorptive extraction and gas chromatography coupled to tandem mass spectrometry. <i>Analytica Chimica Acta</i> , 2011 , 693, 62-71	6.6	57
49	Development and validation of an ultra-high performance liquid chromatography-tandem mass-spectrometry (UHPLC-MS/MS) method for the simultaneous determination of neurotransmitters in rat brain samples. <i>Journal of Neuroscience Methods</i> , 2011 , 198, 187-94	3	124
48	Use of Pressurized Liquid Extraction for the Simultaneous Analysis of 28 Polar and 94 Non-polar Pesticides in Agricultural Soils by GC/QqQ-MS/MS and UPLC/QqQ-MS/MS. <i>Journal of AOAC INTERNATIONAL</i> , 2010 , 93, 1715-1731	1.7	30
47	Depletion of veterinary drugs used in aquaculture after administration in feed to gilthead seabream (<i>Sparus aurata</i>). <i>Journal of Food Protection</i> , 2010 , 73, 1664-70	2.5	11
46	Liquid Chromatography-Mass Spectrometry Determination of Sterols in Olive Oil 2010 , 591-601		1
45	Determination of ochratoxin A and T-2 toxin in alcoholic beverages by hollow fiber liquid phase microextraction and ultra high-pressure liquid chromatography coupled to tandem mass spectrometry. <i>Talanta</i> , 2010 , 82, 171-6	6.2	42
44	Rapid determination of underivatized amino acids in fertilizers by ultra high performance liquid chromatography coupled to tandem mass spectrometry. <i>Analytical Methods</i> , 2010 , 2, 1745	3.2	9
43	Simple LCMS Determination of Citric and Malic Acids in Fruits and Vegetables. <i>Chromatographia</i> , 2010 , 72, 55-62	2.1	36
42	Development of fast screening methods for the analysis of veterinary drug residues in milk by liquid chromatography-triple quadrupole mass spectrometry. <i>Analytical and Bioanalytical Chemistry</i> , 2010 , 397, 2777-90	4.4	57
41	Determination of aflatoxins B1, B2, G1, G2 and ochratoxin A in animal feed by ultra high-performance liquid chromatography-tandem mass spectrometry. <i>Journal of Separation Science</i> , 2010 , 33, 502-8	3.4	28
40	Comparison of several extraction techniques for multiclass analysis of veterinary drugs in eggs using ultra-high pressure liquid chromatography-tandem mass spectrometry. <i>Analytica Chimica Acta</i> , 2010 , 661, 150-60	6.6	118
39	Application of a quick, easy, cheap, effective, rugged and safe-based method for the simultaneous extraction of chlorophenols, alkylphenols, nitrophenols and cresols in agricultural soils, analyzed by using gas chromatography-triple quadrupole-mass spectrometry/mass spectrometry. <i>Journal of Chromatography A</i> , 2010 , 1217, 5724-31	4.5	108
38	Analysis and study of the distribution of polar and non-polar pesticides in wastewater effluents from modern and conventional treatments. <i>Journal of Chromatography A</i> , 2010 , 1217, 7817-25	4.5	34
37	Determination of di-(2-ethylhexyl)phthalate in environmental samples by liquid chromatography coupled with mass spectrometry. <i>Journal of Separation Science</i> , 2009 , 32, 1383-9	3-4	7
36	Simultaneous extraction of polycyclic aromatic hydrocarbons and polychlorinated biphenyls in agricultural soils by pressurized liquid extraction and determination by gas chromatography coupled to tandem mass spectrometry. <i>Analytical and Bioanalytical Chemistry</i> , 2009 , 395, 1551-62	4.4	15

35	Compensation for matrix effects in gas chromatography-tandem mass spectrometry using a single point standard addition. <i>Journal of Chromatography A</i> , 2009 , 1216, 4798-808	4.5	97
34	Determination of pesticide transformation products: a review of extraction and detection methods. <i>Journal of Chromatography A</i> , 2009 , 1216, 6767-88	4.5	129
33	Simple and high-throughput method for the multimycotoxin analysis in cereals and related foods by ultra-high performance liquid chromatography/tandem mass spectrometry. <i>Food Chemistry</i> , 2009 , 117, 705-712	8.5	120
32	Comparison of ultrasonic and pressurized liquid extraction for the analysis of polycyclic aromatic compounds in soil samples by gas chromatography coupled to tandem mass spectrometry. <i>Talanta</i> , 2009 , 78, 156-64	6.2	43
31	Application of conventional solid-phase extraction for multimycotoxin analysis in beers by ultrahigh-performance liquid chromatography-tandem mass spectrometry. <i>Journal of Agricultural and Food Chemistry</i> , 2009 , 57, 9385-92	5.7	67
30	Multiclass analysis of antibiotic residues in honey by ultraperformance liquid chromatography-tandem mass spectrometry. <i>Journal of Agricultural and Food Chemistry</i> , 2009 , 57, 1760-7	5.7	96
29	One-year routine application of a new and rapid method based on ultra performance liquid chromatography-tandem mass spectrometry to the analysis of selected pesticides in citrus fruits. <i>Analytical Sciences</i> , 2009 , 25, 535-40	1.7	8
28	Multiresidue method for fast determination of pesticides in fruit juices by ultra performance liquid chromatography coupled to tandem mass spectrometry. <i>Talanta</i> , 2008 , 76, 211-25	6.2	140
27	High-throughput determination of pesticide residues in food commodities by use of ultra-performance liquid chromatography-tandem mass spectrometry. <i>Analytical and Bioanalytical Chemistry</i> , 2008 , 390, 947-59	4.4	75
26	Determination of pesticides in water samples by solid phase extraction and gas chromatography tandem mass spectrometry. <i>Journal of Separation Science</i> , 2008 , 31, 151-61	3.4	38
25	Multi-residue determination of veterinary drugs in milk by ultra-high-pressure liquid chromatography-tandem mass spectrometry. <i>Journal of Chromatography A</i> , 2008 , 1205, 10-6	4.5	208
24	Application of hollow fibre liquid phase microextraction for the multiresidue determination of pesticides in alcoholic beverages by ultra-high pressure liquid chromatography coupled to tandem mass spectrometry. <i>Journal of Chromatography A</i> , 2008 , 1208, 16-24	4.5	83
23	Simultaneous determination of selected veterinary antibiotics in gilthead seabream (<i>Sparus Aurata</i>) by liquid chromatography-mass spectrometry. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2007 , 857, 142-8	3.2	70
22	Fast determination of herbicides in waters by ultra-performance liquid chromatography/tandem mass spectrometry. <i>Rapid Communications in Mass Spectrometry</i> , 2007 , 21, 3585-92	2.2	30
21	LC/MS Determination of Sterols in Olive Oil. <i>Chromatographia</i> , 2007 , 65, 695-699	2.1	30
20	Application of hollow fiber supported liquid membrane extraction to the simultaneous determination of pesticide residues in vegetables by liquid chromatography/mass spectrometry. <i>Rapid Communications in Mass Spectrometry</i> , 2006 , 20, 2701-8	2.2	40
19	Determination of trace levels of dinitrophenolic compounds in environmental water samples using hollow fiber supported liquid membrane extraction and high performance liquid chromatography. <i>Journal of Chromatography A</i> , 2006 , 1103, 1-8	4.5	48
18	Characterization of recovery profiles using gas chromatography-triple quadrupole mass spectrometry for the determination of pesticide residues in meat samples. <i>Journal of Chromatography A</i> , 2006 , 1133, 315-21	4.5	33

17	Study of new organophosphorus derivatives carriers on the selective recovery of M (II) and M (III) metals, using supported liquid membrane extraction. <i>Journal of Membrane Science</i> , 2006 , 284, 398-405	9.6	42
16	Equilibrium sampling through membranes of freely dissolved copper concentrations with selective hollow fiber membranes and the spectrophotometric detection of a metal stripping agent. <i>Analytical Chemistry</i> , 2005 , 77, 7605-11	7.8	32
15	Estimation of the uncertainty associated with the standard addition methodology when a matrix effect is detected. <i>Talanta</i> , 2005 , 66, 1168-74	6.2	8
14	Determination of free copper concentrations in natural waters by using supported liquid membrane extraction under equilibrium conditions. <i>Analytical and Bioanalytical Chemistry</i> , 2005 , 381, 1452-9	4.4	43
13	The Role of the Robustness/Ruggedness and Inertia Studies in Research and Development of Analytical Processes. <i>Critical Reviews in Analytical Chemistry</i> , 2005 , 35, 57-69	5.2	15
12	The influence of the brewing process on the formation of biogenic amines in beers. <i>Analytical and Bioanalytical Chemistry</i> , 2003 , 376, 162-7	4.4	23
11	Multivariate optimization of supported liquid membrane extraction of biogenic amines from wine samples prior to liquid chromatography determination as dabsyl derivatives. <i>Journal of Separation Science</i> , 2002 , 25, 584-592	3.4	24
10	Characterization of selected Spanish table wine samples according to their biogenic amine content from liquid chromatographic determination. <i>Journal of Agricultural and Food Chemistry</i> , 2002 , 50, 4713-7	5.7	45
9	Robustness study for the determination of biogenic amines by HPLC. <i>Chromatographia</i> , 2001 , 53, 481-484	4.1	8
8	Ultrasound and mechanical tests combined with ANOVA to evaluate brick quality. <i>Ceramics International</i> , 2001 , 27, 401-406	5.1	17
7	Multivariate optimization of solvent extraction of Cd(II), Co(II), Cr(VI), Cu(II), Ni(II), Pb(II) and Zn(II) as dibenzylthiocarbamates and detection by AAS. <i>Journal of Analytical Atomic Spectrometry</i> , 2001 , 16, 638-642	3.7	23
6	Optimization of chromatographic parameters for the determination of biogenic amines in wines by reversed-phase high-performance liquid chromatography. <i>Journal of Chromatography A</i> , 2000 , 871, 75-83	4.5	82
5	Optimization of experimental variables in the dabsyl chloride derivatization of biogenic amines for their determination by RP-HPLC. <i>Chromatographia</i> , 2000 , 51, 404-410	2.1	33
4	Indirect determination of total yttrium and lanthanides by flame atomic absorption measurement of magnesium after extraction of their ternary complexes with purpurin (1,2,4-trihydroxyanthraquinone) and magnesium into isobutyl methyl ketone. <i>Journal of Analytical Atomic Spectrometry</i> , 1998 , 13, 765-768	3.7	4
3	Fungal mycotoxins reduction by gamma irradiation in naturally contaminated sorghum. <i>Journal of Food Processing and Preservation</i> , e16345	2.1	0
2	Occurrence and Determination of Contaminants in Edible Oils and Oilseeds	149-181	1
1	Determination and Occurrence of Alkenylbenzenes, Pyrrolizidine and Tropane Alkaloids in Spices, Herbs, Teas, and Other Plant-derived Food Products Using Chromatographic Methods: Review from 2010-2020. <i>Food Reviews International</i> , 1-27	5.5	6