Jean-Paul Laclau

List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/3595657/jean-paul-laclau-publications-by-year.pdf

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

68 5,204 127 43 h-index g-index citations papers 6,352 138 4.1 5.33 avg, IF L-index ext. citations ext. papers

#	Paper	IF	Citations
127	Differential gene expression in Eucalyptus clones in response to nutrient deficiency. <i>Tree Genetics and Genomes</i> , 2022 , 18, 1	2.1	
126	Organic phosphorus immobilization in microbial biomass controls how N2-fixing trees affect phosphorus bioavailability in two tropical soils. <i>Environmental Advances</i> , 2022 , 8, 100247	3.5	1
125	Logging residues promote rapid restoration of soil health after clear-cutting of rubber plantations at two sites with contrasting soils in Africa. <i>Science of the Total Environment</i> , 2021 , 816, 151526	10.2	O
124	Increased hydraulic constraints in Eucalyptus plantations fertilized with potassium. <i>Plant, Cell and Environment</i> , 2021 , 44, 2938-2950	8.4	O
123	Dynamics of biomass and nutrient accumulation in rubber (Hevea brasiliensis) plantations established on two soil types: Implications for nutrient management over the immature phase. <i>Industrial Crops and Products</i> , 2021 , 159, 113084	5.9	4
122	Nutrient supply modulates species interactions belowground: dynamics and traits of fine roots in mixed plantations of Eucalyptus and Acacia mangium. <i>Plant and Soil</i> , 2021 , 460, 559-577	4.2	2
121	Farmers' preferences for water-saving strategies in Brazilian eucalypt plantations. <i>Forest Policy and Economics</i> , 2021 , 128, 102459	3.6	2
120	Nutrient deficiency enhances the rate of short-term belowground transfer of nitrogen from Acacia mangium to Eucalyptus trees in mixed-species plantations. <i>Forest Ecology and Management</i> , 2021 , 491, 119192	3.9	5
119	Potassium limitation of wood productivity: A review of elementary processes and ways forward to modelling illustrated by Eucalyptus plantations. <i>Forest Ecology and Management</i> , 2021 , 494, 119275	3.9	3
118	Roots take up labeled nitrogen from a depth of 9 m in a wooded savanna in Brazil. <i>Soil Biology and Biochemistry</i> , 2021 , 160, 108282	7.5	2
117	Potassium fertilization increases hydraulic redistribution and water use efficiency for stemwood production in Eucalyptus grandis plantations. <i>Environmental and Experimental Botany</i> , 2020 , 176, 10408	5 .9	10
116	Selecting for water use efficiency, wood chemical traits and biomass with genomic selection in a Eucalyptus breeding program. <i>Forest Ecology and Management</i> , 2020 , 465, 118092	3.9	14
115	Introducing N-fixing trees (Acacia mangium) in eucalypt plantations rapidly modifies the pools of organic P and low molecular weight organic acids in tropical soils. <i>Science of the Total Environment</i> , 2020 , 742, 140535	10.2	7
114	Chemical fertility of forest ecosystems. Part 1: Common soil chemical analyses were poor predictors of stand productivity across a wide range of acidic forest soils. <i>Forest Ecology and Management</i> , 2020 , 461, 117843	3.9	11
113	IN-Palm: An agri-environmental indicator to assess nitrogen losses in oil palm plantations. <i>Agronomy Journal</i> , 2020 , 112, 786-800	2.2	1
112	Chemical fertility of forest ecosystems. Part 2: Towards redefining the concept by untangling the role of the different components of biogeochemical cycling. <i>Forest Ecology and Management</i> , 2020 , 461, 117844	3.9	10
111	Tamm Review: Influence of forest management activities on soil organic carbon stocks: A knowledge synthesis. <i>Forest Ecology and Management</i> , 2020 , 466, 118127	3.9	140

Management, 2020 , 466, 118135	3.9	25
TRY plant trait database - enhanced coverage and open access. <i>Global Change Biology</i> , 2020 , 26, 119-18	811.4	399
Influences of edaphoclimatic conditions on deep rooting and soil water availability in Brazilian Eucalyptus plantations. <i>Forest Ecology and Management</i> , 2020 , 455, 117673	3.9	2
Conventional analysis methods underestimate the plant-available pools of calcium, magnesium and potassium in forest soils. <i>Scientific Reports</i> , 2020 , 10, 15703	4.9	7
Role of trees and herbaceous vegetation beneath trees in maintaining arbuscular mycorrhizal communities in temperate alley cropping systems. <i>Plant and Soil</i> , 2020 , 453, 153-171	4.2	12
Nutrient management of immature rubber plantations. A review. <i>Agronomy for Sustainable Development</i> , 2019 , 39, 1	6.8	13
Nitrogen cycling in monospecific and mixed-species plantations of Acacia mangium and Eucalyptus at 4 sites in Brazil. <i>Forest Ecology and Management</i> , 2019 , 436, 56-67	3.9	24
Distinct leaf transcriptomic response of water deficient Eucalyptus grandis submitted to potassium and sodium fertilization. <i>PLoS ONE</i> , 2019 , 14, e0218528	3.7	9
Distance from the trunk and depth of uptake of labelled nitrate for dominant and suppressed trees in Brazilian Eucalyptus plantations: Consequences for fertilization practices. <i>Forest Ecology and Management</i> , 2019 , 447, 95-104	3.9	14
Consequences of clear-cutting and drought on fine root dynamics down to 17 m in coppice-managed eucalypt plantations. <i>Forest Ecology and Management</i> , 2019 , 445, 48-59	3.9	11
A systems biology view of wood formation in Eucalyptus grandis trees submitted to different potassium and water regimes. <i>New Phytologist</i> , 2019 , 223, 766-782	9.8	15
Light absorption, light use efficiency and productivity of 16 contrasted genotypes of several Eucalyptus species along a 6-year rotation in Brazil. <i>Forest Ecology and Management</i> , 2019 , 449, 117443	3.9	14
Modelling carbon and water balance of Eucalyptus plantations at regional scale: Effect of climate, soil and genotypes. <i>Forest Ecology and Management</i> , 2019 , 449, 117460	3.9	10
How deep can ectomycorrhizas go? A case study on Pisolithus down to 4 meters in a Brazilian eucalypt plantation. <i>Mycorrhiza</i> , 2019 , 29, 637-648	3.9	10
Soil Quality Attributes in Forest Stands: Influence of Techniques Ecological Restoration. <i>Communications in Soil Science and Plant Analysis</i> , 2019 , 50, 209-227	1.5	1
Microbial Enzymatic Activities and Community-Level Physiological Profiles (CLPP) in Subsoil Layers Are Altered by Harvest Residue Management Practices in a Tropical Eucalyptus grandis Plantation. <i>Microbial Ecology</i> , 2019 , 78, 528-533	4.4	10
Fertilization increases the functional specialization of fine roots in deep soil layers for young Eucalyptus grandis trees. <i>Forest Ecology and Management</i> , 2019 , 431, 6-16	3.9	16
Measuring and modelling energy partitioning in canopies of varying complexity using MAESPA model. <i>Agricultural and Forest Meteorology</i> , 2018 , 253-254, 203-217	5.8	17
	TRY plant trait database - enhanced coverage and open access. <i>Global Change Biology</i> , 2020, 26, 119-18 Influences of edaphoclimatic conditions on deep rooting and soil water availability in Brazilian Eucalyptus plantations. <i>Forest Ecology and Management</i> , 2020, 455, 117673 Conventional analysis methods underestimate the plant-available pools of calcium, magnesium and potassium in forest soils. <i>Scientific Reports</i> , 2020, 10, 15703 Role of trees and herbaceous vegetation beneath trees in maintaining arbuscular mycorrhizal communities in temperate alley cropping systems. <i>Plant and Soil</i> , 2020, 453, 153-171 Nutrient management of immature rubber plantations. A review. <i>Agronomy for Sustainable Development</i> , 2019, 39, 1 Nitrogen cycling in monospecific and mixed-species plantations of Acacia mangium and Eucalyptus at 4 sites in Brazil. <i>Forest Ecology and Management</i> , 2019, 436, 56-67 Distinct leaf transcriptomic response of water deficient Eucalyptus grandis submitted to potassium and sodium fertilization. <i>PLoS ONE</i> , 2019, 14, e0218528 Distance from the trunk and depth of uptake of labelled nitrate for dominant and suppressed trees in Brazilian Eucalyptus plantations: Consequences for fertilization practices. <i>Forest Ecology and Management</i> , 2019, 447, 95-104 Consequences of clear-cutting and drought on fine root dynamics down to 17 m in coppice-managed eucalypt plantations. <i>Forest Ecology and Management</i> , 2019, 445, 48-59 A systems biology view of wood formation in Eucalyptus grandis trees submitted to different potassium and water regimes. <i>New Phytologist</i> , 2019, 223, 766-782 Light absorption, light use efficiency and productivity of 16 contrasted genotypes of several Eucalyptus species along a 6-year rotation in Brazil. <i>Forest Ecology and Management</i> , 2019, 449, 117443 Modelling carbon and water balance of Eucalyptus plantations at regional scale: Effect of climate, soil and genotypes. <i>Forest Ecology and Management</i> , 2019, 449, 117440 How deep can eccomycorrhizas go? A case study on Pisolith	TRY plant trait database - enhanced coverage and open access. Global Change Biology, 2020, 26, 119-188 _{t.1.4} Influences of edaphoclimatic conditions on deep rooting and soil water availability in Brazilian Eucalyptus plantations. Forest Ecology and Management, 2020, 455, 117673 39 Conventional analysis methods underestimate the plant-available pools of calcium, magnesium and potassium in forest soils. Scientific Reports, 2020, 10, 15703 Role of trees and herbaceous vegetation beneath trees in maintaining arbuscular mycorrhizal communities in temperate alley cropping systems. Plant and Soil, 2020, 453, 153-171 Nutrient management of immature rubber plantations. A review. Agronomy for Sustainable Development, 2019, 39, 1 Nitrogen cycling in monospecific and mixed-species plantations of Acacia mangium and Eucalyptus at 4 sites in Brazil. Forest Ecology and Management, 2019, 436, 56-67 Distinct leaf transcriptomic response of water deficient Eucalyptus grandis submitted to potassium and sodium fertilization. PLoS ONE, 2019, 14, e0218528 Distance from the trunk and depth of uptake of labelled nitrate for dominant and suppressed trees in Brazillan Eucalyptus plantations: Consequences for fertilization practices. Forest Ecology and Management, 2019, 447, 95-104 Consequences of clear-cutting and drought on fine root dynamics down to 17 m in coppice-managed eucalypt plantations. Forest Ecology and Management, 2019, 445, 48-59 A systems biology view of wood formation in Eucalyptus grandis trees submitted to different potassium and water regimes. New Phytologist, 2019, 223, 766-782 Light absorption, light use efficiency and productivity of 16 contrasted genotypes of several Eucalyptus species along a 6-year rotation in Brazill. Forest Ecology and Management, 2019, 449, 117443 Modelling carbon and water balance of Eucalyptus plantations at regional scale: Effect of climate, soil and genotypes. Forest Ecology and Management, 2019, 449, 117460 How deep can ectomycorrhiza, 2019, 29, 637-648 Modelling carbon and

92	Nitrogen fixation rate of Acacia mangium Wild at mid rotation in Brazil is higher in mixed plantations with Eucalyptus grandis Hill ex Maiden than in monocultures. <i>Annals of Forest Science</i> , 2018 , 75, 1	3.1	25
91	Simulating the effects of different potassium and water supply regimes on soil water content and water table depth over a rotation of a tropical Eucalyptus grandis plantation. <i>Forest Ecology and Management</i> , 2018 , 418, 4-14	3.9	27
90	Consequences of mixing Acacia mangium and Eucalyptus grandis trees on soil exploration by fine-roots down to a depth of 17 m. <i>Plant and Soil</i> , 2018 , 424, 203-220	4.2	33
89	Rainfall reduction impacts rhizosphere biogeochemistry in eucalypts grown in a deep Ferralsol in Brazil. <i>Plant and Soil</i> , 2017 , 414, 339-354	4.2	20
88	Contrasting phenology of Eucalyptus grandis fine roots in upper and very deep soil layers in Brazil. <i>Plant and Soil</i> , 2017 , 421, 301-318	4.2	15
87	Deep rooting of rainfed and irrigated orange trees in Brazil. <i>Trees - Structure and Function</i> , 2017 , 31, 28	5-2 0 7	5
86	Importance of deep water uptake in tropical eucalypt forest. Functional Ecology, 2017, 31, 509-519	5.6	83
85	Efeito da disponibilidade h^ drica e da aplica^ 0 de pot^ dsio e s^ dio no crescimento em di^ finetro do tronco de ^ fivores de Eucalyptus grandis. <i>Scientia Forestalis/Forest Sciences</i> , 2017 , 45,	1.1	4
84	EFEITO DA APLICA [^] [] [D DO POT [^] [SSIO, DO S [^] [DIO E DA DISPONIBILIDADE H [^] [DRICA NA DENSIDADE APARENTE A 12% DE UMIDADE DO LENHO JUVENIL DE [^] [RVORES DE Eucalyptus grandis. <i>Ciencia Florestal</i> , 2017 , 27, 1017	1.1	2
83	Decomposition of Eucalyptus grandis and Acacia mangium leaves and fine roots in tropical conditions did not meet the Home Field Advantage hypothesis. <i>Forest Ecology and Management</i> , 2016 , 359, 33-43	3.9	49
82	Nitrogen dynamics within and between decomposing leaves, bark and branches in Eucalyptus planted forests. <i>Soil Biology and Biochemistry</i> , 2016 , 101, 55-64	7.5	8
81	Sensitivity and uncertainty analysis of the carbon and water fluxes at the tree scale in Eucalyptus plantations using a metamodeling approach. <i>Canadian Journal of Forest Research</i> , 2016 , 46, 297-309	1.9	9
80	Potassium fertilization increases water-use efficiency for stem biomass production without affecting intrinsic water-use efficiency in Eucalyptus grandis plantations. <i>Forest Ecology and Management</i> , 2016 , 364, 77-89	3.9	50
79	Unexpected phenology and lifespan of shallow and deep fine roots of walnut trees grown in a silvoarable Mediterranean agroforestry system. <i>Plant and Soil</i> , 2016 , 401, 409-426	4.2	39
78	A fast exploration of very deep soil layers by Eucalyptus seedlings and clones in Brazil. <i>Forest Ecology and Management</i> , 2016 , 366, 143-152	3.9	34
77	In situ 13CO2 pulse labelling of field-grown eucalypt trees revealed the effects of potassium nutrition and throughfall exclusion on phloem transport of photosynthetic carbon. <i>Tree Physiology</i> , 2016 , 36, 6-21	4.2	37
76	Adaptation and Mitigation in Tropical Tree Plantations 2016 , 197-208		1
75	RELATIONSHIP BETWEEN CLIMATE VARIABLES, TRUNK GROWTH RATE AND WOOD DENSITY OF Eucalyptus grandis W. Mill ex Maiden TREES. <i>Revista Arvore</i> , 2016 , 40, 337-346	1	11

74	BAAD: a Biomass And Allometry Database for woody plants. <i>Ecology</i> , 2015 , 96, 1445-1445	4.6	89
73	Evidence of short-term belowground transfer of nitrogen from Acacia mangium to Eucalyptus grandis trees in a tropical planted forest. <i>Soil Biology and Biochemistry</i> , 2015 , 91, 99-108	7.5	48
72	Tree roots can penetrate deeply in African semi-deciduous rain forests: evidence from two common soil types. <i>Journal of Tropical Ecology</i> , 2015 , 31, 13-23	1.3	22
71	Measured and modeled interactive effects of potassium deficiency and water deficit on gross primary productivity and light-use efficiency in Eucalyptus grandis plantations. <i>Global Change Biology</i> , 2015 , 21, 2022-39	11.4	37
70	EFEITO DA DISPONIBILIDADE H^ DRICA E DA APLICA^ [] [D DE POT^ BSIO E S^ DIO NAS CARACTER^ BTICAS ANAT^ MICAS DO LENHO JUVENIL DE Eucalyptus grandis. <i>Revista Arvore</i> , 2015 , 39, 405-416	1	8
69	The role of harvest residues to sustain tree growth and soil nitrogen stocks in a tropical Eucalyptus plantation. <i>Plant and Soil</i> , 2014 , 376, 245-260	4.2	20
68	Effects of potassium and sodium supply on drought-adaptive mechanisms in Eucalyptus grandis plantations. <i>New Phytologist</i> , 2014 , 203, 401-413	9.8	70
67	Effects of litter manipulation in a tropical Eucalyptus plantation on leaching of mineral nutrients, dissolved organic nitrogen and dissolved organic carbon. <i>Geoderma</i> , 2014 , 232-234, 426-436	6.7	26
66	Altera [^] 🛮 🖹 s na qualidade da madeira de Eucalyptus grandis causadas pela aduba [^] 🗓 🗗 mineral. <i>Cerne</i> , 2014 , 20, 251-258	0.7	5
65	Fertilit^ 'chimique des sols forestiers : concepts de base. <i>Revue Forestiere Francaise</i> , 2014 , Fr.], ISSN 003	351	3
65 64	Fertilit [^] 'chimique des sols forestiers : concepts de base. <i>Revue Forestiere Francaise</i> , 2014 , Fr.], ISSN 003 Isotopic approach to trace water and nutrient dynamics in forest soils. <i>Revue Forestiere Francaise</i> , 2014 , Fr.], ISSN 0035	1	3
	Isotopic approach to trace water and nutrient dynamics in forest soils. Revue Forestiere Francaise,		3 85
64	Isotopic approach to trace water and nutrient dynamics in forest soils. <i>Revue Forestiere Francaise</i> , 2014 , Fr.], ISSN 0035 Photosynthetic and anatomical responses of Eucalyptus grandis leaves to potassium and sodium	1	
64	Isotopic approach to trace water and nutrient dynamics in forest soils. <i>Revue Forestiere Francaise</i> , 2014 , Fr.], ISSN 0035 Photosynthetic and anatomical responses of Eucalyptus grandis leaves to potassium and sodium supply in a field experiment. <i>Plant, Cell and Environment</i> , 2014 , 37, 70-81 A new probabilistic canopy dynamics model (SLCD) that is suitable for evergreen and deciduous	8.4	85
64 63 62	Isotopic approach to trace water and nutrient dynamics in forest soils. <i>Revue Forestiere Francaise</i> , 2014 , Fr.], ISSN 0035 Photosynthetic and anatomical responses of Eucalyptus grandis leaves to potassium and sodium supply in a field experiment. <i>Plant, Cell and Environment</i> , 2014 , 37, 70-81 A new probabilistic canopy dynamics model (SLCD) that is suitable for evergreen and deciduous forest ecosystems. <i>Ecological Modelling</i> , 2014 , 290, 121-133 Altera Bs nas caracter Sticas qu Bicas da madeira com a substitui Bd do K por Na em planta Bs	1 8.4 3	85
64 63 62 61	Isotopic approach to trace water and nutrient dynamics in forest soils. <i>Revue Forestiere Francaise</i> , 2014 , Fr.], ISSN 0035 Photosynthetic and anatomical responses of Eucalyptus grandis leaves to potassium and sodium supply in a field experiment. <i>Plant, Cell and Environment</i> , 2014 , 37, 70-81 A new probabilistic canopy dynamics model (SLCD) that is suitable for evergreen and deciduous forest ecosystems. <i>Ecological Modelling</i> , 2014 , 290, 121-133 Alteraˆ 🖺 Bs nas caracterˆ Bticas quˆ Bticas da madeira com a substituiˆ 🖺 B do K por Na em plantaˆ 🖺 Bs de eucalipto. <i>Revista Arvore</i> , 2014 , 38, 569-578	1 8.4 3	8 ₅ 8
64 63 62 61 60	Isotopic approach to trace water and nutrient dynamics in forest soils. <i>Revue Forestiere Francaise</i> , 2014 , Fr.], ISSN 0035 Photosynthetic and anatomical responses of Eucalyptus grandis leaves to potassium and sodium supply in a field experiment. <i>Plant, Cell and Environment</i> , 2014 , 37, 70-81 A new probabilistic canopy dynamics model (SLCD) that is suitable for evergreen and deciduous forest ecosystems. <i>Ecological Modelling</i> , 2014 , 290, 121-133 Alteraˆ 🗆 B̄s nas caracterˆ B̄ticas quˆ fhicas da madeira com a substituiˆ 🗈 B̄ do K por Na em plantaˆ 🗈 B̄s de eucalipto. <i>Revista Arvore</i> , 2014 , 38, 569-578 Chemical fertility of forest soils: basic concepts. <i>Revue Forestiere Francaise</i> , 2014 , Fr.], ISSN 0035 Influence of potassium and sodium nutrition on leaf area components in Eucalyptus grandis trees.	1 8.4 3 1	85 8 4

56	Mixing Eucalyptus and Acacia trees leads to fine root over-yielding and vertical segregation between species. <i>Oecologia</i> , 2013 , 172, 903-13	2.9	47
55	Modifying the Gâ D AY process-based model to simulate the spatial variability of Eucalyptus plantation growth on deep tropical soils. <i>Forest Ecology and Management</i> , 2013 , 301, 112-128	3.9	20
54	The manipulation of organic residues affects tree growth and heterotrophic CO2 efflux in a tropical Eucalyptus plantation. <i>Forest Ecology and Management</i> , 2013 , 301, 79-88	3.9	30
53	Tree and stand light use efficiencies over a full rotation of single- and mixed-species Eucalyptus grandis and Acacia mangium plantations. <i>Forest Ecology and Management</i> , 2013 , 288, 31-42	3.9	89
52	Stem production, light absorption and light use efficiency between dominant and non-dominant trees of Eucalyptus grandis across a productivity gradient in Brazil. <i>Forest Ecology and Management</i> , 2013 , 288, 14-20	3.9	55
51	Why one tree grows faster than another: Patterns of light use and light use efficiency at the scale of individual trees and stands. <i>Forest Ecology and Management</i> , 2013 , 288, 1-4	3.9	24
50	Perspectives for the management of eucalypt plantations under biotic and abiotic stresses. <i>Forest Ecology and Management</i> , 2013 , 301, 1-5	3.9	13
49	Nutrient leaching and deep drainage under Eucalyptus plantations managed in short rotations after afforestation of an African savanna: Two 7-year time series. <i>Forest Ecology and Management</i> , 2013 , 307, 242-254	3.9	22
48	Eucalyptus and Acacia tree growth over entire rotation in single- and mixed-species plantations across five sites in Brazil and Congo. <i>Forest Ecology and Management</i> , 2013 , 301, 89-101	3.9	91
47	Partitioning of net primary production in Eucalyptus and Acacia stands and in mixed-species plantations: Two case-studies in contrasting tropical environments. <i>Forest Ecology and Management</i> , 2013 , 301, 102-111	3.9	80
46	Dynamics of soil exploration by fine roots down to a depth of 10 m throughout the entire rotation in Eucalyptus grandis plantations. <i>Frontiers in Plant Science</i> , 2013 , 4, 243	6.2	73
45	Introducing Acacia mangium trees in Eucalyptus grandis plantations: consequences for soil organic matter stocks and nitrogen mineralization. <i>Plant and Soil</i> , 2012 , 352, 99-111	4.2	74
44	Age-related changes in litter inputs explain annual trends in soil CO2 effluxes over a full Eucalyptus rotation after afforestation of a tropical savannah. <i>Biogeochemistry</i> , 2012 , 111, 515-533	3.8	31
43	Do changes in carbon allocation account for the growth response to potassium and sodium applications in tropical Eucalyptus plantations?. <i>Tree Physiology</i> , 2012 , 32, 667-79	4.2	46
42	Production and carbon allocation in monocultures and mixed-species plantations of Eucalyptus grandis and Acacia mangium in Brazil. <i>Tree Physiology</i> , 2012 , 32, 680-95	4.2	61
41	Modeling the environmental and seasonal influence on canopy dynamic and litterfall of even-aged forest ecosystems by a model coupling growth & yield and process-based approaches 2012 ,		1
40	Stand-level patterns of carbon fluxes and partitioning in a Eucalyptus grandis plantation across a gradient of productivity, in Sao Paulo State, Brazil. <i>Tree Physiology</i> , 2012 , 32, 696-706	4.2	32
39	Efeito da idade e posi [^] 🛘 🖟 de amostragem na densidade e caracter [^] Eticas anat [^] Enicas da madeira de Eucalyptus grandis. <i>Revista Arvore</i> , 2012 , 36, 1183-1190	1	28

(2008-2011)

38	Mineralogical and physico-chemical properties of Ferralic Arenosols derived from unconsolidated Plio-Pleistocenic deposits in the coastal plains of Congo. <i>Geoderma</i> , 2011 , 162, 159-170	6.7	44
37	Functional specialization of Eucalyptus fine roots: contrasting potential uptake rates for nitrogen, potassium and calcium tracers at varying soil depths. <i>Functional Ecology</i> , 2011 , 25, 996-1006	5.6	64
36	Acquisition of phosphorus and other poorly mobile nutrients by roots. Where do plant nutrition models fail?. <i>Plant and Soil</i> , 2011 , 348, 29-61	4.2	162
35	MODIS NDVI time-series allow the monitoring of Eucalyptus plantation biomass. <i>Remote Sensing of Environment</i> , 2011 , 115, 2613-2625	13.2	77
34	Almost symmetrical vertical growth rates above and below ground in one of the world's most productive forests. <i>Ecosphere</i> , 2011 , 2, art27	3.1	76
33	Plantations d'eucalyptus et sid^ hurgie en Amazonie : apports du mod^ le 3-PG. <i>Bois Et Forets Des Tropiques</i> , 2011 , 309, 37		7
32	Crescimento em di^ līnetro do tronco das ^ līvores de Eucalyptus grandis W. Hill. ex. Maiden e rela^ [] lī com as vari^ līeis clim^ līcas e fertiliza^ [] lī mineral. <i>Revista Arvore</i> , 2010 , 34, 979-990	1	21
31	Within-stand and seasonal variations of specific leaf area in a clonal Eucalyptus plantation in the Republic of Congo. <i>Forest Ecology and Management</i> , 2010 , 259, 1796-1807	3.9	66
30	Biogeochemical cycles of nutrients in tropical Eucalyptus plantations. <i>Forest Ecology and Management</i> , 2010 , 259, 1771-1785	3.9	182
29	A positive growth response to NaCl applications in Eucalyptus plantations established on K-deficient soils. <i>Forest Ecology and Management</i> , 2010 , 259, 1786-1795	3.9	45
28	Organic residue mass at planting is an excellent predictor of tree growth in Eucalyptus plantations established on a sandy tropical soil. <i>Forest Ecology and Management</i> , 2010 , 260, 2148-2159	3.9	67
27	Determination of potential denitrification in a range of tropical topsoils using near infrared reflectance spectroscopy (NIRS). <i>Applied Soil Ecology</i> , 2010 , 46, 81-89	5	10
26	Fine root isotropy in Eucalyptus grandis plantations. Towards the prediction of root length densities from root counts on trench walls. <i>Plant and Soil</i> , 2010 , 334, 261-275	4.2	29
25	Dynamics of fine root distribution after establishment of monospecific and mixed-species plantations of Eucalyptus grandis and Acacia mangium. <i>Plant and Soil</i> , 2009 , 325, 305-318	4.2	28
24	Growth of the whole root system for a plant crop of sugarcane under rainfed and irrigated environments in Brazil. <i>Field Crops Research</i> , 2009 , 114, 351-360	5.5	88
23	Biomass sustainability, availability and productivity. Revue De Metallurgie, 2009, 106, 410-418		13
22	Influence of nitrogen and potassium fertilization on leaf lifespan and allocation of above-ground growth in Eucalyptus plantations. <i>Tree Physiology</i> , 2009 , 29, 111-24	4.2	91
21	Influence of land use (savanna, pasture, Eucalyptus plantations) on soil carbon and nitrogen stocks in Brazil. <i>European Journal of Soil Science</i> , 2008 , 59, 863-877	3.4	55

20	Mixed-species plantations of Acacia mangium and Eucalyptus grandis in Brazil. <i>Forest Ecology and Management</i> , 2008 , 255, 3905-3917	3.9	107
19	Mixed-species plantations of Acacia mangium and Eucalyptus grandis in Brazil: 2: Nitrogen accumulation in the stands and biological N2 fixation. <i>Forest Ecology and Management</i> , 2008 , 255, 3918	8-3930	97
18	Soil CO2 effluxes, soil carbon balance, and early tree growth following savannah afforestation in Congo: Comparison of two site preparation treatments. <i>Forest Ecology and Management</i> , 2008 , 255, 19	928:993	36 ³⁶
17	Fine root production and turnover in Brazilian Eucalyptus plantations under contrasting nitrogen fertilization regimes. <i>Forest Ecology and Management</i> , 2008 , 256, 396-404	3.9	79
16	Assessing the effects of early silvicultural management on long-term site productivity of fast-growing eucalypt plantations: the Brazilian experience. <i>Southern Forests</i> , 2008 , 70, 105-118	0.6	114
15	Crescimento, nutri^ 🛘 🗗 e fixa^ 🗓 🗗 biol^ 🗓 ica de nitrog^ 🗟 io em plantios mistos de eucalipto e leguminosas arb^ 🗗 eas. <i>Pesquisa Agropecuaria Brasileira</i> , 2007 , 42, 759-768	1.8	19
14	Nutrient cycling in a clonal stand of Eucalyptus and an adjacent savanna ecosystem in Congo: 3. InputâButput budgets and consequences for the sustainability of the plantations. <i>Forest Ecology and Management</i> , 2005 , 210, 375-391	3.9	79
13	Hybrid and clonal variability of nutrient content and nutrient use efficiency in Eucalyptus stands in Congo. <i>Forest Ecology and Management</i> , 2005 , 210, 193-204	3.9	23
12	The function of the superficial root mat in the biogeochemical cycles of nutrients in congolese eucalyptus plantations. <i>Annals of Botany</i> , 2004 , 93, 249-61	4.1	42
11	Silvicultural effects on the productivity and wood quality of eucalypt plantations. <i>Forest Ecology and Management</i> , 2004 , 193, 45-61	3.9	111
10	Nutrient dynamics throughout the rotation of Eucalyptus clonal stands in Congo. <i>Annals of Botany</i> , 2003 , 91, 879-92	4.1	74
9	Nutrient cycling in a clonal stand of Eucalyptus and an adjacent savanna ecosystem in Congo. <i>Forest Ecology and Management</i> , 2003 , 176, 105-119	3.9	55
8	Nutrient cycling in a clonal stand of Eucalyptus and an adjacent savanna ecosystem in Congo: 2. Chemical composition of soil solutions. <i>Forest Ecology and Management</i> , 2003 , 180, 527-544	3.9	34
7	A generic model to describe the dynamics of nutrient concentrations within stemwood across an age series of a eucalyptus hybrid. <i>Annals of Botany</i> , 2002 , 90, 65-76	4.1	13
6	Biomass and nutrient dynamics in a littoral savanna subjected to annual fires in Congo. <i>Acta Oecologica</i> , 2002 , 23, 41-50	1.7	30
5	Changes with age in the spatial distribution of roots of Eucalyptus clone in Congo. <i>Forest Ecology and Management</i> , 2002 , 171, 43-57	3.9	100
4	The effects of slash management on nutrient cycling and tree growth in Eucalyptus plantations in the Congo. <i>Forest Ecology and Management</i> , 2002 , 171, 209-221	3.9	60
3	Spatial distribution of Eucalyptus roots in a deep sandy soil in the Congo: relationships with the ability of the stand to take up water and nutrients. <i>Tree Physiology</i> , 2001 , 21, 129-36	4.2	72

LIST OF PUBLICATIONS

2	Dynamics of Nutrient Translocation in Stemwood across an Age Series of a Eucalyptus Hybrid. <i>Annals of Botany</i> , 2001 , 88, 1079-1092	4.1	24
1	Dynamics of biomass and nutrient accumulation in a clonal plantation of Eucalyptus in Congo. Forest Ecology and Management, 2000, 128, 181-196	3.9	96