

# Yoon Ho Ko

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3595719/publications.pdf>

Version: 2024-02-01

69  
papers

906  
citations

516710

16  
h-index

552781

26  
g-index

72  
all docs

72  
docs citations

72  
times ranked

1510  
citing authors

#	ARTICLE	IF	CITATIONS
1	Efficacy of the granisetron transdermal system for the control of nausea and vomiting induced by highly emetogenic chemotherapy: a multicenter, randomized, controlled trial. <i>Korean Journal of Internal Medicine</i> , 2023, 38, 406-416.	1.7	3
2	Prognostic value of Dickkopf-1 and $\beta$ -catenin expression according to the antitumor immunity of CD8-positive tumor-infiltrating lymphocytes in biliary tract cancer. <i>Scientific Reports</i> , 2022, 12, 1931.	3.3	2
3	ZEB1-regulated <i>Inc-Nr2f1</i> promotes the migration and invasion of lung adenocarcinoma cells. <i>Cancer Letters</i> , 2022, 533, 215601.	7.2	2
4	Abstract LB043: Identification and characterization of cancer-associated fibroblast subpopulations in lung adenocarcinoma. <i>Cancer Research</i> , 2022, 82, LB043-LB043.	0.9	0
5	Integrative Analysis of miRNAs Identifies Clinically Relevant Epithelial and Stromal Subtypes of Head and Neck Squamous Cell Carcinoma. <i>Clinical Cancer Research</i> , 2021, 27, 831-842.	7.0	8
6	Prevalence and Predictive Factors for Upfront Dose Reduction of the First Cycle of First-Line Chemotherapy in Older Adults with Metastatic Solid Cancer: Korean Cancer Study Group (KCSG) Multicenter Study. <i>Cancers</i> , 2021, 13, 331.	3.7	4
7	The implications of clinical risk factors, CAR index, and compositional changes of immune cells on hyperprogressive disease in non-small cell lung cancer patients receiving immunotherapy. <i>BMC Cancer</i> , 2021, 21, 19.	2.6	24
8	Efficacy of concurrent chemoradiotherapy for patients with limited-disease small-cell lung cancer: a retrospective, nationwide, population-based cohort study. <i>BMC Cancer</i> , 2021, 21, 340.	2.6	2
9	Treatment Outcomes of 9,994 Patients With Extensive-Disease Small-Cell Lung Cancer From a Retrospective Nationwide Population-Based Cohort in the Korean HIRA Database. <i>Frontiers in Oncology</i> , 2021, 11, 546672.	2.8	3
10	Physical activity of Korean cancer survivors is associated with age and sex. <i>Korean Journal of Internal Medicine</i> , 2021, 36, S225-S234.	1.7	5
11	Prognostic value of noggin protein expression in patients with resected gastric cancer. <i>BMC Cancer</i> , 2021, 21, 558.	2.6	5
12	Cancer-associated fibroblasts activated by miR-196a promote the migration and invasion of lung cancer cells. <i>Cancer Letters</i> , 2021, 508, 92-103.	7.2	26
13	DeepCUBIT: Predicting Lymphovascular Invasion or Pathological Lymph Node Involvement of Clinical T1 Stage Non-Small Cell Lung Cancer on Chest CT Scan Using Deep Cubical Nodule Transfer Learning Algorithm. <i>Frontiers in Oncology</i> , 2021, 11, 661244.	2.8	5
14	DeepRePath: Identifying the Prognostic Features of Early-Stage Lung Adenocarcinoma Using Multi-Scale Pathology Images and Deep Convolutional Neural Networks. <i>Cancers</i> , 2021, 13, 3308.	3.7	21
15	Inhibition of STAT3 enhances sensitivity to tamoxifen in tamoxifen-resistant breast cancer cells. <i>BMC Cancer</i> , 2021, 21, 931.	2.6	14
16	Elevated serum substance P level as a predictive marker for moderately emetogenic chemotherapy-induced nausea and vomiting: A prospective cohort study. <i>Cancer Medicine</i> , 2021, 10, 1057-1065.	2.8	6
17	Polypharmacy, Inappropriate Medication Use, and Drug Interactions in Older Korean Patients with Cancer Receiving First-Line Palliative Chemotherapy. <i>Oncologist</i> , 2020, 25, e502-e511.	3.7	32
18	Identification of Novel microRNA Prognostic Markers Using Cascaded Wx, a Neural Network-Based Framework, in Lung Adenocarcinoma Patients. <i>Cancers</i> , 2020, 12, 1890.	3.7	8

#	ARTICLE	IF	CITATIONS
19	Diagnostic and Therapeutic Implications of microRNAs in Non-Small Cell Lung Cancer. <i>International Journal of Molecular Sciences</i> , 2020, 21, 8782.	4.1	26
20	Phase 2 study of afatinib among patients with recurrent and/or metastatic esophageal squamous cell carcinoma. <i>Cancer</i> , 2020, 126, 4521-4531.	4.1	10
21	High Endothelial Venule with Concomitant High CD8+ Tumor-Infiltrating Lymphocytes Is Associated with a Favorable Prognosis in Resected Gastric Cancer. <i>Journal of Clinical Medicine</i> , 2020, 9, 2628.	2.4	19
22	Hormone Receptor-Status Prediction in Breast Cancer Using Gene Expression Profiles and Their Macroscopic Landscape. <i>Cancers</i> , 2020, 12, 1165.	3.7	4
23	Clinical implications of APOBEC3A and 3B expression in patients with breast cancer. <i>PLoS ONE</i> , 2020, 15, e0230261.	2.5	10
24	Prognostic Value of CD200R1 mRNA Expression in Head and Neck Squamous Cell Carcinoma. <i>Cancers</i> , 2020, 12, 1777.	3.7	9
25	Predictive impact of circulating microRNA-193a-5p on early relapse after autologous stem cell transplantation in patients with multiple myeloma. <i>British Journal of Haematology</i> , 2020, 189, 518-523.	2.5	6
26	DeepBTS: Prediction of Recurrence-free Survival of Non-small Cell Lung Cancer Using a Time-binned Deep Neural Network. <i>Scientific Reports</i> , 2020, 10, 1952.	3.3	25
27	Prognostic implications of stromal hyaluronic acid protein expression in resected oropharyngeal and oral cavity cancers. <i>Korean Journal of Internal Medicine</i> , 2020, 35, 408-420.	1.7	5
28	Risk factors for primary lung cancer among never-smoking women in South Korea: a retrospective nationwide population-based cohort study. <i>Korean Journal of Internal Medicine</i> , 2020, 35, 692-702.	1.7	6
29	Rupture of carotid artery pseudoaneurysm in the modern era of definitive chemoradiation for head and neck cancer: Two case reports. <i>World Journal of Clinical Cases</i> , 2020, 8, 4858-4865.	0.8	2
30	Clinical implications of APOBEC3A and 3B expression in patients with breast cancer. , 2020, 15, e0230261.		0
31	Clinical implications of APOBEC3A and 3B expression in patients with breast cancer. , 2020, 15, e0230261.		0
32	Clinical implications of APOBEC3A and 3B expression in patients with breast cancer. , 2020, 15, e0230261.		0
33	Clinical implications of APOBEC3A and 3B expression in patients with breast cancer. , 2020, 15, e0230261.		0
34	Clinical implications of APOBEC3A and 3B expression in patients with breast cancer. , 2020, 15, e0230261.		0
35	Clinical implications of APOBEC3A and 3B expression in patients with breast cancer. , 2020, 15, e0230261.		0
36	Cascaded Wx: A Novel Prognosis-Related Feature Selection Framework in Human Lung Adenocarcinoma Transcriptomes. <i>Frontiers in Genetics</i> , 2019, 10, 662.	2.3	9

#	ARTICLE	IF	CITATIONS
37	Expression of EEF1A1 Is Associated with Prognosis of Patients with Colon Adenocarcinoma. <i>Journal of Clinical Medicine</i> , 2019, 8, 1903.	2.4	15
38	CheckMate-032 Study: promising efficacy with nivolumab-based immunotherapy in pretreated esophagogastric cancer. <i>Journal of Thoracic Disease</i> , 2019, 11, S394-S395.	1.4	6
39	QKI, a miR-200 target gene, suppresses epithelial-to-mesenchymal transition and tumor growth. <i>International Journal of Cancer</i> , 2019, 145, 1585-1595.	5.1	59
40	MiR-34a and miR-34b/c have distinct effects on the suppression of lung adenocarcinomas. <i>Experimental and Molecular Medicine</i> , 2019, 51, 1-10.	7.7	39
41	The impact of systemic treatment on brain metastasis in patients with non-small-cell lung cancer: A retrospective nationwide population-based cohort study. <i>Scientific Reports</i> , 2019, 9, 18689.	3.3	22
42	Factors associated with treatment interruption in elderly patients with cancer. <i>Korean Journal of Internal Medicine</i> , 2019, 34, 156-164.	1.7	10
43	The impact of sarcopenia on health-related quality of life in elderly people: Korean National Health and Nutrition Examination Survey. <i>Korean Journal of Internal Medicine</i> , 2019, 34, 877-884.	1.7	46
44	Investigating the Feasibility of Targeted Next-Generation Sequencing to Guide the Treatment of Head and Neck Squamous Cell Carcinoma. <i>Cancer Research and Treatment</i> , 2019, 51, 300-312.	3.0	48
45	Treatment Patterns and Changes in Quality of Life during First-Line Palliative Chemotherapy in Korean Patients with Advanced Gastric Cancer. <i>Cancer Research and Treatment</i> , 2019, 51, 223-239.	3.0	13
46	Prospective Validation of The Korean Cancer Study Group Geriatric Score (KG)-7, a Novel Geriatric Screening Tool, in Older Patients with Advanced Cancer Undergoing First-line Palliative Chemotherapy. <i>Cancer Research and Treatment</i> , 2019, 51, 1249-1256.	3.0	5
47	Efficacy and safety of oxycodone/naloxone as add-on therapy to gabapentin or pregabalin for the management of chemotherapy-induced peripheral neuropathy in Korea. <i>Asia-Pacific Journal of Clinical Oncology</i> , 2018, 14, e448-e454.	1.1	17
48	Impact of Tumor Purity on Immune Gene Expression and Clustering Analyses across Multiple Cancer Types. <i>Cancer Immunology Research</i> , 2018, 6, 87-97.	3.4	106
49	Circulating Microparticles and Coagulation Profiles in Patients with Advanced Stage Solid Tumors. <i>Annals of Laboratory Medicine</i> , 2018, 38, 274-276.	2.5	0
50	RNA-seq data of invasive ductal carcinoma and adjacent normal tissues from a Korean patient with breast cancer. <i>Data in Brief</i> , 2018, 18, 736-739.	1.0	4
51	Predicting cumulative incidence of adverse events in older patients with cancer undergoing first-line palliative chemotherapy: Korean Cancer Study Group (KCSG) multicentre prospective study. <i>British Journal of Cancer</i> , 2018, 118, 1169-1175.	6.4	25
52	RNA variant identification discrepancy among splice-aware alignment algorithms. <i>PLoS ONE</i> , 2018, 13, e0201822.	2.5	7
53	Prognostic value of Dickkopf-1 and $\beta$ -catenin expression in advanced gastric cancer. <i>BMC Cancer</i> , 2018, 18, 506.	2.6	28
54	Prognostic implication of ERCC1 protein expression in resected oropharynx and oral cavity cancer. <i>Pathology Research and Practice</i> , 2017, 213, 949-955.	2.3	4

#	ARTICLE	IF	CITATIONS
55	Prognostic Role of the MicroRNA-200 Family in Various Carcinomas: A Systematic Review and Meta-Analysis. <i>BioMed Research International</i> , 2017, 2017, 1-11.	1.9	17
56	Prognostic Value of Metastatic Tumoral Caveolin-1 Expression in Patients with Resected Gastric Cancer. <i>Gastroenterology Research and Practice</i> , 2017, 2017, 1-10.	1.5	8
57	Wernicke encephalopathy as initial presentation of lymphoma. <i>Korean Journal of Internal Medicine</i> , 2017, 32, 1112-1114.	1.7	0
58	Prevalence and risk factors of periodontitis among adults with or without diabetes mellitus. <i>Korean Journal of Internal Medicine</i> , 2016, 31, 910-919.	1.7	34
59	Genetic pathologic characterization of myeloproliferative neoplasms. <i>Experimental and Molecular Medicine</i> , 2016, 48, e247-e247.	7.7	14
60	Role of autophagy-related protein expression in patients with rectal cancer treated with neoadjuvant chemoradiotherapy. <i>BMC Cancer</i> , 2016, 16, 207.	2.6	10
61	Triple-negative breast cancer that progressed as estrogen receptor-positive skin metastases. <i>Korean Journal of Internal Medicine</i> , 2015, 30, 411.	1.7	1
62	Ramosetron Versus Ondansetron in Combination With Aprepitant and Dexamethasone for the Prevention of Highly Emetogenic Chemotherapy-Induced Nausea and Vomiting: A Multicenter, Randomized Phase III Trial, KCSG PC10-21. <i>Oncologist</i> , 2015, 20, 1440-1447.	3.7	12
63	Resistance to Erythropoiesis-Stimulating Agents Is Associated with Arterial Microcalcification in Early Hemodialysis Patients. <i>BioMed Research International</i> , 2014, 2014, 1-7.	1.9	2
64	Human papillomavirus stratified analysis of the prognostic role of miR-21 in oral cavity and oropharyngeal squamous cell carcinoma. <i>Pathology International</i> , 2014, 64, 499-507.	1.3	20
65	Possible role of autophagy inhibition in hypoxia-induced chemoresistance of pancreatic cancer cells. <i>Journal of Clinical Oncology</i> , 2012, 30, 224-224.	1.6	4
66	Expression of Notch 1 and 3 is related to inhibition of lymph node metastasis and progression in non-small cell lung carcinomas. <i>Basic and Applied Pathology</i> , 2008, 1, 93-97.	0.2	9
67	Clinical Significance of Vascular Endothelial Growth Factors (VEGF)-C and -D in Resected Non-Small Cell Lung Cancer. <i>Cancer Research and Treatment</i> , 2008, 40, 133.	3.0	13
68	Docetaxel Monotherapy as Second-Line Treatment for Pretreated Advanced Non-Small Cell Lung Cancer Patients. <i>Korean Journal of Internal Medicine</i> , 2007, 22, 178.	1.7	7
69	Successful Control of Double Tachycardia Using Radiofrequency Catheter Ablation. <i>Sunhwan'gi</i> , 2001, 31, 1203.	0.3	0