

Karla L Miller

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/3598110/karla-l-miller-publications-by-year.pdf>

Version: 2024-04-23

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

132
papers

17,558
citations

51
h-index

132
g-index

151
ext. papers

22,765
ext. citations

8.2
avg, IF

6.39
L-index

#	Paper	IF	Citations
132	The Digital Brain Bank, an open access platform for post-mortem datasets.. <i>ELife</i> , 2022 , 11,	8.9	1
131	SARS-CoV-2 is associated with changes in brain structure in UK Biobank.. <i>Nature</i> , 2022 ,	50.4	74
130	Social connections predict brain structure in a multidimensional free-ranging primate society.. <i>Science Advances</i> , 2022 , 8, eabl5794	14.3	0
129	Adapting the UK Biobank Brain Imaging Protocol and Analysis Pipeline for the C-MORE Multi-Organ Study of COVID-19 Survivors. <i>Frontiers in Neurology</i> , 2021 , 12, 753284	4.1	2
128	Resonate: Reaching Excellence Through Equity, Diversity, and Inclusion in ISMRM. <i>Journal of Magnetic Resonance Imaging</i> , 2021 , 53, 1608-1611	5.6	0
127	Brain imaging before and after COVID-19 in UK Biobank 2021 ,		31
126	Quantifying myelin in crossing fibers using diffusion-prepared phase imaging: Theory and simulations. <i>Magnetic Resonance in Medicine</i> , 2021 , 86, 2618-2634	4.4	1
125	Confound modelling in UK Biobank brain imaging. <i>NeuroImage</i> , 2021 , 224, 117002	7.9	40
124	Medium-term effects of SARS-CoV-2 infection on multiple vital organs, exercise capacity, cognition, quality of life and mental health, post-hospital discharge. <i>EClinicalMedicine</i> , 2021 , 31, 100683	11.3	164
123	Diffusion MRI data, sulcal anatomy, and tractography for eight species from the Primate Brain Bank. <i>Brain Structure and Function</i> , 2021 , 226, 2497-2509	4	6
122	Subspace-constrained approaches to low-rank fMRI acceleration. <i>NeuroImage</i> , 2021 , 238, 118235	7.9	1
121	A method to remove the influence of fixative concentration on postmortem T maps using a kinetic tensor model. <i>Human Brain Mapping</i> , 2021 , 42, 5956-5972	5.9	3
120	The UK Biobank imaging enhancement of 100,000 participants: rationale, data collection, management and future directions. <i>Nature Communications</i> , 2020 , 11, 2624	17.4	81
119	Modeling an equivalent b-value in diffusion-weighted steady-state free precession. <i>Magnetic Resonance in Medicine</i> , 2020 , 84, 873-884	4.4	7
118	White matter structure and myelin-related gene expression alterations with experience in adult rats. <i>Progress in Neurobiology</i> , 2020 , 187, 101770	10.9	20
117	Brain aging comprises many modes of structural and functional change with distinct genetic and biophysical associations. <i>ELife</i> , 2020 , 9,	8.9	56
116	Use of multi-flip angle measurements to account for transmit inhomogeneity and non-Gaussian diffusion in DW-SSFP. <i>NeuroImage</i> , 2020 , 220, 117113	7.9	3

115	Methods for quantitative susceptibility and R2* mapping in whole post-mortem brains at 7T applied to amyotrophic lateral sclerosis. <i>NeuroImage</i> , 2020 , 222, 117216	7.9	14
114	Longitudinal connections and the organization of the temporal cortex in macaques, great apes, and humans. <i>PLoS Biology</i> , 2020 , 18, e3000810	9.7	25
113	Improved statistical efficiency of simultaneous multi-slice fMRI by reconstruction with spatially adaptive temporal smoothing. <i>NeuroImage</i> , 2019 , 203, 116165	7.9	2
112	Estimation of brain age delta from brain imaging. <i>NeuroImage</i> , 2019 , 200, 528-539	7.9	118
111	A 3D k-space Fourier encoding and reconstruction framework for simultaneous multi-slab acquisition. <i>Magnetic Resonance in Medicine</i> , 2019 , 82, 1012-1024	4.4	2
110	White matter changes in the perforant path area in patients with amyotrophic lateral sclerosis. <i>Neuropathology and Applied Neurobiology</i> , 2019 , 45, 570-585	5.2	16
109	The spatial correspondence and genetic influence of interhemispheric connectivity with white matter microstructure. <i>Nature Neuroscience</i> , 2019 , 22, 809-819	25.5	31
108	Diffusion Acceleration with Gaussian process Estimated Reconstruction (DAGER). <i>Magnetic Resonance in Medicine</i> , 2019 , 82, 107-125	4.4	10
107	Ex vivo diffusion MRI of the human brain: Technical challenges and recent advances. <i>NMR in Biomedicine</i> , 2019 , 32, e3941	4.4	52
106	Joint modelling of diffusion MRI and microscopy. <i>NeuroImage</i> , 2019 , 201, 116014	7.9	10
105	Relating diffusion tensor imaging measurements to microstructural quantities in the cerebral cortex in multiple sclerosis. <i>Human Brain Mapping</i> , 2019 , 40, 4417-4431	5.9	12
104	Preserved extrastriate visual network in a monkey with substantial, naturally occurring damage to primary visual cortex. <i>ELife</i> , 2019 , 8,	8.9	11
103	A method for correcting breathing-induced field fluctuations in T2*-weighted spinal cord imaging using a respiratory trace. <i>Magnetic Resonance in Medicine</i> , 2019 , 81, 3745-3753	4.4	6
102	Template-based field map prediction for rapid whole brain B shimming. <i>Magnetic Resonance in Medicine</i> , 2018 , 80, 171-180	4.4	3
101	Recovering task fMRI signals from highly under-sampled data with low-rank and temporal subspace constraints. <i>NeuroImage</i> , 2018 , 174, 97-110	7.9	8
100	The effect of realistic geometries on the susceptibility-weighted MR signal in white matter. <i>Magnetic Resonance in Medicine</i> , 2018 , 79, 489-500	4.4	25
99	Choice of reference measurements affects quantification of long diffusion time behaviour using stimulated echoes. <i>Magnetic Resonance in Medicine</i> , 2018 , 79, 952-959	4.4	3
98	Image processing and Quality Control for the first 10,000 brain imaging datasets from UK Biobank. <i>NeuroImage</i> , 2018 , 166, 400-424	7.9	415

97	Dissecting the pathobiology of altered MRI signal in amyotrophic lateral sclerosis: A post mortem whole brain sampling strategy for the integration of ultra-high-field MRI and quantitative neuropathology. <i>BMC Neuroscience</i> , 2018 , 19, 11	3.2	26
96	Spatiotemporal characterization of breathing-induced B field fluctuations in the cervical spinal cord at 7T. <i>NeuroImage</i> , 2018 , 167, 191-202	7.9	17
95	Genome-wide association studies of brain imaging phenotypes in UK Biobank. <i>Nature</i> , 2018 , 562, 210-216	10.4	282
94	Microstructural imaging of the human brain with a 7T Super-scanner: 10 key advantages of ultra-strong gradients for diffusion MRI. <i>NeuroImage</i> , 2018 , 182, 8-38	7.9	78
93	Studying neuroanatomy using MRI. <i>Nature Neuroscience</i> , 2017 , 20, 314-326	25.5	147
92	Image formation in diffusion MRI: A review of recent technical developments. <i>Journal of Magnetic Resonance Imaging</i> , 2017 , 46, 646-662	5.6	52
91	Evaluating fibre orientation dispersion in white matter: Comparison of diffusion MRI, histology and polarized light imaging. <i>NeuroImage</i> , 2017 , 157, 561-574	7.9	95
90	Pathology of callosal damage in ALS: An in vivo 7T diffusion tensor MRI study. <i>NeuroImage: Clinical</i> , 2017 , 15, 200-208	5.3	30
89	PEAR: PERiodic And fixed Rank separation for fast fMRI. <i>Medical Physics</i> , 2017 , 44, 6166-6182	4.4	7
88	Motion correction for functional MRI with three-dimensional hybrid radial-Cartesian EPI. <i>Magnetic Resonance in Medicine</i> , 2017 , 78, 527-540	4.4	20
87	High-resolution diffusion MRI at 7T using a three-dimensional multi-slab acquisition. <i>NeuroImage</i> , 2016 , 143, 1-14	7.9	41
86	Multimodal population brain imaging in the UK Biobank prospective epidemiological study. <i>Nature Neuroscience</i> , 2016 , 19, 1523-1536	25.5	739
85	Dentatorubrothalamic tract localization with postmortem MR diffusion tractography compared to histological 3D reconstruction. <i>Brain Structure and Function</i> , 2016 , 221, 3487-501	4	31
84	The extreme capsule fiber complex in humans and macaque monkeys: a comparative diffusion MRI tractography study. <i>Brain Structure and Function</i> , 2016 , 221, 4059-4071	4	71
83	Reducing slab boundary artifacts in three-dimensional multislab diffusion MRI using nonlinear inversion for slab profile encoding (NPEN). <i>Magnetic Resonance in Medicine</i> , 2016 , 76, 1183-95	4.4	20
82	Optimization of 4D vessel-selective arterial spin labeling angiography using balanced steady-state free precession and vessel-encoding. <i>NMR in Biomedicine</i> , 2016 , 29, 776-86	4.4	21
81	Accelerating functional MRI using fixed-rank approximations and radial-cartesian sampling. <i>Magnetic Resonance in Medicine</i> , 2016 , 76, 1825-1836	4.4	22
80	A positive-negative mode of population covariation links brain connectivity, demographics and behavior. <i>Nature Neuroscience</i> , 2015 , 18, 1565-7	25.5	551

79	k-t FASTER: Acceleration of functional MRI data acquisition using low rank constraints. <i>Magnetic Resonance in Medicine</i> , 2015 , 74, 353-64	4.4	49
78	A model for extra-axonal diffusion spectra with frequency-dependent restriction. <i>Magnetic Resonance in Medicine</i> , 2015 , 73, 2306-20	4.4	14
77	Diffusion tensor imaging of dolphin brains reveals direct auditory pathway to temporal lobe. <i>Proceedings of the Royal Society B: Biological Sciences</i> , 2015 , 282,	4.4	26
76	Scan time reduction for readout-segmented EPI using simultaneous multislice acceleration: Diffusion-weighted imaging at 3 and 7 Tesla. <i>Magnetic Resonance in Medicine</i> , 2015 , 74, 136-149	4.4	46
75	Advanced MRI Methods 2015 , 85-91		
74	Magnetic Resonance Imaging (MRI) Methods 2015 , 39-84		
73	ICA-based artefact removal and accelerated fMRI acquisition for improved resting state network imaging. <i>NeuroImage</i> , 2014 , 95, 232-47	7.9	708
72	Group-PCA for very large fMRI datasets. <i>NeuroImage</i> , 2014 , 101, 738-49	7.9	157
71	Study protocol: The Whitehall II imaging sub-study. <i>BMC Psychiatry</i> , 2014 , 14, 159	4.2	58
70	Optimizing RetroCor and RetroKCor corrections for multi-shot 3D FMRI acquisitions. <i>NeuroImage</i> , 2014 , 84, 394-405	7.9	10
69	3D multi-slab diffusion-weighted readout-segmented EPI with real-time cardiac-reordered K-space acquisition. <i>Magnetic Resonance in Medicine</i> , 2014 , 72, 1565-79	4.4	30
68	Primate comparative neuroscience using magnetic resonance imaging: promises and challenges. <i>Frontiers in Neuroscience</i> , 2014 , 8, 298	5.1	38
67	Improving diffusion-weighted imaging of post-mortem human brains: SSFP at 7 T. <i>NeuroImage</i> , 2014 , 102 Pt 2, 579-89	7.9	29
66	Diffusion Acquisition 2014 , 35-61		0
65	A neural circuit covarying with social hierarchy in macaques. <i>PLoS Biology</i> , 2014 , 12, e1001940	9.7	106
64	Causal effect of disconnection lesions on interhemispheric functional connectivity in rhesus monkeys. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2013 , 110, 13982-7	11.5	152
63	Functional connectomics from resting-state fMRI. <i>Trends in Cognitive Sciences</i> , 2013 , 17, 666-82	14	560
62	Detecting microstructural properties of white matter based on compartmentalization of magnetic susceptibility. <i>NeuroImage</i> , 2013 , 70, 1-9	7.9	62

61	Resting-state fMRI in the Human Connectome Project. <i>NeuroImage</i> , 2013 , 80, 144-68	7.9	865
60	Pushing spatial and temporal resolution for functional and diffusion MRI in the Human Connectome Project. <i>NeuroImage</i> , 2013 , 80, 80-104	7.9	534
59	Motor skill learning induces changes in white matter microstructure and myelination. <i>Journal of Neuroscience</i> , 2013 , 33, 19499-503	6.6	276
58	Temporally-independent functional modes of spontaneous brain activity. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2012 , 109, 3131-6	11.5	555
57	The danger of systematic bias in group-level FMRI-lag-based causality estimation. <i>NeuroImage</i> , 2012 , 59, 1228-9	7.9	44
56	Diffusion tractography of post-mortem human brains: optimization and comparison of spin echo and steady-state free precession techniques. <i>NeuroImage</i> , 2012 , 59, 2284-97	7.9	59
55	FMRI using balanced steady-state free precession (SSFP). <i>NeuroImage</i> , 2012 , 62, 713-9	7.9	33
54	Implementation and assessment of diffusion-weighted partial Fourier readout-segmented echo-planar imaging. <i>Magnetic Resonance in Medicine</i> , 2012 , 68, 441-51	4.4	27
53	DANTE-prepared pulse trains: a novel approach to motion-sensitized and motion-suppressed quantitative magnetic resonance imaging. <i>Magnetic Resonance in Medicine</i> , 2012 , 68, 1423-38	4.4	93
52	A combined post-mortem magnetic resonance imaging and quantitative histological study of multiple sclerosis pathology. <i>Brain</i> , 2012 , 135, 2938-51	11.2	111
51	Steady-state MRI: methods for neuroimaging. <i>Imaging in Medicine</i> , 2011 , 3, 93-105	1	14
50	Diffusion imaging of whole, post-mortem human brains on a clinical MRI scanner. <i>NeuroImage</i> , 2011 , 57, 167-181	7.9	193
49	Real-time cardiac synchronization with fixed volume frame rate for reducing physiological instabilities in 3D FMRI. <i>NeuroImage</i> , 2011 , 57, 1364-75	7.9	10
48	Network modelling methods for FMRI. <i>NeuroImage</i> , 2011 , 54, 875-91	7.9	1254
47	Social network size affects neural circuits in macaques. <i>Science</i> , 2011 , 334, 697-700	33.3	332
46	Spectral characteristics of resting state networks. <i>Progress in Brain Research</i> , 2011 , 193, 259-76	2.9	140
45	Diffusion-weighted imaging tractography-based parcellation of the human parietal cortex and comparison with human and macaque resting-state functional connectivity. <i>Journal of Neuroscience</i> , 2011 , 31, 4087-100	6.6	394
44	Multiplexed echo planar imaging for sub-second whole brain FMRI and fast diffusion imaging. <i>PLoS ONE</i> , 2010 , 5, e15710	3.7	889

43	Connectivity-based segmentation of the substantia nigra in human and its implications in Parkinson's disease. <i>NeuroImage</i> , 2010 , 52, 1175-80	7.9	102
42	Addressing a systematic vibration artifact in diffusion-weighted MRI. <i>Human Brain Mapping</i> , 2010 , 31, 193-202	5.9	76
41	Steady-state diffusion-weighted imaging: theory, acquisition and analysis. <i>NMR in Biomedicine</i> , 2010 , 23, 781-93	4.4	35
40	3D steady-state diffusion-weighted imaging with trajectory using radially batched internal navigator echoes (TURBINE). <i>Magnetic Resonance in Medicine</i> , 2010 , 63, 235-42	4.4	31
39	Asymmetries of the balanced SSFP profile. Part I: theory and observation. <i>Magnetic Resonance in Medicine</i> , 2010 , 63, 385-95	4.4	27
38	Asymmetries of the balanced SSFP profile. Part II: white matter. <i>Magnetic Resonance in Medicine</i> , 2010 , 63, 396-406	4.4	23
37	Reducing distortions in diffusion-weighted echo planar imaging with a dual-echo blip-reversed sequence. <i>Magnetic Resonance in Medicine</i> , 2010 , 64, 382-90	4.4	39
36	Reduced limbic connections may contraindicate subgenual cingulate deep brain stimulation for intractable depression. <i>Journal of Neurosurgery</i> , 2009 , 111, 780-4	3.2	22
35	TREMR: Table-resonance elastography with MR. <i>Magnetic Resonance in Medicine</i> , 2009 , 62, 815-21	4.4	21
34	Cerebral blood flow, blood volume, and oxygen metabolism dynamics in human visual and motor cortex as measured by whole-brain multi-modal magnetic resonance imaging. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2009 , 29, 1856-66	7.3	76
33	Cortical and subcortical connections within the pedunculo-pontine nucleus of the primate <i>Macaca mulatta</i> determined using probabilistic diffusion tractography. <i>Journal of Clinical Neuroscience</i> , 2009 , 16, 413-20	2.2	24
32	Correspondence of the brain's functional architecture during activation and rest. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2009 , 106, 13040-5	11.5	3661
31	High resolution diffusion-weighted imaging in fixed human brain using diffusion-weighted steady state free precession. <i>NeuroImage</i> , 2009 , 46, 775-85	7.9	142
30	MRI characteristics of the substantia nigra in Parkinson's disease: a combined quantitative T1 and DTI study. <i>NeuroImage</i> , 2009 , 47, 435-41	7.9	142
29	Measuring the effects of remifentanyl on cerebral blood flow and arterial arrival time using 3D GRASE MRI with pulsed arterial spin labelling. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2008 , 28, 1514-22	7.3	78
28	Physiological noise modelling for spinal functional magnetic resonance imaging studies. <i>NeuroImage</i> , 2008 , 39, 680-92	7.9	158
27	Sensitivity of diffusion weighted steady state free precession to anisotropic diffusion. <i>Magnetic Resonance in Medicine</i> , 2008 , 60, 405-13	4.4	35
26	Modeling SSFP functional MRI contrast in the brain. <i>Magnetic Resonance in Medicine</i> , 2008 , 60, 661-73	4.4	38

25	Acquisition and voxelwise analysis of multi-subject diffusion data with tract-based spatial statistics. <i>Nature Protocols</i> , 2007 , 2, 499-503	18.8	472
24	Evidence for a vascular contribution to diffusion FMRI at high b value. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2007 , 104, 20967-72	11.5	70
23	Meaningful design and contrast estimability in FMRI. <i>NeuroImage</i> , 2007 , 34, 127-36	7.9	50
22	Signal and noise characteristics of SSFP FMRI: a comparison with GRE at multiple field strengths. <i>NeuroImage</i> , 2007 , 37, 1227-36	7.9	38
21	High-resolution FMRI at 1.5T using balanced SSFP. <i>Magnetic Resonance in Medicine</i> , 2006 , 55, 161-70	4.4	61
20	Respiration-induced B0 field fluctuation compensation in balanced SSFP: real-time approach for transition-band SSFP fMRI. <i>Magnetic Resonance in Medicine</i> , 2006 , 55, 1197-201	4.4	35
19	Steady-state diffusion-weighted imaging of in vivo knee cartilage. <i>Magnetic Resonance in Medicine</i> , 2004 , 51, 394-8	4.4	107
18	Discrepancies between BOLD and flow dynamics in primary and supplementary motor areas: application of the balloon model to the interpretation of BOLD transients. <i>NeuroImage</i> , 2004 , 21, 144-53	7.9	194
17	Nonlinear phase correction for navigated diffusion imaging. <i>Magnetic Resonance in Medicine</i> , 2003 , 50, 343-53	4.4	146
16	Functional brain imaging using a blood oxygenation sensitive steady state. <i>Magnetic Resonance in Medicine</i> , 2003 , 50, 675-83	4.4	73
15	Nonlinear temporal dynamics of the cerebral blood flow response. <i>Human Brain Mapping</i> , 2001 , 13, 1-12	5.9	161
14	Image Processing and Quality Control for the first 10,000 Brain Imaging Datasets from UK Biobank		6
13	Genome-wide association studies of brain structure and function in the UK Biobank		9
12	Confound modelling in UK Biobank brain imaging		4
11	A semi-automated approach to dense segmentation of 3D white matter electron microscopy		2
10	Methods for quantitative susceptibility and R2* mapping in whole post-mortem brains at 7T		2
9	A method to remove the influence of fixative concentration on post-mortem T2 maps using a Kinetic Tensor model		1
8	Estimation of Brain Age Delta from Brain Imaging		6

7	Joint modelling of diffusion MRI and microscopy	2
6	Brain aging comprises many modes of structural and functional change with distinct genetic and biophysical associations	3
5	Tensor Image Registration Library: Automated Non-Linear Registration of Sparsely Sampled Histological Specimens to Post-Mortem MRI of the Whole Human Brain	6
4	Use of multi-flip angle measurements to account for transmit inhomogeneity and non-Gaussian diffusion in DW-SSFP	1
3	The Digital Brain Bank, an open access platform for post-mortem datasets	2
2	Phenotypic and genetic associations of quantitative magnetic susceptibility in UK Biobank brain imaging	1
1	The Forget-Me-Not dHCP study: 7 Tesla high resolution diffusion imaging in the unfixed post-mortem neonatal brain	2