

# David R Manke

## List of Publications by Year in Descending Order

**Source:** <https://exaly.com/author-pdf/3599168/david-r-manke-publications-by-year.pdf>

**Version:** 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

55  
papers

699  
citations

11  
h-index

25  
g-index

82  
ext. papers

818  
ext. citations

1.8  
avg, IF

3.9  
L-index

#	Paper	IF	Citations
55	A cuboidal [Cu(SO)] structure supported by picoline ligands.. <i>Acta Crystallographica Section E: Crystallographic Communications</i> , <b>2022</b> , 78, 108-110	0.7	0
54	Crystal structure of serotonin.. <i>Acta Crystallographica Section E: Crystallographic Communications</i> , <b>2022</b> , 78, 365-368	0.7	0
53	XotrotX fumarate: a water-soluble salt of -,di-allyl-5-methoxytryptamine (5-MeO-DALT). <i>Acta Crystallographica Section E: Crystallographic Communications</i> , <b>2021</b> , 77, 416-419	0.7	1
52	5-Meth-oxy-,di--propyl-tryptamine (5-MeO-DPT): freebase and fumarate. <i>Acta Crystallographica Section E: Crystallographic Communications</i> , <b>2021</b> , 77, 522-526	0.7	
51	Psilocetin derivatives: fumarate salts of the meth-yl-ethyl, meth-yl-allyl and diallyl variants of the psilocin prodrug. <i>Acta Crystallographica Section E: Crystallographic Communications</i> , <b>2021</b> , 77, 101-106	0.7	1
50	2,5-Di-methyl-bufo-tenine and 2,5-di-methyl-bufo-teni-dine: novel derivatives of natural tryptamines found in toads. <i>Acta Crystallographica Section E: Crystallographic Communications</i> , <b>2021</b> , 77, 190-194	0.7	2
49	The crystalline forms of nine hydrochloride salts of substituted tryptamines. <i>Acta Crystallographica Section C, Structural Chemistry</i> , <b>2021</b> , 77, 615-620	0.8	1
48	Active Metabolite of Aeruginascin (4-Hydroxy-,,-trimethyltryptamine): Synthesis, Structure, and Serotonergic Binding Affinity. <i>ACS Omega</i> , <b>2020</b> , 5, 16940-16943	3.9	7
47	Bis(4-hy-droxy--isopropyl--methyl-trypt-ammo-nium) fumarate: a new crystalline form of miprocin. <i>Acta Crystallographica Section E: Crystallographic Communications</i> , <b>2020</b> , 76, 514-517	0.7	6
46	Norpsilocin: freebase and fumarate salt. <i>Acta Crystallographica Section E: Crystallographic Communications</i> , <b>2020</b> , 76, 589-593	0.7	6
45	DMT analogues: -ethyl--propyl-tryptamine and -allyl--methytryptamine as their hydro-fumarate salts. <i>Acta Crystallographica Section E: Crystallographic Communications</i> , <b>2020</b> , 76, 1201-1205	0.7	4
44	Quaternary tryptammonium salts: -,dimethyl--propyl-tryptammonium (DMPT) iodide and -allyl-,di-methyl-tryptammonium (DMALT) iodide. <i>Acta Crystallographica Section E: Crystallographic Communications</i> , <b>2020</b> , 76, 1357-1360	0.7	1
43	5-MeO-DALT: the freebase of N,N-diallyl-5-methoxytryptamine. <i>IUCrData</i> , <b>2020</b> , 5,	0.7	4
42	The hydrochloride salt of 4-hydroxy-N,N-di-n-propyltryptamine (4-HO-DPT). <i>IUCrData</i> , <b>2020</b> , 5,	0.7	1
41	Designing crystalline, flexible covalent metalorganic networks through controlled ligand deprotection. <i>CrystEngComm</i> , <b>2019</b> , 21, 4255-4257	3.3	2
40	Bis(4-acet-oxy-,di-methyl-tryptammonium) fumarate: a new crystalline form of psilocetin, an alternative to psilocybin as a psilocin prodrug. <i>Acta Crystallographica Section E: Crystallographic Communications</i> , <b>2019</b> , 75, 900-902	0.7	9
39	The fumarate salts of the -isopropyl--methyl derivatives of DMT and psilocin. <i>Acta Crystallographica Section E: Crystallographic Communications</i> , <b>2019</b> , 75, 1316-1320	0.7	5

38	N-Methyl-N-propyltryptamine (MPT). <i>IUCrData</i> , <b>2019</b> , 4,	0.7	10
37	More crystal field theory in action: the metal-4-picoline (pic)-sulfate [M(pic)]SO complexes (M = Fe, Co, Ni, Cu, Zn, and Cd). <i>Acta Crystallographica Section C, Structural Chemistry</i> , <b>2019</b> , 75, 568-574	0.8	2
36	The varied structures of cobalt(II)-pyridine (py)-sulfate: [Co(SO)(py)] , [Co(SO)(py)] , and [Co(SO)(py)]. <i>Acta Crystallographica Section E: Crystallographic Communications</i> , <b>2019</b> , 75, 1888-1891	0.7	1
35	First-row transition metal-pyridine (py)-sulfate [(py)M](SO) complexes (M = Ni, Cu and Zn): crystal field theory in action. <i>Acta Crystallographica Section C, Structural Chemistry</i> , <b>2018</b> , 74, 263-268	0.8	5
34	Cobalt(II) Coordination Polymer as a Precatalyst for Selective Hydroboration of Aldehydes, Ketones, and Imines. <i>Journal of Organic Chemistry</i> , <b>2018</b> , 83, 9442-9448	4.2	5 <sup>1</sup>
33	The crystal structures of iron and cobalt pyridine (py)-sulfates, [Fe(SO)(py)] and [Co(SO)(py)]. <i>Acta Crystallographica Section E: Crystallographic Communications</i> , <b>2018</b> , 74, 857-861	0.7	3
32	The elastic constants of rubrene determined by Brillouin scattering and density functional theory. <i>Applied Physics Letters</i> , <b>2017</b> , 110, 071903	3.4	11
31	A modular synthesis of tris(aryl)tren ligands: Synthesis, structure and lithiation chemistry. <i>Inorganica Chimica Acta</i> , <b>2017</b> , 461, 71-77	2.7	1
30	The first-row transition-metal series of tris(ethylenediamine) diacetate complexes [M(en)](OAc) (M is Mn, Fe, Co, Ni, Cu, and Zn). <i>Acta Crystallographica Section C, Structural Chemistry</i> , <b>2017</b> , 73, 442-446	0.8	4
29	Mononuclear, dinuclear and polymeric cobalt(II) complexes built on 4-aryl-2,6-bis(2-pyrazinyl)pyridines. <i>Polyhedron</i> , <b>2017</b> , 132, 64-69	2.7	3
28	Facile synthesis of new divergent imidazole-containing ligands for a 1-D cobalt(II) coordination polymer. <i>Polyhedron</i> , <b>2017</b> , 127, 355-360	2.7	3
27	A tripodal aminothioether ligand scaffold: Synthesis and coordination to zirconium and hafnium. <i>Polyhedron</i> , <b>2017</b> , 121, 264-268	2.7	5
26	Amalgamating 4?-substituted 4,2?:6?,4??-terpyridine ligands with double-helical chains or ladder-like networks. <i>RSC Advances</i> , <b>2016</b> , 6, 9270-9277	3.7	8
25	5-Bromo-1H-indole-2,3-dione. <i>IUCrData</i> , <b>2016</b> , 1,	0.7	1
24	4-Iodo-1H-indole-2,3-dione. <i>IUCrData</i> , <b>2016</b> , 1,	0.7	1
23	Di-Ethlorido-bis[(2,2?-bipyridine-2N,N?)chlorido(N,N-dimethylformamide-2D)nickel(II)]. <i>IUCrData</i> , <b>2016</b> , 1,	0.7	1
22	6-Bromo-1H-indole-2,3-dione hemihydrate. <i>IUCrData</i> , <b>2016</b> , 1,	0.7	2
21	4-Bromo-1H-indole-2,3-dione. <i>IUCrData</i> , <b>2016</b> , 1,	0.7	2

20	Crystal structure of 4-amino-2,6-di-chloro-phenol. <i>Acta Crystallographica Section E: Crystallographic Communications</i> , <b>2015</b> , 71, o406	0.7	2
19	Crystal structure of dimethyl 9H-carbazole-2,7-di-carb-oxy-late. <i>Acta Crystallographica Section E: Crystallographic Communications</i> , <b>2015</b> , 71, o784-5	0.7	
18	Crystal structure of 2,6-dimethyl-4-pyridone hemihydrate. <i>Acta Crystallographica Section E: Crystallographic Communications</i> , <b>2015</b> , 71, o533	0.7	3
17	Crystal structure of N,N,N-tris-[(1,3-benzo-thia-zol-2-yl)meth-yl]amine. <i>Acta Crystallographica Section E: Crystallographic Communications</i> , <b>2015</b> , 71, o786-7	0.7	
16	Crystal structure of 3-(di-ethyl-amino)-phenol. <i>Acta Crystallographica Section E: Crystallographic Communications</i> , <b>2015</b> , 71, o1075	0.7	
15	Crystal structure of 3,4-di-meth-oxy-phenol. <i>Acta Crystallographica Section E: Crystallographic Communications</i> , <b>2015</b> , 71, o1019	0.7	1
14	Dimethyl 2,2Xdi-nitro-biphenyl-4,4Xdi-carboxyl-ate. <i>Acta Crystallographica Section E: Structure Reports Online</i> , <b>2014</b> , 70, o305		1
13	Dimethyl 2-nitro-biphenyl-4,4Xdi-carboxyl-ate. <i>Acta Crystallographica Section E: Structure Reports Online</i> , <b>2014</b> , 70, o371		
12	Dimethyl 2-amino-biphenyl-4,4Xdi-carboxyl-ate. <i>Acta Crystallographica Section E: Structure Reports Online</i> , <b>2013</b> , 69, o797		
11	4,4XOxybis(2,6-di-methyl-pyridinium) bis-(tri-fluoro-methane-sulfonate). <i>Acta Crystallographica Section E: Structure Reports Online</i> , <b>2013</b> , 69, o1633-4		
10	Carbon dioxide reduction by early metal compounds: A propensity for oxygen atom transfer. <i>Inorganica Chimica Acta</i> , <b>2011</b> , 369, 203-214	2.7	24
9	ArylOxazoline Chelates of First-Row Transition Metals: Structures of {EC,N-(o-C6H4)CMe2(COCH2CMe2N)}FeCl(py) and [(EC,N-(o-C6H4)CMe2(COCH2CMe2N))Cr(EDL)]2O <i>Organometallics</i> , <b>2010</b> , 29, 6642-6652	3.8	12
8	Solid state aggregation of lithium and thallium(I) bis(alkylamido)phenylboranes. <i>Polyhedron</i> , <b>2006</b> , 25, 493-498	2.7	14
7	Molecular chemistry of consequence to renewable energy. <i>Inorganic Chemistry</i> , <b>2005</b> , 44, 6879-92	5.1	186
6	Oxygen and hydrogen photocatalysis by two-electron mixed-valence coordination compounds. <i>Coordination Chemistry Reviews</i> , <b>2005</b> , 249, 1316-1326	23.2	97
5	Eclipsed M2X6 compounds exhibiting very short metal-metal triple bonds. <i>Inorganic Chemistry</i> , <b>2004</b> , 43, 3618-24	5.1	34
4	Titanium bis(alkylamido)phenylborane complexes. <i>Inorganica Chimica Acta</i> , <b>2003</b> , 345, 235-240	2.7	15
3	Bis(alkylamido)phenylborane complexes of zirconium, hafnium, and vanadium. <i>Inorganic Chemistry</i> , <b>2003</b> , 42, 4431-6	5.1	31

2	Homochiral MetalOrganic Frameworks Based on Transition Metal Bisphosphonates. <i>Chemistry of Materials</i> , <b>2002</b> , 14, 3866-3874	9.6	70
1	Synthesis of functional bisphosphonates via new palladium-catalyzed bis-hydrophosphorylation reactions. <i>Tetrahedron Letters</i> , <b>2000</b> , 41, 151-154	2	43