

Tilo T J Kircher

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/3599549/tilo-t-j-kircher-publications-by-year.pdf>
Version: 2024-04-10

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.
The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

427 papers	15,495 citations	66 h-index	103 g-index
495 ext. papers	18,637 ext. citations	5.3 avg, IF	6.36 L-index

#	Paper	IF	Citations
427	An uncertainty-aware, shareable, and transparent neural network architecture for brain-age modeling.. <i>Science Advances</i> , 2022 , 8, eabg9471	14.3	0
426	Investigating the phenotypic and genetic associations between personality traits and suicidal behavior across major mental health diagnoses.. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2022 , 1	5.1	0
425	Implementing Internet-Based Cognitive Behavioral Therapy in Routine Care: Healthcare Practitioners' Attitude and Perceived Level of Normalization After a Single Information Event. <i>Journal of Technology in Behavioral Science</i> , 2022 , 7, 45	2.3	0
424	Which traits predict elevated distress during the Covid-19 pandemic? Results from a large, longitudinal cohort study with psychiatric patients and healthy controls. <i>Journal of Affective Disorders</i> , 2022 , 297, 18-25	6.6	1
423	Genetic risk for psychiatric illness is associated with the number of hospitalizations of bipolar disorder patients. <i>Journal of Affective Disorders</i> , 2022 , 296, 532-540	6.6	0
422	Genetic variants associated with longitudinal changes in brain structure across the lifespan.. <i>Nature Neuroscience</i> , 2022 , 25, 421-432	25.5	1
421	Association of disease course and brain structural alterations in major depressive disorder.. <i>Depression and Anxiety</i> , 2022 , 39, 441-451	8.4	0
420	Brain aging in major depressive disorder: results from the ENIGMA major depressive disorder working group. <i>Molecular Psychiatry</i> , 2021 , 26, 5124-5139	15.1	48
419	Brain structural abnormalities in obesity: relation to age, genetic risk, and common psychiatric disorders : Evidence through univariate and multivariate mega-analysis including 6420 participants from the ENIGMA MDD working group. <i>Molecular Psychiatry</i> , 2021 , 26, 4839-4852	15.1	29
418	Genome-wide association study of panic disorder reveals genetic overlap with neuroticism and depression. <i>Molecular Psychiatry</i> , 2021 , 26, 4179-4190	15.1	8
417	Genome-wide interaction study with major depression identifies novel variants associated with cognitive function. <i>Molecular Psychiatry</i> , 2021 ,	15.1	1
416	Different contributions of efferent and reafferent feedback to sensorimotor temporal recalibration. <i>Scientific Reports</i> , 2021 , 11, 22631	4.9	1
415	The German research consortium for the study of bipolar disorder (BipoLife): a magnetic resonance imaging study protocol. <i>International Journal of Bipolar Disorders</i> , 2021 , 9, 37	5.4	1
414	Longitudinal cohort studies in psychiatry.. <i>Journal of Affective Disorders</i> , 2021 , 299, 456	6.6	
413	Altered resting-state functional connectome in major depressive disorder: a mega-analysis from the PsyMRI consortium. <i>Translational Psychiatry</i> , 2021 , 11, 511	8.6	2
412	Neural processing of nouns and verbs in spontaneous speech of patients with schizophrenia. <i>Psychiatry Research - Neuroimaging</i> , 2021 , 318, 111395	2.9	1
411	Cortical and subcortical neuroanatomical signatures of schizotypy in 3004 individuals assessed in a worldwide ENIGMA study. <i>Molecular Psychiatry</i> , 2021 ,	15.1	1

410	Association Between Genetic Risk for Type 2 Diabetes and Structural Brain Connectivity in Major Depressive Disorder. <i>Biological Psychiatry: Cognitive Neuroscience and Neuroimaging</i> , 2021 ,	3.4	2
409	Larger bilateral amygdalar volumes are associated with affective loss experiences. <i>Journal of Neuroscience Research</i> , 2021 , 99, 1763-1779	4.4	3
408	From 'loose fitting' to high-performance, uncertainty-aware brain-age modelling. <i>Brain</i> , 2021 , 144, e31	11.2	4
407	Effects of polygenic risk for major mental disorders and cross-disorder on cortical complexity. <i>Psychological Medicine</i> , 2021 , 1-12	6.9	1
406	Psychopathological Syndromes Across Affective and Psychotic Disorders Correlate With Gray Matter Volumes. <i>Schizophrenia Bulletin</i> , 2021 , 47, 1740-1750	1.3	3
405	Commonalities and differences in predictive neural processing of discrete vs continuous action feedback. <i>NeuroImage</i> , 2021 , 229, 117745	7.9	1
404	Vagal control of the heart decreases during increasing imminence of interoceptive threat in patients with panic disorder and agoraphobia. <i>Scientific Reports</i> , 2021 , 11, 7960	4.9	3
403	DLPFC volume is a neural correlate of resilience in healthy high-risk individuals with both childhood maltreatment and familial risk for depression. <i>Psychological Medicine</i> , 2021 , 1-7	6.9	2
402	The Relationship Between Different Aspects of Theory of Mind and Symptom Clusters in Psychotic Disorders: Deconstructing Theory of Mind Into Cognitive, Affective, and Hyper Theory of Mind. <i>Frontiers in Psychiatry</i> , 2021 , 12, 607154	5	1
401	Association between body mass index and subcortical brain volumes in bipolar disorders-ENIGMA study in 2735 individuals. <i>Molecular Psychiatry</i> , 2021 ,	15.1	5
400	Neural Basis of Speech-Gesture Mismatch Detection in Schizophrenia Spectrum Disorders. <i>Schizophrenia Bulletin</i> , 2021 , 47, 1761-1771	1.3	2
399	Differences in single positive formal thought disorder symptoms between closely matched acute patients with schizophrenia and mania. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2021 , 1	5.1	
398	Systematic misestimation of machine learning performance in neuroimaging studies of depression. <i>Neuropsychopharmacology</i> , 2021 , 46, 1510-1517	8.7	14
397	Social support and hippocampal volume are negatively associated in adults with previous experience of childhood maltreatment. <i>Journal of Psychiatry and Neuroscience</i> , 2021 , 46, E328-E336	4.5	1
396	Apolipoprotein E homozygous ϵ allele status: Effects on cortical structure and white matter integrity in a young to mid-age sample. <i>European Neuropsychopharmacology</i> , 2021 , 46, 93-104	1.2	0
395	A genome-wide association study of the longitudinal course of executive functions. <i>Translational Psychiatry</i> , 2021 , 11, 386	8.6	0
394	Identification of transdiagnostic psychiatric disorder subtypes using unsupervised learning. <i>Neuropsychopharmacology</i> , 2021 , 46, 1895-1905	8.7	5
393	Efficacy of temporally intensified exposure for anxiety disorders: A multicenter randomized clinical trial. <i>Depression and Anxiety</i> , 2021 , 38, 1169-1181	8.4	2

392	Brain structural connectivity, anhedonia, and phenotypes of major depressive disorder: A structural equation model approach. <i>Human Brain Mapping</i> , 2021 , 42, 5063-5074	5.9	2
391	Transfer of exposure therapy effects to a threat context not considered during treatment in patients with panic disorder and agoraphobia: Implications for potential mechanisms of change. <i>Behaviour Research and Therapy</i> , 2021 , 142, 103886	5.2	1
390	Ventricular volume, white matter alterations and outcome of major depression and their relationship to endocrine parameters - A pilot study. <i>World Journal of Biological Psychiatry</i> , 2021 , 22, 104-118	3.8	6
389	Virtual Histology of Cortical Thickness and Shared Neurobiology in 6 Psychiatric Disorders. <i>JAMA Psychiatry</i> , 2021 , 78, 47-63	14.5	43
388	Childhood maltreatment and cognitive functioning: the role of depression, parental education, and polygenic predisposition. <i>Neuropsychopharmacology</i> , 2021 , 46, 891-899	8.7	4
387	Modality-specific dysfunctional neural processing of social-abstract and non-social-concrete information in schizophrenia. <i>NeuroImage: Clinical</i> , 2021 , 29, 102568	5.3	0
386	Interaction of developmental factors and ordinary stressful life events on brain structure in adults. <i>NeuroImage: Clinical</i> , 2021 , 30, 102683	5.3	0
385	Clinical Relevance of [F]Florbetaben and [F]FDG PET/CT Imaging on the Management of Patients with Dementia. <i>Molecules</i> , 2021 , 26,	4.8	2
384	Genetic factors influencing a neurobiological substrate for psychiatric disorders. <i>Translational Psychiatry</i> , 2021 , 11, 192	8.6	0
383	Characterisation of age and polarity at onset in bipolar disorder.. <i>British Journal of Psychiatry</i> , 2021 , 219, 659-669	5.4	2
382	Neural adaptation of cingulate and insular activity during delayed fear extinction: A replicable pattern across assessment sites and repeated measurements. <i>NeuroImage</i> , 2021 , 237, 118157	7.9	2
381	Brain Correlates of Suicide Attempt in 18,925 Participants Across 18 International Cohorts. <i>Biological Psychiatry</i> , 2021 , 90, 243-252	7.9	5
380	The role of the left and right inferior frontal gyrus in processing metaphoric and unrelated co-speech gestures. <i>NeuroImage</i> , 2021 , 237, 118182	7.9	1
379	Longitudinal Structural Brain Changes in Bipolar Disorder: A Multicenter Neuroimaging Study of 1232 Individuals by the ENIGMA Bipolar Disorder Working Group. <i>Biological Psychiatry</i> , 2021 ,	7.9	2
378	Individuals at increased risk for development of bipolar disorder display structural alterations similar to people with manifest disease. <i>Translational Psychiatry</i> , 2021 , 11, 485	8.6	2
377	Neural Correlates of Self-other Distinction in Patients with Schizophrenia Spectrum Disorders: The Roles of Agency and Hand Identity. <i>Schizophrenia Bulletin</i> , 2021 , 47, 1399-1408	1.3	1
376	Brain structural correlates of insomnia severity in 1053 individuals with major depressive disorder: results from the ENIGMA MDD Working Group. <i>Translational Psychiatry</i> , 2020 , 10, 425	8.6	7
375	Neural correlates of NOS1 ex1f-VNTR allelic variation in panic disorder and agoraphobia during fear conditioning and extinction in fMRI. <i>NeuroImage: Clinical</i> , 2020 , 27, 102268	5.3	1

374	Theta-Burst Stimulation for Auditory-Verbal Hallucination in Very-Late-Onset Schizophrenia-Like Psychosis-A Functional Magnetic Resonance Imaging Case Study. <i>Frontiers in Psychiatry</i> , 2020 , 11, 294	5	2
373	Increased power by harmonizing structural MRI site differences with the ComBat batch adjustment method in ENIGMA. <i>NeuroImage</i> , 2020 , 218, 116956	7.9	32
372	ENIGMA MDD: seven years of global neuroimaging studies of major depression through worldwide data sharing. <i>Translational Psychiatry</i> , 2020 , 10, 172	8.6	46
371	An investigation of genetic variability of DNA methyltransferases DNMT3A and 3B does not provide evidence for a major role in the pathogenesis of panic disorder and dimensional anxiety phenotypes. <i>Journal of Neural Transmission</i> , 2020 , 127, 1527-1537	4.3	1
370	Replication of a hippocampus specific effect of the tescalcin regulating variant rs7294919 on gray matter structure. <i>European Neuropsychopharmacology</i> , 2020 , 36, 10-17	1.2	0
369	Feeling addressed! The neural processing of social communicative cues in patients with major depression. <i>Human Brain Mapping</i> , 2020 , 41, 3541-3554	5.9	10
368	Long-Term Neuroanatomical Consequences of Childhood Maltreatment: Reduced Amygdala Inhibition by Medial Prefrontal Cortex. <i>Frontiers in Systems Neuroscience</i> , 2020 , 14, 28	3.5	5
367	The genetic architecture of the human cerebral cortex. <i>Science</i> , 2020 , 367,	33.3	156
366	Subcortical shape alterations in major depressive disorder: Findings from the ENIGMA major depressive disorder working group. <i>Human Brain Mapping</i> , 2020 ,	5.9	29
365	Factor analyses of multidimensional symptoms in a large group of patients with major depressive disorder, bipolar disorder, schizoaffective disorder and schizophrenia. <i>Schizophrenia Research</i> , 2020 , 218, 38-47	3.6	6
364	Brain structural correlates of schizotypal signs and subclinical schizophrenia nuclear symptoms in healthy individuals. <i>Psychological Medicine</i> , 2020 , 1-10	6.9	7
363	Advanced paternal age as a risk factor for neurodevelopmental disorders: a translational study. <i>Molecular Autism</i> , 2020 , 11, 54	6.5	13
362	Seeing your own or someone else's hand moving in accordance with your action: The neural interaction of agency and hand identity. <i>Human Brain Mapping</i> , 2020 , 41, 2474-2489	5.9	13
361	Emotion specific neural activation for the production and perception of facial expressions. <i>Cortex</i> , 2020 , 127, 17-28	3.8	6
360	Theory of mind, emotion recognition, delusions and the quality of the therapeutic relationship in patients with psychosis - a secondary analysis of a randomized-controlled therapy trial. <i>BMC Psychiatry</i> , 2020 , 20, 59	4.2	3
359	Conflicting group memberships modulate neural activation in an emotional production-perception network. <i>Cortex</i> , 2020 , 126, 153-172	3.8	2
358	Facilitating translational science in anxiety disorders by adjusting extinction training in the laboratory to exposure-based therapy procedures. <i>Translational Psychiatry</i> , 2020 , 10, 110	8.6	9
357	Improving early recognition and intervention in people at increased risk for the development of bipolar disorder: study protocol of a prospective-longitudinal, naturalistic cohort study (Early-BipoLife). <i>International Journal of Bipolar Disorders</i> , 2020 , 8, 22	5.4	7

356	Attachment and social support mediate the association between childhood maltreatment and depressive symptoms. <i>Journal of Affective Disorders</i> , 2020 , 273, 310-317	6.6	17
355	Dynamics of Brain Structure and its Genetic Architecture over the Lifespan 2020 ,		7
354	Predictive perception of self-generated movements: Commonalities and differences in the neural processing of tool and hand actions. <i>NeuroImage</i> , 2020 , 206, 116309	7.9	10
353	Severity of current depression and remission status are associated with structural connectome alterations in major depressive disorder. <i>Molecular Psychiatry</i> , 2020 , 25, 1550-1558	15.1	17
352	"Automatic outgroup categorisation" and limbic brain activation: A mechanism underlying psychosis risk in migrants and city dwellers. <i>Schizophrenia Research</i> , 2020 , 216, 541-542	3.6	
351	Effect of CBT on Biased Semantic Network in Panic Disorder: A Multicenter fMRI Study Using Semantic Priming. <i>American Journal of Psychiatry</i> , 2020 , 177, 254-264	11.9	8
350	In vivo hippocampal subfield volumes in bipolar disorder-A mega-analysis from The Enhancing Neuro Imaging Genetics through Meta-Analysis Bipolar Disorder Working Group. <i>Human Brain Mapping</i> , 2020 ,	5.9	14
349	Childhood maltreatment and adult mental disorders - the prevalence of different types of maltreatment and associations with age of onset and severity of symptoms. <i>Psychiatry Research</i> , 2020 , 293, 113398	9.9	18
348	Transcranial direct current stimulation improves action-outcome monitoring in schizophrenia spectrum disorder. <i>Brain Communications</i> , 2020 , 2, fcaa151	4.5	5
347	ENIGMA-anxiety working group: Rationale for and organization of large-scale neuroimaging studies of anxiety disorders. <i>Human Brain Mapping</i> , 2020 ,	5.9	14
346	Polygenic risk for schizophrenia and schizotypal traits in non-clinical subjects. <i>Psychological Medicine</i> , 2020 , 1-11	6.9	4
345	What we learn about bipolar disorder from large-scale neuroimaging: Findings and future directions from the ENIGMA Bipolar Disorder Working Group. <i>Human Brain Mapping</i> , 2020 ,	5.9	21
344	The modulating impact of cigarette smoking on brain structure in panic disorder: a voxel-based morphometry study. <i>Social Cognitive and Affective Neuroscience</i> , 2020 , 15, 849-859	4	2
343	White matter fiber microstructure is associated with prior hospitalizations rather than acute symptomatology in major depressive disorder. <i>Psychological Medicine</i> , 2020 , 1-9	6.9	1
342	Reproducibility in the absence of selective reporting: An illustration from large-scale brain asymmetry research. <i>Human Brain Mapping</i> , 2020 ,	5.9	5
341	Problems in measuring the JTC-bias in patients with psychotic disorders with the fish task: a secondary analysis of a baseline assessment of a randomized controlled trial. <i>BMC Psychiatry</i> , 2020 , 20, 554	4.2	5
340	Cortical surface area alterations shaped by genetic load for neuroticism. <i>Molecular Psychiatry</i> , 2020 , 25, 3422-3431	15.1	8
339	Using structural MRI to identify bipolar disorders - 13 site machine learning study in 3020 individuals from the ENIGMA Bipolar Disorders Working Group. <i>Molecular Psychiatry</i> , 2020 , 25, 2130-2143	15.1	71

338	Interactive impact of childhood maltreatment, depression, and age on cortical brain structure: mega-analytic findings from a large multi-site cohort. <i>Psychological Medicine</i> , 2020 , 50, 1020-1031	6.9	30
337	An overlapping pattern of cerebral cortical thinning is associated with both positive symptoms and aggression in schizophrenia via the ENIGMA consortium. <i>Psychological Medicine</i> , 2020 , 50, 2034-2045	6.9	6
336	Towards Precision Medicine in Psychosis: Benefits and Challenges of Multimodal Multicenter Studies-PSYSCAN: Translating Neuroimaging Findings From Research into Clinical Practice. <i>Schizophrenia Bulletin</i> , 2020 , 46, 432-441	1.3	34
335	Promoting stigma coping and empowerment in patients with schizophrenia and depression: results of a cluster-RCT. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2020 , 270, 501-511	5.1	3
334	White matter disturbances in major depressive disorder: a coordinated analysis across 20 international cohorts in the ENIGMA MDD working group. <i>Molecular Psychiatry</i> , 2020 , 25, 1511-1525	15.1	89
333	Biological sex classification with structural MRI data shows increased misclassification in transgender women. <i>Neuropsychopharmacology</i> , 2020 , 45, 1758-1765	8.7	8
332	Social Cognition and Interpersonal Problems in Persistent Depressive Disorder vs. Episodic Depression: The Role of Childhood Maltreatment. <i>Frontiers in Psychiatry</i> , 2020 , 11, 608795	5	2
331	A genome-wide association meta-analysis of prognostic outcomes following cognitive behavioural therapy in individuals with anxiety and depressive disorders. <i>Translational Psychiatry</i> , 2019 , 9, 150	8.6	24
330	10Kin1day: A Bottom-Up Neuroimaging Initiative. <i>Frontiers in Neurology</i> , 2019 , 10, 425	4.1	6
329	Apolipoprotein E Homozygous ϵ Allele Status: A Deteriorating Effect on Visuospatial Working Memory and Global Brain Structure. <i>Frontiers in Neurology</i> , 2019 , 10, 552	4.1	5
328	Associations of schizophrenia risk genes ZNF804A and CACNA1C with schizotypy and modulation of attention in healthy subjects. <i>Schizophrenia Research</i> , 2019 , 208, 67-75	3.6	10
327	Markers of mineralocorticoid receptor function: changes over time and relationship to response in patients with major depression. <i>International Clinical Psychopharmacology</i> , 2019 , 34, 18-26	2.2	12
326	Intergroup empathy: Enhanced neural resonance for ingroup facial emotion in a shared neural production-perception network. <i>NeuroImage</i> , 2019 , 194, 182-190	7.9	14
325	Evidence of brain network aberration in healthy subjects with urban upbringing - A multimodal DTI and VBM study. <i>Schizophrenia Research</i> , 2019 , 208, 133-137	3.6	6
324	Orexin in the anxiety spectrum: association of a HCRT1 polymorphism with panic disorder/agoraphobia, CBT treatment response and fear-related intermediate phenotypes. <i>Translational Psychiatry</i> , 2019 , 9, 75	8.6	16
323	No Alterations of Brain Structural Asymmetry in Major Depressive Disorder: An ENIGMA Consortium Analysis. <i>American Journal of Psychiatry</i> , 2019 , 176, 1039-1049	11.9	21
322	Reduced fractional anisotropy in depressed patients due to childhood maltreatment rather than diagnosis. <i>Neuropsychopharmacology</i> , 2019 , 44, 2065-2072	8.7	12
321	Emotional instability and expressive suppression are related to paranoia in daily life: An electronic mobile assessment study in nonclinical individuals. <i>Journal of Experimental Psychopathology</i> , 2019 , 10, 204380871986811	2.3	4

320	Predictive coding in a multisensory path integration task: An fMRI study. <i>Journal of Vision</i> , 2019 , 19, 13	0.4	1
319	Association of rs7688285 allelic variation coding for GLRB with fear reactivity and exposure-based therapy in patients with panic disorder and agoraphobia. <i>European Neuropsychopharmacology</i> , 2019 , 29, 1138-1151	1.2	3
318	Association of NPSR1 gene variation and neural activity in patients with panic disorder and agoraphobia and healthy controls. <i>NeuroImage: Clinical</i> , 2019 , 24, 102029	5.3	6
317	Action-based predictions affect visual perception, neural processing, and pupil size, regardless of temporal predictability. <i>Journal of Vision</i> , 2019 , 19, 290b	0.4	
316	The effects of processing speed on memory impairment in patients with major depressive disorder. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2019 , 92, 494-500	5.5	13
315	Perceiving your hand moving: BOLD suppression in sensory cortices and the role of the cerebellum in the detection of feedback delays. <i>Journal of Vision</i> , 2019 , 19, 4	0.4	7
314	A resting state fMRI analysis pipeline for pooling inference across diverse cohorts: an ENIGMA rs-fMRI protocol. <i>Brain Imaging and Behavior</i> , 2019 , 13, 1453-1467	4.1	30
313	Evidence for gesture-speech mismatch detection impairments in schizophrenia. <i>Psychiatry Research</i> , 2019 , 273, 15-21	9.9	21
312	The impact of depressive comorbidity on neural plasticity following cognitive-behavioral therapy in panic disorder with agoraphobia. <i>Journal of Affective Disorders</i> , 2019 , 245, 451-460	6.6	6
311	Clinical and Neurofunctional Substrates of Cognitive Behavioral Therapy on Secondary Social Anxiety Disorder in Primary Panic Disorder: A Longitudinal fMRI Study. <i>Psychotherapy and Psychosomatics</i> , 2019 , 88, 48-51	9.4	
310	Neurobiology of the major psychoses: a translational perspective on brain structure and function-the FOR2107 consortium. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2019 , 269, 949-962	5.1	50
309	Does prior traumatization affect the treatment outcome of CBT for panic disorder? The potential role of the MAOA gene and depression symptoms. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2019 , 269, 161-170	5.1	3
308	Distinct Roles for the Cerebellum, Angular Gyrus, and Middle Temporal Gyrus in Action-Feedback Monitoring. <i>Cerebral Cortex</i> , 2019 , 29, 1520-1531	5.1	30
307	Expressive suppression is associated with state paranoia in psychosis: An experience sampling study on the association between adaptive and maladaptive emotion regulation strategies and paranoia. <i>British Journal of Clinical Psychology</i> , 2018 , 57, 291-312	3.6	23
306	Is formal thought disorder in schizophrenia related to structural and functional aberrations in the language network? A systematic review of neuroimaging findings. <i>Schizophrenia Research</i> , 2018 , 199, 2-16	3.6	43
305	Action-Related Speech Modulates Beta Oscillations During Observation of Tool-Use Gestures. <i>Brain Topography</i> , 2018 , 31, 838-847	4.3	3
304	Polygenic risk for schizophrenia affects working memory and its neural correlates in healthy subjects. <i>Schizophrenia Research</i> , 2018 , 197, 315-320	3.6	6
303	Formal thought disorders: From phenomenology to neurobiology. <i>Lancet Psychiatry</i> , 2018 , 5, 515-526	3.3	49

302	F146. S-KETAMINE-INDUCED NMDA RECEPTOR BLOCKADE DURING NATURAL SPEECH PRODUCTION AND ITS IMPLICATIONS FOR FORMAL THOUGHT DISORDER IN SCHIZOPHRENIA: A PHARMACO-FMRI STUDY. <i>Schizophrenia Bulletin</i> , 2018 , 44, S276-S277	1.3	78
301	Effects of cumulative illness severity on hippocampal gray matter volume in major depression: a voxel-based morphometry study. <i>Psychological Medicine</i> , 2018 , 48, 2391-2398	6.9	21
300	Outgroup emotion processing in the vACC is modulated by childhood trauma and CACNA1C risk variant. <i>Social Cognitive and Affective Neuroscience</i> , 2018 , 13, 341-348	4	13
299	Neural correlates of working memory in first episode and recurrent depression: An fMRI study. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2018 , 84, 39-49	5.5	19
298	The Marburg-Münster Affective Disorders Cohort Study (MACS): A quality assurance protocol for MR neuroimaging data. <i>NeuroImage</i> , 2018 , 172, 450-460	7.9	38
297	Pretreatment Cardiac Vagal Tone Predicts Dropout from and Residual Symptoms after Exposure Therapy in Patients with Panic Disorder and Agoraphobia. <i>Psychotherapy and Psychosomatics</i> , 2018 , 87, 187-189	9.4	19
296	Spatial-temporal dynamics of gesture-speech integration: a simultaneous EEG-fMRI study. <i>Brain Structure and Function</i> , 2018 , 223, 3073-3089	4	18
295	Hand Gestures Alert Auditory Cortices 2018 , 53-66		
294	S-Ketamine-Induced NMDA Receptor Blockade during Natural Speech Production and Its Implications for Formal Thought Disorder in Schizophrenia: A Pharmacof-fMRI Study. <i>Neuropsychopharmacology</i> , 2018 , 43, 1324-1333	8.7	5
293	Negative schemata about the self and others and paranoid ideation in at-risk states and those with persisting positive symptoms. <i>Microbial Biotechnology</i> , 2018 , 12, 1157-1165	3.3	3
292	Ist Wahn indirekt veränderbar? Ein stimmungsverbesserndes Konzept der kognitive Verhaltenstherapie für die stationäre Standardversorgung von Patienten mit schizophrenen Störungen. <i>Verhaltenstherapie</i> , 2018 , 28, 138-146	0.9	
291	Effects of Cognitive Behavioral Therapy on Neural Processing of Agoraphobia-Specific Stimuli in Panic Disorder and Agoraphobia. <i>Psychotherapy and Psychosomatics</i> , 2018 , 87, 350-365	9.4	6
290	Do Patients With Depression Prefer Literal or Metaphorical Expressions for Internal States? Evidence From Sentence Completion and Elicited Production. <i>Frontiers in Psychology</i> , 2018 , 9, 1326	3.4	8
289	Longitudinal brain volume changes in major depressive disorder. <i>Journal of Neural Transmission</i> , 2018 , 125, 1433-1447	4.3	9
288	Mapping cortical brain asymmetry in 17,141 healthy individuals worldwide via the ENIGMA Consortium. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2018 , 115, E5154-E5163	11.5	182
287	White matter integrity and symptom dimensions of schizophrenia: A diffusion tensor imaging study. <i>Schizophrenia Research</i> , 2017 , 184, 59-68	3.6	35
286	GLRB allelic variation associated with agoraphobic cognitions, increased startle response and fear network activation: a potential neurogenetic pathway to panic disorder. <i>Molecular Psychiatry</i> , 2017 , 22, 1431-1439	15.1	34
285	Human ventromedial prefrontal cortex and the positive affective processing of safety signals. <i>NeuroImage</i> , 2017 , 152, 12-18	7.9	40

284	S-ketamine compared to etomidate during electroconvulsive therapy in major depression. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2017 , 267, 803-813	5.1	11
283	The angular gyrus is a supramodal comparator area in action-outcome monitoring. <i>Brain Structure and Function</i> , 2017 , 222, 3691-3703	4	23
282	Polygenic risk for depression and the neural correlates of working memory in healthy subjects. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2017 , 79, 67-76	5.5	33
281	Structural brain changes in schizophrenia at different stages of the illness: A selective review of longitudinal magnetic resonance imaging studies. <i>Australian and New Zealand Journal of Psychiatry</i> , 2017 , 51, 500-508	2.6	99
280	Where Is the Beat? The Neural Correlates of Lexical Stress and Rhythmical Well-formedness in Auditory Story Comprehension. <i>Journal of Cognitive Neuroscience</i> , 2017 , 29, 1119-1131	3.1	4
279	Optimizing exposure-based CBT for anxiety disorders via enhanced extinction: Design and methods of a multicentre randomized clinical trial. <i>International Journal of Methods in Psychiatric Research</i> , 2017 , 26,	4.3	25
278	EASE: Examination of Anomalous Self-Experience. <i>Current Problems of Psychiatry</i> , 2017 , 18, 217-241	0.1	
277	Voluntary and Involuntary Movements Widen the Window of Subjective Simultaneity. <i>I-Perception</i> , 2017 , 8, 2041669517719297	1.2	6
276	Comprehensive geriatric assessment for older adults admitted to hospital. <i>The Cochrane Library</i> , 2017 , 9, CD006211	5.2	230
275	Modulation of defensive reactivity by GLRB allelic variation: converging evidence from an intermediate phenotype approach. <i>Translational Psychiatry</i> , 2017 , 7, e1227	8.6	8
274	Hemispheric differences in the processing of visual consequences of active vs. passive movements: a transcranial direct current stimulation study. <i>Experimental Brain Research</i> , 2017 , 235, 3207-3216	2.3	8
273	Links between Gestures and Multisensory Processing: Individual Differences Suggest a Compensation Mechanism. <i>Frontiers in Psychology</i> , 2017 , 8, 1828	3.4	9
272	Support Vector Machine Analysis of Functional Magnetic Resonance Imaging of Interoception Does Not Reliably Predict Individual Outcomes of Cognitive Behavioral Therapy in Panic Disorder with Agoraphobia. <i>Frontiers in Psychiatry</i> , 2017 , 8, 99	5	11
271	Predicting the Multisensory Consequences of One's Own Action: BOLD Suppression in Auditory and Visual Cortices. <i>PLoS ONE</i> , 2017 , 12, e0169131	3.7	26
270	Allelic variation in CRHR1 predisposes to panic disorder: evidence for biased fear processing. <i>Molecular Psychiatry</i> , 2016 , 21, 813-22	15.1	41
269	Predicting the sensory consequences of one's own action: First evidence for multisensory facilitation. <i>Attention, Perception, and Psychophysics</i> , 2016 , 78, 2515-2526	2	23
268	Current concepts in chronic inflammatory diseases: Interactions between microbes, cellular metabolism, and inflammation. <i>Journal of Allergy and Clinical Immunology</i> , 2016 , 138, 47-56	11.5	26
267	Aims and structure of the German Research Consortium BipoLife for the study of bipolar disorder. <i>International Journal of Bipolar Disorders</i> , 2016 , 4, 26	5.4	14

266	Neural correlates of individual differences in anxiety sensitivity: an fMRI study using semantic priming. <i>Social Cognitive and Affective Neuroscience</i> , 2016 , 11, 1245-54	4	10
265	Panic disorder with agoraphobia from a behavioral neuroscience perspective: Applying the research principles formulated by the Research Domain Criteria (RDoC) initiative. <i>Psychophysiology</i> , 2016 , 53, 312-22	4.1	54
264	Eye movements of patients with schizophrenia in a natural environment. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2016 , 266, 43-54	5.1	26
263	Facing the fear--clinical and neural effects of cognitive behavioural and pharmacotherapy in panic disorder with agoraphobia. <i>European Neuropsychopharmacology</i> , 2016 , 26, 431-44	1.2	14
262	Disadvantage of Social Sensitivity: Interaction of Oxytocin Receptor Genotype and Child Maltreatment on Brain Structure. <i>Biological Psychiatry</i> , 2016 , 80, 398-405	7.9	54
261	Symptomatik der Schizophrenie 2016 , 13-24		1
260	Symptoms and Neurobiological Models of Language in Schizophrenia 2016 , 887-897		
259	Predicting "When" in Discourse Engages the Human Dorsal Auditory Stream: An fMRI Study Using Naturalistic Stories. <i>Journal of Neuroscience</i> , 2016 , 36, 12180-12191	6.6	20
258	The role of treatment delivery factors in exposure-based cognitive behavioral therapy for panic disorder with agoraphobia. <i>Journal of Anxiety Disorders</i> , 2016 , 42, 10-8	10.9	11
257	Distinct Neuropsychological Correlates in Positive and Negative Formal Thought Disorder Syndromes: The Thought and Language Disorder Scale in Endogenous Psychoses. <i>Neuropsychobiology</i> , 2016 , 73, 139-47	4	28
256	Oxytocin receptor polymorphism and childhood social experiences shape adult personality, brain structure and neural correlates of mentalizing. <i>NeuroImage</i> , 2016 , 134, 671-684	7.9	43
255	MAOA gene hypomethylation in panic disorder-reversibility of an epigenetic risk pattern by psychotherapy. <i>Translational Psychiatry</i> , 2016 , 6, e773	8.6	111
254	Neurobiological markers predicting treatment response in anxiety disorders: A systematic review and implications for clinical application. <i>Neuroscience and Biobehavioral Reviews</i> , 2016 , 66, 143-62	9	74
253	Therapygenetics: anterior cingulate cortex-amygdala coupling is associated with 5-HTTLPR and treatment response in panic disorder with agoraphobia. <i>Journal of Neural Transmission</i> , 2015 , 122, 135-44	4.3	28
252	Target-based biomarker selection - Mineralocorticoid receptor-related biomarkers and treatment outcome in major depression. <i>Journal of Psychiatric Research</i> , 2015 , 66-67, 24-37	5.2	31
251	Adult attachment style modulates neural responses in a mentalizing task. <i>Neuroscience</i> , 2015 , 303, 462-73	3.9	28
250	Separating depressive comorbidity from panic disorder: A combined functional magnetic resonance imaging and machine learning approach. <i>Journal of Affective Disorders</i> , 2015 , 184, 182-92	6.6	31
249	Predicting treatment response to cognitive behavioral therapy in panic disorder with agoraphobia by integrating local neural information. <i>JAMA Psychiatry</i> , 2015 , 72, 68-74	14.5	92

248	MicroRNA hsa-miR-4717-5p regulates RGS2 and may be a risk factor for anxiety-related traits. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2015 , 168B, 296-306	3.5	20
247	A brief self-rating scale for the assessment of individual differences in gesture perception and production. <i>Learning and Individual Differences</i> , 2015 , 39, 73-80	3.1	19
246	The EEG and fMRI signatures of neural integration: An investigation of meaningful gestures and corresponding speech. <i>Neuropsychologia</i> , 2015 , 72, 27-42	3.2	29
245	Dimensional structure of bodily panic attack symptoms and their specific connections to panic cognitions, anxiety sensitivity and claustrophobic fears. <i>Psychological Medicine</i> , 2015 , 45, 1675-85	6.9	15
244	NCAN Cross-Disorder Risk Variant Is Associated With Limbic Gray Matter Deficits in Healthy Subjects and Major Depression. <i>Neuropsychopharmacology</i> , 2015 , 40, 2510-6	8.7	42
243	How pain empathy depends on ingroup/outgroup decisions: A functional magnet resonance imaging study. <i>Psychiatry Research - Neuroimaging</i> , 2015 , 234, 57-65	2.9	14
242	The influence of age and mild cognitive impairment on associative memory performance and underlying brain networks. <i>Brain Imaging and Behavior</i> , 2015 , 9, 776-89	4.1	17
241	Are the neurocognitive correlates of subtle subjective symptoms the way forward in psychiatry?. <i>World Psychiatry</i> , 2015 , 14, 184-5	14.4	1
240	Die Effekte interozeptiver Expositionsbungen in der Kognitiven Verhaltenstherapie von Panikstörung mit Agoraphobie. <i>Verhaltenstherapie</i> , 2015 , 25, 268-276	0.9	6
239	RGS2 ggenetic variation: association analysis with panic disorder and dimensional as well as intermediate phenotypes of anxiety. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2015 , 168B, 211-22	3.5	22
238	A genome-wide supported psychiatric risk variant in NCAN influences brain function and cognitive performance in healthy subjects. <i>Human Brain Mapping</i> , 2015 , 36, 378-90	5.9	18
237	Processing of false belief passages during natural story comprehension: An fMRI study. <i>Human Brain Mapping</i> , 2015 , 36, 4231-46	5.9	15
236	Genetic variation in the G72 gene is associated with increased frontotemporal fiber tract integrity. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2015 , 265, 291-301	5.1	3
235	Neural basis of altered physical and social causality judgements in schizophrenia. <i>Schizophrenia Research</i> , 2015 , 161, 244-51	3.6	5
234	Feeling addressed! The role of body orientation and co-speech gesture in social communication. <i>Human Brain Mapping</i> , 2015 , 36, 1925-36	5.9	25
233	5HTT is associated with the phenotype psychological flexibility: results from a randomized clinical trial. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2015 , 265, 399-406	5.1	17
232	Self-Regulation of Anterior Insula with Real-Time fMRI and Its Behavioral Effects in Obsessive-Compulsive Disorder: A Feasibility Study. <i>PLoS ONE</i> , 2015 , 10, e0135872	3.7	22
231	Neurale Korrelate von kognitiver Verhaltenstherapie bei Panikstörung. <i>Zeitschrift Fur Psychiatrie, Psychologie Und Psychotherapie</i> , 2015 , 63, 79-87	0.3	1

230	Increased neural activity during overt and continuous semantic verbal fluency in major depression: mainly a failure to deactivate. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2014 , 264, 631-45	5.1	13
229	Investigation of decision-making under uncertainty in healthy subjects: a multi-centric fMRI study. <i>Behavioural Brain Research</i> , 2014 , 261, 89-96	3.4	15
228	Why do bad things happen to me? Attributional style, depressed mood, and persecutory delusions in patients with schizophrenia. <i>Schizophrenia Bulletin</i> , 2014 , 40, 1338-46	1.3	38
227	Genetic, molecular and clinical determinants for the involvement of aldosterone and its receptors in major depression. <i>Nephron Physiology</i> , 2014 , 128, 17-25		23
226	Test-retest reliability of fMRI activation generated by different saccade tasks. <i>Journal of Magnetic Resonance Imaging</i> , 2014 , 40, 37-46	5.6	6
225	The role of safety behaviors in exposure-based treatment for panic disorder and agoraphobia: associations to symptom severity, treatment course, and outcome. <i>Journal of Anxiety Disorders</i> , 2014 , 28, 836-44	10.9	23
224	Neuroimaging in Schizophrenia 2014 , 249-274		
223	The neural correlates of cognitive behavioral therapy: recent progress in the investigation of patients with panic disorder. <i>Behaviour Research and Therapy</i> , 2014 , 62, 88-96	5.2	22
222	Genetic variation in CACNA1C affects neural processing in major depression. <i>Journal of Psychiatric Research</i> , 2014 , 53, 38-46	5.2	37
221	The impact of a CACNA1C gene polymorphism on learning and hippocampal formation in healthy individuals: a diffusion tensor imaging study. <i>NeuroImage</i> , 2014 , 89, 256-61	7.9	30
220	Semantic relation vs. surprise: the differential effects of related and unrelated co-verbal gestures on neural encoding and subsequent recognition. <i>Brain Research</i> , 2014 , 1567, 42-56	3.7	16
219	Attenuated prefrontal activation during decision-making under uncertainty in schizophrenia: a multi-center fMRI study. <i>Schizophrenia Research</i> , 2014 , 152, 176-83	3.6	22
218	Dysconnectivity of the inferior frontal gyrus: implications for an impaired self-other distinction in patients with schizophrenia. <i>Psychiatry Research - Neuroimaging</i> , 2014 , 223, 202-9	2.9	23
217	The phenomenology of the first panic attack in clinical and community-based samples. <i>Journal of Anxiety Disorders</i> , 2014 , 28, 522-9	10.9	13
216	MAOA and mechanisms of panic disorder revisited: from bench to molecular psychotherapy. <i>Molecular Psychiatry</i> , 2014 , 19, 122-8	15.1	79
215	Timing matters: change depends on the stage of treatment in cognitive behavioral therapy for panic disorder with agoraphobia. <i>Journal of Consulting and Clinical Psychology</i> , 2014 , 82, 141-53	6.5	34
214	Insular and hippocampal gray matter volume reductions in patients with major depressive disorder. <i>PLoS ONE</i> , 2014 , 9, e102692	3.7	106
213	A rating scale for the assessment of objective and subjective formal Thought and Language Disorder (TALD). <i>Schizophrenia Research</i> , 2014 , 160, 216-21	3.6	51

212	The functional -1019C/G HTR1A polymorphism and mechanisms of fear. <i>Translational Psychiatry</i> , 2014 , 4, e490	8.6	34
211	Superior temporal sulcus disconnectivity during processing of metaphoric gestures in schizophrenia. <i>Schizophrenia Bulletin</i> , 2014 , 40, 936-44	1.3	69
210	A Neuregulin-1 schizophrenia susceptibility variant causes perihippocampal fiber tract anomalies in healthy young subjects. <i>Brain and Behavior</i> , 2014 , 4, 215-26	3.4	10
209	The influence of positive and negative emotional associations on semantic processing in depression: an fMRI study. <i>Human Brain Mapping</i> , 2014 , 35, 471-82	5.9	16
208	Altered neural function during episodic memory encoding and retrieval in major depression. <i>Human Brain Mapping</i> , 2014 , 35, 4293-302	5.9	28
207	Association of rs1006737 in CACNA1C with alterations in prefrontal activation and fronto-hippocampal connectivity. <i>Human Brain Mapping</i> , 2014 , 35, 1190-200	5.9	63
206	Me, myself and I: temporal dysfunctions during self-evaluation in patients with schizophrenia. <i>Social Cognitive and Affective Neuroscience</i> , 2014 , 9, 1779-88	4	27
205	Anticipating agoraphobic situations: the neural correlates of panic disorder with agoraphobia. <i>Psychological Medicine</i> , 2014 , 44, 2385-96	6.9	27
204	Neural correlates of procedural variants in cognitive-behavioral therapy: a randomized, controlled multicenter fMRI study. <i>Psychotherapy and Psychosomatics</i> , 2014 , 83, 222-33	9.4	26
203	An fMRI-study on semantic priming of panic-related information in depression without comorbid anxiety. <i>Psychiatry Research - Neuroimaging</i> , 2014 , 222, 37-42	2.9	3
202	Neural correlates of semantic associations in patients with schizophrenia. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2014 , 264, 143-54	5.1	10
201	A genome-wide supported variant in CACNA1C influences hippocampal activation during episodic memory encoding and retrieval. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2014 , 264, 103-10	5.1	29
200	Gender-specific association of variants in the AKR1C1 gene with dimensional anxiety in patients with panic disorder: additional evidence for the importance of neurosteroids in anxiety?. <i>Depression and Anxiety</i> , 2014 , 31, 843-50	8.4	10
199	Altered top-down and bottom-up processing of fear conditioning in panic disorder with agoraphobia. <i>Psychological Medicine</i> , 2014 , 44, 381-94	6.9	44
198	Acquired self-control of insula cortex modulates emotion recognition and brain network connectivity in schizophrenia. <i>Human Brain Mapping</i> , 2013 , 34, 200-12	5.9	197
197	Partial support for ZNF804A genotype-dependent alterations in prefrontal connectivity. <i>Human Brain Mapping</i> , 2013 , 34, 304-13	5.9	57
196	Neural integration of speech and gesture in schizophrenia: evidence for differential processing of metaphoric gestures. <i>Human Brain Mapping</i> , 2013 , 34, 1696-712	5.9	39
195	Baseline activity predicts working memory load of preceding task condition. <i>Human Brain Mapping</i> , 2013 , 34, 3010-22	5.9	17

194	Determination of crossed language dominance: dissociation of language lateralization within the temporoparietal cortex. <i>Neurocase</i> , 2013 , 19, 348-50	0.8	2
193	The "DGPPN-Cohort": A national collaboration initiative by the German Association for Psychiatry and Psychotherapy (DGPPN) for establishing a large-scale cohort of psychiatric patients. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2013 , 263, 695-701	5.1	10
192	Age-related changes in parietal lobe activation during an episodic memory retrieval task. <i>Journal of Neural Transmission</i> , 2013 , 120, 799-806	4.3	7
191	Neural substrates of treatment response to cognitive-behavioral therapy in panic disorder with agoraphobia. <i>American Journal of Psychiatry</i> , 2013 , 170, 1345-55	11.9	102
190	Differential role of the Mentalizing and the Mirror Neuron system in the imitation of communicative gestures. <i>NeuroImage</i> , 2013 , 81, 294-305	7.9	29
189	Differences and commonalities in the judgment of causality in physical and social contexts: an fMRI study. <i>Neuropsychologia</i> , 2013 , 51, 2572-80	3.2	9
188	Hyperintentionality during automatic perception of naturalistic cooperative behavior in patients with schizophrenia. <i>Social Neuroscience</i> , 2013 , 8, 489-504	2	26
187	Letter to the Editor: Shopping frenzy induced by naltrexone--a paradoxical effect in bipolar disorder?. <i>Psychological Medicine</i> , 2013 , 43, 895	6.9	3
186	The precuneus and the insula in self-attributional processes. <i>Cognitive, Affective and Behavioral Neuroscience</i> , 2013 , 13, 330-45	3.5	63
185	Effect of cognitive-behavioral therapy on neural correlates of fear conditioning in panic disorder. <i>Biological Psychiatry</i> , 2013 , 73, 93-101	7.9	116
184	The effect of neurogranin on neural correlates of episodic memory encoding and retrieval. <i>Schizophrenia Bulletin</i> , 2013 , 39, 141-50	1.3	27
183	Affect-specific activation of shared networks for perception and execution of facial expressions. <i>Social Cognitive and Affective Neuroscience</i> , 2013 , 8, 370-7	4	52
182	The German translation and validation of the scale for the assessment of thought, language and communication: a factor analytic study. <i>Psychopathology</i> , 2013 , 46, 390-5	3.4	12
181	Specificity of homework compliance effects on treatment outcome in CBT: evidence from a controlled trial on panic disorder and agoraphobia. <i>Journal of Clinical Psychology</i> , 2013 , 69, 616-29	2.8	32
180	Frequency and neural correlates of pauses in patients with formal thought disorder. <i>Frontiers in Psychiatry</i> , 2013 , 4, 127	5	12
179	Test-Retest Reliability of fMRI Brain Activity during Memory Encoding. <i>Frontiers in Psychiatry</i> , 2013 , 4, 163	5	35
178	Supramodal neural processing of abstract information conveyed by speech and gesture. <i>Frontiers in Behavioral Neuroscience</i> , 2013 , 7, 120	3.5	21
177	Neural substrates of figurative language during natural speech perception: an fMRI study. <i>Frontiers in Behavioral Neuroscience</i> , 2013 , 7, 121	3.5	12

176	The role of semantic abstractness and perceptual category in processing speech accompanied by gestures. <i>Frontiers in Behavioral Neuroscience</i> , 2013 , 7, 181	3.5	9
175	Positive facial affect - an fMRI study on the involvement of insula and amygdala. <i>PLoS ONE</i> , 2013 , 8, e69886	3.6	21
174	The influence of emotional associations on the neural correlates of semantic priming. <i>Human Brain Mapping</i> , 2012 , 33, 676-94	5.9	23
173	Effects of ketamine-induced psychopathological symptoms on continuous overt rhyme fluency. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2012 , 262, 403-14	5.1	18
172	Meta-analysis argues for a female-specific role of MAOA-uVNTR in panic disorder in four European populations. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2012 , 159B, 786-93	3.5	55
171	Dynamics of defensive reactivity in patients with panic disorder and agoraphobia: implications for the etiology of panic disorder. <i>Biological Psychiatry</i> , 2012 , 72, 512-20	7.9	61
170	The impact of a Dysbindin schizophrenia susceptibility variant on fiber tract integrity in healthy individuals: a TBSS-based diffusion tensor imaging study. <i>NeuroImage</i> , 2012 , 60, 847-53	7.9	25
169	Neural processing of overt word generation in healthy individuals: the effect of age and word knowledge. <i>NeuroImage</i> , 2012 , 61, 832-40	7.9	37
168	Neural correlates of continuous causal word generation. <i>NeuroImage</i> , 2012 , 62, 1399-407	7.9	11
167	Neural correlates of causality judgment in physical and social context--the reversed effects of space and time. <i>NeuroImage</i> , 2012 , 63, 882-93	7.9	11
166	Gender differences in associations of glutamate decarboxylase 1 gene (GAD1) variants with panic disorder. <i>PLoS ONE</i> , 2012 , 7, e37651	3.7	18
165	A supramodal neural network for speech and gesture semantics: an fMRI study. <i>PLoS ONE</i> , 2012 , 7, e51207	3.7	55
164	Cholinergic blockade under working memory demands encountered by increased rehearsal strategies: evidence from fMRI in healthy subjects. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2012 , 262, 329-39	5.1	9
163	A possible brain network for representation of cooperative behavior and its implications for the psychopathology of schizophrenia. <i>Neuropsychobiology</i> , 2012 , 66, 24-32	4	20
162	Where the mass counts: common cortical activation for different kinds of nonsingularity. <i>Journal of Cognitive Neuroscience</i> , 2012 , 24, 915-32	3.1	6
161	Neural contributions to flow experience during video game playing. <i>Social Cognitive and Affective Neuroscience</i> , 2012 , 7, 485-95	4	109
160	Accuracy and reliability of automated gray matter segmentation pathways on real and simulated structural magnetic resonance images of the human brain. <i>PLoS ONE</i> , 2012 , 7, e45081	3.7	89
159	Depression does not affect the treatment outcome of CBT for panic and agoraphobia: results from a multicenter randomized trial. <i>Psychotherapy and Psychosomatics</i> , 2012 , 81, 161-72	9.4	31

158	Self-monitoring as a familial vulnerability marker for psychosis: an analysis of patients, unaffected siblings and healthy controls. <i>Psychological Medicine</i> , 2012 , 42, 235-45	6.9	12
157	Effekte therapeutenbegleiteter versus patientengeleiteter Exposition bei Panikstörung mit Agoraphobie. <i>Zeitschrift Für Klinische Psychologie Und Psychotherapie</i> , 2012 , 41, 114-124	0.4	11
156	Neurobiologie der Psychotherapie am Beispiel von Schizophrenie und Panikstörung 2012 , 127-134		
155	Sind Theory-of-Mind-Defizite grundlegend für die Schizophrenie? 2012 , 337-346		
154	Neural correlates of S-ketamine induced psychosis during overt continuous verbal fluency. <i>NeuroImage</i> , 2011 , 54, 1307-14	7.9	26
153	Self-concept, emotion and memory performance in schizophrenia. <i>Psychiatry Research</i> , 2011 , 186, 11-7	9.9	21
152	(Don't) panic in the scanner! How panic patients with agoraphobia experience a functional magnetic resonance imaging session. <i>European Neuropsychopharmacology</i> , 2011 , 21, 516-25	1.2	19
151	Your flaws are my pain: linking empathy to vicarious embarrassment. <i>PLoS ONE</i> , 2011 , 6, e18675	3.7	71
150	Psychological treatment for panic disorder with agoraphobia: a randomized controlled trial to examine the role of therapist-guided exposure in situ in CBT. <i>Journal of Consulting and Clinical Psychology</i> , 2011 , 79, 406-20	6.5	160
149	"Psychological treatment for panic disorder with agoraphobia: A randomized controlled trial to examine the role of therapist-guided exposure in situ in CBT": Correction to Gloster et al. (2011).. <i>Journal of Consulting and Clinical Psychology</i> , 2011 , 79, 652-652	6.5	3
148	Neuropeptide S receptor gene -- converging evidence for a role in panic disorder. <i>Molecular Psychiatry</i> , 2011 , 16, 938-48	15.1	137
147	Neuromagnetic oscillations and hemodynamic correlates of P50 suppression in schizophrenia. <i>Psychiatry Research - Neuroimaging</i> , 2011 , 194, 95-104	2.9	19
146	Neural correlates of rhyming vs. lexical and semantic fluency. <i>Brain Research</i> , 2011 , 1391, 71-80	3.7	27
145	Genetic variation in G72 correlates with brain activation in the right middle temporal gyrus in a verbal fluency task in healthy individuals. <i>Human Brain Mapping</i> , 2011 , 32, 118-26	5.9	26
144	The differentiation of iconic and metaphoric gestures: common and unique integration processes. <i>Human Brain Mapping</i> , 2011 , 32, 520-33	5.9	78
143	Dynamic causal modeling with genetic algorithms. <i>Journal of Neuroscience Methods</i> , 2011 , 194, 402-6	3	11
142	Encoding social interactions: the neural correlates of true and false memories. <i>Journal of Cognitive Neuroscience</i> , 2011 , 23, 306-24	3.1	27
141	Heterogeneity of the left temporal lobe in semantic representation and control: priming multiple versus single meanings of ambiguous words. <i>Cerebral Cortex</i> , 2011 , 21, 831-44	5.1	88

140	Supramodal representation of emotions. <i>Journal of Neuroscience</i> , 2011 , 31, 13635-43	6.6	87
139	Effects of a CACNA1C genotype on attention networks in healthy individuals. <i>Psychological Medicine</i> , 2011 , 41, 1551-61	6.9	82
138	How different types of conceptual relations modulate brain activation during semantic priming. <i>Journal of Cognitive Neuroscience</i> , 2011 , 23, 1263-73	3.1	28
137	Functional neuroanatomy of sustained memory encoding performance in healthy aging and in Alzheimer's disease. <i>International Journal of Neuroscience</i> , 2011 , 121, 384-92	2	10
136	Functional connectivity analyses in imaging genetics: considerations on methods and data interpretation. <i>PLoS ONE</i> , 2011 , 6, e26354	3.7	15
135	The rewarding nature of social interactions. <i>Frontiers in Behavioral Neuroscience</i> , 2010 , 4, 22	3.5	75
134	Can enzyme kinetics of prooxidants teach us a lesson about the treatment of Alzheimer's disease: a pilot post-mortem study. <i>World Journal of Biological Psychiatry</i> , 2010 , 11, 677-81	3.8	5
133	Amygdala hypersensitivity in response to emotional faces in Tourette's patients. <i>World Journal of Biological Psychiatry</i> , 2010 , 11, 858-72	3.8	43
132	The effect of G72 genotype on neural correlates of memory encoding and retrieval. <i>NeuroImage</i> , 2010 , 53, 1001-6	7.9	6
131	The interaction of working memory and emotion in persons clinically at risk for psychosis: an fMRI pilot study. <i>Schizophrenia Research</i> , 2010 , 120, 167-76	3.6	29
130	CONCEPTUAL BACKGROUND OF IMAGING STUDIES IN PSYCHOTHERAPY RESEARCH: THE EXAMPLE OF CBT INTERVENTIONS IN PATIENTS WITH SCHIZOPHRENIA. <i>Schizophrenia Research</i> , 2010 , 117, 394-395	3.6	
129	The effect of Neuregulin 1 on neural correlates of episodic memory encoding and retrieval. <i>NeuroImage</i> , 2010 , 53, 985-91	7.9	31
128	COMT genotype and its role on hippocampal-prefrontal regions in declarative memory. <i>NeuroImage</i> , 2010 , 53, 978-84	7.9	32
127	Neural mechanisms of empathy in adolescents with autism spectrum disorder and their fathers. <i>NeuroImage</i> , 2010 , 49, 1055-65	7.9	80
126	Effect of CACNA1C rs1006737 on neural correlates of verbal fluency in healthy individuals. <i>NeuroImage</i> , 2010 , 49, 1831-6	7.9	113
125	The neural basis of disturbed efference copy mechanism in patients with schizophrenia. <i>Cognitive Neuroscience</i> , 2010 , 1, 111-7	1.7	23
124	The impact of dystrobrevin-binding protein 1 (DTNBP1) on neural correlates of episodic memory encoding and retrieval. <i>Human Brain Mapping</i> , 2010 , 31, 203-9	5.9	15
123	Impact of schizophrenia-risk gene dysbindin 1 on brain activation in bilateral middle frontal gyrus during a working memory task in healthy individuals. <i>Human Brain Mapping</i> , 2010 , 31, 266-75	5.9	35

122	Neural correlates of aversive conditioning: development of a functional imaging paradigm for the investigation of anxiety disorders. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2010 , 260, 443-53	5.1	33
121	Cognitive performance and cholinergic transmission: influence of muscarinic and nicotinic receptor blockade. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2010 , 260 Suppl 2, S106-10	5.1	12
120	Cross-sectional evaluation of cognitive functioning in children, adolescents and young adults with ADHD. <i>Journal of Neural Transmission</i> , 2010 , 117, 403-19	4.3	57
119	Impact of psychostimulants and atomoxetine on the expression of 8-hydroxyguanine glycosylase 1 in human cells. <i>Journal of Neural Transmission</i> , 2010 , 117, 793-7	4.3	9
118	Regulatory T cells increased while IL-1 β decreased during antidepressant therapy. <i>Journal of Psychiatric Research</i> , 2010 , 44, 1052-7	5.2	91
117	Social cues, mentalizing and the neural processing of speech accompanied by gestures. <i>Neuropsychologia</i> , 2010 , 48, 382-93	3.2	45
116	The effects of a DTNBP1 gene variant on attention networks: an fMRI study. <i>Behavioral and Brain Functions</i> , 2010 , 6, 54	4.1	10
115	Cognitive behavioural therapy versus supportive therapy for persistent positive symptoms in psychotic disorders: the POSITIVE Study, a multicenter, prospective, single-blind, randomised controlled clinical trial. <i>Trials</i> , 2010 , 11, 123	2.8	22
114	Impact of plant extracts tested in attention-deficit/hyperactivity disorder treatment on cell survival and energy metabolism in human neuroblastoma SH-SY5Y cells. <i>Phytotherapy Research</i> , 2010 , 24, 1549-53	6.7	4
113	Memory effects of speech and gesture binding: cortical and hippocampal activation in relation to subsequent memory performance. <i>Journal of Cognitive Neuroscience</i> , 2009 , 21, 821-36	3.1	67
112	Nicotinic antagonist effects on functional attention networks. <i>International Journal of Neuropsychopharmacology</i> , 2009 , 12, 1295-305	5.8	24
111	The influence of multiple primes on bottom-up and top-down regulation during meaning retrieval: evidence for 2 distinct neural networks. <i>Cerebral Cortex</i> , 2009 , 19, 2548-60	5.1	46
110	Anticipation of monetary and social reward differently activates mesolimbic brain structures in men and women. <i>Social Cognitive and Affective Neuroscience</i> , 2009 , 4, 158-65	4	271
109	Muscarinic antagonist effects on executive control of attention. <i>International Journal of Neuropsychopharmacology</i> , 2009 , 12, 1307-17	5.8	32
108	Task-dependent modulations of prefrontal and hippocampal activity during intrinsic word production. <i>Journal of Cognitive Neuroscience</i> , 2009 , 21, 697-712	3.1	67
107	Neuronal correlates of facial emotion discrimination in early onset schizophrenia. <i>Neuropsychopharmacology</i> , 2009 , 34, 477-87	8.7	87
106	Neural interaction of speech and gesture: differential activations of metaphoric co-verbal gestures. <i>Neuropsychologia</i> , 2009 , 47, 169-79	3.2	98
105	Are women better mindreaders? Sex differences in neural correlates of mentalizing detected with functional MRI. <i>BMC Neuroscience</i> , 2009 , 10, 9	3.2	58

104	Taxonomic and thematic categories: Neural correlates of categorization in an auditory-to-visual priming task using fMRI. <i>Brain Research</i> , 2009 , 1270, 78-87	3.7	55
103	Neural integration of iconic and unrelated coverbal gestures: a functional MRI study. <i>Human Brain Mapping</i> , 2009 , 30, 3309-24	5.9	123
102	Genetic variation in the schizophrenia-risk gene neuregulin 1 correlates with brain activation and impaired speech production in a verbal fluency task in healthy individuals. <i>Human Brain Mapping</i> , 2009 , 30, 3406-16	5.9	49
101	Priming words with pictures: neural correlates of semantic associations in a cross-modal priming task using fMRI. <i>Human Brain Mapping</i> , 2009 , 30, 4116-28	5.9	36
100	Neuregulin 1 ICE-single nucleotide polymorphism in first episode schizophrenia correlates with cerebral activation in fronto-temporal areas. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2009 , 259, 72-9	5.1	27
99	The effect of the COMT val(158)met polymorphism on neural correlates of semantic verbal fluency. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2009 , 259, 459-65	5.1	25
98	Mechanism of action in CBT (MAC): methods of a multi-center randomized controlled trial in 369 patients with panic disorder and agoraphobia. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2009 , 259 Suppl 2, S155-66	5.1	82
97	Effect of the G72 (DAOA) putative risk haplotype on cognitive functions in healthy subjects. <i>BMC Psychiatry</i> , 2009 , 9, 60	4.2	8
96	Development and validation of the Rasch-based Depression Screening (DESC) using Rasch analysis and structural equation modelling. <i>Journal of Behavior Therapy and Experimental Psychiatry</i> , 2009 , 40, 468-78	2.6	51
95	Online mentalising investigated with functional MRI. <i>Neuroscience Letters</i> , 2009 , 454, 176-81	3.3	59
94	Development of an item bank for the assessment of depression in persons with mental illnesses and physical diseases using Rasch analysis. <i>Rehabilitation Psychology</i> , 2009 , 54, 186-197	2.7	50
93	Lion - tiger - stripes: Neural correlates of indirect semantic priming across processing modalities. <i>NeuroImage</i> , 2009 , 45, 224-36	7.9	52
92	A putative high risk diplotype of the G72 gene is in healthy individuals associated with better performance in working memory functions and altered brain activity in the medial temporal lobe. <i>NeuroImage</i> , 2009 , 45, 1002-8	7.9	32
91	Neural correlates of narrative shifts during auditory story comprehension. <i>NeuroImage</i> , 2009 , 47, 360-6	7.9	92
90	Genetic variation in schizophrenia-risk-gene dysbindin 1 modulates brain activation in anterior cingulate cortex and right temporal gyrus during language production in healthy individuals. <i>NeuroImage</i> , 2009 , 47, 2016-22	7.9	30
89	Association of the DTNBP1 genotype with cognition and personality traits in healthy subjects. <i>Psychological Medicine</i> , 2009 , 39, 1657-65	6.9	17
88	Neurofunktionelle Bildgebung bei Angststörungen. <i>Verhaltenstherapie</i> , 2009 , 19, 78-85	0.9	2
87	Low concentration of ziprasidone in human milk: a case report. <i>International Journal of Neuropsychopharmacology</i> , 2009 , 12, 437-8	5.8	12

86	Human fear conditioning and extinction in neuroimaging: a systematic review. <i>PLoS ONE</i> , 2009 , 4, e58653,7	3.7	390
85	Automatic processing of semantic relations in fMRI: neural activation during semantic priming of taxonomic and thematic categories. <i>Brain Research</i> , 2008 , 1218, 194-205	3.7	71
84	Neural correlates of attachment trauma in borderline personality disorder: a functional magnetic resonance imaging study. <i>Psychiatry Research - Neuroimaging</i> , 2008 , 163, 223-35	2.9	107
83	Categorical and thematic knowledge representation in the brain: neural correlates of taxonomic and thematic conceptual relations. <i>Neuropsychologia</i> , 2008 , 46, 409-18	3.2	67
82	Hippocampal dysfunction during free word association in male patients with schizophrenia. <i>Schizophrenia Research</i> , 2008 , 101, 242-55	3.6	39
81	NEURAL CORRELATES OF METAPHORIC CO-VERBAL GESTURE PROCESSING IN PATIENTS WITH SCHIZOPHRENIA. <i>Schizophrenia Research</i> , 2008 , 102, 95-96	3.6	0
80	Increased neural response related to neutral faces in individuals at risk for psychosis. <i>NeuroImage</i> , 2008 , 40, 289-97	7.9	120
79	Genetic variation in the schizophrenia-risk gene neuregulin1 correlates with differences in frontal brain activation in a working memory task in healthy individuals. <i>NeuroImage</i> , 2008 , 42, 1569-76	7.9	44
78	Genetic variation in the schizophrenia-risk gene neuregulin1 correlates with personality traits in healthy individuals. <i>European Psychiatry</i> , 2008 , 23, 344-9	6	16
77	Effect of COMT val158met genotype on cognition and personality. <i>European Psychiatry</i> , 2008 , 23, 385-9	6	59
76	Cerebral dysfunctions of emotion-cognition interactions in adolescent-onset schizophrenia. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 2008 , 47, 1299-310	7.2	48
75	Understanding social robots: A user study on anthropomorphism 2008 ,		41
74	No influence of dialysis on mirtazapine - a case report. <i>Pharmacopsychiatry</i> , 2008 , 41, 259-60	2	6
73	G72 and its association with major depression and neuroticism in large population-based groups from Germany. <i>American Journal of Psychiatry</i> , 2008 , 165, 753-62	11.9	45
72	Theory of mind (ToM) on robots 2008 ,		15
71	Can machines think? Interaction and perspective taking with robots investigated via fMRI. <i>PLoS ONE</i> , 2008 , 3, e2597	3.7	209
70	Anterior hippocampus orchestrates successful encoding and retrieval of non-relational memory: an event-related fMRI study. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2008 , 258, 363-72	5.1	24
69	The neural correlates of ego-disturbances (passivity phenomena) and formal thought disorder in schizophrenia. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2008 , 258 Suppl 5, 22-7	5.1	17

68	Neural correlates of verbal episodic memory in patients with MCI and Alzheimer's disease--a VBM study. <i>International Journal of Geriatric Psychiatry</i> , 2008 , 23, 1114-8	3.9	66
67	Sprachverständnis [Psychologie 2008 , 316-331		1
66	Sprachverständnis [Bildgebung 2008 , 332-346		0
65	Formale Denkfähigkeiten [Psychologie 2008 , 427-442		0
64	Formale Denkfähigkeiten [Bildgebung 2008 , 443-455		1
63	Neural correlates of working memory dysfunction in first-episode schizophrenia patients: an fMRI multi-center study. <i>Schizophrenia Research</i> , 2007 , 89, 198-210	3.6	130
62	Self-face recognition in schizophrenia. <i>Schizophrenia Research</i> , 2007 , 94, 264-72	3.6	32
61	Laterality in metaphor processing: lack of evidence from functional magnetic resonance imaging for the right hemisphere theory. <i>Brain and Language</i> , 2007 , 100, 142-9	2.9	115
60	The influence of olfactory-induced negative emotion on verbal working memory: individual differences in neurobehavioral findings. <i>Brain Research</i> , 2007 , 1152, 158-70	3.7	45
59	Wechsler Memory Scale Revised Edition: neural correlates of the visual paired associates subtest adapted for fMRI. <i>Brain Research</i> , 2007 , 1177, 66-78	3.7	20
58	Gender differences in the cognitive control of emotion: An fMRI study. <i>Neuropsychologia</i> , 2007 , 45, 2744-54	3.54	231
57	A randomised trial of a geriatric evaluation and management consultation services in frail hospitalised patients. <i>Age and Ageing</i> , 2007 , 36, 36-42	3	44
56	Hippocampal activation in patients with mild cognitive impairment is necessary for successful memory encoding. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2007 , 78, 812-8	5.5	107
55	Metacognition and reflexivity in patients with schizophrenia. <i>Psychopathology</i> , 2007 , 40, 254-60	3.4	37
54	Aripiprazole in human milk. <i>International Journal of Neuropsychopharmacology</i> , 2007 , 10, 433	5.8	14
53	Mild cognitive impairment (MCI) and actual retrieval performance affect cerebral activation in the elderly. <i>Neurobiology of Aging</i> , 2007 , 28, 404-13	5.6	57
52	Development and implementation of an MR-compatible whole body video system. <i>Neuroscience Letters</i> , 2007 , 420, 122-7	3.3	17
51	Neural correlates of metaphor processing in schizophrenia. <i>NeuroImage</i> , 2007 , 34, 281-9	7.9	107

50 Gedächtnis und MCI. *Zeitschrift fuer Gerontopsychologie Und Psychiatrie*, **2007**, 20, 29-30

49 Visualization and quantification of disease progression in multiple system atrophy. *Movement Disorders*, **2006**, 21, 1674-81 7 46

48 Measuring attachment representation in an fMRI environment: a pilot study. *Psychopathology*, **2006**, 39, 144-52 3.4 93

47 Successful verbal retrieval in elderly subjects is related to concurrent hippocampal and posterior cingulate activation. *Dementia and Geriatric Cognitive Disorders*, **2006**, 22, 165-72 2.6 17

46 Neurolyrik **2006**, 183-189

45 The influence of face similarity in the case of the perception of morphed self-face. *International Journal of Neuroscience*, **2005**, 115, 839-49 2 6

44 Functional brain imaging of symptoms and cognition in schizophrenia. *Progress in Brain Research*, **2005**, 150, 299-308 2.9 32

43 Neural correlates of syntax production in schizophrenia. *British Journal of Psychiatry*, **2005**, 186, 209-14 5.4 59

42 Hashimoto's encephalopathy presenting with bipolar affective disorder. *Bipolar Disorders*, **2005**, 7, 292-7.8 25

41 Disorders of agency in schizophrenia correlate with an inability to compensate for the sensory consequences of actions. *Current Biology*, **2005**, 15, 1119-24 6.3 156

40 Overt sentence production in event-related fMRI. *Neuropsychologia*, **2005**, 43, 807-14 3.2 83

39 EASE: Examination of Anomalous Self-Experience. *Psychopathology*, **2005**, 38, 236-58 3.4 500

38 Cortical activation during cholinesterase-inhibitor treatment in Alzheimer disease: preliminary findings from a pharmacofMRI study. *American Journal of Geriatric Psychiatry*, **2005**, 13, 1006-13 6.5 48

37 Deceiving oneself about being in control: conscious detection of changes in visuomotor coupling. *Journal of Experimental Psychology: Human Perception and Performance*, **2004**, 30, 657-66 2.6 91

36 Neural correlates of metaphor processing. *Cognitive Brain Research*, **2004**, 20, 395-402 238

35 Pausing for thought: engagement of left temporal cortex during pauses in speech. *NeuroImage*, **2004**, 21, 84-90 7.9 62

34 Mismatch negativity responses in schizophrenia: a combined fMRI and whole-head MEG study. *American Journal of Psychiatry*, **2004**, 161, 294-304 11.9 95

33 Self-monitoring in patients with schizophrenia. *Psychological Medicine*, **2004**, 34, 1561-9 6.9 94

32	Action recognition in normal and schizophrenic subjects 2003 , 380-406		11
31	Self and schizophrenia: a phenomenological perspective 2003 , 217-241		49
30	Self-consciousness: an integrative approach from philosophy, psychopathology and the neurosciences 2003 , 445-474		13
29	Successful episodic memory retrieval of newly learned faces activates a left fronto-parietal network. <i>Cognitive Brain Research</i> , 2003 , 18, 97-101		57
28	Addendum to 'The neural correlates of intentional and incidental self-processing' [Neuropsychologia 40 (2002) 683-692]. <i>Neuropsychologia</i> , 2003 , 41, 1279	3.2	2
27	Self-consciousness, self-agency, and schizophrenia. <i>Consciousness and Cognition</i> , 2003 , 12, 656-69	2.6	100
26	Observing one's hand become anarchic: an fMRI study of action identification. <i>Consciousness and Cognition</i> , 2003 , 12, 597-608	2.6	64
25	Hippocampal dysfunction during episodic memory encoding in patients with schizophrenia-an fMRI study. <i>Schizophrenia Research</i> , 2003 , 64, 83-5	3.6	33
24	The neural correlates of perceiving one's own movements. <i>NeuroImage</i> , 2003 , 20, 2084-90	7.9	237
23	Brain regions sensitive to the face inversion effect: a functional magnetic resonance imaging study in humans. <i>Neuroscience Letters</i> , 2003 , 342, 143-6	3.3	22
22	The neural correlates of intentional and incidental self processing. <i>Neuropsychologia</i> , 2002 , 40, 683-92	3.2	156
21	Mismatch responses to randomized gradient switching noise as reflected by fMRI and whole-head magnetoencephalography. <i>Human Brain Mapping</i> , 2002 , 16, 190-5	5.9	75
20	Reversed lateralization of temporal activation during speech production in thought disordered patients with schizophrenia. <i>Psychological Medicine</i> , 2002 , 32, 439-49	6.9	124
19	Dynamic regulation of EEG power and coherence is lost early and globally in probable DAT. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2001 , 251, 199-204	5.1	37
18	Recognizing one's own face. <i>Cognition</i> , 2001 , 78, B1-B15	3.5	292
17	Engagement of right temporal cortex during processing of linguistic context. <i>Neuropsychologia</i> , 2001 , 39, 798-809	3.2	158
16	Activation of right fronto-temporal cortex characterizes the 'living' category in semantic processing. <i>Cognitive Brain Research</i> , 2001 , 12, 425-30		25
15	Neural correlates of formal thought disorder in schizophrenia: preliminary findings from a functional magnetic resonance imaging study. <i>Archives of General Psychiatry</i> , 2001 , 58, 769-74		173

14	Differential activation of temporal cortex during sentence completion in schizophrenic patients with and without formal thought disorder. <i>Schizophrenia Research</i> , 2001 , 50, 27-40	3.6	78
13	Transcranial magnetic stimulation: no effect on mood with single pulse during learned helplessness. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2001 , 25, 497-506	5.5	8
12	Differential activation in parahippocampal and prefrontal cortex during word and face encoding tasks. <i>NeuroReport</i> , 2001 , 12, 2773-7	1.7	59
11	Lexical retrieval during fluent speech production: an fMRI study. <i>NeuroReport</i> , 2000 , 11, 4093-6	1.7	41
10	Towards a functional neuroanatomy of self processing: effects of faces and words. <i>Cognitive Brain Research</i> , 2000 , 10, 133-44		322
9	Cognitive decline unlike normal aging is associated with alterations of EEG temporo-spatial characteristics. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 1998 , 248, 259-66	5.1	39
8	Alois Alzheimer (1864-1915)--student days and first scientific activities. <i>Journal of Geriatric Psychiatry and Neurology</i> , 1997 , 10, 127-9	3.8	5
7	Schizophrenic patients' retrospective attitudes regarding involuntary psychopharmacological treatment and restraint. <i>European Psychiatry</i> , 1996 , 11, 7-11	6	27
6	Beta 2-receptor density on mononuclear blood cells in patients suffering from neuroleptic-induced akathisia (NIA). <i>Biological Psychiatry</i> , 1996 , 40, 203-7	7.9	3
5	Selbst-Fremd-Repräsentation und ihre Störungen bei Schizophrenie285-294		
4	Genetic factors influencing a neurobiological substrate for psychiatric disorders		2
3	Language lateralization in patients with formal thought disorder169-180		
2	Characterization of Age and Polarity at Onset in Bipolar Disorder		1
1	Identification of transdiagnostic psychiatric disorder subtypes using unsupervised learning		1