

# Bernhard Elsner

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3602063/publications.pdf>

Version: 2024-02-01

45  
papers

2,522  
citations

331670

21  
h-index

243625

44  
g-index

77  
all docs

77  
docs citations

77  
times ranked

2794  
citing authors

#	ARTICLE	IF	CITATIONS
1	Electromechanical-Assisted Training for Walking After Stroke. <i>Stroke</i> , 2021, 52, e153-e154.	2.0	5
2	Transcranial Direct Current Stimulation for Activities After Stroke. <i>Stroke</i> , 2021, 52, e358-e359.	2.0	4
3	Walking with rhythmic auditory stimulation in chronic patients after stroke: A pilot randomized controlled trial. <i>Physiotherapy Research International</i> , 2020, 25, e1800.	1.5	11
4	Transcranial direct current stimulation (tDCS) for improving activities of daily living, and physical and cognitive functioning, in people after stroke. <i>The Cochrane Library</i> , 2020, 2020, CD009645.	2.8	45
5	Electromechanical-assisted training for walking after stroke. <i>The Cochrane Library</i> , 2020, 2020, CD006185.	2.8	102
6	Trunk training for improving activities in people with stroke. <i>The Cochrane Library</i> , 2020, , .	2.8	2
7	Systematic review with network meta-analysis of randomized controlled trials of robotic-assisted arm training for improving activities of daily living and upper limb function after stroke. <i>Journal of NeuroEngineering and Rehabilitation</i> , 2020, 17, 83.	4.6	67
8	Transcranial direct current stimulation (tDCS) for improving aphasia after stroke: a systematic review with network meta-analysis of randomized controlled trials. <i>Journal of NeuroEngineering and Rehabilitation</i> , 2020, 17, 88.	4.6	26
9	Physical activity of physiotherapists in Germany: a cross-sectional study. <i>Zeitschrift Fur Gesundheitswissenschaften</i> , 2020, , 1.	1.6	0
10	Transcranial Direct Current Stimulation for Improving Aphasia After Stroke. <i>Stroke</i> , 2019, 50, .	2.0	4
11	Effect of physiotherapy on regaining independent walking in patients with intensive-care-unit-acquired muscle weakness: A cohort study. <i>Journal of Rehabilitation Medicine</i> , 2019, 51, 797-804.	1.1	7
12	Response to Letter to the Editor by Dr Cao regarding paper titled - "Body-weight-supported treadmill training or robotic-assisted gait training superior to overground gait training and other forms of physiotherapy in people with spinal cord injury? A systematic review". <i>Spinal Cord</i> , 2019, 57, 435-436.	1.9	0
13	Transcranial direct current stimulation (tDCS) for improving aphasia in adults with aphasia after stroke. <i>The Cochrane Library</i> , 2019, 2019, CD009760.	2.8	52
14	Systematic reviews for informing clinical practice. <i>Physiotherapy Research International</i> , 2018, 23, e1703.	1.5	2
15	The Improvement of Walking Ability Following Stroke. <i>Deutsches A&amp;#x0308;rztblatt International</i> , 2018, 115, 639-645.	0.9	30
16	Electromechanical and robot-assisted arm training for improving activities of daily living, arm function, and arm muscle strength after stroke. <i>The Cochrane Library</i> , 2018, 2018, CD006876.	2.8	181
17	Transcranial direct current stimulation (tDCS) for upper limb rehabilitation after stroke: future directions.. <i>Journal of NeuroEngineering and Rehabilitation</i> , 2018, 15, 106.	4.6	27
18	Immediate effects of rest periods on balance control in patients after stroke. A randomized controlled pilot trial. <i>BMC Research Notes</i> , 2018, 11, 338.	1.4	2

#	ARTICLE	IF	CITATIONS
19	Therapeutische Verfahren "Grundlagen und Spezifika. , 2018, , 339-468.		0
20	Is body-weight-supported treadmill training or robotic-assisted gait training superior to overground gait training and other forms of physiotherapy in people with spinal cord injury? A systematic review. Spinal Cord, 2017, 55, 722-729.	1.9	76
21	Electromechanical-assisted training for walking after stroke. The Cochrane Library, 2017, 5, CD006185.	2.8	263
22	Electromechanical-Assisted Training for Walking After Stroke. Stroke, 2017, 48, .	2.0	43
23	Treadmill training and body weight support for walking after stroke. The Cochrane Library, 2017, 2017, CD002840.	2.8	203
24	Transcranial direct current stimulation (tDCS) for improving capacity in activities and arm function after stroke: a network meta-analysis of randomised controlled trials. Journal of NeuroEngineering and Rehabilitation, 2017, 14, 95.	4.6	118
25	Transcranial direct current stimulation for improving spasticity after stroke: A systematic review with meta-analysis. Journal of Rehabilitation Medicine, 2016, 48, 565-570.	1.1	33
26	Transcranial direct current stimulation (tDCS) for improving activities of daily living, and physical and cognitive functioning, in people after stroke. The Cochrane Library, 2016, 3, CD009645.	2.8	127
27	Fitness and mobility training in patients with Intensive Care Unit-acquired muscle weakness (FITonICU): study protocol for a randomised controlled trial. Trials, 2016, 17, 559.	1.6	12
28	Transcranial direct current stimulation (tDCS) for idiopathic Parkinson's disease. The Cochrane Library, 2016, 2016, CD010916.	2.8	34
29	Transcranial direct current stimulation for improving idiopathic Parkinson's syndrome. An abridged version of a Cochrane review. European Journal of Physical and Rehabilitation Medicine, 2016, 52, 902-906.	2.2	4
30	Transcranial direct current stimulation (TDCS) for improving activities in patients after stroke. Physiotherapy, 2015, 101, e359-e360.	0.4	2
31	Treadmill training for patients with Parkinson's disease. , 2015, , CD007830.		84
32	Treadmill training for patients with Parkinson's disease. The Cochrane Library, 2015, 2015, CD007830.	2.8	112
33	Arm basis training and arm ability training: two impairment-oriented exercise training techniques for improving arm function after stroke. The Cochrane Library, 2015, , .	2.8	4
34	Electromechanical and robot-assisted arm training for improving activities of daily living, arm function, and arm muscle strength after stroke. The Cochrane Library, 2015, , CD006876.	2.8	331
35	Transcranial direct current stimulation (tDCS) for improving aphasia in patients with aphasia after stroke. The Cochrane Library, 2015, , CD009760.	2.8	78
36	Physical rehabilitation for critical illness myopathy and neuropathy. The Cochrane Library, 2015, , CD010942.	2.8	31

#	ARTICLE	IF	CITATIONS
37	Electromechanical-assisted training for walking after stroke. What is the evidence so far? What have we learnt?. <i>Physiotherapy</i> , 2015, 101, e990-e991.	0.4	3
38	Treadmill Training for Improving Walking Function After Stroke. <i>Stroke</i> , 2014, 45, .	2.0	9
39	Transcranial Direct Current Stimulation for Activities After Stroke. <i>Stroke</i> , 2014, 45, .	2.0	1
40	Treadmill training and body weight support for walking after stroke. , 2014, , CD002840.		110
41	Transcranial direct current stimulation (tDCS) for improving function and activities of daily living in patients after stroke. , 2013, , CD009645.		74
42	Electromechanical-assisted training for walking after stroke. , 2013, , CD006185.		97
43	Transcranial direct current stimulation (tDCS) for improving aphasia in patients after stroke. , 2013, , CD009760.		23
44	Electromechanical-Assisted Training for Walking After Stroke. <i>Stroke</i> , 2013, 44, e127-8.	2.0	59
45	Dual task training for improving balance and gait in people with stroke. <i>The Cochrane Library</i> , 0, , .	2.8	3