
Minh Phu Tran

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/3602823/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Effects of green tea (<i>Camellia sinensis</i>) and guava (<i>Psidium guajava</i>) extracts on the quality of snakehead (<i>Channa striata</i>) fillets during ice storage. Journal of Food Processing and Preservation, 2022, 46, e16194.	2.0	1
	Distant Effects of Constantial on Crowth Deformance and Digmontation in Dighard Catfiels (Clarice) Ti ET		worloch 10 Tf I

2 Dietary Effects of Carotenoid on Growth Performance and Pigmentation in Bighead Catfish (Clarias) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 5

3	Ảnh hưởng cá»§a dịch chiết cây diệp hạ châu (Phyllanthus amarus schum. and thonn) Äʻến chá	≌¥t lưá»∄ 0.1	Eng tôm s
4	The effect of guava (Psidium guajava) leaf extract on the quality of cobia (Rachycentron canadum) fillets during ice storage. Can Tho University Journal of Science, 2021, 13, 52-63.	0.2	1
5	Screening and comparative study of <i>in vitro</i> antioxidant and antimicrobial activities of ethanolic extracts of selected Vietnamese plants. International Journal of Food Properties, 2020, 23, 481-496.	3.0	16
6	Tỉ lệ năng læ°á»£ng protein/lipid tối æ°u cho cá lóc (Channa striata) nuÃî trong Ä'iá»ʉ kiện nhiệ Khoa Hoc = Journal of Science, 2020, 56(3), 134.	t Äʻá»™ vÁ 0.1	ĂÄʻá»™ m
7	Ảnh hưởng cá»§a cao chiết cây hưÆ;ng thảo đến chất lượng chả cÃ; từ cÃ; thÃ;t lÃ;t cÂ Tap Chi Khoa Hoc = Journal of Science, 2020, 56(Aquaculture), 273.	³² m và dÃ [.] 0.1	cÃ _i tra tro 2
8	Administration of single versus combined herbal extracts enhances some immune parameters and protects striped catfish (Pangasianodon hypophthalmus) against Edwardsiella ictaluri. Fish and Shellfish Immunology, 2019, 91, 457.	3.6	1
9	Pharmacokinetics and muscle residue depletion of amoxicillin in cage cultured hybrid red tilapia (Oreochromis mossambicus × Oreochromis niloticus). Aquaculture, 2019, 505, 206-211.	3.5	4
10	Screening of quinalphos, trifluralin and dichlorvos residues in fresh water of aquaculture systems in Mekong Delta, Vietnam. Aquaculture Research, 2019, 50, 247-255.	1.8	5
11	Quality of antimicrobial products used in white leg shrimp (Litopenaeus vannamei) aquaculture in Northern Vietnam. Aquaculture, 2018, 482, 167-175.	3.5	16
12	Bioconcentration and half-life of quinalphos pesticide in rice-fish integration system in the Mekong Delta, Vietnam. Journal of Environmental Science and Health - Part B Pesticides, Food Contaminants, and Agricultural Wastes, 2018, 53, 35-41.	1.5	6
13	Bảo quản lạnh cá lóc phi lú (Channa striata) kết hợp xá»-lý acid acetic. Tap Chi Khoa Hoc = Journa 2018, 54(3), 147.	of Scienc	e, ₃
14	Water metagenomic analysis reveals low bacterial diversity and the presence of antimicrobial residues and resistance genes in a river containing wastewater from backyard aquacultures in the Mekong Delta, Vietnam. Environmental Pollution, 2017, 222, 294-306.	7.5	62
15	Residues of 2-hydroxy-3-phenylpyrazine, a degradation product of some β-lactam antibiotics, in environmental water in Vietnam. Chemosphere, 2017, 172, 355-362.	8.2	15
16	Effects of replacing fish meal with soya protein concentrate on growth, feed efficiency and digestibility in diets for snakehead, Channa striata. Aquaculture Research, 2017, 48, 3174-3181.	1.8	18
17	Muscle Quality and Proteolytic Enzymes of Farmed Atlantic Cod (Gadus morhua) During Storage: Effects of Pre-Slaughter Handling and Increased Storage Temperature. Journal of Aquatic Food Product Technology, 2016, 25, 540-554.	1.4	5
18	An evaluation of fish health-management practices and occupational health hazards associated with Pangasius catfish (<i>Pangasianodon hypophthalmus</i>) aquaculture in the Mekong Delta, Vietnam. Aquaculture Research, 2016, 47, 2778-2794.	1.8	35

Minh Phu Tran

#	Article	IF	CITATIONS
19	Quality of Antimicrobial Products Used in Striped Catfish (Pangasianodon hypophthalmus) Aquaculture in Vietnam. PLoS ONE, 2015, 10, e0124267.	2.5	29
20	Elimination of enrofloxacin in striped catfish (Pangasianodon hypophthalmus) following on-farm treatment. Aquaculture, 2015, 438, 1-5.	3.5	28
21	Comparison of Asian Aquaculture Products by Use of Statistically Supported Life Cycle Assessment. Environmental Science & Technology, 2015, 49, 14176-14183.	10.0	58
22	Withdrawal time for sulfamethoxazole and trimethoprim following treatment of striped catfish (Pangasianodon hypophthalmus) and hybrid red tilapia (Oreochromis mossambicusĂ—Oreochromis) Tj ETQq0 0	0 ngBT /O	ver bo ck 10 Tf !
23	Ecological risk assessment of the antibiotic enrofloxacin applied to Pangasius catfish farms in the Mekong Delta, Vietnam. Chemosphere, 2015, 119, 407-414.	8.2	114
24	Identification and Antimicrobial Resistance of Bacteria Isolated from Probiotic Products Used in Shrimp Culture. PLoS ONE, 2015, 10, e0132338.	2.5	42
25	Clonal Occurrence of Salmonella Weltevreden in Cultured Shrimp in the Mekong Delta, Vietnam. PLoS ONE, 2015, 10, e0134252.	2.5	29
26	Use of veterinary medicines, feed additives and probiotics in four major internationally traded aquaculture species farmed in Asia. Aquaculture, 2013, 412-413, 231-243.	3.5	288
27	Effects of pre-slaughter stress on proteolytic enzyme activities and muscle quality of farmed Atlantic cod (Gadus morhua). Food Chemistry, 2012, 134, 1399-1408.	8.2	101
28	Proteomic analysis of blood cells in fish exposed to chemotherapeutics: Evidence for long term effects. Journal of Proteomics, 2012, 75, 2454-2467.	2.4	13
29	Effects of Phyllanthus amarus and Euphorbia hirta Dip Treatments on the Protection of Striped Catfish (Pangasianodon hypophthalmus) Fillets against Spoilage during Ice Storage. Journal of Aquatic Food Product Technology, 0, , 1-17.	1.4	3