

Lan Zhu

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/360569/publications.pdf>

Version: 2024-02-01

177
papers

3,063
citations

236833

25
h-index

223716

46
g-index

214
all docs

214
docs citations

214
times ranked

3630
citing authors

#	ARTICLE	IF	CITATIONS
1	The epidemiological study of women with urinary incontinence and risk factors for stress urinary incontinence in China. <i>Menopause</i> , 2009, 16, 831-836.	0.8	170
2	Coronavirus Disease 2019 Pneumonia in Immunosuppressed Renal Transplant Recipients: A Summary of 10 Confirmed Cases in Wuhan, China. <i>European Urology</i> , 2020, 77, 748-754.	0.9	170
3	SARS-CoV-2 Is Not Detectable in the Vaginal Fluid of Women With Severe COVID-19 Infection. <i>Clinical Infectious Diseases</i> , 2020, 71, 813-817.	2.9	158
4	Seeded growth of large single-crystal copper foils with high-index facets. <i>Nature</i> , 2020, 581, 406-410.	13.7	116
5	IGF2BP1 overexpression stabilizes PEG10 mRNA in an m6A-dependent manner and promotes endometrial cancer progression. <i>Theranostics</i> , 2021, 11, 1100-1114.	4.6	103
6	A Population-based Survey of the Prevalence, Potential Risk Factors, and Symptom-specific Bother of Lower Urinary Tract Symptoms in Adult Chinese Women. <i>European Urology</i> , 2015, 68, 97-112.	0.9	99
7	New Classification of Herlyn-Werner-Wunderlich Syndrome. <i>Chinese Medical Journal</i> , 2015, 128, 222-225.	0.9	92
8	Prevalence and risk factors for peri- and postpartum urinary incontinence in primiparous women in China: a prospective longitudinal study. <i>International Urogynecology Journal</i> , 2012, 23, 563-572.	0.7	90
9	Clinical characteristics of 70 patients with Herlyn-Werner-Wunderlich syndrome. <i>International Journal of Gynecology and Obstetrics</i> , 2013, 121, 173-175.	1.0	87
10	FTO demethylates m6A modifications in HOXB13 mRNA and promotes endometrial cancer metastasis by activating the WNT signalling pathway. <i>RNA Biology</i> , 2021, 18, 1-14.	1.5	70
11	The prevalence of and potential risk factors for female urinary incontinence in Beijing, China. <i>Menopause</i> , 2008, 15, 566-569.	0.8	67
12	Anatomic and Sexual Outcomes after Vaginoplasty Using Tissue-engineered Biomaterial Graft in Patients with Mayer-Rokitansky-Kuster-Hauser Syndrome: A New Minimally Invasive and Effective Surgery. <i>Journal of Sexual Medicine</i> , 2013, 10, 1652-1658.	0.3	58
13	Endometriosis in association with Herlyn-Werner-Wunderlich syndrome. <i>Fertility and Sterility</i> , 2014, 102, 790-794.	0.5	52
14	Transobturator tape procedure versus tension-free vaginal tape for treatment of stress urinary incontinence. <i>International Journal of Gynecology and Obstetrics</i> , 2009, 104, 113-116.	1.0	50
15	Chinese validation of the Pelvic Floor Impact Questionnaire Short Form. <i>Menopause</i> , 2011, 18, 1030-1033.	0.8	45
16	Validation of the Chinese version of the Pelvic Organ Prolapse/Urinary Incontinence Sexual Questionnaire short form (PISQ-12). <i>International Journal of Gynecology and Obstetrics</i> , 2012, 116, 117-119.	1.0	43
17	A Population-Based Epidemiologic Study of Female Sexual Dysfunction Risk in Mainland China: Prevalence and Predictors. <i>Journal of Sexual Medicine</i> , 2017, 14, 1348-1356.	0.3	43
18	Prevalence and Factors Associated with Female Sexual Dysfunction in Beijing, China. <i>Chinese Medical Journal</i> , 2017, 130, 1389-1394.	0.9	43

#	ARTICLE	IF	CITATIONS
19	Perturbations of genes essential for Müllerian duct and Wolffian duct development in Mayer-Rokitansky-Küster-Hauser syndrome. <i>American Journal of Human Genetics</i> , 2021, 108, 337-345.	2.6	41
20	Single-cell transcriptome profiling of the vaginal wall in women with severe anterior vaginal prolapse. <i>Nature Communications</i> , 2021, 12, 87.	5.8	39
21	The usability of a WeChat-based electronic questionnaire for collecting participant-reported data in female pelvic floor disorders: a comparison with the traditional paper-administered format. <i>Menopause</i> , 2016, 23, 856-862.	0.8	37
22	Validation of the Chinese version of the Pelvic Floor Distress Inventory-20 (PFDI-20) according to the COSMIN checklist. <i>International Urogynecology Journal</i> , 2019, 30, 1127-1139.	0.7	36
23	Systemic Inflammation Response Index as a Prognostic Marker in Cancer Patients: A Systematic Review and Meta-Analysis of 38 Cohorts. <i>Dose-Response</i> , 2021, 19, 155932582110647.	0.7	34
24	Retropubic tension-free vaginal tape and inside-out transobturator tape: a long-term randomized trial. <i>International Urogynecology Journal</i> , 2016, 27, 103-111.	0.7	31
25	Changes in Prolapse and Urinary Symptoms After Successful Fitting of a Ring Pessary With Support in Women With Advanced Pelvic Organ Prolapse: A Prospective Study. <i>Urology</i> , 2016, 87, 70-75.	0.5	30
26	Epidemiological study of urge urinary incontinence and risk factors in China. <i>International Urogynecology Journal</i> , 2010, 21, 589-593.	0.7	26
27	Comparing vaginal tape and transobturator tape for the treatment of mild and moderate stress incontinence. <i>International Journal of Gynecology and Obstetrics</i> , 2007, 99, 14-17.	1.0	25
28	Incidence and risk factors of female urinary incontinence: a 4-year longitudinal study among 24,985 adult women in China. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2022, 129, 580-589.	1.1	25
29	Evolutionarily conservative and non-conservative regulatory networks during primate interneuron development revealed by single-cell RNA and ATAC sequencing. <i>Cell Research</i> , 2022, 32, 425-436.	5.7	25
30	Presentation and management of perineal endometriosis. <i>International Journal of Gynecology and Obstetrics</i> , 2009, 105, 230-232.	1.0	24
31	The attitudes towards defensive medicine among physicians of obstetrics and gynaecology in China: a questionnaire survey in a national congress. <i>BMJ Open</i> , 2018, 8, e019752.	0.8	23
32	Morphologic study on levator ani muscle in patients with pelvic organ prolapse and stress urinary incontinence. <i>International Urogynecology Journal</i> , 2005, 16, 401-404.	0.7	22
33	Pelvic reconstruction with mesh for advanced pelvic organ prolapse. <i>Menopause</i> , 2011, 18, 328-332.	0.8	22
34	Noninvasive Diagnosis of Moderate to Severe Endometriosis: The Platelet-Lymphocyte Ratio Cannot Be a Neoadjuvant Biomarker for Serum Cancer Antigen 125. <i>Journal of Minimally Invasive Gynecology</i> , 2015, 22, 373-377.	0.3	22
35	Clinical characteristics of congenital cervical atresia and associated endometriosis among 96 patients. <i>International Journal of Gynecology and Obstetrics</i> , 2016, 134, 252-255.	1.0	22
36	Successful use of ring pessary with support for advanced pelvic organ prolapse. <i>International Urogynecology Journal</i> , 2015, 26, 1517-1523.	0.7	21

#	ARTICLE	IF	CITATIONS
37	Clinical characteristics and management experience of unexpected uterine sarcoma after myomectomy. <i>International Journal of Gynecology and Obstetrics</i> , 2015, 130, 195-199.	1.0	21
38	Evaluation of Mayer-Rokitansky-Küster-Hauser syndrome with magnetic resonance imaging: Three patterns of uterine remnants and related anatomical features and clinical settings. <i>European Radiology</i> , 2017, 27, 5215-5224.	2.3	21
39	An epidemiologic study of pelvic organ prolapse in rural Chinese women: a population-based sample in China. <i>International Urogynecology Journal</i> , 2019, 30, 1925-1932.	0.7	21
40	Successful use of the Gellhorn pessary as a second-line pessary in women with advanced pelvic organ prolapse. <i>Menopause</i> , 2017, 24, 1277-1281.	0.8	20
41	Changes in the symptoms and quality of life of women with symptomatic pelvic organ prolapse fitted with a ring with support pessary. <i>Maturitas</i> , 2018, 117, 51-56.	1.0	19
42	Spectrum of Type I and Type II Syndromes and Associated Malformations in Chinese Patients with Mayer-Rokitansky-Küster-Hauser Syndrome: A Retrospective Analysis of 274 Cases. <i>Journal of Pediatric and Adolescent Gynecology</i> , 2019, 32, 284-287.	0.3	18
43	Evaluation of extracellular matrix protein expression and apoptosis in the uterosacral ligaments of patients with or without pelvic organ prolapse. <i>International Urogynecology Journal</i> , 2021, 32, 2273-2281.	0.7	18
44	Epidemiology of mixed urinary incontinence in China. <i>International Journal of Gynecology and Obstetrics</i> , 2010, 109, 55-58.	1.0	17
45	The clinical features and management of perineal endometriosis with anal sphincter involvement: a clinical analysis of 31 cases. <i>Human Reproduction</i> , 2012, 27, 1624-1627.	0.4	17
46	Tissue Composition and Biomechanical Property Changes in the Vaginal Wall of Ovariectomized Young Rats. <i>BioMed Research International</i> , 2019, 2019, 1-10.	0.9	17
47	Genetic polymorphisms in collagen-related genes are associated with pelvic organ prolapse. <i>Menopause</i> , 2020, 27, 223-229.	0.8	17
48	Liraglutide protects against lethal renal ischemia-reperfusion injury by inhibiting high-mobility group box 1 nuclear-cytoplasmic translocation and release. <i>Pharmacological Research</i> , 2021, 173, 105867.	3.1	17
49	Tension-free Polypropylene Mesh-related Surgical Repair for Pelvic Organ Prolapse has a Good Anatomic Success Rate but a High Risk of Complications. <i>Chinese Medical Journal</i> , 2015, 128, 295-300.	0.9	16
50	Which factors should be considered in choosing pessary type and size for pelvic organ prolapse patients in a fitting trial?. <i>International Urogynecology Journal</i> , 2016, 27, 1867-1871.	0.7	16
51	Depressive symptoms screening in postmenopausal women with symptomatic pelvic organ prolapse. <i>Menopause</i> , 2018, 25, 314-319.	0.8	16
52	Clinical characteristics of 1,055 Chinese patients with Mayer-Rokitansky-Küster-Hauser syndrome: a nationwide multicentric study. <i>Fertility and Sterility</i> , 2021, 116, 558-565.	0.5	16
53	Estrogen receptor in pelvic floor tissues in patients with stress urinary incontinence. <i>International Urogynecology Journal</i> , 2003, -1, 1-1.	0.7	15
54	Tension-free vaginal tape obturator for the treatment of stress urinary incontinence: a 12-year prospective follow-up. <i>BJU International</i> , 2019, 123, E57-E62.	1.3	15

#	ARTICLE	IF	CITATIONS
55	Preoperative clinical characteristics scoring system for differentiating uterine leiomyosarcoma from fibroid. <i>BMC Cancer</i> , 2020, 20, 514.	1.1	15
56	<p><p>Clinical Manifestations Of Adenomyosis Patients With Or Without Pain Symptoms</p></p>. <i>Journal of Pain Research</i> , 2019, Volume 12, 3127-3133.	0.8	14
57	Outcome and sexual function after transobturator tape procedure versus tension-free vaginal tape SECUR. <i>Menopause</i> , 2014, 21, 641-645.	0.8	13
58	Effects of preoperative vaginal estrogen therapy for the incidence of mesh complication after pelvic organ prolapse surgery in postmenopausal women: is it helpful or a myth? A 1-year randomized controlled trial. <i>Menopause</i> , 2016, 23, 740-748.	0.8	13
59	Sexual function and quality of life after the creation of a neovagina in women with Mayer-Rokitansky-KÅ¼ster-Hauser syndrome: comparison of vaginal dilation and surgical procedures. <i>Fertility and Sterility</i> , 2020, 113, 1024-1031.	0.5	13
60	Gender differences in workplace violence against physicians of obstetrics and gynecology in China: A questionnaire in the national congress. <i>PLoS ONE</i> , 2018, 13, e0208693.	1.1	12
61	Prevalence, potential risk factors, and symptomatic bother of lower urinary tract symptoms during and after pregnancy. <i>LUTS: Lower Urinary Tract Symptoms</i> , 2019, 11, 217-223.	0.6	12
62	Study on depressive symptoms in patients with Mayer-Rokitansky-KÅ¼ster-Hauser syndrome: an analysis of 141 cases. <i>Orphanet Journal of Rare Diseases</i> , 2020, 15, 121.	1.2	12
63	Short-term effects on voiding function after mesh-related surgical repair of advanced pelvic organ prolapse. <i>Menopause</i> , 2015, 22, 993-999.	0.8	11
64	Proportion of Uterine Malignant Tumors in Patients with Laparoscopic Myomectomy. <i>Chinese Medical Journal</i> , 2017, 130, 2661-2665.	0.9	11
65	Comparison of outcomes between singleâ€incision sling and transobturator sling for treating stress urinary incontinence: A 10â€year prospective study. <i>Neurourology and Urodynamics</i> , 2019, 38, 1852-1858.	0.8	11
66	Mesenchymal stem cell-based bioengineered constructs enhance vaginal repair in ovariectomized rhesus monkeys. <i>Biomaterials</i> , 2021, 275, 120863.	5.7	11
67	Short-Term Effect of TVT-SECUR Procedure on Quality of Life and Sexual Function in Women With Stress Urinary Incontinence. <i>Journal of Minimally Invasive Gynecology</i> , 2013, 20, 455-459.	0.3	10
68	Proteomic Analysis of the Uterosacral Ligament in Postmenopausal Women with and without Pelvic Organ Prolapse. <i>Chinese Medical Journal</i> , 2015, 128, 3191-3196.	0.9	10
69	Increased incidence of abnormally located ovary in patients with Mayerâ€Rokitanskyâ€KÅ¼sterâ€Hauser syndrome: a retrospective analysis with magnetic resonance imaging. <i>Abdominal Radiology</i> , 2018, 43, 3142-3146.	1.0	10
70	Malignant transformation of vaginal adenosis to clear cell carcinoma without prenatal diethylstilbestrol exposure: a case report and literature review. <i>BMC Cancer</i> , 2019, 19, 798.	1.1	10
71	Management of gynecology patients during the coronavirus disease 2019 pandemic: Chinese expert consensus. <i>American Journal of Obstetrics and Gynecology</i> , 2020, 223, 3-8.	0.7	10
72	Long-term outcomes of modified laparoscopic sacrocolpopexy for advanced pelvic organ prolapse: a 3-year prospective study. <i>Menopause</i> , 2016, 23, 765-770.	0.8	9

#	ARTICLE	IF	CITATIONS
73	Clinicopathological Features and Treatment Analysis of Rare Aggressive Angiomyxoma of the Female Pelvis and Perineum – a Retrospective Study. <i>Pathology and Oncology Research</i> , 2017, 23, 131-137.	0.9	9
74	Vaginal pessary treatment in women with symptomatic pelvic organ prolapse: a long-term prospective study. <i>Menopause</i> , 2021, 28, 538-545.	0.8	9
75	Mechanical stress influences the morphology and function of human uterosacral ligament fibroblasts and activates the p38 MAPK pathway. <i>International Urogynecology Journal</i> , 2022, 33, 2203-2212.	0.7	9
76	Differential expression of microRNAs in periurethral vaginal wall tissues of postmenopausal women with and without stress urinary incontinence. <i>Menopause</i> , 2014, 21, 1122-1128.	0.8	8
77	Analysis of hysterectomies for patients with uterine leiomyomas in China in 2010. <i>International Journal of Gynecology and Obstetrics</i> , 2015, 129, 71-74.	1.0	8
78	Effect of generalized anxiety disorders on the success of pessary treatment for pelvic organ prolapse. <i>International Urogynecology Journal</i> , 2018, 29, 1147-1153.	0.7	8
79	Induction of human umbilical cord mesenchymal stem cells into tissue-forming cells in a murine model: implications for pelvic floor reconstruction. <i>Cell and Tissue Research</i> , 2018, 372, 535-547.	1.5	8
80	Successful Treatment of Early Post-Transplant Bloodstream and Pulmonary Infection Caused by Carbapenem-Resistant <i>Klebsiella pneumoniae</i> With a Combination of Ceftazidime-Avibactam and Carbapenem: A Case Report. <i>Transplantation Proceedings</i> , 2020, 52, 2742-2746.	0.3	8
81	Anxiety symptoms in patients with Mayer-Rokitansky-Küster-Hauser syndrome: a cross-sectional study. <i>Chinese Medical Journal</i> , 2020, 133, 388-394.	0.9	8
82	Abdominal pregnancy: a case report and review of 17 cases. <i>Archives of Gynecology and Obstetrics</i> , 2023, 307, 263-274.	0.8	8
83	The optimal threshold values for the severity of urinary incontinence based on the 1-hour pad test. <i>International Journal of Gynecology and Obstetrics</i> , 2012, 118, 117-119.	1.0	7
84	Modified laparoscopic sacrocolpopexy with mesh for severe pelvic organ prolapse. <i>International Journal of Gynecology and Obstetrics</i> , 2013, 121, 170-172.	1.0	7
85	Use of N,O-carboxymethyl chitosan to prevent postsurgical adhesions in a rabbit double uterine horn model: a randomized controlled design. <i>Science China Life Sciences</i> , 2016, 59, 504-509.	2.3	7
86	The value of the preoperative 1-h pad test with pessary insertion for predicting the need for a mid-urethral sling following pelvic prolapse surgery: a cohort study. <i>World Journal of Urology</i> , 2016, 34, 361-367.	1.2	7
87	Tension-Free Vaginal Tape for the Treatment of Stress Urinary Incontinence: A 13-Year Prospective Follow-Up. <i>Journal of Minimally Invasive Gynecology</i> , 2019, 26, 754-759.	0.3	7
88	Analysis of the role of the human papillomavirus 16/18 E7 protein assay in screening for cervical intraepithelial neoplasia: a case control study. <i>BMC Cancer</i> , 2020, 20, 999.	1.1	7
89	Common variants in LAMC1 confer risk for pelvic organ prolapse in Chinese population. <i>Hereditas</i> , 2020, 157, 26.	0.5	7
90	Role of different childbirth strategies on pelvic organ prolapse and stress urinary incontinence: a prospective study. <i>Chinese Medical Journal</i> , 2008, 121, 213-5.	0.9	7

#	ARTICLE	IF	CITATIONS
91	Study on nerve fiber density in anterior vaginal epithelium for stress urinary incontinence. <i>International Urogynecology Journal</i> , 2003, -1, 1-1.	0.7	6
92	Exome Sequencing Identifies a Novel Gene, WNK1, for Susceptibility to Pelvic Organ Prolapse (POP). <i>PLoS ONE</i> , 2015, 10, e0119482.	1.1	6
93	Medium-term outcomes after combined trachelectomy and uterosacral ligament suspension among young women with severe uterine prolapse. <i>International Journal of Gynecology and Obstetrics</i> , 2016, 132, 224-228.	1.0	6
94	Changes in voiding function after laparoscopic sacrocolpopexy for advanced pelvic organ prolapse: a cohort study of 76 cases. <i>International Urogynecology Journal</i> , 2017, 29, 505-512.	0.7	6
95	Surgical Repair of Rectovaginal Fistula Using the Modified Martius Procedure: A Step-by-Step Guide. <i>Journal of Minimally Invasive Gynecology</i> , 2018, 25, 573-575.	0.3	6
96	Experimental study of a new original mesh developed for pelvic floor reconstructive surgery. <i>International Urogynecology Journal</i> , 2020, 31, 79-89.	0.7	6
97	Postoperative Pelvic Abscess after Cervicovaginal Canalization for Congenital Cervical and Vaginal Agenesis: A Report of 4 Cases. <i>Journal of Pediatric and Adolescent Gynecology</i> , 2020, 33, 324-327.	0.3	6
98	Clinical Characteristics and Postoperative Symptoms of 85 Adolescents with Endometriosis. <i>Journal of Pediatric and Adolescent Gynecology</i> , 2020, 33, 519-523.	0.3	6
99	An epidemiology study of fecal incontinence in adult Chinese women living in urban areas. <i>Chinese Medical Journal</i> , 2020, 133, 262-268.	0.9	6
100	Mesenchymal stem cell transplantation for vaginal repair in an ovariectomized rhesus macaque model. <i>Stem Cell Research and Therapy</i> , 2021, 12, 406.	2.4	6
101	Perineal endometriosis after vaginal delivery - clinical experience with 10 patients. <i>Australian and New Zealand Journal of Obstetrics and Gynaecology</i> , 2002, 42, 565-567.	0.4	5
102	Microarray analysis of differentially expressed genes in vaginal tissues in postmenopausal women. The role of stress urinary incontinence. <i>International Urogynecology Journal</i> , 2010, 21, 1545-1551.	0.7	5
103	Long-term Outcomes of the Tension-Free Vaginal Tape Procedure for Female Stress Urinary Incontinence: 7-Year Follow-up in China. <i>Journal of Minimally Invasive Gynecology</i> , 2012, 19, 201-205.	0.3	5
104	Reliability and validity of a Chinese version of the Modified Body Image Scale in patients with symptomatic pelvic organ prolapse. <i>International Journal of Gynecology and Obstetrics</i> , 2015, 130, 187-189.	1.0	5
105	An epidemiologic study on symptomatic pelvic organ prolapse in obese Chinese women: a population-based study in China. <i>Diabetes, Metabolic Syndrome and Obesity: Targets and Therapy</i> , 2018, Volume 11, 761-766.	1.1	5
106	Low-temperature epitaxy of transferable high-quality Pd(111) films on hybrid graphene/Cu(111) substrate. <i>Nano Research</i> , 2019, 12, 2712-2717.	5.8	5
107	Lower urinary tract symptoms 7 years after the first delivery: Correlation to the mode of delivery. <i>Neurourology and Urodynamics</i> , 2019, 38, 793-800.	0.8	5
108	Laparoscopically Assisted Uterovaginal Canalization and Vaginoplasty for Patients with Congenital Cervical and Vaginal Atresia: A Step-by-step Guide and Long-term Outcomes. <i>Journal of Minimally Invasive Gynecology</i> , 2021, 28, 1203-1210.	0.3	5

#	ARTICLE	IF	CITATIONS
109	Hysterectomy and bilateral adnexectomy using transvaginal natural orifice transluminal endoscopic surgery: The role of <scp>multichannel</scp> abdominal <scp>PORT</scp> and vaginal support ring. Journal of Obstetrics and Gynaecology Research, 2021, 47, 2521-2528.	0.6	5
110	Manometric Comparison of Anorectal Function after Posterior Vaginal Compartment Repair with and without Mesh. Chinese Medical Journal, 2015, 128, 438-442.	0.9	5
111	A genotype-first analysis in a cohort of Mullerian anomaly. Journal of Human Genetics, 2022, 67, 347-352.	1.1	5
112	Remission and Transition of Female Urinary Incontinence and Its Subtypes and the Impact of Body Mass Index on This Progression: A Nationwide Population-Based 4-Year Longitudinal Study in China. Journal of Urology, 2022, 208, 360-368.	0.2	5
113	Vasoactive intestinal peptide in vaginal epithelium of patients with pelvic organ prolapse and stress urinary incontinence. International Journal of Gynecology and Obstetrics, 2009, 105, 223-225.	1.0	4
114	Clinical study of ischia spinous fascia fixation—a new pelvic reconstructive surgery. International Urogynecology Journal, 2011, 22, 499-503.	0.7	4
115	Current Situation of Transvaginal Mesh Repair for Pelvic Organ Prolapse. Chinese Medical Sciences Journal, 2014, 29, 188-190.	0.2	4
116	Nanofibrous biomimetic mesh can be used for pelvic reconstructive surgery: A randomized study. Journal of the Mechanical Behavior of Biomedical Materials, 2016, 61, 26-35.	1.5	4
117	High-risk human papillomavirus infection clearance following conization among patients with cervical intraepithelial neoplasm grade 3 aged at least 45 years. International Journal of Gynecology and Obstetrics, 2017, 136, 47-52.	1.0	4
118	A Curriculum Using Simulation Models to Teach Gynecology and Obstetrics to Trainees. Chinese Medical Journal, 2017, 130, 997-1000.	0.9	4
119	Comparison of outcomes between postpartum and non-postpartum women with stress urinary incontinence treated with conservative therapy: A prospective cohort study. Neurourology and Urodynamics, 2018, 37, 1426-1433.	0.8	4
120	Risk Factors for Recurrence of Ovarian Endometriosis in Chinese Patients Aged 45 and Over. Chinese Medical Journal, 2018, 131, 1308-1313.	0.9	4
121	Clinical Manifestations of Adenomyosis Patients with or without Coexisting Endometriosis. Chinese Medical Journal, 2018, 131, 2495-2498.	0.9	4
122	LAMC1, LAMA2 and LAMA3 gene polymorphisms and the risk for severe pelvic organ prolapse. Science Bulletin, 2019, 64, 466-468.	4.3	4
123	Comparison of transvaginal repair versus laparoscopic repair of lower-segment cesarean scar defects. International Journal of Gynecology and Obstetrics, 2019, 145, 199-204.	1.0	4
124	Retrospective analysis of cervical cancer and precancerous lesions in patients with atypical squamous cells of undetermined significance in China. Medicine (United States), 2019, 98, e18239.	0.4	4
125	The in vivo biocompatibility of titanized polypropylene lightweight mesh is superior to that of conventional polypropylene mesh. Neurourology and Urodynamics, 2020, 39, 96-107.	0.8	4
126	Novel FH mutation associated with multiple uterine leiomyomas in Chinese siblings. Molecular Genetics & Genomic Medicine, 2020, 8, e1068.	0.6	4

#	ARTICLE	IF	CITATIONS
127	Vaginal pessary continuation in symptomatic pelvic organ prolapse patients with prior hysterectomy. <i>Menopause</i> , 2020, 27, 1148-1154.	0.8	4
128	Impact of human umbilical cord-derived stem cells (HUMSCs) on host responses to a synthetic polypropylene mesh for pelvic floor reconstruction in a rat model. <i>Cell and Tissue Research</i> , 2020, 382, 519-527.	1.5	4
129	Factors associated with pessary fitting in women with symptomatic pelvic organ prolapse: A large prospective cohort study. <i>Neurourology and Urodynamics</i> , 2020, 39, 2238-2245.	0.8	4
130	Impact of COVID-19 Pandemic on the Clinical Activities in Obstetrics and Gynecology: A National Survey in China. <i>Frontiers in Medicine</i> , 2021, 8, 633477.	1.2	4
131	The polymorphisms of extracellular matrix-remodeling genes are associated with pelvic organ prolapse. <i>International Urogynecology Journal</i> , 2022, 33, 267-274.	0.7	4
132	Perineal endometriosis without perineal trauma: a case report. <i>Chinese Medical Journal</i> , 2003, 116, 639-40.	0.9	4
133	Clinical assessment for three routes of hysterectomy. <i>Chinese Medical Journal</i> , 2009, 122, 377-80.	0.9	4
134	Surgical treatment of usual type vulvar intraepithelial neoplasia: a study at three academic hospitals. <i>Chinese Medical Journal</i> , 2014, 127, 784-6.	0.9	4
135	Integrative metabolomic profiling reveals aberrations in myometrium associated with adenomyosis: a pilot study. <i>Reproductive Biology and Endocrinology</i> , 2022, 20, 49.	1.4	4
136	Metatranscriptomic analysis of host response and vaginal microbiome of patients with severe COVID-19. <i>Science China Life Sciences</i> , 2022, , 1.	2.3	4
137	Neuropeptide Y expression in vaginal epithelium of women with pelvic organ prolapse and stress urinary incontinence. <i>International Journal of Gynecology and Obstetrics</i> , 2008, 102, 65-68.	1.0	3
138	Effects of hysterectomy with simultaneous bilateral salpingectomy on the subsequent pelvic mass. <i>Journal of Ovarian Research</i> , 2019, 12, 27.	1.3	3
139	Sexual function after tension-free vaginal tape procedure in stress urinary incontinence patients. <i>Menopause</i> , 2020, 27, 1143-1147.	0.8	3
140	Validation of the Chinese version of the Pelvic Organ Prolapse Symptom Score (POP-SS). <i>Menopause</i> , 2020, 27, 1053-1059.	0.8	3
141	Analysis of low sexual desire in Chinese women: a national population-based epidemiological survey in mainland China. <i>Sexual Health</i> , 2020, 17, 61.	0.4	3
142	Safety and efficacy of ischial spine fascia and sacrospinous ligament fixation for symptomatic stage 2 and 3 apical prolapse. <i>International Journal of Gynecology and Obstetrics</i> , 2020, 149, 292-297.	1.0	3
143	Self-cut titanium-coated polypropylene mesh versus pre-cut mesh-kit for transvaginal treatment of severe pelvic organ prolapse: study protocol for a multicenter non-inferiority trial. <i>Trials</i> , 2020, 21, 226.	0.7	3
144	A randomized controlled study of vaginal fractional CO2 laser therapy for female sexual dysfunction. <i>Lasers in Medical Science</i> , 2021, , 1.	1.0	3

#	ARTICLE	IF	CITATIONS
145	Persistent Labial Minora Fusion in Reproductive Age Women: A Retrospective Case Series of Nine Patients and Review of Literature. <i>Organogenesis</i> , 2021, 17, 1-6.	0.4	3
146	Current situation of complications related to reconstructive surgery for pelvic organ prolapse: a multicenter study. <i>International Urogynecology Journal</i> , 2021, 32, 2149-2157.	0.7	3
147	Human umbilical cord mesenchymal stem cells reconstruct the vaginal wall of ovariectomized Spragueâ€ˆDawley rats: implications for pelvic floor reconstruction. <i>Cell and Tissue Research</i> , 2021, 386, 571-583.	1.5	3
148	A 14-year multi-institutional collaborative study of Chinese pelvic floor surgical procedures related to pelvic organ prolapse. <i>Chinese Medical Journal</i> , 2021, 134, 200-205.	0.9	3
149	Clinical Features and Management of Endometriosis among Patients with MRKH and Functional Uterine Remnants. <i>Gynecologic and Obstetric Investigation</i> , 2021, , .	0.7	3
150	Comparative validity and reliability of the WeChat-based electronic and paper-and-pencil versions of the PISQ-12 for collecting participant-reported data in Chinese. <i>Menopause</i> , 2021, 28, 318-324.	0.8	3
151	Preoperative Evaluation for Complex Female Genital Tract Malformation Using Three-dimensional Printing Technology. <i>Chinese Medical Journal</i> , 2017, 130, 2388-2390.	0.9	3
152	Images for diagnosis. A vulva mastocytoma having grown for eighteen years. <i>Chinese Medical Journal</i> , 2010, 123, 382-4.	0.9	3
153	Value of the pudendal nerves terminal motor latency measurements in the diagnosis of occult stress urinary incontinence. <i>Chinese Medical Journal</i> , 2011, 124, 4046-9.	0.9	3
154	A multicenter study of the clinical characteristics of usualâ€ˆtype vulvar intraepithelial neoplasia in China. <i>International Journal of Gynecology and Obstetrics</i> , 2012, 117, 18-22.	1.0	2
155	Clinical Characteristics of Patients Who Underwent Surgery for Genital Tract Malformations at Peking Union Medical College Hospital across 31 Years. <i>Chinese Medical Journal</i> , 2016, 129, 2441-2444.	0.9	2
156	Routine β -Human Chorionic Gonadotropin Monitoring for Single-Dose Methotrexate Treatment in Ectopic Pregnancy. <i>Journal of Minimally Invasive Gynecology</i> , 2017, 24, 1195-1199.	0.3	2
157	Diagnosis and Treatment of Rudimentary Horn Pregnancy. <i>Chinese Medical Journal</i> , 2018, 131, 3012-3014.	0.9	2
158	An investigation of lower urinary tract symptoms and its potential associated factors in adult Chinese women with zero-inflated negative binomial regression model. <i>Medicine (United States)</i> , 2019, 98, e17409.	0.4	2
159	Migration of cervical stent after cervico-vaginal canalization. <i>International Urogynecology Journal</i> , 2020, 31, 1281-1282.	0.7	2
160	Reply to Amit Bansal and Anant Kumarâ€™s Letter to the Editor re: Lan Zhu, Nianqiao Gong, Bin Liu, et al. Coronavirus Disease 2019 Pneumonia in Immunosuppressed Renal Transplant Recipients: A Summary of 10 Confirmed Cases in Wuhan, China. <i>Eur Urol</i> 2020;77:748â€ˆ54. <i>European Urology</i> , 2020, 78, e159-e160.	0.9	2
161	Evaluation and Management of Unexpected Functional Rudimentary Uteri in Mayerâ€™Rokitanskyâ€™KÅ¼sterâ€™Hauser Syndrome of Chinese Women. <i>BioMed Research International</i> , 2020, 2020, 1-7.	0.9	2
162	Value of endometrial thickness in diagnosis of endometrial hyperplasia during selective estrogen receptor modulator therapy in premenopausal breast cancer patients. <i>Journal of Gynecology Obstetrics and Human Reproduction</i> , 2021, 50, 101929.	0.6	2

#	ARTICLE	IF	CITATIONS
163	Clinical outcomes and uroflowmetry assessment in patients with apical prolapse after laparoscopic uterosacral ligament suspension. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2021, 259, 12-17.	0.5	2
164	Medium-term effects on voiding function after pelvic reconstructive surgery of advanced pelvic organ prolapse: Is postoperative uroflowmetry necessary?. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2021, 258, 447-451.	0.5	2
165	A gene expression profile analysis of the differentiation of muscle-derived stem cells into smooth muscle cells from sheep. <i>American Journal of Translational Research (discontinued)</i> , 2018, 10, 1195-1204.	0.0	2
166	Surgical Treatment of Stress Urinary Incontinence in Women in the Mainland of China. <i>Chinese Medical Journal</i> , 2017, 130, 1387-1388.	0.9	1
167	Path-related pain after implantation of anterior transvaginal mesh: perspective from anatomical study. <i>International Urogynecology Journal</i> , 2022, , 1.	0.7	1
168	An anatomical comparison of two minimally invasive pelvic reconstructive surgeries using fresh female cadavers. <i>Chinese Medical Journal</i> , 2014, 127, 1510-6.	0.9	1
169	Changes in voiding function after transvaginal mesh repair for advanced anterior vaginal prolapse. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2020, 255, 29-33.	0.5	0
170	The impact of personality traits on pessary treatment outcomes in patients with pelvic organ prolapse. <i>International Urogynecology Journal</i> , 2021, 32, 859-864.	0.7	0
171	MO029CLINICALÂ CHARACTERISTICS AND PATHOGENIC GENES OF CONGENITAL SOLITARY KIDNEY WITH REPRODUCTIVE SYSTEM MALFORMATION*. <i>Nephrology Dialysis Transplantation</i> , 2021, 36, .	0.4	0
172	Ischial Spinous Fascia Fixation for Dilated Neovaginal Prolapse in MRKH Syndrome â€”2 Case Reports. <i>Journal of Pediatric and Adolescent Gynecology</i> , 2021, , .	0.3	0
173	Burch colposuspension for stress urinary incontinence: a 14-year prospective follow-up. <i>Science China Life Sciences</i> , 2022, , 1.	2.3	0
174	OUP accepted manuscript. <i>Clinical Infectious Diseases</i> , 2022, , .	2.9	0
175	Postoperative evaluation of tension-free vaginal tape procedure. <i>Chinese Medical Sciences Journal</i> , 2005, 20, 116-8.	0.2	0
176	New considerations regarding pelvic organ prolapse treatment in China. <i>Chinese Medical Journal</i> , 2012, 125, 1209-11.	0.9	0
177	Vascular stent as a treatment for refractory cervical stenosis. <i>Chinese Medical Journal</i> , 2014, 127, 986-7.	0.9	0