

Lan Zhu

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/360569/lan-zhu-publications-by-year.pdf>

Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

170
papers

1,837
citations

21
h-index

37
g-index

214
ext. papers

2,457
ext. citations

3.6
avg, IF

5.05
L-index

#	Paper	IF	Citations
170	Burch colposuspension for stress urinary incontinence: a 14-year prospective follow-up.. <i>Science China Life Sciences</i> , 2022 , 1	8.5	
169	Path-related pain after implantation of anterior transvaginal mesh: perspective from anatomical study.. <i>International Urogynecology Journal</i> , 2022 , 1	2	1
168	Integrative metabolomic profiling reveals aberrations in myometrium associated with adenomyosis: a pilot study.. <i>Reproductive Biology and Endocrinology</i> , 2022 , 20, 49	5	0
167	Evolutionarily conservative and non-conservative regulatory networks during primate interneuron development revealed by single-cell RNA and ATAC sequencing.. <i>Cell Research</i> , 2022 ,	24.7	1
166	Remission and Transition of Female Urinary Incontinence and Its Subtypes and the Impact of Body Mass Index on This Progression: A Nationwide Population-Based 4-Year Longitudinal Study in China.. <i>Journal of Urology</i> , 2022 , 101097JU0000000000002686	2.5	0
165	Metatranscriptomic analysis of host response and vaginal microbiome of patients with severe COVID-19.. <i>Science China Life Sciences</i> , 2022 , 1	8.5	0
164	Systemic Inflammation Response Index as a Prognostic Marker in Cancer Patients: A Systematic Review and Meta-Analysis of 38 Cohorts.. <i>Dose-Response</i> , 2021 , 19, 15593258211064744	2.3	3
163	Ischial Spinous Fascia Fixation for Dilated Neovaginal Prolapse in MRKH Syndrome -2 Case Reports. <i>Journal of Pediatric and Adolescent Gynecology</i> , 2021 ,	2	
162	Evaluation of extracellular matrix protein expression and apoptosis in the uterosacral ligaments of patients with or without pelvic organ prolapse. <i>International Urogynecology Journal</i> , 2021 , 32, 2273-2281 [†]		2
161	FTO demethylates m6A modifications in HOXB13 mRNA and promotes endometrial cancer metastasis by activating the WNT signalling pathway. <i>RNA Biology</i> , 2021 , 18, 1265-1278	4.8	20
160	A randomized controlled study of vaginal fractional CO laser therapy for female sexual dysfunction. <i>Lasers in Medical Science</i> , 2021 , 1	3.1	0
159	Hysterectomy and bilateral adnexectomy using transvaginal natural orifice transluminal endoscopic surgery: The role of multichannel abdominal PORT and vaginal support ring. <i>Journal of Obstetrics and Gynaecology Research</i> , 2021 , 47, 2521-2528	1.9	1
158	Mechanical stress influences the morphology and function of human uterosacral ligament fibroblasts and activates the p38 MAPK pathway. <i>International Urogynecology Journal</i> , 2021 , 1	2	1
157	Persistent Labial Minora Fusion in Reproductive Age Women: A Retrospective Case Series of Nine Patients and Review of Literature. <i>Organogenesis</i> , 2021 , 17, 20-25	1.7	1
156	Current situation of complications related to reconstructive surgery for pelvic organ prolapse: a multicenter study. <i>International Urogynecology Journal</i> , 2021 , 32, 2149-2157	2	1
155	Value of endometrial thickness in diagnosis of endometrial hyperplasia during selective estrogen receptor modulator therapy in premenopausal breast cancer patients. <i>Journal of Gynecology Obstetrics and Human Reproduction</i> , 2021 , 50, 101929	1.9	0
154	The impact of personality traits on pessary treatment outcomes in patients with pelvic organ prolapse. <i>International Urogynecology Journal</i> , 2021 , 32, 859-864	2	

153	Laparoscopically Assisted Uterovaginal Canalization and Vaginoplasty for Patients with Congenital Cervical and Vaginal Atresia: A Step-by-step Guide and Long-term Outcomes. <i>Journal of Minimally Invasive Gynecology</i> , 2021 , 28, 1203-1210	2.2	0
152	IGF2BP1 overexpression stabilizes PEG10 mRNA in an m6A-dependent manner and promotes endometrial cancer progression. <i>Theranostics</i> , 2021 , 11, 1100-1114	12.1	26
151	Clinical outcomes and uroflowmetry assessment in patients with apical prolapse after laparoscopic uterosacral ligament suspension. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2021 , 259, 12-17	2.4	0
150	Medium-term effects on voiding function after pelvic reconstructive surgery of advanced pelvic organ prolapse: Is postoperative uroflowmetry necessary?. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2021 , 258, 447-451	2.4	0
149	Single-cell transcriptome profiling of the vaginal wall in women with severe anterior vaginal prolapse. <i>Nature Communications</i> , 2021 , 12, 87	17.4	9
148	Perturbations of genes essential for Müllerian duct and Wolffian duct development in Mayer-Rokitansky-Küster-Hauser syndrome. <i>American Journal of Human Genetics</i> , 2021 , 108, 337-345	11	15
147	Vaginal pessary treatment in women with symptomatic pelvic organ prolapse: a long-term prospective study. <i>Menopause</i> , 2021 , 28, 538-545	2.5	2
146	Human umbilical cord mesenchymal stem cells reconstruct the vaginal wall of ovariectomized Sprague-Dawley rats: implications for pelvic floor reconstruction. <i>Cell and Tissue Research</i> , 2021 , 386, 571-583	4.2	0
145	Impact of COVID-19 Pandemic on the Clinical Activities in Obstetrics and Gynecology: A National Survey in China. <i>Frontiers in Medicine</i> , 2021 , 8, 633477	4.9	3
144	Mesenchymal stem cell transplantation for vaginal repair in an ovariectomized rhesus macaque model. <i>Stem Cell Research and Therapy</i> , 2021 , 12, 406	8.3	1
143	Mesenchymal stem cell-based bioengineered constructs enhance vaginal repair in ovariectomized rhesus monkeys. <i>Biomaterials</i> , 2021 , 275, 120863	15.6	1
142	Clinical characteristics of 1,055 Chinese patients with Mayer-Rokitansky-Küster-Hauser syndrome: a nationwide multicentric study. <i>Fertility and Sterility</i> , 2021 , 116, 558-565	4.8	3
141	Incidence and risk factors of female urinary incontinence: a 4-year longitudinal study among 24,985 adult women in China. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2021 ,	3.7	2
140	Liraglutide protects against lethal renal ischemia-reperfusion injury by inhibiting high-mobility group box 1 nuclear-cytoplasmic translocation and release. <i>Pharmacological Research</i> , 2021 , 173, 105867	10.2	4
139	A 14-year multi-institutional collaborative study of Chinese pelvic floor surgical procedures related to pelvic organ prolapse. <i>Chinese Medical Journal</i> , 2021 , 134, 200-205	2.9	1
138	Evaluation and Management of Unexpected Functional Rudimentary Uteri in Mayer-Rokitansky-Küster-Hauser Syndrome of Chinese Women. <i>BioMed Research International</i> , 2020 , 2020, 6808409	3	0
137	Sexual function and quality of life after the creation of a neovagina in women with Mayer-Rokitansky-Küster-Hauser syndrome: comparison of vaginal dilation and surgical procedures. <i>Fertility and Sterility</i> , 2020 , 113, 1024-1031	4.8	3
136	Management of gynecology patients during the coronavirus disease 2019 pandemic: Chinese expert consensus. <i>American Journal of Obstetrics and Gynecology</i> , 2020 , 223, 3-8	6.4	3

135	Seeded growth of large single-crystal copper foils with high-index facets. <i>Nature</i> , 2020 , 581, 406-410	50.4	68
134	Study on depressive symptoms in patients with Mayer-Rokitansky-Küster-Hauser syndrome: an analysis of 141 cases. <i>Orphanet Journal of Rare Diseases</i> , 2020 , 15, 121	4.2	2
133	Preoperative clinical characteristics scoring system for differentiating uterine leiomyosarcoma from fibroid. <i>BMC Cancer</i> , 2020 , 20, 514	4.8	6
132	Safety and efficacy of ischial spine fascia and sacrospinous ligament fixation for symptomatic stage 2 and 3 apical prolapse. <i>International Journal of Gynecology and Obstetrics</i> , 2020 , 149, 292-297	4	2
131	Changes in voiding function after transvaginal mesh repair for advanced anterior vaginal prolapse. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2020 , 255, 29-33	2.4	
130	Common variants in LAMC1 confer risk for pelvic organ prolapse in Chinese population. <i>Hereditas</i> , 2020 , 157, 26	2.4	3
129	Clinical Characteristics and Postoperative Symptoms of 85 Adolescents with Endometriosis. <i>Journal of Pediatric and Adolescent Gynecology</i> , 2020 , 33, 519-523	2	4
128	An epidemiology study of fecal incontinence in adult Chinese women living in urban areas. <i>Chinese Medical Journal</i> , 2020 , 133, 262-268	2.9	1
127	Anxiety symptoms in patients with Mayer-Rokitansky-Küster-Hauser syndrome: a cross-sectional study. <i>Chinese Medical Journal</i> , 2020 , 133, 388-394	2.9	3
126	Self-cut titanium-coated polypropylene mesh versus pre-cut mesh-kit for transvaginal treatment of severe pelvic organ prolapse: study protocol for a multicenter non-inferiority trial. <i>Trials</i> , 2020 , 21, 226	2.8	2
125	SARS-CoV-2 Is Not Detectable in the Vaginal Fluid of Women With Severe COVID-19 Infection. <i>Clinical Infectious Diseases</i> , 2020 , 71, 813-817	11.6	111
124	Comparative validity and reliability of the WeChat-based electronic and paper-and-pencil versions of the PISQ-12 for collecting participant-reported data in Chinese. <i>Menopause</i> , 2020 , 28, 318-324	2.5	1
123	Migration of cervical stent after cervico-vaginal canalization. <i>International Urogynecology Journal</i> , 2020 , 31, 1281-1282	2	0
122	Postoperative Pelvic Abscess after Cervicovaginal Canalization for Congenital Cervical and Vaginal Agenesis: A Report of 4 Cases. <i>Journal of Pediatric and Adolescent Gynecology</i> , 2020 , 33, 324-327	2	2
121	Novel FH mutation associated with multiple uterine leiomyomas in Chinese siblings. <i>Molecular Genetics & Genomic Medicine</i> , 2020 , 8, e1068	2.3	2
120	Genetic polymorphisms in collagen-related genes are associated with pelvic organ prolapse. <i>Menopause</i> , 2020 , 27, 223-229	2.5	10
119	Analysis of the role of the human papillomavirus 16/18 E7 protein assay in screening for cervical intraepithelial neoplasia: a case control study. <i>BMC Cancer</i> , 2020 , 20, 999	4.8	4
118	Reply to Amit Bansal and Anant Kumar Letter to the Editor re: Lan Zhu, Nianqiao Gong, Bin Liu, et al. Coronavirus Disease 2019 Pneumonia in Immunosuppressed Renal Transplant Recipients: A Summary of 10 Confirmed Cases in Wuhan, China. <i>Eur Urol</i> 2020;77:748-54. <i>European Urology</i> , 2020 , 78, e158-e160	10.2	1

117	Successful Treatment of Early Post-Transplant Bloodstream and Pulmonary Infection Caused by Carbapenem-Resistant <i>Klebsiella pneumoniae</i> With a Combination of Ceftazidime-Avibactam and Carbapenem: A Case Report. <i>Transplantation Proceedings</i> , 2020 , 52, 2742-2746	1.1	3
116	Vaginal pessary continuation in symptomatic pelvic organ prolapse patients with prior hysterectomy. <i>Menopause</i> , 2020 , 27, 1148-1154	2.5	1
115	Sexual function after tension-free vaginal tape procedure in stress urinary incontinence patients. <i>Menopause</i> , 2020 , 27, 1143-1147	2.5	
114	Validation of the Chinese version of the Pelvic Organ Prolapse Symptom Score (POP-SS). <i>Menopause</i> , 2020 , 27, 1053-1059	2.5	1
113	Impact of human umbilical cord-derived stem cells (HUMSCs) on host responses to a synthetic polypropylene mesh for pelvic floor reconstruction in a rat model. <i>Cell and Tissue Research</i> , 2020 , 382, 519-527	4.2	2
112	Factors associated with pessary fitting in women with symptomatic pelvic organ prolapse: A large prospective cohort study. <i>Neurourology and Urodynamics</i> , 2020 , 39, 2238-2245	2.3	0
111	Analysis of low sexual desire in Chinese women: a national population-based epidemiological survey in mainland China. <i>Sexual Health</i> , 2020 , 17, 61-68	2	2
110	Experimental study of a new original mesh developed for pelvic floor reconstructive surgery. <i>International Urogynecology Journal</i> , 2020 , 31, 79-89	2	2
109	The in vivo biocompatibility of titanized polypropylene lightweight mesh is superior to that of conventional polypropylene mesh. <i>Neurourology and Urodynamics</i> , 2020 , 39, 96-107	2.3	0
108	Coronavirus Disease 2019 Pneumonia in Immunosuppressed Renal Transplant Recipients: A Summary of 10 Confirmed Cases in Wuhan, China. <i>European Urology</i> , 2020 , 77, 748-754	10.2	136
107	Tissue Composition and Biomechanical Property Changes in the Vaginal Wall of Ovariectomized Young Rats. <i>BioMed Research International</i> , 2019 , 2019, 8921284	3	10
106	An epidemiologic study of pelvic organ prolapse in rural Chinese women: a population-based sample in China. <i>International Urogynecology Journal</i> , 2019 , 30, 1925-1932	2	13
105	Spectrum of Type I and Type II Syndromes and Associated Malformations in Chinese Patients with Mayer-Rokitansky-Küster-Hauser Syndrome: A Retrospective Analysis of 274 Cases. <i>Journal of Pediatric and Adolescent Gynecology</i> , 2019 , 32, 284-287	2	9
104	Comparison of outcomes between single-incision sling and transobturator sling for treating stress urinary incontinence: A 10-year prospective study. <i>Neurourology and Urodynamics</i> , 2019 , 38, 1852-1858	2.3	3
103	LAMC1, LAMA2 and LAMA3 gene polymorphisms and the risk for severe pelvic organ prolapse. <i>Science Bulletin</i> , 2019 , 64, 466-468	10.6	2
102	Effects of hysterectomy with simultaneous bilateral salpingectomy on the subsequent pelvic mass. <i>Journal of Ovarian Research</i> , 2019 , 12, 27	5.5	3
101	Validation of the Chinese version of the Pelvic Floor Distress Inventory-20 (PFDI-20) according to the COSMIN checklist. <i>International Urogynecology Journal</i> , 2019 , 30, 1127-1139	2	18
100	Malignant transformation of vaginal adenosis to clear cell carcinoma without prenatal diethylstilbestrol exposure: a case report and literature review. <i>BMC Cancer</i> , 2019 , 19, 798	4.8	5

99	Prevalence, potential risk factors, and symptomatic bother of lower urinary tract symptoms during and after pregnancy. <i>LUTS: Lower Urinary Tract Symptoms</i> , 2019 , 11, 217-223	1.9	5
98	Low-temperature epitaxy of transferable high-quality Pd(111) films on hybrid graphene/Cu(111) substrate. <i>Nano Research</i> , 2019 , 12, 2712-2717	10	4
97	Comparison of transvaginal repair versus laparoscopic repair of lower-segment cesarean scar defects. <i>International Journal of Gynecology and Obstetrics</i> , 2019 , 145, 199-204	4	2
96	Retrospective analysis of cervical cancer and precancerous lesions in patients with atypical squamous cells of undetermined significance in China. <i>Medicine (United States)</i> , 2019 , 98, e18239	1.8	4
95	An investigation of lower urinary tract symptoms and its potential associated factors in adult Chinese women with zero-inflated negative binomial regression model. <i>Medicine (United States)</i> , 2019 , 98, e17409	1.8	1
94	Clinical Manifestations Of Adenomyosis Patients With Or Without Pain Symptoms. <i>Journal of Pain Research</i> , 2019 , 12, 3127-3133	2.9	5
93	Tension-Free Vaginal Tape for the Treatment of Stress Urinary Incontinence: A 13-Year Prospective Follow-Up. <i>Journal of Minimally Invasive Gynecology</i> , 2019 , 26, 754-759	2.2	3
92	Lower urinary tract symptoms 7 years after the first delivery: Correlation to the mode of delivery. <i>Neurourology and Urodynamics</i> , 2019 , 38, 793-800	2.3	2
91	Tension-free vaginal tape-obturator for the treatment of stress urinary incontinence: a 12-year prospective follow-up. <i>BJU International</i> , 2019 , 123, E57-E62	5.6	12
90	Effect of generalized anxiety disorders on the success of pessary treatment for pelvic organ prolapse. <i>International Urogynecology Journal</i> , 2018 , 29, 1147-1153	2	3
89	The attitudes towards defensive medicine among physicians of obstetrics and gynaecology in China: a questionnaire survey in a national congress. <i>BMJ Open</i> , 2018 , 8, e019752	3	11
88	Increased incidence of abnormally located ovary in patients with Mayer-Rokitansky-Küster-Hauser syndrome: a retrospective analysis with magnetic resonance imaging. <i>Abdominal Radiology</i> , 2018 , 43, 3142-3146	3	6
87	Depressive symptoms screening in postmenopausal women with symptomatic pelvic organ prolapse. <i>Menopause</i> , 2018 , 25, 314-319	2.5	8
86	Surgical Repair of Rectovaginal Fistula Using the Modified Martius Procedure: A Step-by-Step Guide. <i>Journal of Minimally Invasive Gynecology</i> , 2018 , 25, 573-575	2.2	3
85	Changes in voiding function after laparoscopic sacrocolpopexy for advanced pelvic organ prolapse: a cohort study of 76 cases. <i>International Urogynecology Journal</i> , 2018 , 29, 505-512	2	3
84	A gene expression profile analysis of the differentiation of muscle-derived stem cells into smooth muscle cells from sheep. <i>American Journal of Translational Research (discontinued)</i> , 2018 , 10, 1195-1204	3	2
83	Comparison of outcomes between postpartum and non-postpartum women with stress urinary incontinence treated with conservative therapy: A prospective cohort study. <i>Neurourology and Urodynamics</i> , 2018 , 37, 1426-1433	2.3	2
82	Risk Factors for Recurrence of Ovarian Endometriosis in Chinese Patients Aged 45 and Over. <i>Chinese Medical Journal</i> , 2018 , 131, 1308-1313	2.9	2

81	Gender differences in workplace violence against physicians of obstetrics and gynecology in China: A questionnaire in the national congress. <i>PLoS ONE</i> , 2018 , 13, e0208693	3.7	6
80	An epidemiologic study on symptomatic pelvic organ prolapse in obese Chinese women: a population-based study in China. <i>Diabetes, Metabolic Syndrome and Obesity: Targets and Therapy</i> , 2018 , 11, 761-766	3.4	2
79	Changes in the symptoms and quality of life of women with symptomatic pelvic organ prolapse fitted with a ring with support pessary. <i>Maturitas</i> , 2018 , 117, 51-56	5	11
78	Induction of human umbilical cord mesenchymal stem cells into tissue-forming cells in a murine model: implications for pelvic floor reconstruction. <i>Cell and Tissue Research</i> , 2018 , 372, 535-547	4.2	7
77	Diagnosis and Treatment of Rudimentary Horn Pregnancy: Analysis of Eleven Cases. <i>Chinese Medical Journal</i> , 2018 , 131, 3012-3014	2.9	
76	Clinical Manifestations of Adenomyosis Patients with or without Coexisting Endometriosis. <i>Chinese Medical Journal</i> , 2018 , 131, 2495-2498	2.9	3
75	High-risk human papillomavirus infection clearance following conization among patients with cervical intraepithelial neoplasm grade 3 aged at least 45 years. <i>International Journal of Gynecology and Obstetrics</i> , 2017 , 136, 47-52	4	3
74	A Curriculum Using Simulation Models to Teach Gynecology and Obstetrics to Trainees. <i>Chinese Medical Journal</i> , 2017 , 130, 997-1000	2.9	1
73	Routine Human Chorionic Gonadotropin Monitoring for Single-Dose Methotrexate Treatment in Ectopic Pregnancy. <i>Journal of Minimally Invasive Gynecology</i> , 2017 , 24, 1195-1199	2.2	2
72	Successful use of the Gellhorn pessary as a second-line pessary in women with advanced pelvic organ prolapse. <i>Menopause</i> , 2017 , 24, 1277-1281	2.5	14
71	Evaluation of Mayer-Rokitansky-Küster-Hauser syndrome with magnetic resonance imaging: Three patterns of uterine remnants and related anatomical features and clinical settings. <i>European Radiology</i> , 2017 , 27, 5215-5224	8	14
70	Clinicopathological Features and Treatment Analysis of Rare Aggressive Angiomyxoma of the Female Pelvis and Perineum - a Retrospective Study. <i>Pathology and Oncology Research</i> , 2017 , 23, 131-137	2.6	6
69	A Population-Based Epidemiologic Study of Female Sexual Dysfunction Risk in Mainland China: Prevalence and Predictors. <i>Journal of Sexual Medicine</i> , 2017 , 14, 1348-1356	1.1	27
68	Prevalence and Factors Associated with Female Sexual Dysfunction in Beijing, China. <i>Chinese Medical Journal</i> , 2017 , 130, 1389-1394	2.9	21
67	Proportion of Uterine Malignant Tumors in Patients with Laparoscopic Myomectomy: A National Multicenter Study in China. <i>Chinese Medical Journal</i> , 2017 , 130, 2661-2665	2.9	7
66	Preoperative Evaluation for Complex Female Genital Tract Malformation Using Three-dimensional Printing Technology. <i>Chinese Medical Journal</i> , 2017 , 130, 2388-2390	2.9	1
65	Retropubic tension-free vaginal tape and inside-out transobturator tape: a long-term randomized trial. <i>International Urogynecology Journal</i> , 2016 , 27, 103-11	2	21
64	Clinical Characteristics of Patients Who Underwent Surgery for Genital Tract Malformations at Peking Union Medical College Hospital across 31 Years. <i>Chinese Medical Journal</i> , 2016 , 129, 2441-2444	2.9	2

63	The usability of a WeChat-based electronic questionnaire for collecting participant-reported data in female pelvic floor disorders: a comparison with the traditional paper-administered format. <i>Menopause</i> , 2016 , 23, 856-62	2.5	24
62	Clinical characteristics of congenital cervical atresia and associated endometriosis among 96 patients. <i>International Journal of Gynecology and Obstetrics</i> , 2016 , 134, 252-5	4	13
61	Which factors should be considered in choosing pessary type and size for pelvic organ prolapse patients in a fitting trial?. <i>International Urogynecology Journal</i> , 2016 , 27, 1867-1871	2	11
60	The value of the preoperative 1-h pad test with pessary insertion for predicting the need for a mid-urethral sling following pelvic prolapse surgery: a cohort study. <i>World Journal of Urology</i> , 2016 , 34, 361-7	4	5
59	Nanofibrous biomimetic mesh can be used for pelvic reconstructive surgery: A randomized study. <i>Journal of the Mechanical Behavior of Biomedical Materials</i> , 2016 , 61, 26-35	4.1	3
58	Medium-term outcomes after combined trachelectomy and uterosacral ligament suspension among young women with severe uterine prolapse. <i>International Journal of Gynecology and Obstetrics</i> , 2016 , 132, 224-8	4	3
57	Changes in Prolapse and Urinary Symptoms After Successful Fitting of a Ring Pessary With Support in Women With Advanced Pelvic Organ Prolapse: A Prospective Study. <i>Urology</i> , 2016 , 87, 70-5	1.6	25
56	Effects of preoperative vaginal estrogen therapy for the incidence of mesh complication after pelvic organ prolapse surgery in postmenopausal women: is it helpful or a myth? A 1-year randomized controlled trial. <i>Menopause</i> , 2016 , 23, 740-8	2.5	8
55	Long-term outcomes of modified laparoscopic sacrocolpopexy for advanced pelvic organ prolapse: a 3-year prospective study. <i>Menopause</i> , 2016 , 23, 765-70	2.5	8
54	Use of N,O-carboxymethyl chitosan to prevent postsurgical adhesions in a rabbit double uterine horn model: a randomized controlled design. <i>Science China Life Sciences</i> , 2016 , 59, 504-9	8.5	3
53	Clinical characteristics and management experience of unexpected uterine sarcoma after myomectomy. <i>International Journal of Gynecology and Obstetrics</i> , 2015 , 130, 195-9	4	18
52	Reliability and validity of a Chinese version of the Modified Body Image Scale in patients with symptomatic pelvic organ prolapse. <i>International Journal of Gynecology and Obstetrics</i> , 2015 , 130, 187-9	4	5
51	Analysis of hysterectomies for patients with uterine leiomyomas in China in 2010. <i>International Journal of Gynecology and Obstetrics</i> , 2015 , 129, 71-4	4	5
50	Noninvasive diagnosis of moderate to severe endometriosis: the platelet-lymphocyte ratio cannot be a neoadjuvant biomarker for serum cancer antigen 125. <i>Journal of Minimally Invasive Gynecology</i> , 2015 , 22, 373-7	2.2	17
49	Short-term effects on voiding function after mesh-related surgical repair of advanced pelvic organ prolapse. <i>Menopause</i> , 2015 , 22, 993-9	2.5	10
48	Proteomic Analysis of the Uterosacral Ligament in Postmenopausal Women with and without Pelvic Organ Prolapse. <i>Chinese Medical Journal</i> , 2015 , 128, 3191-6	2.9	5
47	Tension-free polypropylene mesh-related surgical repair for pelvic organ prolapse has a good anatomic success rate but a high risk of complications. <i>Chinese Medical Journal</i> , 2015 , 128, 295-300	2.9	13
46	New classification of Herlyn-Werner-Wunderlich syndrome. <i>Chinese Medical Journal</i> , 2015 , 128, 222-5	2.9	60

45	Exome sequencing identifies a novel gene, WNK1, for susceptibility to pelvic organ prolapse (POP). <i>PLoS ONE</i> , 2015 , 10, e0119482	3.7	5
44	Successful use of ring pessary with support for advanced pelvic organ prolapse. <i>International Urogynecology Journal</i> , 2015 , 26, 1517-23	2	17
43	A Population-based Survey of the Prevalence, Potential Risk Factors, and Symptom-specific Bother of Lower Urinary Tract Symptoms in Adult Chinese Women. <i>European Urology</i> , 2015 , 68, 97-112	10.2	62
42	Manometric comparison of anorectal function after posterior vaginal compartment repair with and without mesh. <i>Chinese Medical Journal</i> , 2015 , 128, 438-42	2.9	4
41	Current situation of transvaginal mesh repair for pelvic organ prolapse. <i>Chinese Medical Sciences Journal</i> , 2014 , 29, 188-90	1.3	2
40	Endometriosis in association with Herlyn-Werner-Wunderlich syndrome. <i>Fertility and Sterility</i> , 2014 , 102, 790-4	4.8	41
39	Differential expression of microRNAs in periurethral vaginal wall tissues of postmenopausal women with and without stress urinary incontinence. <i>Menopause</i> , 2014 , 21, 1122-8	2.5	7
38	Outcome and sexual function after transobturator tape procedure versus tension-free vaginal tape SECUR: a randomized controlled trial. <i>Menopause</i> , 2014 , 21, 641-5	2.5	12
37	Surgical treatment of usual type vulvar intraepithelial neoplasia: a study at three academic hospitals. <i>Chinese Medical Journal</i> , 2014 , 127, 784-6	2.9	2
36	Vascular stent as a treatment for refractory cervical stenosis. <i>Chinese Medical Journal</i> , 2014 , 127, 986-7	2.9	
35	An anatomical comparison of two minimally invasive pelvic reconstructive surgeries using fresh female cadavers. <i>Chinese Medical Journal</i> , 2014 , 127, 1510-6	2.9	1
34	Modified laparoscopic sacrocolpopexy with mesh for severe pelvic organ prolapse. <i>International Journal of Gynecology and Obstetrics</i> , 2013 , 121, 170-2	4	4
33	Clinical characteristics of 70 patients with Herlyn-Werner-Wunderlich syndrome. <i>International Journal of Gynecology and Obstetrics</i> , 2013 , 121, 173-5	4	63
32	Short-term effect of TVT-SECUR procedure on quality of life and sexual function in women with stress urinary incontinence. <i>Journal of Minimally Invasive Gynecology</i> , 2013 , 20, 455-9	2.2	8
31	Anatomic and sexual outcomes after vaginoplasty using tissue-engineered biomaterial graft in patients with Mayer-Rokitansky-Küster-Hauser syndrome: a new minimally invasive and effective surgery. <i>Journal of Sexual Medicine</i> , 2013 , 10, 1652-8	1.1	43
30	Long-term outcomes of the tension-free vaginal tape procedure for female stress urinary incontinence: 7-year follow-up in China. <i>Journal of Minimally Invasive Gynecology</i> , 2012 , 19, 201-5	2.2	4
29	Validation of the Chinese version of the Pelvic Organ Prolapse/Urinary Incontinence Sexual Questionnaire short form (PISQ-12). <i>International Journal of Gynecology and Obstetrics</i> , 2012 , 116, 117-9 ⁴		31
28	A multicenter study of the clinical characteristics of usual-type vulvar intraepithelial neoplasia in China. <i>International Journal of Gynecology and Obstetrics</i> , 2012 , 117, 18-22	4	2

27	The optimal threshold values for the severity of urinary incontinence based on the 1-hour pad test. <i>International Journal of Gynecology and Obstetrics</i> , 2012 , 118, 117-9	4	5
26	Prevalence and risk factors for peri- and postpartum urinary incontinence in primiparous women in China: a prospective longitudinal study. <i>International Urogynecology Journal</i> , 2012 , 23, 563-72	2	66
25	The clinical features and management of perineal endometriosis with anal sphincter involvement: a clinical analysis of 31 cases. <i>Human Reproduction</i> , 2012 , 27, 1624-7	5.7	12
24	New considerations regarding pelvic organ prolapse treatment in China. <i>Chinese Medical Journal</i> , 2012 , 125, 1209-11	2.9	
23	Pelvic reconstruction with mesh for advanced pelvic organ prolapse: a new economic surgical method. <i>Menopause</i> , 2011 , 18, 328-32	2.5	16
22	Chinese validation of the Pelvic Floor Impact Questionnaire Short Form. <i>Menopause</i> , 2011 , 18, 1030-3	2.5	38
21	Clinical study of ischia spinous fascia fixation--a new pelvic reconstructive surgery. <i>International Urogynecology Journal</i> , 2011 , 22, 499-503	2	2
20	Value of the pudendal nerves terminal motor latency measurements in the diagnosis of occult stress urinary incontinence. <i>Chinese Medical Journal</i> , 2011 , 124, 4046-9	2.9	2
19	Epidemiology of mixed urinary incontinence in China. <i>International Journal of Gynecology and Obstetrics</i> , 2010 , 109, 55-8	4	12
18	Epidemiological study of urge urinary incontinence and risk factors in China. <i>International Urogynecology Journal</i> , 2010 , 21, 589-93	2	20
17	Microarray analysis of differentially expressed genes in vaginal tissues in postmenopausal women. The role of stress urinary incontinence. <i>International Urogynecology Journal</i> , 2010 , 21, 1545-51	2	3
16	Images for diagnosis. A vulva mastocytoma having grown for eighteen years. <i>Chinese Medical Journal</i> , 2010 , 123, 382-4	2.9	3
15	Transobturator tape procedure versus tension-free vaginal tape for treatment of stress urinary incontinence. <i>International Journal of Gynecology and Obstetrics</i> , 2009 , 104, 113-6	4	41
14	Presentation and management of perineal endometriosis. <i>International Journal of Gynecology and Obstetrics</i> , 2009 , 105, 230-2	4	18
13	Vasoactive intestinal peptide in vaginal epithelium of patients with pelvic organ prolapse and stress urinary incontinence. <i>International Journal of Gynecology and Obstetrics</i> , 2009 , 105, 223-5	4	2
12	The epidemiological study of women with urinary incontinence and risk factors for stress urinary incontinence in China. <i>Menopause</i> , 2009 , 16, 831-6	2.5	129
11	Clinical assessment for three routes of hysterectomy. <i>Chinese Medical Journal</i> , 2009 , 122, 377-80	2.9	4
10	Neuropeptide Y expression in vaginal epithelium of women with pelvic organ prolapse and stress urinary incontinence. <i>International Journal of Gynecology and Obstetrics</i> , 2008 , 102, 65-8	4	2

9	The prevalence of and potential risk factors for female urinary incontinence in Beijing, China. <i>Menopause</i> , 2008 , 15, 566-9	2.5	52
8	Role of different childbirth strategies on pelvic organ prolapse and stress urinary incontinence: a prospective study. <i>Chinese Medical Journal</i> , 2008 , 121, 213-5	2.9	7
7	Comparing vaginal tape and transobturator tape for the treatment of mild and moderate stress incontinence. <i>International Journal of Gynecology and Obstetrics</i> , 2007 , 99, 14-7	4	23
6	Morphologic study on levator ani muscle in patients with pelvic organ prolapse and stress urinary incontinence. <i>International Urogynecology Journal</i> , 2005 , 16, 401-4	2	20
5	Postoperative evaluation of tension-free vaginal tape procedure. <i>Chinese Medical Sciences Journal</i> , 2005 , 20, 116-8	1.3	
4	Study on nerve fiber density in anterior vaginal epithelium for stress urinary incontinence. <i>International Urogynecology Journal</i> , 2004 , 15, 272-5	2	5
3	Estrogen receptor in pelvic floor tissues in patients with stress urinary incontinence. <i>International Urogynecology Journal</i> , 2004 , 15, 340-3	2	12
2	Perineal endometriosis without perineal trauma: a case report. <i>Chinese Medical Journal</i> , 2003 , 116, 639-40	1.7	1
1	Perineal endometriosis after vaginal delivery--clinical experience with 10 patients. <i>Australian and New Zealand Journal of Obstetrics and Gynaecology</i> , 2002 , 42, 565-7	1.7	3