

Yemane Berhane

List of Publications by Citations

Source: <https://exaly.com/author-pdf/3605721/yemane-berhane-publications-by-citations.pdf>

Version: 2024-04-20

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

140
papers

1,714
citations

21
h-index

35
g-index

157
ext. papers

2,362
ext. citations

3.5
avg, IF

5.32
L-index

#	Paper	IF	Citations
140	The role of health extension workers in improving utilization of maternal health services in rural areas in Ethiopia: a cross sectional study. <i>BMC Health Services Research</i> , 2012 , 12, 352	2.9	132
139	Prevalence and associated factors of hypertension: a cross-sectional community based study in northwest ethiopia. <i>PLoS ONE</i> , 2015 , 10, e0125210	3.7	83
138	Harmonization of Maternal Nutrition Trials [Finding and Creating Similarities in Protocols and Outcomes. <i>Current Developments in Nutrition</i> , 2020 , 4, 1738-1738	0.4	78
137	Associations of Percent Energy Intake From Total, Animal and Plant Protein With Overweight/Obesity and Underweight Among Adults in Addis Ababa, Ethiopia. <i>Current Developments in Nutrition</i> , 2021 , 5, 649-649	0.4	78
136	Effects of excessive speeding and falling asleep while driving on crash injury severity in Ethiopia: a generalized ordered logit model analysis. <i>Accident Analysis and Prevention</i> , 2014 , 71, 15-21	6.1	60
135	Self-Care Practices among Diabetes Patients in Addis Ababa: A Qualitative Study. <i>PLoS ONE</i> , 2017 , 12, e0169062	3.7	47
134	Traditional values of virginity and sexual behaviour in rural Ethiopian youth: results from a cross-sectional study. <i>BMC Public Health</i> , 2008 , 8, 9	4.1	46
133	Construct validity and factor structure of the pittsburgh sleep quality index and epworth sleepiness scale in a multi-national study of African, South East Asian and South American college students. <i>PLoS ONE</i> , 2014 , 9, e116383	3.7	44
132	Road traffic deaths and injuries are under-reported in Ethiopia: a capture-recapture method. <i>PLoS ONE</i> , 2014 , 9, e103001	3.7	41
131	Barriers to diabetes medication adherence in North West Ethiopia. <i>SpringerPlus</i> , 2014 , 3, 195		40
130	Factors associated exclusive breastfeeding practices of urban women in Addis Ababa public health centers, Ethiopia: a cross sectional study. <i>International Breastfeeding Journal</i> , 2015 , 10, 22	3.8	40
129	Level of sustained glycemic control and associated factors among patients with diabetes mellitus in Ethiopia: a hospital-based cross-sectional study. <i>Diabetes, Metabolic Syndrome and Obesity: Targets and Therapy</i> , 2015 , 8, 65-71	3.4	36
128	Exclusive breast feeding is the strongest predictor of infant survival in Northwest Ethiopia: a longitudinal study. <i>Journal of Health, Population and Nutrition</i> , 2015 , 34, 9	2.5	30
127	Psychometric properties and factor structure of the General Health Questionnaire as a screening tool for anxiety and depressive symptoms in a multi-national study of young adults. <i>Journal of Affective Disorders</i> , 2015 , 187, 197-202	6.6	28
126	Distance from health facility and mothers perception of quality related to skilled delivery service utilization in northern Ethiopia. <i>International Journal of Women's Health</i> , 2017 , 9, 749-756	2.8	28
125	Parent-Adolescent Sexual and Reproductive Health Communication Is Very Limited and Associated with Adolescent Poor Behavioral Beliefs and Subjective Norms: Evidence from a Community Based Cross-Sectional Study in Eastern Ethiopia. <i>PLoS ONE</i> , 2015 , 10, e0129941	3.7	28
124	Men traveling away from home are more likely to bring malaria into high altitude villages, northwest Ethiopia. <i>PLoS ONE</i> , 2014 , 9, e95341	3.7	27

123	MothersSexperience of disrespect and abuse during maternity care in northern Ethiopia. <i>Global Health Action</i> , 2018 , 11, 1465215	3	26
122	Timing of First Antenatal Care Visit and its Associated Factors among Pregnant Women Attending Public Health Facilities in Addis Ababa, Ethiopia. <i>Ethiopian Journal of Health Sciences</i> , 2017 , 27, 139-146	1.1	25
121	Anemia among Primary School Children in Eastern Ethiopia. <i>PLoS ONE</i> , 2015 , 10, e0123615	3.7	25
120	Women suffer more from disrespectful and abusive care than from the labour pain itself: a qualitative study from WomenS perspective. <i>BMC Pregnancy and Childbirth</i> , 2018 , 18, 392	3.2	22
119	Prevalence of and factors associated with regular khat chewing among university students in Ethiopia. <i>Substance Abuse and Rehabilitation</i> , 2015 , 6, 41-50	5.5	20
118	Magnitude and determinants of malnutrition among pregnant women in eastern Ethiopia: evidence from rural, community-based setting. <i>Maternal and Child Nutrition</i> , 2016 , 12, 51-63	3.4	20
117	Sleep disturbances and quality of life in Sub-Saharan African migraineurs. <i>Journal of Headache and Pain</i> , 2015 , 16, 18	8.8	19
116	Diagnostic validity of the Patient Health Questionnaire-2 (PHQ-2) among Ethiopian adults. <i>Comprehensive Psychiatry</i> , 2016 , 70, 216-21	7.3	19
115	Association of suicidal ideation with poor sleep quality among Ethiopian adults. <i>Sleep and Breathing</i> , 2016 , 20, 1319-1326	3.1	19
114	A qualitative study on factors that influence womenS choice of delivery in health facilities in Addis Ababa, Ethiopia. <i>BMC Pregnancy and Childbirth</i> , 2016 , 16, 307	3.2	19
113	One in five women suffer from pelvic floor disorders in Kersa district Eastern Ethiopia: a community-based study. <i>BMC Womenfs Health</i> , 2018 , 18, 95	2.9	18
112	A survey of Ethiopian physiciansSexperiences of bedside rationing: extensive resource scarcity, tough decisions and adverse consequences. <i>BMC Health Services Research</i> , 2015 , 15, 467	2.9	18
111	Daytime Sleepiness, Circadian Preference, Caffeine Consumption and Khat Use among College Students in Ethiopia. <i>Journal of Sleep Disorders-- Treatment & Care</i> , 2013 , 3,		18
110	Factors associated with acute respiratory infection in children under the age of 5 years: evidence from the 2011 Ethiopia Demographic and Health Survey. <i>Pediatric Health, Medicine and Therapeutics</i> , 2015 , 6, 9-13	2.5	17
109	Perceptions of usage and unintended consequences of provision of ready-to-use therapeutic food for management of severe acute child malnutrition. A qualitative study in Southern Ethiopia. <i>Health Policy and Planning</i> , 2015 , 30, 1334-41	3.4	17
108	Subclinical Iodine Deficiency among Pregnant Women in Haramaya District, Eastern Ethiopia: A Community-Based Study. <i>Journal of Nutrition and Metabolism</i> , 2014 , 2014, 878926	2.7	17
107	Major depressive disorder and suicidal behavior among urban dwelling Ethiopian adult outpatients at a general hospital. <i>Journal of Affective Disorders</i> , 2016 , 197, 58-65	6.6	16
106	Comparison of Mid-Upper Arm Circumference and Weight-for-Height to Diagnose Severe Acute Malnutrition: A Study in Southern Ethiopia. <i>Nutrients</i> , 2017 , 9,	6.7	16

105	The age of opportunity: prevalence of key risk factors among adolescents 10-19 years of age in nine communities in sub-Saharan Africa. <i>Tropical Medicine and International Health</i> , 2020 , 25, 15-32	2.3	16
104	What Influences Urban Mothers' Decisions on What to Feed Their Children Aged Under Five-The Case of Addis Ababa, Ethiopia. <i>Nutrients</i> , 2018 , 10,	6.7	15
103	Vertical transmission of group B and associated factors among pregnant women: a cross-sectional study, Eastern Ethiopia. <i>Infection and Drug Resistance</i> , 2018 , 11, 397-404	4.2	15
102	Prevalence and predictors of harmful khat use among university students in Ethiopia. <i>Substance Abuse: Research and Treatment</i> , 2014 , 8, 45-51	1.6	15
101	Quality of the delivery services in health facilities in Northern Ethiopia. <i>BMC Health Services Research</i> , 2017 , 17, 187	2.9	15
100	Less Than One-Third of Caretakers Sought Formal Health Care Facilities for Common Childhood Illnesses in Ethiopia: Evidence from the 2011 Ethiopian Demographic Health Survey. <i>International Journal of Family Medicine</i> , 2015 , 2015, 516532		15
99	Financial risk protection at the bedside: How Ethiopian physicians try to minimize out-of-pocket health expenditures. <i>PLoS ONE</i> , 2019 , 14, e0212129	3.7	15
98	Uptake and performance of prevention of mother-to-child transmission and early infant diagnosis in pregnant HIV-infected women and their exposed infants at seven health centres in Addis Ababa, Ethiopia. <i>Tropical Medicine and International Health</i> , 2017 , 22, 765-775	2.3	14
97	An integrated community-based outpatient therapeutic feeding programme for severe acute malnutrition in rural Southern Ethiopia: Recovery, fatality, and nutritional status after discharge. <i>Maternal and Child Nutrition</i> , 2018 , 14, e12519	3.4	14
96	The community-based Health Extension Program significantly improved contraceptive utilization in West Gojjam Zone, Ethiopia. <i>Journal of Multidisciplinary Healthcare</i> , 2014 , 7, 201-8	2.8	12
95	Challenges in Implementing the Integrated Community-Based Outpatient Therapeutic Program for Severely Malnourished Children in Rural Southern Ethiopia. <i>Nutrients</i> , 2016 , 8,	6.7	12
94	High parental monitoring prevents adolescents from engaging in risky sexual practices in Harar, Ethiopia. <i>Global Health Action</i> , 2014 , 7, 25724	3	11
93	Design and field methods of the ARISE Network Adolescent Health Study. <i>Tropical Medicine and International Health</i> , 2020 , 25, 5-14	2.3	11
92	The magnitude of, and factors associated with, loss to follow-up among patients treated for sexually transmitted infections: a multilevel analysis. <i>BMJ Open</i> , 2017 , 7, e016864	3	10
91	A Chicken Production Intervention and Additional Nutrition Behavior Change Component Increased Child Growth in Ethiopia: A Cluster-Randomized Trial. <i>Journal of Nutrition</i> , 2020 , 150, 2806-2817	4.1	10
90	Reported Barriers to Healthcare Access and Service Disruptions Caused by COVID-19 in Burkina Faso, Ethiopia, and Nigeria: A Telephone Survey. <i>American Journal of Tropical Medicine and Hygiene</i> , 2021 ,	3.2	10
89	Assessment of cold chain status for immunization in central Ethiopia. <i>Ethiopian Medical Journal</i> , 2013 , 51 Suppl 1, 21-9		10
88	Quality of intrapartum and newborn care in Tigray, Northern Ethiopia. <i>BMC Pregnancy and Childbirth</i> , 2019 , 19, 37	3.2	9

87	HIV patients retention and attrition in care and their determinants in Ethiopia: a systematic review and meta-analysis. <i>BMC Infectious Diseases</i> , 2020 , 20, 439	4	9
86	Unmet Need for Contraception Among Young Married Women in Eastern Ethiopia. <i>Open Access Journal of Contraception</i> , 2019 , 10, 89-101	1.4	9
85	Anemia prevalence and etiology among women, men, and children in Ethiopia: a study protocol for a national population-based survey. <i>BMC Public Health</i> , 2019 , 19, 1369	4.1	8
84	Major depressive disorder and cardiometabolic disease risk among sub-Saharan African adults. <i>Diabetes and Metabolic Syndrome: Clinical Research and Reviews</i> , 2015 , 9, 183-91	8.9	8
83	Mortality level and predictors in a rural Ethiopian population: community based longitudinal study. <i>PLoS ONE</i> , 2014 , 9, e93099	3.7	8
82	Pregnancy rates and pregnancy loss in Eastern Ethiopia. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2013 , 92, 642-7	3.8	8
81	Adolescent GirlsSAgency Significantly Correlates With Favorable Social Norms in Ethiopia-Implications for Improving Sexual and Reproductive Health of Young Adolescents. <i>Journal of Adolescent Health</i> , 2019 , 64, S52-S59	5.8	7
80	Knowledge and perception towards net care and repair practice in Ethiopia. <i>Malaria Journal</i> , 2017 , 16, 396	3.6	7
79	Utilization of Institutional Delivery Service in a Predominantly Pastoralist Community of Northeast Ethiopia. <i>Ethiopian Journal of Health Sciences</i> , 2018 , 28, 403-412	1.1	7
78	Obstetric hemorrhage and safe blood for transfusion in Ethiopia: the challenges of bridging the gap. <i>Transfusion</i> , 2017 , 57, 2526-2531	2.9	7
77	Predicted implications of using percentage weight gain as single discharge criterion in management of acute malnutrition in rural southern Ethiopia. <i>Maternal and Child Nutrition</i> , 2015 , 11, 962-72	3.4	7
76	Oral symptoms significantly higher among long-term khat (<i>Catha edulis</i>) users in Ethiopia. <i>Epidemiology and Health</i> , 2015 , 37, e2015009	5.6	7
75	Determinants of postnatal care utilization in Ethiopia: a multilevel analysis. <i>BMC Pregnancy and Childbirth</i> , 2020 , 20, 549	3.2	7
74	Early estimates of COVID-19 infections in small, medium and large population clusters. <i>BMJ Global Health</i> , 2020 , 5,	6.6	7
73	Reasons for low level of skilled birth attendance in Afar pastoralist community, North East Ethiopia: a qualitative exploration. <i>Pan African Medical Journal</i> , 2018 , 30, 51	1.2	7
72	Health Seeking Behavior of Patients Diagnosed with Cervical Cancer in Addis Ababa, Ethiopia. <i>Ethiopian Journal of Health Sciences</i> , 2018 , 28, 111-116	1.1	7
71	School-Based Intervention: Evaluating the role of Water, Latrines and Hygiene Education on Trachoma and Intestinal Parasitic Infections in Ethiopia. <i>Journal of Water Sanitation and Hygiene for Development</i> , 2014 , 4, 120-130	1.5	6
70	Delays in emergency obstetric referrals in Addis Ababa hospitals in Ethiopia: a facility-based, cross-sectional study. <i>BMJ Open</i> , 2020 , 10, e033771	3	5

69	Choosing Anthropometric Indicators to Monitor the Response to Treatment for Severe Acute Malnutrition in Rural Southern Ethiopia-Empirical Evidence. <i>Nutrients</i> , 2017 , 9,	6.7	5
68	Children who received PCV-10 vaccine from a two-dose vial without preservative are not more likely to develop injection site abscess compared with those who received pentavalent (DPT-HepB-Hib) vaccine: a longitudinal multi-site study. <i>PLoS ONE</i> , 2014 , 9, e97376	3.7	5
67	Design and Field Methods of the ARISE Network COVID-19 Rapid Monitoring Survey. <i>American Journal of Tropical Medicine and Hygiene</i> , 2021 ,	3.2	5
66	Prevention and treatment of suspected pneumonia in Ethiopian children less than five years from household to primary care. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 2021 , 110, 602-610	3.1	5
65	Mixed blessings: A qualitative exploration of mothers' experience of child care and feeding in the rapidly urbanizing city of Addis Ababa, Ethiopia. <i>PLoS ONE</i> , 2018 , 13, e0207685	3.7	5
64	Maternal group B Streptococcus recto vaginal colonization increases the odds of stillbirth: evidence from Eastern Ethiopia. <i>BMC Pregnancy and Childbirth</i> , 2018 , 18, 410	3.2	5
63	COVID-19 Knowledge, Perception, Preventive Measures, Stigma, and Mental Health Among Healthcare Workers in Three Sub-Saharan African Countries: A Phone Survey. <i>American Journal of Tropical Medicine and Hygiene</i> , 2021 ,	3.2	5
62	Metabolic Syndrome Among Working Adults in Eastern Ethiopia. <i>Diabetes, Metabolic Syndrome and Obesity: Targets and Therapy</i> , 2020 , 13, 4941-4951	3.4	4
61	Adherence to Antihypertensive Treatment and Associated Factors in Central Ethiopia. <i>International Journal of Hypertension</i> , 2020 , 2020, 9540810	2.4	4
60	Association between migraine and suicidal behavior among Ethiopian adults. <i>BMC Psychiatry</i> , 2018 , 18, 46	4.2	4
59	China, Africa, and US academia join hands to advance global health. <i>Lancet, The</i> , 2017 , 390, 733-734	4.0	4
58	In Rural Eastern Ethiopia Hearing Loss Is the Most Frequent Disability during Childhood: A Community Based Survey. <i>PLoS ONE</i> , 2016 , 11, e0152791	3.7	4
57	Prevalence and Associated Factors of Intimate Partner Violence During Pregnancy in Eastern Ethiopia. <i>International Journal of Women's Health</i> , 2020 , 12, 339-358	2.8	4
56	Are out-of-school adolescents at higher risk of adverse health outcomes? Evidence from 9 diverse settings in sub-Saharan Africa. <i>Tropical Medicine and International Health</i> , 2020 , 25, 70-80	2.3	4
55	Factors associated with pelvic floor disorders in Kersa District, eastern Ethiopia: a community-based study. <i>International Urogynecology Journal</i> , 2019 , 30, 1559-1564	2	4
54	Low contraceptive utilization among young married women is associated with perceived social norms and belief in contraceptive myths in rural Ethiopia. <i>PLoS ONE</i> , 2021 , 16, e0247484	3.7	4
53	Referral linkage among public health facilities in Ethiopia: A qualitative explanatory study of facilitators and barriers for emergency obstetric referral in Addis Ababa city administration. <i>Midwifery</i> , 2019 , 79, 102528	2.8	3
52	Early adversity and psychiatric symptoms - a prospective study on Ethiopian mothers and their children. <i>BMC Psychiatry</i> , 2017 , 17, 344	4.2	3

51	Prevalence and predictors of adolescent linear growth and stunting across the urban-rural gradient in eastern Ethiopia. <i>Tropical Medicine and International Health</i> , 2020 , 25, 101-110	2.3	3
50	Effectiveness of same-day antiretroviral therapy initiation in retention outcomes among people living with human immunodeficiency virus in Ethiopia: empirical evidence. <i>BMC Public Health</i> , 2020 , 20, 1802	4.1	3
49	Life expectancy and agricultural environmental impacts in Addis Ababa can be improved through optimized plant and animal protein consumption. <i>Nature Food</i> , 2021 , 2, 291-298	14.4	3
48	Men's nutrition knowledge is important for women's and children's nutrition in Ethiopia. <i>Maternal and Child Nutrition</i> , 2021 , 17, e13062	3.4	3
47	Impact of COVID-19 on Nutrition, Food Security, and Dietary Diversity and Quality in Burkina Faso, Ethiopia and Nigeria. <i>American Journal of Tropical Medicine and Hygiene</i> , 2021 ,	3.2	3
46	Sexting and high sexual risk-taking behaviours among school youth in northern Ethiopia: estimating using prevalence ratio. <i>BMJ Sexual and Reproductive Health</i> , 2019 ,	1.9	2
45	Perceived risk of reinfection among individuals treated for sexually transmitted infections in Northern Ethiopia: implication for use in clinical practice. <i>Pan African Medical Journal</i> , 2017 , 27, 87	1.2	2
44	Bedside Rationing Under Resource Constraints-A National Survey of Ethiopian Physicians' Use of Criteria for Priority Setting. <i>AJOB Empirical Bioethics</i> , 2019 , 10, 125-135	3	2
43	Risk of Common Mental Disorders in Relation to Symptoms of Obstructive Sleep Apnea Syndrome among Ethiopian College Students. <i>Journal of Sleep Disorders-- Treatment & Care</i> , 2015 , 4,		2
42	Same-day antiretroviral treatment (ART) initiation and associated factors among HIV positive people in Northwest Ethiopia: baseline characteristics of prospective cohort. <i>Archives of Public Health</i> , 2020 , 78, 87	2.6	2
41	Barriers and Facilitators of Same-Day Antiretroviral Therapy Initiation Among People Newly Diagnosed with HIV in Ethiopia: Qualitative Study Using the Transtheoretical Model of Behavioral Change. <i>Journal of Multidisciplinary Healthcare</i> , 2020 , 13, 1801-1815	2.8	2
40	Effect of Implementing a Free Delivery Service Policy on Women's Utilization of Facility-Based Delivery in Central Ethiopia: An Interrupted Time Series Analysis. <i>Journal of Pregnancy</i> , 2020 , 2020, 8649598	2.5	2
39	Sedentary Behavior and Associated Factors Among Working Adults in Eastern Ethiopia. <i>Frontiers in Public Health</i> , 2021 , 9, 693176	6	2
38	The Social Stratification of Availability, Affordability, and Consumption of Food in Families with Preschoolers in Addis Ababa; The EAT Addis Study in Ethiopia. <i>Nutrients</i> , 2020 , 12,	6.7	1
37	A phenomenological study on the lived experiences of families of ICU patients, Addis Ababa, Ethiopia. <i>PLoS ONE</i> , 2020 , 15, e0244073	3.7	1
36	Pelvic floor disorders associated with higher-level sexual dysfunction in the Kersa district, Ethiopia. <i>Türk Jinekoloji Ve Obstetrik Dergisi</i> , 2018 , 15, 210-216	1.1	1
35	HIV/AIDS awareness and testing practices among adolescents in eastern Ethiopia. <i>Tropical Medicine and International Health</i> , 2020 , 25, 111-118	2.3	1
34	Chest-to-Back Skin-to-Skin Contact to Regulate Body Temperature for Low Birth Weight and/or Premature Babies: A Crossover Randomized Controlled Clinical Trial. <i>International Journal of Pediatrics (United Kingdom)</i> , 2021 , 2021, 8873169	2.1	1

33	The role of chicken management practices in children's exposure to environmental contamination: a mixed-methods analysis. <i>BMC Public Health</i> , 2021 , 21, 1097	4.1	1
32	Impact of COVID-19 on Nutrition, Food Security and Dietary Diversity and Quality in Burkina Faso, Ethiopia and Nigeria. <i>Current Developments in Nutrition</i> , 2021 , 5, 234-234	0.4	1
31	Dietary Practices Among Pregnant Women in Rural Amhara, Ethiopia. <i>Current Developments in Nutrition</i> , 2021 , 5, 698-698	0.4	1
30	Changes and challenges in markets for animal source foods: a qualitative study among market vendors in Addis Ababa, Ethiopia. <i>Food Security</i> , 2021 , 13, 583-595	6.7	1
29	Community's experience and perceptions of maternal health services across the continuum of care in Ethiopia: A qualitative study. <i>PLoS ONE</i> , 2021 , 16, e0255404	3.7	1
28	Household-level double burden of malnutrition in Ethiopia: a comparison of Addis Ababa and the rural district of Kersa. <i>Public Health Nutrition</i> , 2021 , 24, 6354-6368	3.3	1
27	Virologic outcomes of people living with human immunodeficiency virus who started antiretroviral treatment on the same-day of diagnosis in Ethiopia: A multicenter observational study. <i>PLoS ONE</i> , 2021 , 16, e0257059	3.7	1
26	Effect of birthweight measurement quality improvement on low birthweight prevalence in rural Ethiopia. <i>Population Health Metrics</i> , 2021 , 19, 35	3	1
25	The role of intimate partner violence victimization during pregnancy on maternal postpartum depression in Eastern Ethiopia. <i>SAGE Open Medicine</i> , 2021 , 9, 2050312121989493	2.4	1
24	Predictors of maternal and newborn health service utilization across the continuum of care in Ethiopia: A multilevel analysis.. <i>PLoS ONE</i> , 2022 , 17, e0264612	3.7	1
23	Predictors of facility-based delivery utilization in central Ethiopia: A case-control study.. <i>PLoS ONE</i> , 2022 , 17, e0261360	3.7	0
22	The unfinished agenda and inequality gaps in antenatal care coverage in Ethiopia.. <i>BMC Pregnancy and Childbirth</i> , 2022 , 22, 82	3.2	0
21	Mid-upper arm circumference for identifying adult overweight in large-scale population-based surveys: empirical evaluation using data of the EAT Addis study, Ethiopia. <i>BMJ Open</i> , 2021 , 11, e049602	3	0
20	Risky Sexual Practice, Sexually Transmitted Infection and Associated Factors Among Newly Diagnosed HIV-positive People in Northwest Ethiopia. <i>HIV/AIDS - Research and Palliative Care</i> , 2020 , 12, 431-439	1.2	0
19	Psychological Distress and Its Correlates among Newly Diagnosed People Living with HIV in Northwest Ethiopia: Ordinal Logistic Regression Analyses. <i>Infectious Diseases: Research and Treatment</i> , 2021 , 14, 1178633721994598	3.1	0
18	Adolescent girls trapped in early marriage social norm in rural Ethiopia: A vignette-based qualitative exploration.. <i>PLoS ONE</i> , 2022 , 17, e0263987	3.7	0
17	Increased Mortality in HIV Infected Individuals with Tuberculosis: A Retrospective Cohort Study, Addis Ababa, Ethiopia.. <i>HIV/AIDS - Research and Palliative Care</i> , 2022 , 14, 143-154	1.2	0
16	Retention on antiretroviral therapy in person with HIV and viral hepatitis coinfection in Ethiopia: a retrospective cohort study.. <i>BMC Public Health</i> , 2022 , 22, 644	4.1	0

15	Health and demographic surveillance systems in low- and middle-income countries: history, state of the art and future prospects.. <i>Global Health Action</i> , 2021 , 14, 1974676	3	0
14	Comparison of Chest-to-Back Skin-to-Skin Contact and Chest-to-Chest Skin-to-Skin Contact on the Risk of Oxygen Desaturation and Change in Heart Rate in Low Birth Weight and/or Premature Babies: A Randomized Controlled Clinical Trial.. <i>International Journal of Pediatrics (United Kingdom)</i> , 2021 , 2021, 7196749	2.1	0
13	The effect of long-lasting insecticidal nets (LLINs) physical integrity on utilization.. <i>Malaria Journal</i> , 2021 , 20, 468	3.6	0
12	HIV, hepatitis B virus, and hepatitis C virus co-infection among HIV positives in antiretroviral treatment program in selected hospitals in Addis Ababa: A retrospective cross-sectional study.. <i>PLoS ONE</i> , 2022 , 17, e0267230	3.7	0
11	Patient referral alone is not an effective strategy to capture partners of patients with sexually transmitted infections in low-resource settings: a case-control study. <i>Zeitschrift Fur Gesundheitswissenschaften</i> , 2018 , 26, 51-58	1.4	
10	Adherence to Antiretroviral Treatment Among People Who Started Treatment on the Same-Day of HIV Diagnosis in Ethiopia: A Multicenter Observational Study. <i>HIV/AIDS - Research and Palliative Care</i> , 2021 , 13, 983-991	1.2	
9	Health priority-setting for official development assistance in low-income and middle-income countries: a Best Fit Framework Synthesis study with primary data from Ethiopia, Nigeria and Tanzania. <i>BMC Public Health</i> , 2021 , 21, 2138	4.1	
8	Timing and factors associated with early antenatal visits among pregnant women in west Gojjam, northwest Ethiopia. <i>African Journal of Midwifery and Women's Health</i> , 2021 , 15, 1-11	0.2	
7	Feasibility, Acceptability, and Adherence of Nutritional Supplement Amongst Pregnant Women in Rural Ethiopia. <i>Current Developments in Nutrition</i> , 2021 , 5, 740-740	0.4	
6	Physical fighting among adolescents in eastern Ethiopia: a cross-sectional study. <i>BMC Public Health</i> , 2021 , 21, 1732	4.1	
5	Almost all working adults have at least one risk factor for non-communicable diseases: Survey of working adults in Eastern Ethiopia.. <i>PLoS ONE</i> , 2022 , 17, e0264698	3.7	
4	Evaluation of the effect of targeted Mass Drug Administration and Reactive Case Detection on malaria transmission and elimination in Eastern Hararghe zone, Oromia, Ethiopia: a cluster randomized control trial.. <i>Trials</i> , 2022 , 23, 267	2.8	
3	Trends, projection and inequalities in full immunization coverage in Ethiopia: in the period 2000-2019.. <i>BMC Pediatrics</i> , 2022 , 22, 193	2.6	
2	Health postservice readiness and use of preventive and curative services for suspected childhood pneumonia in Ethiopia: a cross-sectional study.. <i>BMJ Open</i> , 2022 , 12, e058055	3	
1	Associations of percent energy intake from total, animal and plant protein with overweight/obesity and underweight among adults in Addis Ababa, Ethiopia.. <i>Public Health Nutrition</i> , 2022 , 1-34	3.3	