

Marzieh Alikhasi

List of Publications by Citations

Source: <https://exaly.com/author-pdf/3605989/marzieh-alikhasi-publications-by-citations.pdf>

Version: 2024-04-26

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

88

papers

1,004

citations

17

h-index

28

g-index

92

ext. papers

1,243

ext. citations

2.2

avg, IF

4.53

L-index

#	Paper	IF	Citations
88	Sinus augmentation using human mesenchymal stem cells loaded into a beta-tricalcium phosphate/hydroxyapatite scaffold. <i>Oral Surgery Oral Medicine Oral Pathology Oral Radiology and Endodontics</i> , 2008 , 106, 203-9		145
87	Implant placement in patients with oral bisphosphonate therapy: a case series. <i>Clinical Implant Dentistry and Related Research</i> , 2010 , 12, 175-80	3.9	115
86	Three-Dimensional Accuracy of Digital Impression versus Conventional Method: Effect of Implant Angulation and Connection Type. <i>International Journal of Dentistry</i> , 2018 , 2018, 3761750	1.9	37
85	A Clinical Comparative Study of 3-Dimensional Accuracy between Digital and Conventional Implant Impression Techniques. <i>Journal of Prosthodontics</i> , 2019 , 28, e902-e908	3.9	35
84	Accuracy of implant impressions with different impression coping types and shapes. <i>Clinical Implant Dentistry and Related Research</i> , 2012 , 14, 218-25	3.9	31
83	Localized bone augmentation with cortical bone blocks tented over different particulate bone substitutes: a retrospective study. <i>International Journal of Oral and Maxillofacial Implants</i> , 2012 , 27, 1481-93	2.8	28
82	A comparison of precision of fit, rotational freedom, and torque loss with copy-milled zirconia and prefabricated titanium abutments. <i>International Journal of Oral and Maxillofacial Implants</i> , 2013 , 28, 996-1002	2.8	27
81	Patient satisfaction with implant-retained mandibular overdentures: a retrospective study. <i>Clinical Implant Dentistry and Related Research</i> , 2008 , 10, 93-8	3.9	27
80	A comparative study of crestal bone loss and implant stability between osteotome and conventional implant insertion techniques: a randomized controlled clinical trial study. <i>Clinical Implant Dentistry and Related Research</i> , 2013 , 15, 350-7	3.9	25
79	Measurement of volume changes of sinus floor augmentation covered with buccal fat pad: a case series study. <i>Oral Surgery Oral Medicine Oral Pathology Oral Radiology and Endodontics</i> , 2009 , 107, 369-74		25
78	Prevention of coronal discoloration induced by regenerative endodontic treatment in an ex vivo model. <i>Clinical Oral Investigations</i> , 2018 , 22, 1725-1731	4.2	23
77	Cortical Bone Augmentation Versus Nerve Lateralization for Treatment of Atrophic Posterior Mandible: A Retrospective Study and Review of Literature. <i>Clinical Implant Dentistry and Related Research</i> , 2016 , 18, 342-59	3.9	21
76	Cement Selection for Cement-Retained Implant-Supported Prosthesis: A Literature Review. <i>Journal of Prosthodontics</i> , 2016 , 25, 599-606	3.9	19
75	Does Abutment Collar Length Affect Abutment Screw Loosening After Cyclic Loading?. <i>Journal of Oral Implantology</i> , 2015 , 41 Spec No, 346-51	1.2	18
74	Does implant staging choice affect crestal bone loss?. <i>Journal of Oral and Maxillofacial Surgery</i> , 2012 , 70, 307-13	1.8	18
73	Rehabilitation of a patient with amelogenesis imperfecta using all-ceramic crowns: a clinical report. <i>Journal of Prosthetic Dentistry</i> , 2007 , 98, 85-8	4	18
72	Interim Prosthesis Options for Dental Implants. <i>Journal of Prosthodontics</i> , 2017 , 26, 331-338	3.9	17

71	Digital Implant Impression Technique Accuracy: A Systematic Review. <i>Implant Dentistry</i> , 2017 , 26, 929-935	4	17
70	Three-dimensional accuracy of implant and abutment level impression techniques: effect on marginal discrepancy. <i>Journal of Oral Implantology</i> , 2011 , 37, 649-57	1.2	16
69	Scanning electron microscope evaluation of vertical and horizontal discrepancy in cast copings for single-tooth implant-supported prostheses. <i>Implant Dentistry</i> , 2008 , 17, 299-308	2.4	16
68	InVivo and InVitro Comparison of Internal and Marginal Fit of Digital and Conventional Impressions for Full-Coverage Fixed Restorations: A Systematic Review and Meta-analysis. <i>Journal of Evidence-based Dental Practice</i> , 2019 , 19, 236-254	1.9	14
67	Evaluation of Accuracy of DIAGNOdent in Diagnosis of Primary and Secondary Caries in Comparison to Conventional Methods. <i>Journal of Lasers in Medical Sciences</i> , 2013 , 4, 159-67	1.6	14
66	Comparison of fit accuracy and torque maintenance of zirconia and titanium abutments for internal tri-channel and external-hex implant connections. <i>Journal of Advanced Prosthodontics</i> , 2017 , 9, 271-277	2.2	13
65	Stress distribution around maxillary anterior implants as a factor of labial bone thickness and occlusal load angles: a 3-dimensional finite element analysis. <i>Journal of Oral Implantology</i> , 2014 , 40, 37-41	2	13
64	Sandwich bone graft covered with buccal fat pad in severely atrophied edentulous maxilla: a clinical report. <i>Journal of Oral Implantology</i> , 2011 , 37, 361-6	1.2	13
63	Laser-Aided Ceramic Bracket Debonding: A Comprehensive Review. <i>Journal of Lasers in Medical Sciences</i> , 2016 , 7, 2-11	1.6	13
62	Repair of the perforated sinus membrane with buccal fat pad during sinus augmentation. <i>Journal of Oral Implantology</i> , 2008 , 34, 330-3	1.2	12
61	Comparison of Different Impression Techniques When Using the All-on-Four Implant Treatment Protocol. <i>International Journal of Prosthodontics</i> , 2016 , 29, 265-70	1.9	11
60	Effect of multiple use of impression copings on the accuracy of implant transfer. <i>International Journal of Oral and Maxillofacial Implants</i> , 2013 , 28, 408-14	2.8	11
59	Tilted or parallel implant placement in the completely edentulous mandible? A three-dimensional finite element analysis. <i>International Journal of Oral and Maxillofacial Implants</i> , 2011 , 26, 776-81	2.8	11
58	The Effect of Implant Angulation on the Transfer Accuracy of External-Connection Implants. <i>Clinical Implant Dentistry and Related Research</i> , 2015 , 17, 822-9	3.9	10
57	Effect of static magnetic fields on the osseointegration of immediately placed implants: a randomized controlled clinical trial. <i>Implant Dentistry</i> , 2012 , 21, 491-5	2.4	10
56	Marginal and internal adaptation of single crowns and fixed dental prostheses by using digital and conventional workflows: A systematic review and meta-analysis. <i>Journal of Prosthetic Dentistry</i> , 2021 , 126, 360-368	4	10
55	Effect of Splinting on Dimensional Accuracy of Impressions Made of Implants with Different Subgingival Alignments. <i>Journal of Prosthodontics</i> , 2017 , 26, 48-55	3.9	9
54	Coronal tooth discoloration induced by regenerative endodontic treatment using different scaffolds and intracanal coronal barriers: a 6-month study. <i>Restorative Dentistry & Endodontics</i> , 2019 , 44, e25	1.5	8

53	Buccal fat pad-derived stem cells with anorganic bovine bone mineral scaffold for augmentation of atrophic posterior mandible: An exploratory prospective clinical study. <i>Clinical Implant Dentistry and Related Research</i> , 2019 , 21, 292-300	3.9	8
52	Debonding Time and Dental Pulp Temperature With the Er, Cr: YSGG Laser for Debonding Feldespathic and Lithium Disilicate Veneers. <i>Journal of Lasers in Medical Sciences</i> , 2019 , 10, 211-214	1.6	8
51	Effect of screw access hole preparation on fracture load of implant-supported zirconia-based crowns: an in vitro study. <i>Journal of Dental Research, Dental Clinics, Dental Prospects</i> , 2016 , 10, 181-8	1	8
50	Buccal Fat Pad-Derived Stem Cells in Three-Dimensional Rehabilitation of Large Alveolar Defects: A Report of Two Cases. <i>Journal of Oral Implantology</i> , 2019 , 45, 45-54	1.2	8
49	The Effect of Milling Metal Versus Milling Wax on Implant Framework Retention and Adaptation. <i>Journal of Prosthodontics</i> , 2019 , 28, e739-e743	3.9	7
48	Implant assisted ortho-surgery in edentulous jaws: a clinical report. <i>Clinical Case Reports (discontinued)</i> , 2015 , 3, 920-6	0.7	7
47	Laser Aided Ceramic Restoration Removal: A Comprehensive Review. <i>Journal of Lasers in Medical Sciences</i> , 2019 , 10, 86-91	1.6	7
46	A clinical comparison of digital and conventional impression techniques regarding finish line locations and impression time. <i>Journal of Esthetic and Restorative Dentistry</i> , 2020 , 32, 236-243	3.5	7
45	Clinician-generated torque on abutment screws using different hand screwdrivers. <i>Journal of Prosthetic Dentistry</i> , 2017 , 118, 488-492	4	6
44	Comparative evaluation of impression accuracy of tilted and straight implants in All-on-Four technique. <i>Implant Dentistry</i> , 2014 , 23, 225-30	2.4	6
43	Effect of Offset Implant Placement on the Stress Distribution Around a Dental Implant: A Three-Dimensional Finite Element Analysis. <i>Journal of Oral Implantology</i> , 2015 , 41, 646-51	1.2	6
42	A dual impression technique for implant overdentures. <i>Journal of Prosthodontics</i> , 2007 , 16, 327-9	3.9	6
41	A Comparison of implant impression precision: Different materials and techniques. <i>Journal of Clinical and Experimental Dentistry</i> , 2018 , 10, e151-e157	1.4	6
40	Effect of lateral oblique cyclic loading on microleakage and screw loosening of implants with different connections. <i>Journal of Dental Research, Dental Clinics, Dental Prospects</i> , 2018 , 12, 183-189	1	6
39	The effect of implant connection length on the dimensional impression accuracy of inclined implants. <i>International Journal of Oral and Maxillofacial Implants</i> , 2013 , 28, e315-20	2.8	5
38	Anterior Palate of the Maxilla as a Donor Site for Oral and Maxillofacial Reconstructive Procedures. <i>Asian Journal of Oral and Maxillofacial Surgery</i> , 2008 , 20, 135-138		4
37	A radiographic comparison of progressive and conventional loading on crestal bone loss and density in single dental implants: a randomized controlled trial study. <i>Journal of Dentistry of Tehran University of Medical Sciences</i> , 2013 , 10, 155-63		4
36	Fracture Strength of Three-Unit Implant Supported Fixed Partial Dentures with Excessive Crown Height Fabricated from Different Materials. <i>Journal of Dentistry of Tehran University of Medical Sciences</i> , 2016 , 13, 400-406		4

35	Comparative Evaluation of Fracture Resistance and Mode of Failure of Zirconia and Titanium Abutments with Different Diameters. <i>Journal of Contemporary Dental Practice</i> , 2015 , 16, 613-8	0.7	4
34	The effect of conventional, half-digital, and full-digital fabrication techniques on the retention and apical gap of post and core restorations. <i>Journal of Prosthetic Dentistry</i> , 2019 , 121, 364.e1-364.e6	4	4
33	Digital versus conventional techniques for pattern fabrication of implant-supported frameworks. <i>European Journal of Dentistry</i> , 2018 , 12, 71-76	2.6	4
32	Combined Digital/Conventional Technique for Rehabilitation of a Patient With Epidermolysis Bullosa: A Case Letter. <i>Journal of Oral Implantology</i> , 2017 , 43, 387-391	1.2	3
31	Model system for measuring the effects of position and curvature of fiber reinforcement within a dental composite. <i>Journal of Prosthodontics</i> , 2010 , 19, 274-8	3.9	3
30	Effect of tightening torque on the marginal adaptation of cement-retained implant-supported fixed dental prostheses. <i>Dental Research Journal</i> , 2015 , 12, 359-64	0.8	3
29	Comparative evaluation of the effect of impression materials and trays on the accuracy of angulated implants impressions. <i>Journal of Clinical and Experimental Dentistry</i> , 2018 , 10, e1096-e1102	1.4	3
28	Full mouth rehabilitation with retrievable metal-ceramic implant-supported fixed prostheses for a young patient with atrophic jaws: a clinical report. <i>Clinical Case Reports (discontinued)</i> , 2017 , 5, 1531-1535	0.7	2
27	Step-by-step oral rehabilitation of a generalized odontodysplastic patient with implant-supported prostheses: a clinical report. <i>Implant Dentistry</i> , 2010 , 19, 122-7	2.4	2
26	Step-by-step full mouth rehabilitation of a nasopharyngeal carcinoma patient with tooth and implant-supported prostheses: A clinical report. <i>Contemporary Clinical Dentistry</i> , 2011 , 2, 256-60	0.6	2
25	Restoring a post-traumatic partial edentulous mandible with the Toronto prosthesis: a clinical report. <i>Journal of Dental Research, Dental Clinics, Dental Prospects</i> , 2018 , 12, 135-139	1	1
24	Prosthetic rehabilitation of intentionally malpositioned implants in a patient with squamous cell carcinoma of the external auditory canal: a clinical report. <i>Implant Dentistry</i> , 2009 , 18, 291-6	2.4	1
23	Accuracy of Implant Position Transfer and Surface Detail Reproduction with Different Impression Materials and Techniques. <i>Journal of Dentistry of Tehran University of Medical Sciences</i> , 2015 , 12, 774-83		1
22	Comparison of three-dimensional digital technique with two-dimensional replica method for measuring marginal and internal fit of full coverage restorations. <i>Journal of Advanced Prosthodontics</i> , 2020 , 12, 173-180	2.2	1
21	Dimensional Changes of 3-Unit Implant-Supported Zirconia Frameworks of Two CAD/CAM Systems from Scanning to Sintering. <i>Frontiers in Dentistry</i> , 2019 , 16, 194-205	0.5	1
20	Evaluating the effect of repeated use of milling burs on surface roughness and adaptation of digitally fabricated ceramic veneers. <i>Heliyon</i> , 2021 , 7, e06896	3.6	1
19	Marginal Discrepancy of Single Implant-Supported Metal Copings Fabricated by Various CAD/CAM and Conventional Techniques Using Different Materials. <i>European Journal of Dentistry</i> , 2019 , 13, 563-568	2.6	1
18	Detection of Residual Excess Zinc Oxide-Based Cement With Laser Fluorescence (DIAGNOdent): In Vitro Evaluation. <i>Journal of Oral Implantology</i> , 2019 , 45, 89-93	1.2	1

17	Comparison of peri-implant clinical outcomes of digitally customized and prefabricated abutments: A systematic review and meta-analysis. <i>Clinical Implant Dentistry and Related Research</i> , 2021 , 23, 216-227 ^{3.9}		1
16	Restoration of primary canines with porcelain laminate veneers: a clinical report. <i>Oral Health and Dental Management</i> , 2014 , 13, 717-20	0	1
15	Does Ferrule Effect Affect Implant-Abutment Stability?. <i>European journal of prosthodontics and restorative dentistry, The</i> , 2016 , 24, 186-191	0.9	1
14	How adjustment could affect internal and marginal adaptation of CAD/CAM crowns made with different materials. <i>Journal of Advanced Prosthodontics</i> , 2020 , 12, 344-350	2.2	0
13	Effect of Angle and Type of Customized Abutment (Castable & Cast-to) on Torque Loss and Fracture Resistance After Cyclic Loading. <i>Open Dentistry Journal</i> , 2018 , 12, 987-994	0.8	0
12	Adaptation and Retention of Conventional and Digitally Fabricated Posts and Cores in Round and Oval-Shaped Canals. <i>International Journal of Prosthodontics</i> , 2020 , 33, 91-98	1.9	0
11	Effect of 5 Popular Disinfection Methods on Microflora of Laboratory: Customized Implant Abutments. <i>Implant Dentistry</i> , 2019 , 28, 437-446	2.4	0
10	Effect of Implant Connection Type and Depth on the Seating Accuracy of Hand-Tightened Abutments. <i>Journal of Prosthodontics</i> , 2019 , 28, e661-e665	3.9	0
9	Transferring anterior guidance for the fixed complete denture. <i>Journal of Prosthetic Dentistry</i> , 2006 , 96, 68-9	4	
8	Effect of Serrating Abutment-Implant Mating Surface on Torque Stability of Implant-Abutment Connection, Before and After Cyclic Loading. <i>Journal of Oral Implantology</i> , 2020 , 46, 555-561	1.2	
7	Comparative evaluation of physical properties of four tissue conditioners relined to modeling plastic material. <i>Journal of Dentistry of Tehran University of Medical Sciences</i> , 2013 , 10, 506-15		
6	Restoring a Partial Maxillectomy Patient by an Implant-Supported Obturator on Two Implants: A Case Report. <i>Journal of Dentistry of Tehran University of Medical Sciences</i> , 2018 , 15, 187-192		
5	Effect of irrigation solutions on the coronal discoloration induced by mineral trioxide aggregate cements containing different radiopacifiers. <i>Dental Research Journal</i> , 2020 , 17, 447-451	0.8	
4	A Sinus Tract Following Prosthodontic Treatment with a Dental Implant: A Case Report. <i>Journal of Periodontology & Implant Dentistry</i> , 2014 , 6, 64-67		
3	Implant-Assisted Orthognathic Surgery 2021 , 687-702		
2	Microflora of Laboratory-Customized Dental Implant Abutments. <i>Journal of the International Academy of Periodontology</i> , 2018 , 20, 86-93	0.9	
1	The Effect of Sandblasting on Bond Strength of Soft Liners to Denture Base Resins: A Systematic Review and Meta-Analysis of In Vitro Studies.. <i>International Journal of Dentistry</i> , 2021 , 2021, 5674155	1.9	