

Marzieh Alikhasi

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/3605989/marzieh-alikhasi-publications-by-year.pdf>

Version: 2024-04-26

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

88
papers

1,004
citations

17
h-index

28
g-index

92
ext. papers

1,243
ext. citations

2.2
avg, IF

4.53
L-index

#	Paper	IF	Citations
88	Marginal and internal adaptation of single crowns and fixed dental prostheses by using digital and conventional workflows: A systematic review and meta-analysis. <i>Journal of Prosthetic Dentistry</i> , 2021 , 126, 360-368	4	10
87	Evaluating the effect of repeated use of milling burs on surface roughness and adaptation of digitally fabricated ceramic veneers. <i>Heliyon</i> , 2021 , 7, e06896	3.6	1
86	Implant-Assisted Orthognathic Surgery 2021 , 687-702		
85	Comparison of peri-implant clinical outcomes of digitally customized and prefabricated abutments: A systematic review and meta-analysis. <i>Clinical Implant Dentistry and Related Research</i> , 2021 , 23, 216-227	3.9	1
84	The Effect of Sandblasting on Bond Strength of Soft Liners to Denture Base Resins: A Systematic Review and Meta-Analysis of In Vitro Studies.. <i>International Journal of Dentistry</i> , 2021 , 2021, 5674155	1.9	
83	How adjustment could affect internal and marginal adaptation of CAD/CAM crowns made with different materials. <i>Journal of Advanced Prosthodontics</i> , 2020 , 12, 344-350	2.2	0
82	Effect of Serrating Abutment-Implant Mating Surface on Torque Stability of Implant-Abutment Connection, Before and After Cyclic Loading. <i>Journal of Oral Implantology</i> , 2020 , 46, 555-561	1.2	
81	Effect of irrigation solutions on the coronal discoloration induced by mineral trioxide aggregate cements containing different radiopacifiers. <i>Dental Research Journal</i> , 2020 , 17, 447-451	0.8	
80	Comparison of three-dimensional digital technique with two-dimensional replica method for measuring marginal and internal fit of full coverage restorations. <i>Journal of Advanced Prosthodontics</i> , 2020 , 12, 173-180	2.2	1
79	A clinical comparison of digital and conventional impression techniques regarding finish line locations and impression time. <i>Journal of Esthetic and Restorative Dentistry</i> , 2020 , 32, 236-243	3.5	7
78	Adaptation and Retention of Conventional and Digitally Fabricated Posts and Cores in Round and Oval-Shaped Canals. <i>International Journal of Prosthodontics</i> , 2020 , 33, 91-98	1.9	0
77	Coronal tooth discoloration induced by regenerative endodontic treatment using different scaffolds and intracanal coronal barriers: a 6-month study. <i>Restorative Dentistry & Endodontics</i> , 2019 , 44, e25	1.5	8
76	InVivo and InVitro Comparison of Internal and Marginal Fit of Digital and Conventional Impressions for Full-Coverage Fixed Restorations: A Systematic Review and Meta-analysis. <i>Journal of Evidence-based Dental Practice</i> , 2019 , 19, 236-254	1.9	14
75	Buccal fat pad-derived stem cells with anorganic bovine bone mineral scaffold for augmentation of atrophic posterior mandible: An exploratory prospective clinical study. <i>Clinical Implant Dentistry and Related Research</i> , 2019 , 21, 292-300	3.9	8
74	The Effect of Milling Metal Versus Milling Wax on Implant Framework Retention and Adaptation. <i>Journal of Prosthodontics</i> , 2019 , 28, e739-e743	3.9	7
73	Laser Aided Ceramic Restoration Removal: A Comprehensive Review. <i>Journal of Lasers in Medical Sciences</i> , 2019 , 10, 86-91	1.6	7
72	Debonding Time and Dental Pulp Temperature With the Er, Cr: YSGG Laser for Debonding Feldspathic and Lithium Disilicate Veneers. <i>Journal of Lasers in Medical Sciences</i> , 2019 , 10, 211-214	1.6	8

71	Dimensional Changes of 3-Unit Implant-Supported Zirconia Frameworks of Two CAD/CAM Systems from Scanning to Sintering. <i>Frontiers in Dentistry</i> , 2019 , 16, 194-205	0.5	1
70	Marginal Discrepancy of Single Implant-Supported Metal Copings Fabricated by Various CAD/CAM and Conventional Techniques Using Different Materials. <i>European Journal of Dentistry</i> , 2019 , 13, 563-568 ^{2.6}	2.6	1
69	Effect of 5 Popular Disinfection Methods on Microflora of Laboratory: Customized Implant Abutments. <i>Implant Dentistry</i> , 2019 , 28, 437-446	2.4	0
68	The effect of conventional, half-digital, and full-digital fabrication techniques on the retention and apical gap of post and core restorations. <i>Journal of Prosthetic Dentistry</i> , 2019 , 121, 364.e1-364.e6	4	4
67	Detection of Residual Excess Zinc Oxide-Based Cement With Laser Fluorescence (DIAGNOdent): In Vitro Evaluation. <i>Journal of Oral Implantology</i> , 2019 , 45, 89-93	1.2	1
66	Buccal Fat Pad-Derived Stem Cells in Three-Dimensional Rehabilitation of Large Alveolar Defects: A Report of Two Cases. <i>Journal of Oral Implantology</i> , 2019 , 45, 45-54	1.2	8
65	Effect of Implant Connection Type and Depth on the Seating Accuracy of Hand-Tightened Abutments. <i>Journal of Prosthodontics</i> , 2019 , 28, e661-e665	3.9	0
64	A Clinical Comparative Study of 3-Dimensional Accuracy between Digital and Conventional Implant Impression Techniques. <i>Journal of Prosthodontics</i> , 2019 , 28, e902-e908	3.9	35
63	Prevention of coronal discoloration induced by regenerative endodontic treatment in an ex vivo model. <i>Clinical Oral Investigations</i> , 2018 , 22, 1725-1731	4.2	23
62	Restoring a post-traumatic partial edentulous mandible with the Toronto prosthesis: a clinical report. <i>Journal of Dental Research, Dental Clinics, Dental Prospects</i> , 2018 , 12, 135-139	1	1
61	A Comparison of implant impression precision: Different materials and techniques. <i>Journal of Clinical and Experimental Dentistry</i> , 2018 , 10, e151-e157	1.4	6
60	Restoring a Partial Maxillectomy Patient by an Implant-Supported Obturator on Two Implants: A Case Report. <i>Journal of Dentistry of Tehran University of Medical Sciences</i> , 2018 , 15, 187-192		
59	Effect of Angle and Type of Customized Abutment (Castable & Cast-to) on Torque Loss and Fracture Resistance After Cyclic Loading. <i>Open Dentistry Journal</i> , 2018 , 12, 987-994	0.8	0
58	Comparative evaluation of the effect of impression materials and trays on the accuracy of angulated implants impressions. <i>Journal of Clinical and Experimental Dentistry</i> , 2018 , 10, e1096-e1102	1.4	3
57	Digital versus conventional techniques for pattern fabrication of implant-supported frameworks. <i>European Journal of Dentistry</i> , 2018 , 12, 71-76	2.6	4
56	Effect of lateral oblique cyclic loading on microleakage and screw loosening of implants with different connections. <i>Journal of Dental Research, Dental Clinics, Dental Prospects</i> , 2018 , 12, 183-189	1	6
55	Three-Dimensional Accuracy of Digital Impression versus Conventional Method: Effect of Implant Angulation and Connection Type. <i>International Journal of Dentistry</i> , 2018 , 2018, 3761750	1.9	37
54	Microflora of Laboratory-Customized Dental Implant Abutments. <i>Journal of the International Academy of Periodontology</i> , 2018 , 20, 86-93	0.9	

53	Effect of Splinting on Dimensional Accuracy of Impressions Made of Implants with Different Subgingival Alignments. <i>Journal of Prosthodontics</i> , 2017 , 26, 48-55	3.9	9
52	Interim Prosthesis Options for Dental Implants. <i>Journal of Prosthodontics</i> , 2017 , 26, 331-338	3.9	17
51	Clinician-generated torque on abutment screws using different hand screwdrivers. <i>Journal of Prosthetic Dentistry</i> , 2017 , 118, 488-492	4	6
50	Comparison of fit accuracy and torque maintenance of zirconia and titanium abutments for internal tri-channel and external-hex implant connections. <i>Journal of Advanced Prosthodontics</i> , 2017 , 9, 271-277	2.2	13
49	Full mouth rehabilitation with retrievable metal-ceramic implant-supported fixed prostheses for a young patient with atrophic jaws: a clinical report. <i>Clinical Case Reports (discontinued)</i> , 2017 , 5, 1531-1535	0.7	2
48	Digital Implant Impression Technique Accuracy: A Systematic Review. <i>Implant Dentistry</i> , 2017 , 26, 929-935	5.4	17
47	Combined Digital/Conventional Technique for Rehabilitation of a Patient With Epidermolysis Bullosa: A Case Letter. <i>Journal of Oral Implantology</i> , 2017 , 43, 387-391	1.2	3
46	Comparison of Different Impression Techniques When Using the All-on-Four Implant Treatment Protocol. <i>International Journal of Prosthodontics</i> , 2016 , 29, 265-70	1.9	11
45	Cement Selection for Cement-Retained Implant-Supported Prostheses: A Literature Review. <i>Journal of Prosthodontics</i> , 2016 , 25, 599-606	3.9	19
44	Laser-Aided Ceramic Bracket Debonding: A Comprehensive Review. <i>Journal of Lasers in Medical Sciences</i> , 2016 , 7, 2-11	1.6	13
43	Fracture Strength of Three-Unit Implant Supported Fixed Partial Dentures with Excessive Crown Height Fabricated from Different Materials. <i>Journal of Dentistry of Tehran University of Medical Sciences</i> , 2016 , 13, 400-406		4
42	Effect of screw access hole preparation on fracture load of implant-supported zirconia-based crowns: an in vitro study. <i>Journal of Dental Research, Dental Clinics, Dental Prospects</i> , 2016 , 10, 181-8	1	8
41	Cortical Bone Augmentation Versus Nerve Lateralization for Treatment of Atrophic Posterior Mandible: A Retrospective Study and Review of Literature. <i>Clinical Implant Dentistry and Related Research</i> , 2016 , 18, 342-59	3.9	21
40	Does Ferrule Effect Affect Implant-Abutment Stability?. <i>European journal of prosthodontics and restorative dentistry, The</i> , 2016 , 24, 186-191	0.9	1
39	Does Abutment Collar Length Affect Abutment Screw Loosening After Cyclic Loading?. <i>Journal of Oral Implantology</i> , 2015 , 41 Spec No, 346-51	1.2	18
38	The Effect of Implant Angulation on the Transfer Accuracy of External-Connection Implants. <i>Clinical Implant Dentistry and Related Research</i> , 2015 , 17, 822-9	3.9	10
37	Implant assisted ortho-surgery in edentulous jaws: a clinical report. <i>Clinical Case Reports (discontinued)</i> , 2015 , 3, 920-6	0.7	7
36	Effect of Offset Implant Placement on the Stress Distribution Around a Dental Implant: A Three-Dimensional Finite Element Analysis. <i>Journal of Oral Implantology</i> , 2015 , 41, 646-51	1.2	6

35	Accuracy of Implant Position Transfer and Surface Detail Reproduction with Different Impression Materials and Techniques. <i>Journal of Dentistry of Tehran University of Medical Sciences</i> , 2015 , 12, 774-83		1
34	Effect of tightening torque on the marginal adaptation of cement-retained implant-supported fixed dental prostheses. <i>Dental Research Journal</i> , 2015 , 12, 359-64	0.8	3
33	Comparative Evaluation of Fracture Resistance and Mode of Failure of Zirconia and Titanium Abutments with Different Diameters. <i>Journal of Contemporary Dental Practice</i> , 2015 , 16, 613-8	0.7	4
32	Stress distribution around maxillary anterior implants as a factor of labial bone thickness and occlusal load angles: a 3-dimensional finite element analysis. <i>Journal of Oral Implantology</i> , 2014 , 40, 37-41 ²		13
31	Comparative evaluation of impression accuracy of tilted and straight implants in All-on-Four technique. <i>Implant Dentistry</i> , 2014 , 23, 225-30	2.4	6
30	A Sinus Tract Following Prosthodontic Treatment with a Dental Implant: A Case Report. <i>Journal of Periodontology & Implant Dentistry</i> , 2014 , 6, 64-67		
29	Restoration of primary canines with porcelain laminate veneers: a clinical report. <i>Oral Health and Dental Management</i> , 2014 , 13, 717-20	0	1
28	A comparative study of crestal bone loss and implant stability between osteotome and conventional implant insertion techniques: a randomized controlled clinical trial study. <i>Clinical Implant Dentistry and Related Research</i> , 2013 , 15, 350-7	3.9	25
27	A comparison of precision of fit, rotational freedom, and torque loss with copy-milled zirconia and prefabricated titanium abutments. <i>International Journal of Oral and Maxillofacial Implants</i> , 2013 , 28, 996-1002 ^{2,8}		27
26	The effect of implant connection length on the dimensional impression accuracy of inclined implants. <i>International Journal of Oral and Maxillofacial Implants</i> , 2013 , 28, e315-20	2.8	5
25	Effect of multiple use of impression copings on the accuracy of implant transfer. <i>International Journal of Oral and Maxillofacial Implants</i> , 2013 , 28, 408-14	2.8	11
24	A radiographic comparison of progressive and conventional loading on crestal bone loss and density in single dental implants: a randomized controlled trial study. <i>Journal of Dentistry of Tehran University of Medical Sciences</i> , 2013 , 10, 155-63		4
23	Comparative evaluation of physical properties of four tissue conditioners relined to modeling plastic material. <i>Journal of Dentistry of Tehran University of Medical Sciences</i> , 2013 , 10, 506-15		
22	Evaluation of Accuracy of DIAGNOdent in Diagnosis of Primary and Secondary Caries in Comparison to Conventional Methods. <i>Journal of Lasers in Medical Sciences</i> , 2013 , 4, 159-67	1.6	14
21	Accuracy of implant impressions with different impression coping types and shapes. <i>Clinical Implant Dentistry and Related Research</i> , 2012 , 14, 218-25	3.9	31
20	Does implant staging choice affect crestal bone loss?. <i>Journal of Oral and Maxillofacial Surgery</i> , 2012 , 70, 307-13	1.8	18
19	Effect of static magnetic fields on the osseointegration of immediately placed implants: a randomized controlled clinical trial. <i>Implant Dentistry</i> , 2012 , 21, 491-5	2.4	10
18	Localized bone augmentation with cortical bone blocks tented over different particulate bone substitutes: a retrospective study. <i>International Journal of Oral and Maxillofacial Implants</i> , 2012 , 27, 1481-93 ^{2,8}		28

17	Sandwich bone graft covered with buccal fat pad in severely atrophied edentulous maxilla: a clinical report. <i>Journal of Oral Implantology</i> , 2011 , 37, 361-6	1.2	13
16	Three-dimensional accuracy of implant and abutment level impression techniques: effect on marginal discrepancy. <i>Journal of Oral Implantology</i> , 2011 , 37, 649-57	1.2	16
15	Step-by-step full mouth rehabilitation of a nasopharyngeal carcinoma patient with tooth and implant-supported prostheses: A clinical report. <i>Contemporary Clinical Dentistry</i> , 2011 , 2, 256-60	0.6	2
14	Tilted or parallel implant placement in the completely edentulous mandible? A three-dimensional finite element analysis. <i>International Journal of Oral and Maxillofacial Implants</i> , 2011 , 26, 776-81	2.8	11
13	Model system for measuring the effects of position and curvature of fiber reinforcement within a dental composite. <i>Journal of Prosthodontics</i> , 2010 , 19, 274-8	3.9	3
12	Implant placement in patients with oral bisphosphonate therapy: a case series. <i>Clinical Implant Dentistry and Related Research</i> , 2010 , 12, 175-80	3.9	115
11	Step-by-step oral rehabilitation of a generalized odontodysplastic patient with implant-supported prostheses: a clinical report. <i>Implant Dentistry</i> , 2010 , 19, 122-7	2.4	2
10	Measurement of volume changes of sinus floor augmentation covered with buccal fat pad: a case series study. <i>Oral Surgery Oral Medicine Oral Pathology Oral Radiology and Endodontics</i> , 2009 , 107, 369-74		25
9	Prosthetic rehabilitation of intentionally malpositioned implants in a patient with squamous cell carcinoma of the external auditory canal: a clinical report. <i>Implant Dentistry</i> , 2009 , 18, 291-6	2.4	1
8	Sinus augmentation using human mesenchymal stem cells loaded into a beta-tricalcium phosphate/hydroxyapatite scaffold. <i>Oral Surgery Oral Medicine Oral Pathology Oral Radiology and Endodontics</i> , 2008 , 106, 203-9		145
7	Anterior Palate of the Maxilla as a Donor Site for Oral and Maxillofacial Reconstructive Procedures. <i>Asian Journal of Oral and Maxillofacial Surgery</i> , 2008 , 20, 135-138		4
6	Repair of the perforated sinus membrane with buccal fat pad during sinus augmentation. <i>Journal of Oral Implantology</i> , 2008 , 34, 330-3	1.2	12
5	Scanning electron microscope evaluation of vertical and horizontal discrepancy in cast copings for single-tooth implant-supported prostheses. <i>Implant Dentistry</i> , 2008 , 17, 299-308	2.4	16
4	Patient satisfaction with implant-retained mandibular overdentures: a retrospective study. <i>Clinical Implant Dentistry and Related Research</i> , 2008 , 10, 93-8	3.9	27
3	A dual impression technique for implant overdentures. <i>Journal of Prosthodontics</i> , 2007 , 16, 327-9	3.9	6
2	Rehabilitation of a patient with amelogenesis imperfecta using all-ceramic crowns: a clinical report. <i>Journal of Prosthetic Dentistry</i> , 2007 , 98, 85-8	4	18
1	Transferring anterior guidance for the fixed complete denture. <i>Journal of Prosthetic Dentistry</i> , 2006 , 96, 68-9		4