Sophie Hue

List of Publications by Citations

Source: https://exaly.com/author-pdf/3607468/sophie-hue-publications-by-citations.pdf

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

60 4,776 27 69 g-index

71 5,444 6.4 4.65 ext. papers ext. citations avg, IF L-index

#	Paper	IF	Citations
60	Interleukin-23 drives innate and T cell-mediated intestinal inflammation. <i>Journal of Experimental Medicine</i> , 2006 , 203, 2473-83	16.6	670
59	A direct role for NKG2D/MICA interaction in villous atrophy during celiac disease. <i>Immunity</i> , 2004 , 21, 367-77	32.3	551
58	Differential activity of IL-12 and IL-23 in mucosal and systemic innate immune pathology. <i>Immunity</i> , 2006 , 25, 309-18	32.3	533
57	IL-23 plays a key role in Helicobacter hepaticus-induced T cell-dependent colitis. <i>Journal of Experimental Medicine</i> , 2006 , 203, 2485-94	16.6	485
56	Analysis of FOXP3 protein expression in human CD4+CD25+ regulatory T cells at the single-cell level. <i>European Journal of Immunology</i> , 2005 , 35, 1681-91	6.1	485
55	Interleukin-23 restrains regulatory T cell activity to drive T cell-dependent colitis. <i>Immunity</i> , 2008 , 28, 559-70	32.3	312
54	Telomere dysfunction causes sustained inflammation in chronic obstructive pulmonary disease. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2011 , 184, 1358-66	10.2	145
53	CD39/adenosine pathway is involved in AIDS progression. <i>PLoS Pathogens</i> , 2011 , 7, e1002110	7.6	128
52	Comparative analysis of human NK cell activation induced by NKG2D and natural cytotoxicity receptors. <i>European Journal of Immunology</i> , 2004 , 34, 961-71	6.1	121
51	Intrinsic Defect in Keratinocyte Function Leads to Inflammation in Hidradenitis Suppurativa. <i>Journal of Investigative Dermatology</i> , 2016 , 136, 1768-1780	4.3	83
50	IL-7 abrogates memory T regulatory cell functions by modulation of CD39/ATP axis in vitro and in vivo in HIV infected and non-infected patients. <i>Retrovirology</i> , 2012 , 9,	3.6	78
49	Anti-HMGCR antibodies as a biomarker for immune-mediated necrotizing myopathies: A history of statins and experience from a large international multi-center study. <i>Autoimmunity Reviews</i> , 2016 , 15, 983-93	13.6	76
48	The cyclooxygenase-2-prostaglandin E2 pathway maintains senescence of chronic obstructive pulmonary disease fibroblasts. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2013 , 187, 703-14	10.2	68
47	Visceral Adipose Tissue Drives Cardiac Aging Through Modulation of Fibroblast Senescence by Osteopontin Production. <i>Circulation</i> , 2018 , 138, 809-822	16.7	63
46	Expression of major histocompatibility complex class I chain-related molecule A, NKG2D, and transforming growth factor-beta in the liver of humans with alveolar echinococcosis: new actors in the tolerance to parasites?. <i>Journal of Infectious Diseases</i> , 2008 , 197, 1341-9	7	55
45	Early initiation of combined antiretroviral therapy preserves immune function in the gut of HIV-infected patients. <i>Mucosal Immunology</i> , 2015 , 8, 127-40	9.2	52
44	Association of the R92Q TNFRSF1A mutation and extracranial deep vein thrombosis in patients with BehBtQ disease. <i>Arthritis and Rheumatism</i> , 2005 , 52, 608-11		50

(2016-2003)

43	Potential role of NKG2D/MHC class I-related chain A interaction in intrathymic maturation of single-positive CD8 T cells. <i>Journal of Immunology</i> , 2003 , 171, 1909-17	5.3	45
42	HLA-B*51 and B*15 alleles confer predisposition to Beh@t@ disease in Moroccan patients. <i>Human Immunology</i> , 2001 , 62, 180-5	2.3	44
41	Gut microbiota associated with HIV infection is significantly enriched in bacteria tolerant to oxygen. <i>BMJ Open Gastroenterology</i> , 2016 , 3, e000080	3.9	42
40	Solid phase assays versus automated indirect immunofluorescence for detection of antinuclear antibodies. <i>Autoimmunity Reviews</i> , 2018 , 17, 533-540	13.6	40
39	Human leukocyte antigen class II alleles may contribute to the severity of hepatitis C virus-related liver disease. <i>Journal of Infectious Diseases</i> , 2002 , 186, 106-9	7	40
38	First-line treatment of pemphigus vulgaris with a combination of rituximab and high-potency topical corticosteroids. <i>JAMA Dermatology</i> , 2015 , 151, 200-3	5.1	38
37	Influence of HFE gene polymorphism on the progression and treatment of chronic hepatitis C. <i>Journal of Viral Hepatitis</i> , 2004 , 11, 175-82	3.4	38
36	IL-7 modulates in vitro and in vivo human memory T regulatory cell functions through the CD39/ATP axis. <i>Journal of Immunology</i> , 2013 , 191, 3161-8	5.3	37
35	Idiopathic linear IgA bullous dermatosis: prognostic factors based on a case series of 72 adults. <i>British Journal of Dermatology</i> , 2017 , 177, 212-222	4	29
34	HIV "elite controllers" are characterized by a high frequency of memory CD8+ CD73+ T cells involved in the antigen-specific CD8+ T-cell response. <i>Journal of Infectious Diseases</i> , 2014 , 209, 1321-30	7	29
33	What causes hidradenitis suppurativa ?-15 years after. Experimental Dermatology, 2020, 29, 1154-1170	4	27
32	Heterogeneous clinical spectrum of anti-SRP myositis and importance of the methods of detection of anti-SRP autoantibodies: a multicentric study. <i>Immunologic Research</i> , 2016 , 64, 677-86	4.3	26
31	Aging-related systemic manifestations in COPD patients and cigarette smokers. <i>PLoS ONE</i> , 2015 , 10, e0121539	3.7	26
30	Microbiome of HIV-infected people. <i>Microbial Pathogenesis</i> , 2017 , 106, 85-93	3.8	25
29	Selective elevation of circulating CCL2/MCP1 levels in patients with longstanding post-vaccinal macrophagic myofasciitis and ASIA. <i>Current Medicinal Chemistry</i> , 2014 , 21, 511-7	4.3	25
28	Short-term high-fat diet compromises myocardial function: a radial strain rate imaging study. European Heart Journal Cardiovascular Imaging, 2017, 18, 1283-1291	4.1	24
27	Mechanisms of Thrombocytopenia During Septic Shock: A Multiplex Cluster Analysis of Endogenous Sepsis Mediators. <i>Shock</i> , 2018 , 49, 641-648	3.4	24
26	Therapeutic drug monitoring is predictive of loss of response after de-escalation of infliximab therapy in patients with inflammatory bowel disease in clinical remission. <i>Clinics and Research in Hepatology and Gastroenterology</i> , 2016 , 40, 90-8	2.4	24

25	Performance evaluation of three assays for the detection of PR3-ANCA in granulomatosis with polyangiitis in daily practice. <i>Autoimmunity Reviews</i> , 2013 , 12, 1118-22	13.6	22
24	Hair follicle stem cell replication stress drives IFI16/STING-dependent inflammation in hidradenitis suppurativa. <i>Journal of Clinical Investigation</i> , 2020 , 130, 3777-3790	15.9	21
23	Harmonization of clinical interpretation of antinuclear antibody test results by solid phase assay and by indirect immunofluorescence through likelihood ratios. <i>Autoimmunity Reviews</i> , 2019 , 18, 102386	5 13.6	20
22	Notch activation on effector T cells increases their sensitivity to Treg cell-mediated suppression through upregulation of TGF-RII expression. <i>European Journal of Immunology</i> , 2012 , 42, 1796-803	6.1	19
21	The IgG2 Isotype of Anti-Transcription Intermediary Factor 1 Autoantibodies Is a Biomarker of Cancer and Mortality in Adult Dermatomyositis. <i>Arthritis and Rheumatology</i> , 2019 , 71, 1360-1370	9.5	18
20	The value of BP230 enzyme-linked immunosorbent assay in the diagnosis and immunological follow-up of bullous pemphigoid. <i>Dermatology</i> , 2012 , 224, 154-9	4.4	16
19	Positive Direct Immunofluorescence Is of Better Value than ELISA-BP180 and ELISA-BP230 Values for the Prediction of Relapse after Treatment Cessation in Bullous Pemphigoid: A Retrospective Study of 97 Patients. <i>Dermatology</i> , 2015 , 231, 50-5	4.4	15
18	Cytokine and gene transcription profiles of immune responses elicited by HIV lipopeptide vaccine in HIV-negative volunteers. <i>Aids</i> , 2013 , 27, 1421-31	3.5	14
17	Antinuclear antibodies by indirect immunofluorescence and solid phase assays. <i>Annals of the Rheumatic Diseases</i> , 2020 , 79, e65	2.4	14
16	Early Antiretroviral Therapy Preserves Functional Follicular Helper T and HIV-Specific B Cells in the Gut Mucosa of HIV-1-Infected Individuals. <i>Journal of Immunology</i> , 2018 , 200, 3519-3529	5.3	12
15	A multiplex analysis of sepsis mediators during human septic shock: a preliminary study on myocardial depression and organ failures. <i>Annals of Intensive Care</i> , 2019 , 9, 64	8.9	12
14	Anticardiolipin antibodies and 12-month graft function in kidney transplant recipients: a prognosis cohort survey. <i>Nephrology Dialysis Transplantation</i> , 2018 , 33, 709-716	4.3	9
13	Optimization and evaluation of Luminex performance with supernatants of antigen-stimulated peripheral blood mononuclear cells. <i>BMC Immunology</i> , 2016 , 17, 44	3.7	7
12	High Levels of Anti-GM-CSF Antibodies in Deep Infiltrating Endometriosis. <i>Reproductive Sciences</i> , 2020 , 27, 211-217	3	6
11	Clinical association of mixed connective tissue disease and granulomatosis with polyangiitis: a case report and systematic screening of anti-U1RNP and anti-PR3 auto-antibody double positivity in ten European hospitals. <i>Immunologic Research</i> , 2016 , 64, 1243-1246	4.3	6
10	Causes and consequences of cardiac fibrosis in patients referred for surgical aortic valve replacement. <i>ESC Heart Failure</i> , 2019 , 6, 649-657	3.7	5
9	Epidermal necrolysis and autoimmune diseases: two more observations supporting the concept that <code>@oxicQepidermal</code> necrolysis can be <code>@on-toxicQJournal</code> of the European Academy of Dermatology and Venereology, 2018, 32, e360-e361	4.6	5
8	Combined Plasma Elevation of CRP, Intestinal-Type Fatty Acid-Binding Protein (I-FABP), and sCD14 Identify Older Patients at High Risk for Health Care-Associated Infections. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2018 , 73, 211-217	6.4	4

LIST OF PUBLICATIONS

7	Serum suppression of tumorigenicity 2 level is an independent predictor of all-cause mortality in HIV-infected patients. <i>Aids</i> , 2017 , 31, 2355-2365	3.5	3
6	Acute generalized exanthematous pustulosis and epidermal necrolysis differ in innate cytokine patterns. <i>Clinical and Experimental Allergy</i> , 2019 , 49, 1258-1261	4.1	2
5	Identification of factors impairing exercise capacity after severe COVID-19 pulmonary infection: a 3-month follow-up of prospective COVulnerability cohort <i>Respiratory Research</i> , 2022 , 23, 68	7.3	1
4	Towards a better understanding of adult idiopathic epidermal necrolysis: a retrospective study of 19 cases. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2021 , 35, 1569-1576	4.6	O
3	Essential oils as potential triggers for bullous pemphigoid? A report of two patients. <i>European Journal of Dermatology</i> , 2021 , 31, 92-93	0.8	О
2	Lupus erythematosus and epidermal necrolysis: a case series of 16 patients. <i>British Journal of Dermatology</i> , 2021 ,	4	O
1	Extensive cutaneous and muscular mucormycosis complicating insulin pump treatment. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2020 , 34, e486-e489	4.6	