

# Bruno Francois

## List of Publications by Year in Descending Order

**Source:** <https://exaly.com/author-pdf/3607673/bruno-francois-publications-by-year.pdf>

**Version:** 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

159  
papers

10,886  
citations

45  
h-index

103  
g-index

176  
ext. papers

13,069  
ext. citations

10.7  
avg, IF

5.88  
L-index

| #   | Paper   | IF   | Citations |
|-----|---|------|-----------|
| 159 | Association of Staphylococcus aureus bacteriuria and prevalence of infective endocarditis in the emergency department.. <i>European Journal of Emergency Medicine</i> , <b>2022</b> , 29, 75-77   | 2.3  |           |
| 158 | Routine use of 16S rRNA PCR and subsequent sequencing from blood samples in septic shock: about two case reports of Capnocytophaga canimorsus infection in immunocompetent patients.. <i>BMC Infectious Diseases</i> , <b>2022</b> , 22, 355  | 4    | 1         |
| 157 | Safety and tolerability of non-neutralizing adrenomedullin antibody adrecizumab (HAM8101) in septic shock patients: the AdrenOSS-2 phase 2a biomarker-guided trial. <i>Intensive Care Medicine</i> , <b>2021</b> , 47, 1284-1294  | 14.5 | 8         |
| 156 | Efficacy and safety of human soluble thrombomodulin (ART-123) for treatment of patients in France with sepsis-associated coagulopathy: post hoc analysis of SCARLET. <i>Annals of Intensive Care</i> , <b>2021</b> , 11, 53   | 8.9  | 3         |
| 155 | Serial measurement of pancreatic stone protein for the early detection of sepsis in intensive care unit patients: a prospective multicentric study. <i>Critical Care</i> , <b>2021</b> , 25, 151  | 10.8 | 11        |
| 154 | Transient Stability Assessment and Enhancement of Grid-Forming Converters Embedding Current Reference Saturation as Current Limiting Strategy. <i>IEEE Transactions on Power Systems</i> , <b>2021</b> , 1-1  | 7    | 14        |
| 153 | Monitoring circulating dipeptidyl peptidase 3 (DPP3) predicts improvement of organ failure and survival in sepsis: a prospective observational multinational study. <i>Critical Care</i> , <b>2021</b> , 25, 61   | 10.8 | 4         |
| 152 | Temporal changes in the epidemiology, management, and outcome from acute respiratory distress syndrome in European intensive care units: a comparison of two large cohorts. <i>Critical Care</i> , <b>2021</b> , 25, 87   | 10.8 | 2         |
| 151 | Rationale and protocol for the efficacy, safety and tolerability of nangibotide in patients with septic shock (ASTONISH) phase IIb randomised controlled trial. <i>BMJ Open</i> , <b>2021</b> , 11, e042921   | 3    | 3         |
| 150 | Immature granulocytes can help the diagnosis of pulmonary bacterial infections in patients with severe COVID-19 pneumonia. <i>Journal of Intensive Care</i> , <b>2021</b> , 9, 58   | 7    | 1         |
| 149 | Integrins, a predictive biomarker for antibiotic resistance in acute sepsis: the IRIS study. <i>Journal of Antimicrobial Chemotherapy</i> , <b>2021</b> ,   | 5.1  | 2         |
| 148 | Efficacy and safety of suvatroxumab for prevention of Staphylococcus aureus ventilator-associated pneumonia (SAATELLITE): a multicentre, randomised, double-blind, placebo-controlled, parallel-group, phase 2 pilot trial. <i>Lancet Infectious Diseases</i> , <b>2021</b> , 21, 1313-1323 | 25.5 | 13        |
| 147 | Should we stimulate or suppress immune responses in COVID-19? Cytokine and anti-cytokine interventions. <i>Autoimmunity Reviews</i> , <b>2020</b> , 19, 102567  | 13.6 | 375       |
| 146 | Nangibotide in patients with septic shock: a Phase 2a randomized controlled clinical trial. <i>Intensive Care Medicine</i> , <b>2020</b> , 46, 1425-1437  | 14.5 | 15        |
| 145 | Severe COVID-19 is associated with deep and sustained multifaceted cellular immunosuppression. <i>Intensive Care Medicine</i> , <b>2020</b> , 46, 1769-1771   | 14.5 | 38        |
| 144 | Immunotherapies for COVID-19: lessons learned from sepsis. <i>Lancet Respiratory Medicine</i> , <b>2020</b> , 8, 946-949  | 35.1 | 71        |
| 143 | Performances of disseminated intravascular coagulation scoring systems in septic shock patients. <i>Annals of Intensive Care</i> , <b>2020</b> , 10, 92   | 8.9  | 9         |

|     |  |      |     |
|-----|--|------|-----|
| 142 | Prognostic performance of endothelial biomarkers to early predict clinical deterioration of patients with suspected bacterial infection and sepsis admitted to the emergency department. <i>Annals of Intensive Care</i> , <b>2020</b> , 10, 113   | 8.9  | 7   |
| 141 | Risk management model for simultaneous participation of a distribution company in Day-ahead and Real-time markets. <i>Sustainable Energy, Grids and Networks</i> , <b>2020</b> , 21, 100292  | 3.6  | 3   |
| 140 | Association of Interleukin 7 Immunotherapy With Lymphocyte Counts Among Patients With Severe Coronavirus Disease 2019 (COVID-19). <i>JAMA Network Open</i> , <b>2020</b> , 3, e2016485   | 10.4 | 42  |
| 139 | A phase Ib/IIa, randomised, double-blind, multicentre trial to assess the safety and efficacy of expanded Cx611 allogeneic adipose-derived stem cells (eASCs) for the treatment of patients with community-acquired bacterial pneumonia admitted to the intensive care unit. <i>BMC Pulmonary Medicine</i> , <b>2020</b> , 20, 309 | 3.5  | 3   |
| 138 | Classification and dynamic assessment of droop-based grid-forming control schemes: Application in HVDC systems. <i>Electric Power Systems Research</i> , <b>2020</b> , 189, 106765   | 3.5  | 8   |
| 137 | Phenotypical and functional alteration of unconventional T cells in severe COVID-19 patients. <i>Journal of Experimental Medicine</i> , <b>2020</b> , 217,   | 16.6 | 73  |
| 136 | New Agents in Development for Sepsis: Any Reason for Hope?. <i>Drugs</i> , <b>2020</b> , 80, 1751-1761   | 12.1 | 11  |
| 135 | Shotgun metagenomics for microbiome and resistome detection in septic patients with urinary tract infection. <i>International Journal of Antimicrobial Agents</i> , <b>2019</b> , 54, 803-808  | 14.3 | 6   |
| 134 | Effect of Selepressin vs Placebo on Ventilator- and Vasopressor-Free Days in Patients With Septic Shock: The SEPSIS-ACT Randomized Clinical Trial. <i>JAMA - Journal of the American Medical Association</i> , <b>2019</b> , 322, 1476-1485  | 27.4 | 54  |
| 133 | Community-acquired Staphylococcus aureus bacteriuria: a warning microbiological marker for infective endocarditis?. <i>BMC Infectious Diseases</i> , <b>2019</b> , 19, 504   | 4    | 10  |
| 132 | Is prehospital endobronchial intubation a risk factor for subsequent ventilator associated pneumonia? A retrospective analysis. <i>PLoS ONE</i> , <b>2019</b> , 14, e0217466   | 3.7  | 2   |
| 131 | Effect of a Recombinant Human Soluble Thrombomodulin on Mortality in Patients With Sepsis-Associated Coagulopathy: The SCARLET Randomized Clinical Trial. <i>JAMA - Journal of the American Medical Association</i> , <b>2019</b> , 321, 1993-2002   | 27.4 | 134 |
| 130 | CAL02, a novel antitoxin liposomal agent, in severe pneumococcal pneumonia: a first-in-human, double-blind, placebo-controlled, randomised trial. <i>Lancet Infectious Diseases</i> , <b>2019</b> , 19, 620-630  | 25.5 | 27  |
| 129 | Prevention of Early Ventilator-Associated Pneumonia after Cardiac Arrest. <i>New England Journal of Medicine</i> , <b>2019</b> , 381, 1831-1842  | 59.2 | 45  |
| 128 | La recherche en stratégies antibactériennes : nouvelles pistes, nouveaux enjeux ?. <i>Bulletin De L'Académie Nationale De Médecine</i> , <b>2019</b> , 203, 179-185  | 0.1  | 1   |
| 127 | The SOFA score-development, utility and challenges of accurate assessment in clinical trials. <i>Critical Care</i> , <b>2019</b> , 23, 374   | 10.8 | 194 |
| 126 | Hydrocortisone plus Fludrocortisone for Adults with Septic Shock. <i>New England Journal of Medicine</i> , <b>2018</b> , 378, 809-818  | 59.2 | 381 |
| 125 | Comparison of European ICU patients in 2012 (ICON) versus 2002 (SOAP). <i>Intensive Care Medicine</i> , <b>2018</b> , 44, 337-344  | 14.5 | 71  |

|     |  |      |     |
|-----|--|------|-----|
| 124 | Rationale and Design of an Adaptive Phase 2b/3 Clinical Trial of Selepressin for Adults in Septic Shock. Selepressin Evaluation Programme for Sepsis-induced Shock-Adaptive Clinical Trial. <i>Annals of the American Thoracic Society</i> , <b>2018</b> , 15, 250-257                               | 4.7  | 24  |
| 123 | Multicentric Standardized Flow Cytometry Routine Assessment of Patients With Sepsis to Predict Clinical Worsening. <i>Chest</i> , <b>2018</b> , 154, 617-627   | 5.3  | 19  |
| 122 | Hemodynamic Assessment of Patients With Septic Shock Using Transpulmonary Thermodilution and Critical Care Echocardiography: A Comparative Study. <i>Chest</i> , <b>2018</b> , 153, 55-64  | 5.3  | 29  |
| 121 | A worldwide multicentre evaluation of the influence of deterioration or improvement of acute kidney injury on clinical outcome in critically ill patients with and without sepsis at ICU admission: results from The Intensive Care Over Nations audit. <i>Critical Care</i> , <b>2018</b> , 22, 188 | 10.8 | 71  |
| 120 | Interleukin-7 restores lymphocytes in septic shock: the IRIS-7 randomized clinical trial. <i>JCI Insight</i> , <b>2018</b> , 3,  | 9.9  | 144 |
| 119 | Proenkephalin A 119-159 (Penkid) Is an Early Biomarker of Septic Acute Kidney Injury: The Kidney in Sepsis and Septic Shock (Kid-SSS) Study. <i>Kidney International Reports</i> , <b>2018</b> , 3, 1424-1433  | 4.1  | 29  |
| 118 | Circulating adrenomedullin estimates survival and reversibility of organ failure in sepsis: the prospective observational multinational Adrenomedullin and Outcome in Sepsis and Septic Shock-1 (AdrenOSS-1) study. <i>Critical Care</i> , <b>2018</b> , 22, 354                                     | 10.8 | 34  |
| 117 | New molecular semi-quantification tool provides reliable microbiological evidence for pulmonary infection. <i>Intensive Care Medicine</i> , <b>2018</b> , 44, 2302-2304  | 14.5 | 7   |
| 116 | Immature Granulocytes: A Risk Factor of Infection after Cardiac Surgery. <i>Cytometry Part B - Clinical Cytometry</i> , <b>2018</b> , 94, 887-894  | 3.4  | 6   |
| 115 | Safety and tolerability of a single administration of AR-301, a human monoclonal antibody, in ICU patients with severe pneumonia caused by <i>Staphylococcus aureus</i> : first-in-human trial. <i>Intensive Care Medicine</i> , <b>2018</b> , 44, 1787-1796   | 14.5 | 39  |
| 114 | Development of a tool for urban microgrid optimal energy planning and management. <i>Simulation Modelling Practice and Theory</i> , <b>2018</b> , 89, 64-81  | 3.9  | 11  |
| 113 | Diagnostic capability of a next-generation, ultra-miniaturized ultrasound system in patients with cardiopulmonary compromise assessed using basic critical care echocardiography. <i>Intensive Care Medicine</i> , <b>2018</b> , 44, 1579-1581   | 14.5 | 3   |
| 112 | Routine tooth brushing in the intensive care unit: A potential risk factor for oral flora bacteremia in immunocompromised patients. <i>Medicina Intensiva</i> , <b>2017</b> , 41, 53-55  | 1.2  | 2   |
| 111 | The intensive care medicine research agenda on multidrug-resistant bacteria, antibiotics, and stewardship. <i>Intensive Care Medicine</i> , <b>2017</b> , 43, 1187-1197  | 14.5 | 66  |
| 110 | Antibody-based therapy to combat <i>Staphylococcus aureus</i> infections. <i>Clinical Microbiology and Infection</i> , <b>2017</b> , 23, 219-221   | 9.5  | 12  |
| 109 | Association between timing of intubation and outcome in critically ill patients: A secondary analysis of the ICON audit. <i>Journal of Critical Care</i> , <b>2017</b> , 42, 1-5   | 4    | 27  |
| 108 | New Strategies Targeting Virulence Factors of <i>Staphylococcus aureus</i> and <i>Pseudomonas aeruginosa</i> . <i>Seminars in Respiratory and Critical Care Medicine</i> , <b>2017</b> , 38, 346-358   | 3.9  | 9   |
| 107 | Performance and economic evaluation of the molecular detection of pathogens for patients with severe infections: the EVAMICA open-label, cluster-randomised, interventional crossover trial. <i>Intensive Care Medicine</i> , <b>2017</b> , 43, 1613-1625  | 14.5 | 18  |

|     |   |      |     |
|-----|---|------|-----|
| 106 | Comparative Analysis of Bacterial Community Composition and Structure in Clinically Symptomatic and Asymptomatic Central Venous Catheters. <i>MSphere</i> , <b>2017</b> , 2,  | 5    | 5   |
| 105 | Staphylococcus Aureus Carriage in French Athletes at Risk of CA-MRSA Infection: a Prospective, Cross-sectional Study. <i>Sports Medicine - Open</i> , <b>2017</b> , 3, 28   | 6.1  | 2   |
| 104 | A Randomized Trial of the Amikacin Fosfomycin Inhalation System for the Adjunctive Therapy of Gram-Negative Ventilator-Associated Pneumonia: IASIS Trial. <i>Chest</i> , <b>2017</b> , 151, 1239-1246   | 5.3  | 93  |
| 103 | Integron Digestive Carriage in Human and Cattle: A "One Health" Cultivation-Independent Approach. <i>Frontiers in Microbiology</i> , <b>2017</b> , 8, 1891  | 5.7  | 5   |
| 102 | Response to Letter Regarding Article, "Endovascular Versus External Targeted Temperature Management for Patients With Out-of-Hospital Cardiac Arrest: A Randomized, Controlled Study". <i>Circulation</i> , <b>2016</b> , 133, e413-4   | 16.7 | 0   |
| 101 | The Innovative Medicines Initiative's New Drugs for Bad Bugs programme: European public-private partnerships for the development of new strategies to tackle antibiotic resistance. <i>Journal of Antimicrobial Chemotherapy</i> , <b>2016</b> , 71, 290-5  | 5.1  | 80  |
| 100 | Early Detection of Disseminated Intravascular Coagulation During Septic Shock: A Multicenter Prospective Study. <i>Critical Care Medicine</i> , <b>2016</b> , 44, e930-9  | 1.4  | 32  |
| 99  | Perspective on optimizing clinical trials in critical care: how to puzzle out recurrent failures. <i>Journal of Intensive Care</i> , <b>2016</b> , 4, 67  | 7    | 7   |
| 98  | Alternatives to antibiotics. <i>Intensive Care Medicine</i> , <b>2016</b> , 42, 2034-2036   | 14.5 | 17  |
| 97  | What specifications for a centre or network of excellence in clinical research?. <i>Therapie</i> , <b>2016</b> , 71, 43-57  | 3.8  |     |
| 96  | Advances in antibiotic therapy in the critically ill. <i>Critical Care</i> , <b>2016</b> , 20, 133  | 10.8 | 70  |
| 95  | Quel cahier des charges pour un centre ou un rseau d'excellence en recherche clinique?. <i>Therapie</i> , <b>2016</b> , 71, 43-50   | 3.8  |     |
| 94  | Prognostic impact of left ventricular diastolic function in patients with septic shock. <i>Annals of Intensive Care</i> , <b>2016</b> , 6, 36   | 8.9  | 23  |
| 93  | The SAATELLITE and EVADE Clinical Studies Within the COMBACTE Consortium: A Public-Private Collaborative Effort in Designing and Performing Clinical Trials for Novel Antibacterial Drugs to Prevent Nosocomial Pneumonia. <i>Clinical Infectious Diseases</i> , <b>2016</b> , 63 Suppl 2, S46-51 | 11.6 | 16  |
| 92  | Molecular quantification of bacteria from respiratory samples in patients with suspected ventilator-associated pneumonia. <i>Clinical Microbiology and Infection</i> , <b>2016</b> , 22, 812.e1-812.e7  | 9.5  | 23  |
| 91  | Rapid quantification of Staphylococcus aureus from endotracheal aspirates of ventilated patients: a proof-of-concept study. <i>Diagnostic Microbiology and Infectious Disease</i> , <b>2015</b> , 83, 117-20  | 2.9  | 3   |
| 90  | Endovascular Versus External Targeted Temperature Management for Patients With Out-of-Hospital Cardiac Arrest: A Randomized, Controlled Study. <i>Circulation</i> , <b>2015</b> , 132, 182-93   | 16.7 | 105 |
| 89  | Severe Rhabdomyolysis Associated with Staphylococcus aureus Acute Endocarditis Requiring Surgery. <i>Surgical Infections</i> , <b>2015</b> , 16, 840-2  | 2    | 4   |

|    |   |      |     |
|----|---|------|-----|
| 88 | Hemodynamic monitoring using a single-use indwelling transesophageal echocardiography probe in an unstable patient after open-heart surgery. <i>BMC Medical Imaging</i> , <b>2015</b> , 15, 31  | 2.9  | 0   |
| 87 | Hemodynamic assessment of ventilated ICU patients with cardiorespiratory failure using a miniaturized multiplane transesophageal echocardiography probe. <i>Intensive Care Medicine</i> , <b>2015</b> , 41, 1886-94   | 14.5 | 15  |
| 86 | A randomized, placebo-controlled trial of preemptive antifungal therapy for the prevention of invasive candidiasis following gastrointestinal surgery for intra-abdominal infections. <i>Clinical Infectious Diseases</i> , <b>2015</b> , 61, 1671-8  | 11.6 | 60  |
| 85 | Strengths and limitations of industry vs. academic randomized controlled trials. <i>Clinical Microbiology and Infection</i> , <b>2015</b> , 21, 906-9   | 9.5  | 18  |
| 84 | What strategy should France implement for H2020?. <i>Therapie</i> , <b>2015</b> , 70, 95-109  | 3.8  |     |
| 83 | Being Overweight Is Associated With Greater Survival in ICU Patients: Results From the Intensive Care Over Nations Audit. <i>Critical Care Medicine</i> , <b>2015</b> , 43, 2623-32   | 1.4  | 73  |
| 82 | Adherence to online monitoring of patient-reported outcomes by patients with chronic inflammatory diseases: a feasibility study. <i>Lupus</i> , <b>2015</b> , 24, 1429-36   | 2.6  | 13  |
| 81 | Accidental vertebral vein catheterization. <i>Internal and Emergency Medicine</i> , <b>2014</b> , 9, 479  | 3.7  |     |
| 80 | Potential side effect of propofol and sevoflurane for anesthesia of anti-NMDA-R encephalitis. <i>BMC Anesthesiology</i> , <b>2014</b> , 14, 5   | 2.4  | 22  |
| 79 | Ultrasonographic identification and semiquantitative assessment of unloculated pleural effusions in critically ill patients by residents after a focused training. <i>Intensive Care Medicine</i> , <b>2014</b> , 40, 1475-80   | 14.5 | 23  |
| 78 | Value of integron detection for predicting antibiotic resistance in patients with Gram-negative septicaemia. <i>International Journal of Antimicrobial Agents</i> , <b>2014</b> , 44, 351-3   | 14.3 | 9   |
| 77 | Prostatic abscesses and severe sepsis due to methicillin-susceptible <i>Staphylococcus aureus</i> producing Panton-Valentine leukocidin. <i>BMC Infectious Diseases</i> , <b>2014</b> , 14, 466   | 4    | 10  |
| 76 | Assessment of panobacumab as adjunctive immunotherapy for the treatment of nosocomial <i>Pseudomonas aeruginosa</i> pneumonia. <i>European Journal of Clinical Microbiology and Infectious Diseases</i> , <b>2014</b> , 33, 1861-7  | 5.3  | 43  |
| 75 | Promoting the place of the allied health professions in clinical research. <i>Therapie</i> , <b>2014</b> , 69, 271-90   | 3.8  | 0   |
| 74 | <i>Pseudomonas aeruginosa</i> serotypes in nosocomial pneumonia: prevalence and clinical outcomes. <i>Critical Care</i> , <b>2014</b> , 18, R17   | 10.8 | 38  |
| 73 | New targets for new therapeutic approaches. <i>Critical Care</i> , <b>2014</b> , 18, 669  | 10.8 | 2   |
| 72 | Evaluating the efficacy and safety of two doses of the polyclonal anti-tumor necrosis factor- $\beta$ fragment antibody AZD9773 in adult patients with severe sepsis and/or septic shock: randomized, double-blind, placebo-controlled phase IIb study*. <i>Critical Care Medicine</i> , <b>2014</b> , 42, 504-11 | 1.4  | 55  |
| 71 | Global prospective epidemiologic and surveillance study of ventilator-associated pneumonia due to <i>Pseudomonas aeruginosa</i> . <i>Critical Care Medicine</i> , <b>2014</b> , 42, 2178-87   | 1.4  | 121 |

|    |  |      |     |
|----|--|------|-----|
| 70 | Circulating immature granulocytes with T-cell killing functions predict sepsis deterioration*. <i>Critical Care Medicine</i> , <b>2014</b> , 42, 2007-18   | 1.4  | 131 |
| 69 | Safety and pharmacokinetics of intravenous zanamivir treatment in hospitalized adults with influenza: an open-label, multicenter, single-arm, phase II study. <i>Journal of Infectious Diseases</i> , <b>2014</b> , 209, 542-50  | 7    | 44  |
| 68 | Assessment of the worldwide burden of critical illness: the intensive care over nations (ICON) audit. <i>Lancet Respiratory Medicine</i> , <b>2014</b> , 2, 380-6  | 35.1 | 566 |
| 67 | Two-step bacterial broad-range polymerase chain reaction analysis of heart valve tissue improves bacteriological diagnosis of infective endocarditis. <i>Diagnostic Microbiology and Infectious Disease</i> , <b>2013</b> , 75, 240-4  | 2.9  | 14  |
| 66 | Effect of eritoran, an antagonist of MD2-TLR4, on mortality in patients with severe sepsis: the ACCESS randomized trial. <i>JAMA - Journal of the American Medical Association</i> , <b>2013</b> , 309, 1154-62  | 27.4 | 499 |
| 65 | Severe human bone infection due to methicillin-resistant <i>Staphylococcus aureus</i> carrying the novel mecC variant. <i>Journal of Antimicrobial Chemotherapy</i> , <b>2013</b> , 68, 2949-50  | 5.1  | 13  |
| 64 | Facial purpura associated with <i>Capnocytophaga canimorsus</i> septicaemia; role of sunlight?. <i>European Journal of Dermatology</i> , <b>2013</b> , 23, 427-8   | 0.8  | 2   |
| 63 | Assessment of left ventricular ejection fraction using an ultrasonic stethoscope in critically ill patients. <i>Critical Care</i> , <b>2012</b> , 16, R29  | 10.8 | 25  |
| 62 | Cardiac tamponade related to a coronary injury by a pericardial calcification: an unusual complication. <i>BMC Cardiovascular Disorders</i> , <b>2012</b> , 12, 28   | 2.3  | 1   |
| 61 | Early bacterial genome detection in body fluids from patients with severe sepsis: a pilot study. <i>Journal of Critical Care</i> , <b>2012</b> , 27, 416.e1-6  | 4    | 1   |
| 60 | Azithromycin to prevent <i>Pseudomonas aeruginosa</i> ventilator-associated pneumonia by inhibition of quorum sensing: a randomized controlled trial. <i>Intensive Care Medicine</i> , <b>2012</b> , 38, 1118-25   | 14.5 | 64  |
| 59 | Extracorporeal albumin dialysis in three cases of acute calcium channel blocker poisoning with life-threatening refractory cardiogenic shock. <i>Annals of Emergency Medicine</i> , <b>2012</b> , 59, 540-4  | 2.1  | 25  |
| 58 | DNA microarray analysis and functional profile of pituitary transcriptome under core-clock protein BMAL1 control. <i>Chronobiology International</i> , <b>2012</b> , 29, 103-30  | 3.6  | 16  |
| 57 | Safety and pharmacokinetics of an anti-PcrV PEGylated monoclonal antibody fragment in mechanically ventilated patients colonized with <i>Pseudomonas aeruginosa</i> : a randomized, double-blind, placebo-controlled trial. <i>Critical Care Medicine</i> , <b>2012</b> , 40, 2320-6 | 1.4  | 112 |
| 56 | Recombinant tissue factor pathway inhibitor in severe community-acquired pneumonia: a randomized trial. <i>American Journal of Respiratory and Critical Care Medicine</i> , <b>2011</b> , 183, 1561-8  | 10.2 | 84  |
| 55 | Drug-resistant cytomegalovirus in transplant recipients: a French cohort study. <i>Journal of Antimicrobial Chemotherapy</i> , <b>2010</b> , 65, 2628-40   | 5.1  | 113 |
| 54 | Randomized trial evaluating serial protein C levels in severe sepsis patients treated with variable doses of drotrecogin alfa (activated). <i>Critical Care</i> , <b>2010</b> , 14, R229   | 10.8 | 15  |
| 53 | A multicentre case-control study of nonsteroidal anti-inflammatory drugs as a risk factor for severe sepsis and septic shock. <i>Critical Care</i> , <b>2009</b> , 13, R43   | 10.8 | 30  |

|    |  |      |     |
|----|--|------|-----|
| 52 | Fatal thrombotic event after infusion of recombinant activated factor VII after cardiac surgery. <i>Journal of Thoracic and Cardiovascular Surgery</i> , <b>2008</b> , 136, 220-1  | 1.5  | 11  |
| 51 | Echocardiographic assessment of pulmonary artery occlusion pressure in ventilated patients: a transoesophageal study. <i>Critical Care</i> , <b>2008</b> , 12, R18   | 10.8 | 74  |
| 50 | Cardiac morphological and functional changes during early septic shock: a transesophageal echocardiographic study. <i>Intensive Care Medicine</i> , <b>2008</b> , 34, 250-6  | 14.5 | 72  |
| 49 | Initial efficacy and tolerability of early enteral nutrition with immediate or gradual introduction in intubated patients. <i>Intensive Care Medicine</i> , <b>2008</b> , 34, 1054-9   | 14.5 | 85  |
| 48 | Diagnosis of left ventricular diastolic dysfunction in the setting of acute changes in loading conditions. <i>Critical Care</i> , <b>2007</b> , 11, R43  | 10.8 | 63  |
| 47 | Efficacy of and tolerance to mild induced hypothermia after out-of-hospital cardiac arrest using an endovascular cooling system. <i>Critical Care</i> , <b>2007</b> , 11, R71  | 10.8 | 73  |
| 46 | Mild induced hypothermia after out-of-hospital cardiac arrest: persisting doubts about patient safety. <i>Critical Care</i> , <b>2007</b> , 11, 420  | 10.8 | 2   |
| 45 | Pneumonie n̄rosante ~Staphylococcus áureus communautaire r̄sistant ~la m̄ticilline et producteur de leucocidine de Panton-Valentine chez un adulte. <i>Reanimation: Journal De La Societe De Reanimation De Langue Francaise</i> , <b>2007</b> , 16, 256-258 |      |     |
| 44 | Role of superantigenic strains in the prognosis of community-acquired methicillin-susceptible <i>Staphylococcus aureus</i> bacteraemia. <i>Clinical Microbiology and Infection</i> , <b>2007</b> , 13, 1131-3  | 9.5  | 11  |
| 43 | Focused training for goal-oriented hand-held echocardiography performed by noncardiologist residents in the intensive care unit. <i>Intensive Care Medicine</i> , <b>2007</b> , 33, 1795-9   | 14.5 | 707 |
| 42 | 12-h pretreatment with methylprednisolone versus placebo for prevention of postextubation laryngeal oedema: a randomised double-blind trial. <i>Lancet, The</i> , <b>2007</b> , 369, 1083-9  | 40   | 169 |
| 41 | Prevention of postextubation laryngeal oedema [Authors' reply]. <i>Lancet, The</i> , <b>2007</b> , 370, 26   | 40   |     |
| 40 | Albumin dialysis: a new therapeutic alternative for severe diltiazem intoxication. <i>Clinical Toxicology</i> , <b>2006</b> , 44, 195-6  | 2.9  | 22  |
| 39 | Pneumonia and new methicillin-resistant <i>Staphylococcus aureus</i> clone. <i>Emerging Infectious Diseases</i> , <b>2006</b> , 12, 498-500  | 10.2 | 46  |
| 38 | Draining All Pleural Effusions in the Intensive Care Unit?. <i>Critical Care Medicine</i> , <b>2006</b> , 34, 269-270  | 1.4  | 1   |
| 37 | Nystatin prophylaxis: efficient in high-risk nonimmunocompromised ICU patients?. <i>Intensive Care Medicine</i> , <b>2006</b> , 32, 935-935  | 14.5 |     |
| 36 | Quantitative assessment of pleural effusion in critically ill patients by means of ultrasonography. <i>Critical Care Medicine</i> , <b>2005</b> , 33, 1757-63  | 1.4  | 207 |
| 35 | Transesophageal echocardiography and therapeutic management of patients sustaining blunt aortic injuries. <i>Journal of Trauma</i> , <b>2005</b> , 58, 1150-8  |      | 17  |



|    |  |      |      |
|----|--|------|------|
| 34 | Embolization of rectal arteries: an alternative treatment for hemorrhagic shock induced by traumatic intrarectal hemorrhage. <i>CardioVascular and Interventional Radiology</i> , <b>2005</b> , 28, 515-7  | 2.7  | 17   |
| 33 | Oral nystatin prophylaxis of <i>Candida</i> spp. colonization in ventilated critically ill patients. <i>Intensive Care Medicine</i> , <b>2005</b> , 31, 1508-13  | 14.5 | 30   |
| 32 | Drotrecogin alfa (activated) for adults with severe sepsis and a low risk of death. <i>New England Journal of Medicine</i> , <b>2005</b> , 353, 1332-41  | 59.2 | 1201 |
| 31 | A Medical Mystery. <i>New England Journal of Medicine</i> , <b>2004</b> , 350, 59-59   | 59.2 | 2    |
| 30 | Medical mystery--the answer. <i>New England Journal of Medicine</i> , <b>2004</b> , 350, 839; discussion 839   | 59.2 | 1    |
| 29 | Hand-held echocardiography with Doppler capability for the assessment of critically-ill patients: is it reliable?. <i>Intensive Care Medicine</i> , <b>2004</b> , 30, 718-23   | 14.5 | 54   |
| 28 | Recombinant human platelet-activating factor acetylhydrolase for treatment of severe sepsis: results of a phase III, multicenter, randomized, double-blind, placebo-controlled, clinical trial. <i>Critical Care Medicine</i> , <b>2004</b> , 32, 332-41 | 1.4  | 148  |
| 27 | Complications of tracheostomy performed in the ICU: subthyroid tracheostomy vs surgical cricothyroidotomy. <i>Chest</i> , <b>2003</b> , 123, 151-8   | 5.3  | 44   |
| 26 | Traumatic false aneurysm of a pancreatic artery: successful conservative management using embolization. <i>Journal of Trauma</i> , <b>2003</b> , 54, 788-90  |      | 2    |
| 25 | Diagnostic ability of hand-held echocardiography in ventilated critically ill patients. <i>Critical Care</i> , <b>2003</b> , 7, R84-91   | 10.8 | 81   |
| 24 | Effect of treatment with low doses of hydrocortisone and fludrocortisone on mortality in patients with septic shock. <i>JAMA - Journal of the American Medical Association</i> , <b>2002</b> , 288, 862-71   | 27.4 | 2112 |
| 23 | Comparison of multiplane transesophageal echocardiography and contrast-enhanced helical CT in the diagnosis of blunt traumatic cardiovascular injuries. <i>Anesthesiology</i> , <b>2001</b> , 94, 615-22; discussion 5A                                  | 4.3  | 83   |
| 22 | A new simple technique for the insertion of cuffed central venous catheters: an initial experience. <i>Journal of Parenteral and Enteral Nutrition</i> , <b>2001</b> , 25, 93-4  | 4.2  |      |
| 21 | Reactivation of human herpesvirus type 6 in multiple organ failure syndrome. <i>Clinical Infectious Diseases</i> , <b>2001</b> , 32, 197-203   | 11.6 | 46   |
| 20 | Nasal carriage of vancomycin-intermediate <i>Staphylococcus aureus</i> among intensive care unit staff. <i>Clinical Infectious Diseases</i> , <b>2001</b> , 33, 1951   | 11.6 | 9    |
| 19 | Platelet-activating factor acetylhydrolase and haemophagocytosis in the sepsis syndrome. <i>Mediators of Inflammation</i> , <b>2000</b> , 9, 197-200   | 4.3  | 14   |
| 18 | Sensitive and specific determination of midazolam and 1-hydroxymidazolam in human serum by liquid chromatography-electrospray mass spectrometry. <i>Biomedical Applications</i> , <b>1999</b> , 734, 137-44  |      | 23   |
| 17 | Diagnosis and management of traumatic aortic regurgitation associated with laceration of the aortic isthmus. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , <b>1999</b> , 46, 717-20  | 9.4  | 11   |

|    |   |      |     |
|----|---|------|-----|
| 16 | Quantification of traumatic hemomediastinum using transesophageal echocardiography: impact on patient management. <i>Chest</i> , <b>1998</b> , 113, 1475-80   | 5.3  | 44  |
| 15 | Traumatic pulmonary hernia: surgical versus conservative management. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , <b>1998</b> , 44, 217-9  | 9.4  | 47  |
| 14 | Toxicity of tungsten. <i>Lancet, The</i> , <b>1997</b> , 349, 58-59   | 4.0  | 8   |
| 13 | Thrombocytopenia in the sepsis syndrome: role of hemophagocytosis and macrophage colony-stimulating factor. <i>American Journal of Medicine</i> , <b>1997</b> , 103, 114-20   | 2.4  | 226 |
| 12 | Une intoxication rare au Datura stramonium. <i>Reanimation Urgences</i> , <b>1997</b> , 6, 51-53  |      | 7   |
| 11 | Microangiopathie thrombotique dans un contexte gravidique et nŃplasique : un problŃme diagnostique et thŃrapeutique. <i>Reanimation Urgences</i> , <b>1997</b> , 6, 675-677   |      |     |
| 10 | Intoxication aiguŃ au buflomdil : intŃfŃ du lactate de sodium pour traiter les troubles de conduction cardiaque. <i>Reanimation Urgences</i> , <b>1997</b> , 6, 305-308   |      | 1   |
| 9  | Serotonin syndrome due to an overdose of moclobemide and clomipramine. A potentially life-threatening association. <i>Intensive Care Medicine</i> , <b>1997</b> , 23, 122-4   | 14.5 | 24  |
| 8  | Tungsten Determination in Biological Fluids, Hair and Nails by Plasma Emission Spectrometry in a Case of Severe Acute Intoxication in Man. <i>Journal of Forensic Sciences</i> , <b>1997</b> , 42, 14162J                       | 1.8  | 24  |
| 7  | Limitations of transesophageal echocardiography for the diagnosis of traumatic injuries to aortic branches. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , <b>1997</b> , 42, 960-3                                 | 9.4  | 13  |
| 6  | Acute limb ischemia and heparin-induced thrombocytopenia: the value of echocardiography in eliminating a cardiac source of arterial emboli. <i>Journal of the American Society of Echocardiography</i> , <b>1996</b> , 9, 344-7 | 5.8  | 6   |
| 5  | A soldier who had seizures after drinking quarter of a litre of wine. <i>Lancet, The</i> , <b>1996</b> , 348, 1070  | 4.0  | 25  |
| 4  | Routine transesophageal echocardiography for the diagnosis of aortic disruption in trauma patients without enlarged mediastinum. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , <b>1996</b> , 40, 422-7            | 9.4  | 4.0 |
| 3  | Tamponnade par pŃricardite Ń pneumocoque : un diagnostic Ńvoquer. <i>Reanimation Urgences</i> , <b>1995</b> , 4, 41-43  |      |     |
| 2  | Gas gangrene and purulent pericarditis during Clostridium septicemia revealing a cecal carcinoma. <i>Intensive Care Medicine</i> , <b>1994</b> , 20, 309  | 14.5 | 4   |
| 1  | SepticŃmie Ń clostridium perfringens avec hŃmolyse intravasculaire massive : Possible complication tardive d'une anastomose cholŃdocoduodŃhale. <i>Reanimation Urgences</i> , <b>1994</b> , 3, 291-293                          |      | 0   |