Giuseppe Maina

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/3608631/publications.pdf

Version: 2024-02-01

70961 118652 5,380 167 41 62 citations h-index g-index papers 181 181 181 5815 docs citations times ranked citing authors all docs

#	Article	IF	CITATIONS
1	Gender-related clinical differences in obsessive-compulsive disorder. European Psychiatry, 1999, 14, 434-441.	0.1	173
2	Recent life events and obsessive–compulsive disorder (OCD): the role of pregnancy/delivery. Psychiatry Research, 1999, 89, 49-58.	1.7	162
3	Peripheral whole blood microRNA alterations in major depression and bipolar disorder. Journal of Affective Disorders, 2016, 200, 250-258.	2.0	138
4	Investigation of CNR1 and FAAH endocannabinoid gene polymorphisms in bipolar disorder and major depression. Pharmacological Research, 2010, 61, 400-404.	3.1	124
5	Prevalence and correlates of overweight in drug-na \tilde{A} -ve patients with bipolar disorder. Journal of Affective Disorders, 2008, 110, 149-155.	2.0	122
6	Family accommodation in obsessive–compulsive disorder: Relation to symptom dimensions, clinical and family characteristics. Psychiatry Research, 2010, 179, 204-211.	1.7	120
7	Comparative Efficacy of SSRIs and Amisulpride in Burning Mouth Syndrome. Journal of Clinical Psychiatry, 2002, 63, 38-43.	1.1	119
8	Psychiatric Comorbidity in Patients With Burning Mouth Syndrome. Psychosomatic Medicine, 1998, 60, 378-385.	1.3	115
9	Impact of anxiety disorder comorbidity on quality of life in euthymic bipolar disorder patients: differences between bipolar I and II subtypes. Journal of Affective Disorders, 2008, 105, 297-303.	2.0	112
10	What Happened to Patients With Obsessive Compulsive Disorder During the COVID-19 Pandemic? A Multicentre Report From Tertiary Clinics in Northern Italy. Frontiers in Psychiatry, 2020, 11, 720.	1.3	112
11	Fibromyalgia syndrome and depressive symptoms: Comorbidity and clinical correlates. Journal of Affective Disorders, 2011, 128, 262-266.	2.0	104
12	Randomized Controlled Trial Comparing Brief Dynamic and Supportive Therapy with Waiting List Condition in Minor Depressive Disorders. Psychotherapy and Psychosomatics, 2005, 74, 43-50.	4.0	99
13	Early intervention for obsessive compulsive disorder: An expert consensus statement. European Neuropsychopharmacology, 2019, 29, 549-565.	0.3	92
14	Episodic and chronic obsessive-compulsive disorder. Depression and Anxiety, 1997, 6, 154-158.	2.0	80
15	DSM-IV obsessive-compulsive personality disorder: Prevalence in patients with anxiety disorders and in healthy comparison subjects. Comprehensive Psychiatry, 2004, 45, 325-332.	1.5	78
16	Impact of maternal psychological distress on fetal weight, prematurity and intrauterine growth retardation. Journal of Affective Disorders, 2008, 111, 214-220.	2.0	77
17	8-week, single-blind, randomized trial comparing risperidone versus olanzapine augmentation of serotonin reuptake inhibitors in treatment-resistant obsessive–compulsive disorder. European Neuropsychopharmacology, 2008, 18, 364-372.	0.3	76
18	Serum levels of brain-derived neurotrophic factor in drug-naÃ⁻ve obsessive–compulsive patients: A case–control study. Journal of Affective Disorders, 2010, 122, 174-178.	2.0	76

#	Article	IF	Citations
19	Venlafaxine Versus Clomipramine in the Treatment of Obsessive-Compulsive Disorder. Journal of Clinical Psychiatry, 2002, 63, 1004-1009.	1.1	76
20	Health-Related Quality of Life in Euthymic Bipolar Disorder Patients. Journal of Clinical Psychiatry, 2007, 68, 207-212.	1.1	76
21	Clinical predictors of health-related quality of life in obsessive-compulsive disorder. Comprehensive Psychiatry, 2010, 51, 193-200.	1.5	72
22	Weight Gain During Long-Term Treatment of Obsessive-Compulsive Disorder. Journal of Clinical Psychiatry, 2004, 65, 1365-1371.	1.1	72
23	Personality Disorders in Patients with Burning Mouth Syndrome. Journal of Personality Disorders, 2005, 19, 84-93.	0.8	68
24	Stressful life events and obsessive–compulsive disorder: clinical features and symptom dimensions. Psychiatry Research, 2012, 197, 259-264.	1.7	65
25	Metabolic syndrome in Italian patients with bipolar disorder. General Hospital Psychiatry, 2008, 30, 318-323.	1.2	59
26	Suicide Risk in Obsessive-Compulsive Disorder and Exploration of Risk Factors: A Systematic Review. Current Neuropharmacology, 2019, 17, 681-696.	1.4	59
27	Aripiprazole augmentation of serotonin reuptake inhibitors in treatment-resistant obsessive–compulsive disorder: a 12-week open-label preliminary study. International Clinical Psychopharmacology, 2009, 24, 265-269.	0.9	57
28	Serum lipids, metabolic syndrome and lifetime suicide attempts in patients with bipolar disorder. Progress in Neuro-Psychopharmacology and Biological Psychiatry, 2012, 37, 136-140.	2.5	55
29	Metabolic syndrome and obsessive–compulsive disorder: a naturalistic Italian study. General Hospital Psychiatry, 2013, 35, 154-159.	1.2	54
30	The role of shared decision-making in improving adherence to pharmacological treatments in patients with schizophrenia: a clinical review. Annals of General Psychiatry, 2020, 19, 43.	1.2	54
31	The Use of Antidepressants in Bipolar Disorder. Journal of Clinical Psychiatry, 2008, 69, 1307-1318.	1.1	54
32	Increased uric acid levels in bipolar disorder subjects during different phases of illness. Journal of Affective Disorders, 2015, 173, 170-175.	2.0	53
33	Transient acute depressive state induced by subthalamic region stimulation. Journal of the Neurological Sciences, 2008, 273, 135-138.	0.3	52
34	Family accommodation in adult obsessive& ndash; compulsive disorder: clinical perspectives. Psychology Research and Behavior Management, 2017, Volume 10, 293-304.	1.3	52
35	An Exploratory Study on Obsessive-Compulsive Disorder with and without a Familial Component: Are There Any Phenomenological Differences?. Psychopathology, 2002, 35, 8-16.	1.1	49
36	Diagnosis, Epidemiology and Management of Mixed States in Bipolar Disorder. CNS Drugs, 2015, 29, 725-740.	2.7	48

3

#	Article	IF	Citations
37	Duration of untreated illness and response to SRI treatment in Obsessive-Compulsive Disorder. European Psychiatry, 2019, 58, 19-26.	0.1	47
38	Occurrence and clinical correlates of psychiatric co-morbidity in delusional disorder. European Psychiatry, 2001, 16, 222-228.	0.1	46
39	Suicide attempts and suicidal ideation in patients with obsessive-compulsive disorder: A systematic review and meta-analysis. Journal of Affective Disorders, 2020, 276, 1001-1021.	2.0	45
40	Antipsychotic augmentation for treatment resistant obsessive???compulsive disorder: what if antipsychotic is discontinued?. International Clinical Psychopharmacology, 2003, 18, 23-28.	0.9	44
41	A Systematic Review of Evidence-based Treatment Strategies for Obsessive- compulsive Disorder Resistant to first-line Pharmacotherapy. Current Medicinal Chemistry, 2019, 25, 5647-5661.	1.2	44
42	Duloxetine in the Prevention of Depressive Recurrences. Journal of Clinical Psychiatry, 2009, 70, 706-716.	1.1	44
43	Lithium-associated hyperparathyroidism and hypercalcaemia: A case-control cross-sectional study. Journal of Affective Disorders, 2013, 151, 786-790.	2.0	43
44	Bipolar obsessiveâ€compulsive disorder and personality disorders. Bipolar Disorders, 2007, 9, 722-729.	1.1	42
45	Recurrence rates of bipolar disorder during the postpartum period: a study on 276 medication-free Italian women. Archives of Women's Mental Health, 2014, 17, 367-372.	1.2	42
46	Prevalence of non-psychotic disorders in ultra-high risk individuals and transition to psychosis: A systematic review. Psychiatry Research, 2018, 270, 1-12.	1.7	38
47	Olanzapine or Lamotrigine Addition to Lithium in Remitted Bipolar Disorder Patients With Anxiety Disorder Comorbidity. Journal of Clinical Psychiatry, 2008, 69, 609-616.	1.1	37
48	Early-onset obsessive–compulsive disorder and personality disorders in adulthood. Psychiatry Research, 2008, 158, 217-225.	1.7	36
49	Brief dynamic therapy combined with pharmacotherapy in the treatment of major depressive disorder: Long-term results. Journal of Affective Disorders, 2009, 114, 200-207.	2.0	36
50	Ageâ€specific prevalence of metabolic syndrome in Italian patients with bipolar disorder. Psychiatry and Clinical Neurosciences, 2011, 65, 47-54.	1.0	36
51	Premorbid conditions and precipitating events in early-onset panic disorder. Comprehensive Psychiatry, 2002, 43, 28-36.	1.5	35
52	Gender-related distribution of personality disorders in a sample of patients with panic disorder. European Psychiatry, 2001, 16, 173-179.	0.1	34
53	Association between baseline serum vascular endothelial growth factor levels and response to electroconvulsive therapy. Acta Psychiatrica Scandinavica, 2014, 129, 461-466.	2.2	34
54	Glucose metabolism alterations in patients with bipolar disorder. Journal of Affective Disorders, 2015, 184, 293-298.	2.0	34

#	Article	IF	CITATIONS
55	The Microbiome: A New Target for Research and Treatment of Schizophrenia and its Resistant Presentations? A Systematic Literature Search and Review. Frontiers in Pharmacology, 2018, 9, 1040.	1.6	33
56	<p>The modern perspective for long-acting injectables antipsychotics in the patient-centered care of schizophrenia</p> . Neuropsychiatric Disease and Treatment, 2019, Volume 15, 1045-1060.	1.0	33
57	Prevalence and Correlates of Vitamin D Deficiency in a Sample of 290 Inpatients With Mental Illness. Frontiers in Psychiatry, 2019, 10, 167.	1.3	33
58	General Medical Conditions Are Associated With Delay to Treatment in Patients with Bipolar Disorder. Psychosomatics, 2013, 54, 437-442.	2.5	31
59	Anti-brain antibodies in adult patients with obsessive–compulsive disorder. Journal of Affective Disorders, 2009, 116, 192-200.	2.0	30
60	High H1-affinity antidepressants and risk of metabolic syndrome in bipolar disorder. Psychopharmacology, 2016, 233, 49-56.	1.5	30
61	Involuntary admissions in Italy: the impact of seasonality. International Journal of Psychiatry in Clinical Practice, 2016, 20, 232-238.	1.2	30
62	The influence of sunlight exposure on hospitalization in emergency psychiatry. Chronobiology International, 2017, 34, 1413-1422.	0.9	30
63	No Effect of Adding Brief Dynamic Therapy to Pharmacotherapy in the Treatment of Obsessive-Compulsive Disorder with Concurrent Major Depression. Psychotherapy and Psychosomatics, 2010, 79, 295-302.	4.0	29
64	Validity and Reliability of the Italian Version of the Quality of Life, Enjoyment and Satisfaction Questionnaire. Quality of Life Research, 2005, 14, 2323-2328.	1.5	28
65	The Impact of General Medical Conditions in Obsessive-Compulsive Disorder. Psychiatry Investigation, 2018, 15, 246-253.	0.7	28
66	Health-Related Quality of Life Among First-Degree Relatives of Patients With Obsessive-Compulsive Disorder in Italy. Psychiatric Services, 2007, 58, 970-976.	1.1	27
67	Antipsychotic augmentation for treatment resistant obsessive–compulsive disorder: what if antipsychotic is discontinued?. International Clinical Psychopharmacology, 2003, 18, 23-28.	0.9	26
68	Axis I and II comorbidities in subjects with and without nocturnal panic. Depression and Anxiety, 2006, 23, 422-428.	2.0	26
69	Combined Brief Dynamic Therapy and Pharmacotherapy in the Treatment of Major Depressive Disorder: A Pilot Study. Psychotherapy and Psychosomatics, 2007, 76, 298-305.	4.0	26
70	Obsessive–compulsive disorder and cyclothymic temperament: An exploration of clinical features. Journal of Affective Disorders, 2010, 127, 295-299.	2.0	26
71	Metabolic syndrome in Italian patients with bipolar disorder: A 2-year follow-up study. Journal of Affective Disorders, 2012, 136, 599-603.	2.0	26
72	Treatments used for obsessive–compulsive disorder—An international perspective. Human Psychopharmacology, 2019, 34, e2686.	0.7	26

#	Article	IF	Citations
73	The efficacy of adding short-term psychodynamic psychotherapy to antidepressants in the treatment of depression: A systematic review and meta-analysis of individual participant data. Clinical Psychology Review, 2020, 80, 101886.	6.0	26
74	Oxiracetam in the Treatment of Primary Degenerative and Multi-Infarct Dementia: A Double-Blind, Placebo-Controlled Study. Neuropsychobiology, 1989, 21, 141-145.	0.9	25
75	Symptomatic and functional outcomes after treatment with paliperidone palmitate 3-month formulation for 52 weeks in patients with clinically stable schizophrenia. Therapeutic Advances in Psychopharmacology, 2020, 10, 204512532092634.	1.2	24
76	Admixture analysis of age at symptom onset and age at disorder onset in a large sample of patients with obsessive–compulsive disorder. Journal of Affective Disorders, 2015, 187, 188-196.	2.0	23
77	Which factors delay treatment in bipolar disorder? A nationwide study focussed on duration of untreated illness. Microbial Biotechnology, 2021, 15, 1136-1145.	0.9	23
78	Sertraline treatment of obsessive-compulsive disorder: efficacy and tolerability of a rapid titration regimen. European Neuropsychopharmacology, 2002, 12, 181-186.	0.3	22
79	Cyclothymic temperament and major depressive disorder: A study on Italian patients. Journal of Affective Disorders, 2010, 121, 199-203.	2.0	22
80	Lithium prophylaxis during pregnancy and the postpartum period in women with lithium-responsive bipolar I disorder. Archives of Women's Mental Health, 2016, 19, 429-432.	1.2	22
81	Altered cAMP-Dependent Protein Kinase A in Platelets of Patients With Obsessive-Compulsive Disorder. American Journal of Psychiatry, 2000, 157, 284-286.	4.0	21
82	Axis II comorbidity in euthymic bipolar disorder patients: No differences between bipolar I and II subtypes. Journal of Affective Disorders, 2009, 115, 257-261.	2.0	21
83	Vagus nerve stimulation for treatment-resistant mood disorders: a long-term naturalistic study. BMC Psychiatry, 2015, 15, 64.	1.1	21
84	Maximum Temperature and Solar Radiation as Predictors of Bipolar Patient Admission in an Emergency Psychiatric Ward. International Journal of Environmental Research and Public Health, 2019, 16, 1140.	1.2	21
85	Correlates of violent suicide attempts in patients with bipolar disorder. Comprehensive Psychiatry, 2020, 96, 152136.	1.5	21
86	Workplace Violence and Burnout Among Mental Health Workers. Psychiatric Services, 2020, 71, 284-288.	1.1	21
87	Assessment and Management of Cognitive and Psychosocial Dysfunctions in Patients With Major Depressive Disorder: A Clinical Review. Frontiers in Psychiatry, 2018, 9, 493.	1.3	20
88	Gender-related differences in the onset of panic disorder. Acta Psychiatrica Scandinavica, 2001, 103, 189-195.	2.2	19
89	Switching antipsychotic medication to aripiprazole: position paper by a panel of Italian psychiatrists. Expert Opinion on Pharmacotherapy, 2015, 16, 727-737.	0.9	19
90	Psychotic versus non-psychotic bipolar disorder: Socio-demographic and clinical profiles in an Italian nationwide study. Australian and New Zealand Journal of Psychiatry, 2019, 53, 772-781.	1.3	19

#	Article	IF	Citations
91	Bulimia nervosa with and without obsessive-compulsive syndromes. Comprehensive Psychiatry, 2001, 42, 456-460.	1.5	18
92	Aripiprazole in Acute Mania and Long-Term Treatment of Bipolar Disorder. Clinical Drug Investigation, 2010, 30, 827-841.	1.1	18
93	Suicidality in patients with obsessive-compulsive and related disorders (OCRDs): A meta-analysis. Comprehensive Psychiatry, 2021, 108, 152246.	1.5	18
94	Nocturnal panic and recent life events. Depression and Anxiety, 2005, 22, 52-58.	2.0	17
95	Personalized and precision medicine as informants for treatment management of bipolar disorder. International Clinical Psychopharmacology, 2019, 34, 189-205.	0.9	17
96	Using sertraline in postpartum and breastfeeding: balancing risks and benefits. Expert Opinion on Drug Safety, 2018, 17, 719-725.	1.0	16
97	Expert advice on the management of valproate in women with bipolar disorder at childbearing age. European Neuropsychopharmacology, 2019, 29, 1199-1212.	0.3	16
98	Duration of Untreated Disorder and Cannabis Use: An Observational Study on a Cohort of Young Italian Patients Experiencing Psychotic Experiences and Dissociative Symptoms. International Journal of Environmental Research and Public Health, 2021, 18, 12632.	1.2	16
99	Long Term Treatment of Obsessive-Compulsive Disorder. CNS Drugs, 1998, 10, 247-255.	2.7	15
100	Dysthymic disorder: clinical characteristics in relation to age at onset. Journal of Affective Disorders, 2001, 66, 39-46.	2.0	15
101	Socio-demographic and clinical characterization of patients with Bipolar Disorder I vs II: a Nationwide Italian Study. European Archives of Psychiatry and Clinical Neuroscience, 2018, 268, 169-177.	1.8	15
102	Gender-related differences in patients with bipolar disorder: a nationwide study. CNS Spectrums, 2019, 24, 589-596.	0.7	15
103	The cAMP-dependent protein kinase substrate Rap1 in platelets from patients with obsessive compulsive disorder or schizophrenia. European Neuropsychopharmacology, 2001, 11, 221-225.	0.3	14
104	Obsessive beliefs in first-degree relatives of probands with Obsessive–Compulsive Disorder: Is the cognitive vulnerability in relatives specific to OCD?. Personality and Individual Differences, 2015, 87, 141-146.	1.6	14
105	Clinical correlates of age at onset distribution in bipolar disorder: a comparison between diagnostic subgroups. International Journal of Bipolar Disorders, 2017, 5, 28.	0.8	14
106	Diagnostic delay in <scp>ADHD</scp> : Duration of untreated illness and its socioâ€demographic and clinical predictors in a sample of adult outpatients. Microbial Biotechnology, 2021, 15, 957-965.	0.9	14
107	Effects of maintenance lithium treatment on serum parathyroid hormone and calcium levels: a retrospective longitudinal naturalistic study. Neuropsychiatric Disease and Treatment, 2015, 11, 1785.	1.0	13
108	Feasibility, Adherence and Efficacy of Liraglutide Treatment in a Sample of Individuals With Mood Disorders and Obesity. Frontiers in Psychiatry, 2019, 9, 784.	1.3	13

#	Article	IF	CITATIONS
109	Remission of persistent methamphetamine-induced psychosis after cariprazine therapy: presentation of a case report. Journal of Addictive Diseases, 2022, 40, 145-148.	0.8	13
110	Effectiveness of Cognitive-Behavioral Therapy Addition to Pharmacotherapy in Resistant Obsessive-Compulsive Disorder: A Multicenter Study. Psychotherapy and Psychosomatics, 2012, 81, 383-385.	4.0	12
111	The risk of metabolic disorders in patients treated with asenapine or olanzapine: a study conducted on real-world data in Italy and Spain. Expert Opinion on Drug Safety, 2014, 13, 1149-1154.	1.0	12
112	Cost-Effectiveness of Asenapine in the Treatment of Patients with Bipolar I Disorder with Mixed Episodes in an Italian Context. Advances in Therapy, 2014, 31, 873-890.	1.3	12
113	Insulin-like growth factor binding protein 2 in bipolar disorder: An expression study in peripheral tissues. World Journal of Biological Psychiatry, 2018, 19, 610-618.	1.3	12
114	What is the role of meteorological variables on involuntary admission in psychiatric ward? An Italian cross-sectional study. Environmental Research, 2020, 180, 108800.	3.7	11
115	Insulin resistance is associated with verbal memory impairment in bipolar disorders. Journal of Affective Disorders, 2020, 266, 610-614.	2.0	11
116	Factors associated with lifetime suicide attempts in bipolar disorder: results from an Italian nationwide study. European Archives of Psychiatry and Clinical Neuroscience, 2022, 272, 359-370.	1.8	11
117	The role of the potassium channel gene KCNK2 in major depressive disorder. Psychiatry Research, 2015, 225, 489-492.	1.7	10
118	Suicidal ideation and suicidal attempts in patients with obsessive-compulsive tic-related disorder vs obsessive-compulsive disorder: results of a multicenter Italian study. CNS Spectrums, 2021, 26, 354-361.	0.7	10
119	Type I and type II schizophrenia: relations between tonic electrodermal activity and clinical ratings before and after haloperidol treatment. Psychiatry Research, 1995, 57, 49-56.	1.7	9
120	An open-label, randomized, prospective comparison of sertraline and amisulpride in the treatment of dysthymia in the elderly. Current Therapeutic Research, 1997, 58, 798-808.	0.5	9
121	Paliperidone Palmitate and Metabolic Syndrome in Patients With Schizophrenia. Journal of Clinical Psychopharmacology, 2016, 36, 206-212.	0.7	9
122	Correlates of current rapid-cycling bipolar disorder: Results from the Italian multicentric RENDiBi study. European Psychiatry, 2019, 62, 82-89.	0.1	9
123	Attitudes of Italian Psychiatrists Toward the Evaluation of Physical Comorbidities and Sexual Dysfunction in Patients With Schizophrenia. Implications for Clinical Practice. Frontiers in Psychiatry, 2019, 10, 842.	1.3	9
124	Impact of comorbid obsessive-compulsive disorder on suicidality in patients with bipolar disorder. Psychiatry Research, 2020, 290, 113088.	1.7	9
125	The Role of Recent Life Events in the Onset of Obsessive-Compulsive Disorder. CNS Spectrums, 2000, 5, 44-50.	0.7	8
126	Lymphocyte peripheral benzodiazepine receptor mRNA decreases in obsessive-compulsive disorder. European Neuropsychopharmacology, 2000, 10, 337-340.	0.3	8

#	Article	IF	Citations
127	Valproate or olanzapine add-on to lithium: An 8-week, randomized, open-label study in Italian patients with a manic relapse. Journal of Affective Disorders, 2007, 99, 247-251.	2.0	8
128	Combining Drug and Psychological Treatments for Obsessive- Compulsive Disorder: What is the Evidence, When and for Whom. Current Medicinal Chemistry, 2019, 25, 5632-5646.	1.2	8
129	Five-year follow-up of first-episode depression treated with psychodynamic psychotherapy or antidepressants. Psychiatry Research, 2019, 275, 27-30.	1.7	8
130	Mood spectrum symptoms during a major depressive episode: Differences between 145 patients with bipolar disorder and 155 patients with major depressive disorder. Arguments for a dimensional approach. Bipolar Disorders, 2020, 22, 385-391.	1.1	8
131	Quality of life and clinical characteristics of patients with generalized and performance-focused social anxiety disorder: An Italian study. International Journal of Psychiatry in Clinical Practice, 2008, 12, 256-260.	1.2	7
132	Brief dynamic therapy and depression severity: A single-blind, randomized study. Journal of Affective Disorders, 2013, 147, 101-106.	2.0	7
133	Can quetiapine extended release (ER) induce labial edema in a female patient with treatment-resistant major depressive episode?. Aging Clinical and Experimental Research, 2016, 28, 791-793.	1.4	6
134	Serum lipids and lifetime suicide attempts in patients with Obsessive-Compulsive Disorder. Journal of Obsessive-Compulsive and Related Disorders, 2017, 15, 1-6.	0.7	6
135	Outcome and predictors of remission in bipolar-I patients experiencing manic episode and treated with oral antipsychotics and/or mood stabilizers. International Clinical Psychopharmacology, 2018, 33, 131-139.	0.9	6
136	The Mass Casualty Incident in Turin, 2017: A Case Study of Disaster Responders' Mental Health in an Italian Level I Hospital. Disaster Medicine and Public Health Preparedness, 2019, 13, 880-888.	0.7	6
137	The rates of co-occurring behavioural addictions in treatment-seeking individuals with obsessive-compulsive disorder: a preliminary report. International Journal of Psychiatry in Clinical Practice, 2020, 24, 173-175.	1.2	6
138	Aripiprazole Augmentation to Mood Stabilizers for Obsessive-Compulsive Symptoms in Bipolar Disorder. Medicina (Lithuania), 2021, 57, 9.	0.8	6
139	Antipsychotics in Obsessive-Compulsive Disorder. Current Psychiatry Reviews, 2005, 1, 293-301.	0.9	5
140	C-QUALITY: Cost and Quality-of-Life Pharmacoeconomic Analysis of Antidepressants in Major Depressive Disorder in Italy. Advances in Therapy, 2013, 30, 697-712.	1.3	5
141	A 10-year evaluation on adolescents with anxiety disorders: are they at risk of bipolarity?. International Journal of Psychiatry in Clinical Practice, 2017, 21, 125-130.	1.2	5
142	Did COVID-19 early lockdown actually lead to a higher rate of relapses in psychiatric patients?. Psychiatry Research, 2020, 291, 113204.	1.7	5
143	Healthcare Resource Consumption and Related Costs of Patients Estimated with Treatment-Resistant Depression in Italy. ClinicoEconomics and Outcomes Research, 2021, Volume 13, 629-635.	0.7	5
144	A Review of Current Strategies for Treatment Resistant Obsessive-Compulsive Disorder. Current Drug Therapy, 2008, 3, 126-142.	0.2	4

#	Article	IF	CITATIONS
145	Age at Menarche in Women With Bipolar Disorder: Correlation With Clinical Features and Peripartum Episodes. Frontiers in Psychiatry, 2020, 11, 00851.	1.3	3
146	Manic-Depressive Cycles in Bipolar Disorder: Clinical and Treatment Implications. Psychopathology, 2021, 54, 98-105.	1.1	3
147	A new approach for seasonal pattern: is it related to bipolarity dimension? Findings from an Italian multicenter study. International Journal of Psychiatry in Clinical Practice, 2021, 25, 73-81.	1.2	3
148	The forbidden thoughts dimension and psychiatric comorbidities in a large sample of OCD patients: A possible link to bipolar I comorbid disorder. Journal of Obsessive-Compulsive and Related Disorders, 2021, 29, 100642.	0.7	3
149	Reply to Burning Mouth Syndrome as a Side Effect of SSRIs. Journal of Clinical Psychiatry, 2003, 64, 337-338.	1.1	3
150	Which mixed depression model? A comparison between DSMâ€5â€defined mixed features and Koukopoulos' criteria. Bipolar Disorders, 2022, 24, 530-538.	1.1	3
151	Onset of Obsessive-Compulsive Disorder: Premorbid Conditions and Prodromal Phase. CNS Spectrums, 2000, 5, 31-43.	0.7	2
152	Affective Recurrences in Bipolar Disorder After Switching From Lithium to Valproate or Vice Versa. Journal of Clinical Psychopharmacology, 2017, 37, 278-281.	0.7	2
153	Italian prescribing patterns in obsessive–compulsive disorder. Human Psychopharmacology, 2017, 32, e2641.	0.7	2
154	MCMI-III Personality Disorders, Traits, and Profiles in Adult ADHD Outpatients. Journal of Attention Disorders, 2020, 24, 830-839.	1.5	2
155	Aripiprazole: a discussion on its clinical use in mania associated with bipolar I disorder. Drugs and Therapy Perspectives, 2008, 24, 1.	0.3	1
156	Quality of life of relatives of patients with Obsessive-Compulsive Disorder: relation to family accommodation and other socio-demographic and clinical characteristics. Epidemiologia E Psichiatria Sociale, 2009, 18, 255-261.	1.0	1
157	Differenze di genere nel disturbo ossessivo-compulsivo: uno studio clinico su 415 pazienti. Quaderni Italiani Di Psichiatria, 2012, 31, 190-200.	0.1	1
158	C-QUALITY: cost and quality-of-life pharmacoeconomic analysis of antidepressants used in major depressive disorder in the regional Italian settings of Veneto and Sardinia. ClinicoEconomics and Outcomes Research, 2013, 5, 611.	0.7	1
159	Falls from height: orthopaedic and psychiatric evaluation. Acta Biomedica, 2020, 91, 79-84.	0.2	1
160	Effect of Depressive Disorders and Their Pharmacological Treatment during Pregnancy on Maternal and Neonatal Outcome. Journal of Clinical Medicine, 2022, 11, 1486.	1.0	1
161	Impact of menstrual cycle events on bipolar disorder course: a narrative review of current evidence. Archives of Women's Mental Health, 2022, 25, 257-266.	1.2	1
162	Clinical Features of Lewy Body Dementia. European Psychiatry, 1997, 12, 188s-188s.	0.1	O

#	Article	IF	CITATIONS
163	Il trattamento del disturbo ossessivo-compulsivo resistente. Quaderni Italiani Di Psichiatria, 2011, 30, 16-25.	0.1	0
164	Mnemonic Discrimination in Obsessive Compulsive Disorder Patients: A Case-Control Study. Current Psychiatry Research and Reviews, 2021, 17, 188-200.	0.1	0
165	Nosographic classification of mood disorders: from symptoms to diagnosis and treatment. Reviews in Health Care, 2012, 3, 179-191.	0.1	O
166	Inhaled Loxapine as an Option for Psychomotor Agitation in Complex Patients. Journal of Clinical Psychopharmacology, 2020, 40, 645-647.	0.7	0
167	Psychiatric and physical rehabilitation intensive approach for suicide attempters by jumping from heights. Acta Biomedica, 2021, 92, e2021433.	0.2	0