

# Giuseppe Maina

## List of Publications by Year in Descending Order

**Source:** <https://exaly.com/author-pdf/3608631/giuseppe-maina-publications-by-year.pdf>

**Version:** 2024-04-26

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

165  
papers

3,980  
citations

35  
h-index

54  
g-index

181  
ext. papers

4,656  
ext. citations

4.7  
avg. IF

5.39  
L-index

#	Paper	IF	Citations
165	ObsessiveCompulsive Disorders <b>2022</b> , 79-92		
164	Impact of menstrual cycle events on bipolar disorder course: a narrative review of current evidence.. <i>Archives of Womens Mental Health</i> , <b>2022</b> , 25, 257	5	0
163	Suicidal ideation and suicidal attempts in patients with obsessive-compulsive tic-related disorder vs obsessive-compulsive disorder: results of a multicenter Italian study. <i>CNS Spectrums</i> , <b>2021</b> , 26, 354-361	1.8	5
162	Duration of Untreated Disorder and Cannabis Use: An Observational Study on a Cohort of Young Italian Patients Experiencing Psychotic Experiences and Dissociative Symptoms. <i>International Journal of Environmental Research and Public Health</i> , <b>2021</b> , 18,	4.6	2
161	Which mixed depression model? A comparison between DSM-5-defined mixed features and KoukopoulosCriteria. <i>Bipolar Disorders</i> , <b>2021</b> ,	3.8	1
160	Factors associated with lifetime suicide attempts in bipolar disorder: results from an Italian nationwide study. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , <b>2021</b> , 1	5.1	1
159	Which factors delay treatment in bipolar disorder? A nationwide study focussed on duration of untreated illness. <i>Microbial Biotechnology</i> , <b>2021</b> , 15, 1136-1145	3.3	5
158	Diagnostic delay in ADHD: Duration of untreated illness and its socio-demographic and clinical predictors in a sample of adult outpatients. <i>Microbial Biotechnology</i> , <b>2021</b> , 15, 957-965	3.3	4
157	The forbidden thoughts dimension and psychiatric comorbidities in a large sample of OCD patients: A possible link to bipolar I comorbid disorder. <i>Journal of Obsessive-Compulsive and Related Disorders</i> , <b>2021</b> , 29, 100642	1.7	
156	Remission of persistent methamphetamine-induced psychosis after cariprazine therapy: presentation of a case report. <i>Journal of Addictive Diseases</i> , <b>2021</b> , 1-4	1.7	6
155	Healthcare Resource Consumption and Related Costs of Patients Estimated with Treatment-Resistant Depression in Italy. <i>ClinicoEconomics and Outcomes Research</i> , <b>2021</b> , 13, 629-635	1.7	0
154	Suicidality in patients with obsessive-compulsive and related disorders (OCRDs): A meta-analysis. <i>Comprehensive Psychiatry</i> , <b>2021</b> , 108, 152246	7.3	1
153	Manic-Depressive Cycles in Bipolar Disorder: Clinical and Treatment Implications. <i>Psychopathology</i> , <b>2021</b> , 54, 98-105	3.4	1
152	A new approach for seasonal pattern: is it related to bipolarity dimension? Findings from an Italian multicenter study. <i>International Journal of Psychiatry in Clinical Practice</i> , <b>2021</b> , 25, 73-81	2.4	2
151	Psychiatric and physical rehabilitation intensive approach for suicide attempters by jumping from heights. <i>Acta Biomedica</i> , <b>2021</b> , 92, e2021433	3.2	
150	Impact of comorbid obsessive-compulsive disorder on suicidality in patients with bipolar disorder. <i>Psychiatry Research</i> , <b>2020</b> , 290, 113088	9.9	3
149	Did COVID-19 early lockdown actually lead to a higher rate of relapses in psychiatric patients?. <i>Psychiatry Research</i> , <b>2020</b> , 291, 113204	9.9	4

148	Symptomatic and functional outcomes after treatment with paliperidone palmitate 3-month formulation for 52 weeks in patients with clinically stable schizophrenia. <i>Therapeutic Advances in Psychopharmacology</i> , <b>2020</b> , 10, 2045125320926347	4.9	15
147	The efficacy of adding short-term psychodynamic psychotherapy to antidepressants in the treatment of depression: A systematic review and meta-analysis of individual participant data. <i>Clinical Psychology Review</i> , <b>2020</b> , 80, 101886	10.8	9
146	Insulin resistance is associated with verbal memory impairment in bipolar disorders. <i>Journal of Affective Disorders</i> , <b>2020</b> , 266, 610-614	6.6	2
145	Inhaled Loxapine as an Option for Psychomotor Agitation in Complex Patients. <i>Journal of Clinical Psychopharmacology</i> , <b>2020</b> , 40, 645-647	1.7	
144	Falls from height: orthopaedic and psychiatric evaluation. <i>Acta Biomedica</i> , <b>2020</b> , 91, 79-84	3.2	1
143	Workplace Violence and Burnout Among Mental Health Workers. <i>Psychiatric Services</i> , <b>2020</b> , 71, 284-288	3.3	7
142	The rates of co-occurring behavioural addictions in treatment-seeking individuals with obsessive-compulsive disorder: a preliminary report. <i>International Journal of Psychiatry in Clinical Practice</i> , <b>2020</b> , 24, 173-175	2.4	3
141	Age at Menarche in Women With Bipolar Disorder: Correlation With Clinical Features and Peripartum Episodes. <i>Frontiers in Psychiatry</i> , <b>2020</b> , 11, 00851	5	2
140	Suicide attempts and suicidal ideation in patients with obsessive-compulsive disorder: A systematic review and meta-analysis. <i>Journal of Affective Disorders</i> , <b>2020</b> , 276, 1001-1021	6.6	16
139	What Happened to Patients With Obsessive Compulsive Disorder During the COVID-19 Pandemic? A Multicentre Report From Tertiary Clinics in Northern Italy. <i>Frontiers in Psychiatry</i> , <b>2020</b> , 11, 720	5	74
138	The role of shared decision-making in improving adherence to pharmacological treatments in patients with schizophrenia: a clinical review. <i>Annals of General Psychiatry</i> , <b>2020</b> , 19, 43	3.4	18
137	MCMI-III Personality Disorders, Traits, and Profiles in Adult ADHD Outpatients. <i>Journal of Attention Disorders</i> , <b>2020</b> , 24, 830-839	3.7	2
136	Correlates of violent suicide attempts in patients with bipolar disorder. <i>Comprehensive Psychiatry</i> , <b>2020</b> , 96, 152136	7.3	5
135	What is the role of meteorological variables on involuntary admission in psychiatric ward? An Italian cross-sectional study. <i>Environmental Research</i> , <b>2020</b> , 180, 108800	7.9	4
134	Mood spectrum symptoms during a major depressive episode: Differences between 145 patients with bipolar disorder and 155 patients with major depressive disorder. Arguments for a dimensional approach. <i>Bipolar Disorders</i> , <b>2020</b> , 22, 385-391	3.8	6
133	Treatments used for obsessive-compulsive disorder-An international perspective. <i>Human Psychopharmacology</i> , <b>2019</b> , 34, e2686	2.3	12
132	Correlates of current rapid-cycling bipolar disorder: Results from the Italian multicentric RENDiBi study. <i>European Psychiatry</i> , <b>2019</b> , 62, 82-89	6	4
131	Psychotic versus non-psychotic bipolar disorder: Socio-demographic and clinical profiles in an Italian nationwide study. <i>Australian and New Zealand Journal of Psychiatry</i> , <b>2019</b> , 53, 772-781	2.6	10

130	The modern perspective for long-acting injectables antipsychotics in the patient-centered care of schizophrenia. <i>Neuropsychiatric Disease and Treatment</i> , <b>2019</b> , 15, 1045-1060	3.1	17
129	The Mass Casualty Incident in Turin, 2017: A Case Study of Disaster Responders' Mental Health in an Italian Level I Hospital. <i>Disaster Medicine and Public Health Preparedness</i> , <b>2019</b> , 13, 880-888	2.8	1
128	Maximum Temperature and Solar Radiation as Predictors of Bipolar Patient Admission in an Emergency Psychiatric Ward. <i>International Journal of Environmental Research and Public Health</i> , <b>2019</b> , 16,	4.6	14
127	Prevalence and Correlates of Vitamin D Deficiency in a Sample of 290 Inpatients With Mental Illness. <i>Frontiers in Psychiatry</i> , <b>2019</b> , 10, 167	5	19
126	Gender-related differences in patients with bipolar disorder: a nationwide study. <i>CNS Spectrums</i> , <b>2019</b> , 24, 589-596	1.8	7
125	Expert advice on the management of valproate in women with bipolar disorder at childbearing age. <i>European Neuropsychopharmacology</i> , <b>2019</b> , 29, 1199-1212	1.2	8
124	Suicide Risk in Obsessive-Compulsive Disorder and Exploration of Risk Factors: A Systematic Review. <i>Current Neuropharmacology</i> , <b>2019</b> , 17, 681-696	7.6	32
123	Five-year follow-up of first-episode depression treated with psychodynamic psychotherapy or antidepressants. <i>Psychiatry Research</i> , <b>2019</b> , 275, 27-30	9.9	6
122	Early intervention for obsessive compulsive disorder: An expert consensus statement. <i>European Neuropsychopharmacology</i> , <b>2019</b> , 29, 549-565	1.2	54
121	Duration of untreated illness and response to SRI treatment in Obsessive-Compulsive Disorder. <i>European Psychiatry</i> , <b>2019</b> , 58, 19-26	6	26
120	Personalized and precision medicine as informants for treatment management of bipolar disorder. <i>International Clinical Psychopharmacology</i> , <b>2019</b> , 34, 189-205	2.2	11
119	Attitudes of Italian Psychiatrists Toward the Evaluation of Physical Comorbidities and Sexual Dysfunction in Patients With Schizophrenia. Implications for Clinical Practice. <i>Frontiers in Psychiatry</i> , <b>2019</b> , 10, 842	5	3
118	Combining Drug and Psychological Treatments for Obsessive- Compulsive Disorder: What is the Evidence, When and for Whom. <i>Current Medicinal Chemistry</i> , <b>2018</b> , 25, 5632-5646	4.3	5
117	Feasibility, Adherence and Efficacy of Liraglutide Treatment in a Sample of Individuals With Mood Disorders and Obesity. <i>Frontiers in Psychiatry</i> , <b>2018</b> , 9, 784	5	6
116	Outcome and predictors of remission in bipolar-I patients experiencing manic episode and treated with oral antipsychotics and/or mood stabilizers: a prospective observational study in Italy. <i>International Clinical Psychopharmacology</i> , <b>2018</b> , 33, 131-139	2.2	3
115	Socio-demographic and clinical characterization of patients with Bipolar Disorder I vs II: a Nationwide Italian Study. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , <b>2018</b> , 268, 169-177	5.1	9
114	Insulin-like growth factor binding protein 2 in bipolar disorder: An expression study in peripheral tissues. <i>World Journal of Biological Psychiatry</i> , <b>2018</b> , 19, 610-618	3.8	6
113	A Systematic Review of Evidence-based Treatment Strategies for Obsessive- compulsive Disorder Resistant to first-line Pharmacotherapy. <i>Current Medicinal Chemistry</i> , <b>2018</b> , 25, 5647-5661	4.3	22

112	The Impact of General Medical Conditions in Obsessive-Compulsive Disorder. <i>Psychiatry Investigation</i> , <b>2018</b> , 15, 246-253	3.1	21
111	The Microbiome: A New Target for Research and Treatment of Schizophrenia and its Resistant Presentations? A Systematic Literature Search and Review. <i>Frontiers in Pharmacology</i> , <b>2018</b> , 9, 1040	5.6	24
110	Assessment and Management of Cognitive and Psychosocial Dysfunctions in Patients With Major Depressive Disorder: A Clinical Review. <i>Frontiers in Psychiatry</i> , <b>2018</b> , 9, 493	5	13
109	Prevalence of non-psychotic disorders in ultra-high risk individuals and transition to psychosis: A systematic review. <i>Psychiatry Research</i> , <b>2018</b> , 270, 1-12	9.9	23
108	Using sertraline in postpartum and breastfeeding: balancing risks and benefits. <i>Expert Opinion on Drug Safety</i> , <b>2018</b> , 17, 719-725	4.1	7
107	Affective Recurrences in Bipolar Disorder After Switching From Lithium to Valproate or Vice Versa: A Series of 57 Cases. <i>Journal of Clinical Psychopharmacology</i> , <b>2017</b> , 37, 278-281	1.7	1
106	A 10-year evaluation on adolescents with anxiety disorders: are they at risk of bipolarity?. <i>International Journal of Psychiatry in Clinical Practice</i> , <b>2017</b> , 21, 125-130	2.4	3
105	Italian prescribing patterns in obsessive-compulsive disorder. <i>Human Psychopharmacology</i> , <b>2017</b> , 32, e2641	2.3	2
104	Clinical correlates of age at onset distribution in bipolar disorder: a comparison between diagnostic subgroups. <i>International Journal of Bipolar Disorders</i> , <b>2017</b> , 5, 28	5.4	9
103	Serum lipids and lifetime suicide attempts in patients with Obsessive-Compulsive Disorder. <i>Journal of Obsessive-Compulsive and Related Disorders</i> , <b>2017</b> , 15, 1-6	1.7	6
102	The influence of sunlight exposure on hospitalization in emergency psychiatry. <i>Chronobiology International</i> , <b>2017</b> , 34, 1413-1422	3.6	22
101	Family accommodation in adult obsessive-compulsive disorder: clinical perspectives. <i>Psychology Research and Behavior Management</i> , <b>2017</b> , 10, 293-304	3.8	30
100	Can quetiapine extended release (ER) induce labial edema in a female patient with treatment-resistant major depressive episode?. <i>Aging Clinical and Experimental Research</i> , <b>2016</b> , 28, 791-3	4.8	4
99	Lithium prophylaxis during pregnancy and the postpartum period in women with lithium-responsive bipolar I disorder. <i>Archives of Womens Mental Health</i> , <b>2016</b> , 19, 429-32	5	15
98	Paliperidone Palmitate and Metabolic Syndrome in Patients With Schizophrenia: A 12-Month Observational Prospective Cohort Study. <i>Journal of Clinical Psychopharmacology</i> , <b>2016</b> , 36, 206-12	1.7	6
97	High H1-affinity antidepressants and risk of metabolic syndrome in bipolar disorder. <i>Psychopharmacology</i> , <b>2016</b> , 233, 49-56	4.7	18
96	Peripheral whole blood microRNA alterations in major depression and bipolar disorder. <i>Journal of Affective Disorders</i> , <b>2016</b> , 200, 250-8	6.6	103
95	Involuntary admissions in Italy: the impact of seasonality. <i>International Journal of Psychiatry in Clinical Practice</i> , <b>2016</b> , 20, 232-8	2.4	20

94	Glucose metabolism alterations in patients with bipolar disorder. <i>Journal of Affective Disorders</i> , <b>2015</b> , 184, 293-8	6.6	23
93	Vagus nerve stimulation for treatment-resistant mood disorders: a long-term naturalistic study. <i>BMC Psychiatry</i> , <b>2015</b> , 15, 64	4.2	18
92	Obsessive beliefs in first-degree relatives of probands with Obsessive-Compulsive Disorder: Is the cognitive vulnerability in relatives specific to OCD?. <i>Personality and Individual Differences</i> , <b>2015</b> , 87, 141-146	3.2	5
91	Diagnosis, Epidemiology and Management of Mixed States in Bipolar Disorder. <i>CNS Drugs</i> , <b>2015</b> , 29, 725-740	6.0	32
90	Effects of maintenance lithium treatment on serum parathyroid hormone and calcium levels: a retrospective longitudinal naturalistic study. <i>Neuropsychiatric Disease and Treatment</i> , <b>2015</b> , 11, 1785-91	3.1	8
89	Admixture analysis of age at symptom onset and age at disorder onset in a large sample of patients with obsessive-compulsive disorder. <i>Journal of Affective Disorders</i> , <b>2015</b> , 187, 188-96	6.6	20
88	Increased uric acid levels in bipolar disorder subjects during different phases of illness. <i>Journal of Affective Disorders</i> , <b>2015</b> , 173, 170-5	6.6	40
87	The role of the potassium channel gene KCNK2 in major depressive disorder. <i>Psychiatry Research</i> , <b>2015</b> , 225, 489-92	9.9	7
86	Switching antipsychotic medication to aripiprazole: position paper by a panel of Italian psychiatrists. <i>Expert Opinion on Pharmacotherapy</i> , <b>2015</b> , 16, 727-37	4	15
85	Cost-effectiveness of asenapine in the treatment of patients with bipolar I disorder with mixed episodes in an Italian context. <i>Advances in Therapy</i> , <b>2014</b> , 31, 873-90	4.1	11
84	The risk of metabolic disorders in patients treated with asenapine or olanzapine: a study conducted on real-world data in Italy and Spain. <i>Expert Opinion on Drug Safety</i> , <b>2014</b> , 13, 1149-54	4.1	12
83	Association between baseline serum vascular endothelial growth factor levels and response to electroconvulsive therapy. <i>Acta Psychiatrica Scandinavica</i> , <b>2014</b> , 129, 461-6	6.5	28
82	Recurrence rates of bipolar disorder during the postpartum period: a study on 276 medication-free Italian women. <i>Archives of Women's Mental Health</i> , <b>2014</b> , 17, 367-72	5	31
81	C-QUALITY: cost and quality-of-life pharmacoeconomic analysis of antidepressants in major depressive disorder in Italy. <i>Advances in Therapy</i> , <b>2013</b> , 30, 697-712	4.1	4
80	Lithium-associated hyperparathyroidism and hypercalcaemia: a case-control cross-sectional study. <i>Journal of Affective Disorders</i> , <b>2013</b> , 151, 786-790	6.6	30
79	General medical conditions are associated with delay to treatment in patients with bipolar disorder. <i>Psychosomatics</i> , <b>2013</b> , 54, 437-42	2.6	24
78	Brief dynamic therapy and depression severity: a single-blind, randomized study. <i>Journal of Affective Disorders</i> , <b>2013</b> , 147, 101-6	6.6	2
77	Metabolic syndrome and obsessive-compulsive disorder: a naturalistic Italian study. <i>General Hospital Psychiatry</i> , <b>2013</b> , 35, 154-9	5.6	42

76	C-QUALITY: cost and quality-of-life pharmacoeconomic analysis of antidepressants used in major depressive disorder in the regional Italian settings of Veneto and Sardinia. <i>ClinicoEconomics and Outcomes Research</i> , <b>2013</b> , 5, 611-21	1.7	0
75	Metabolic syndrome in Italian patients with bipolar disorder: a 2-year follow-up study. <i>Journal of Affective Disorders</i> , <b>2012</b> , 136, 599-603	6.6	21
74	Stressful life events and obsessive-compulsive disorder: clinical features and symptom dimensions. <i>Psychiatry Research</i> , <b>2012</b> , 197, 259-64	9.9	49
73	Serum lipids, metabolic syndrome and lifetime suicide attempts in patients with bipolar disorder. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , <b>2012</b> , 37, 136-40	5.5	45
72	Differenze di genere nel disturbo ossessivo-compulsivo: uno studio clinico su 415 pazienti. <i>Quaderni Italiani Di Psichiatria</i> , <b>2012</b> , 31, 190-200		1
71	Effectiveness of cognitive-behavioral therapy addition to pharmacotherapy in resistant obsessive-compulsive disorder: a multicenter study. <i>Psychotherapy and Psychosomatics</i> , <b>2012</b> , 81, 383-5	9.4	11
70	Il trattamento del disturbo ossessivo-compulsivo resistente. <i>Quaderni Italiani Di Psichiatria</i> , <b>2011</b> , 30, 16-25		
69	Caratteristiche sociodemografiche e cliniche del disturbo ossessivo-compulsivo in comorbilità con il disturbo bipolare. <i>Quaderni Italiani Di Psichiatria</i> , <b>2011</b> , 30, 75-82		
68	Age-specific prevalence of metabolic syndrome in Italian patients with bipolar disorder. <i>Psychiatry and Clinical Neurosciences</i> , <b>2011</b> , 65, 47-54	6.2	35
67	Fibromyalgia syndrome and depressive symptoms: comorbidity and clinical correlates. <i>Journal of Affective Disorders</i> , <b>2011</b> , 128, 262-6	6.6	77
66	No effect of adding brief dynamic therapy to pharmacotherapy in the treatment of obsessive-compulsive disorder with concurrent major depression. <i>Psychotherapy and Psychosomatics</i> , <b>2010</b> , 79, 295-302	9.4	22
65	Investigation of CNR1 and FAAH endocannabinoid gene polymorphisms in bipolar disorder and major depression. <i>Pharmacological Research</i> , <b>2010</b> , 61, 400-4	10.2	99
64	Aripiprazole in acute mania and long-term treatment of bipolar disorder: a critical review by an Italian working group. <i>Clinical Drug Investigation</i> , <b>2010</b> , 30, 827-841	3.2	16
63	Clinical predictors of health-related quality of life in obsessive-compulsive disorder. <i>Comprehensive Psychiatry</i> , <b>2010</b> , 51, 193-200	7.3	60
62	Family accommodation in obsessive-compulsive disorder: Relation to symptom dimensions, clinical and family characteristics. <i>Psychiatry Research</i> , <b>2010</b> , 179, 204-11	9.9	101
61	Cyclothymic temperament and major depressive disorder: a study on Italian patients. <i>Journal of Affective Disorders</i> , <b>2010</b> , 121, 199-203	6.6	18
60	Serum levels of brain-derived neurotrophic factor in drug-naïve obsessive-compulsive patients: a case-control study. <i>Journal of Affective Disorders</i> , <b>2010</b> , 122, 174-8	6.6	64
59	Obsessive-compulsive disorder and cyclothymic temperament: an exploration of clinical features. <i>Journal of Affective Disorders</i> , <b>2010</b> , 127, 295-9	6.6	25

58	Quality of life of relatives of patients with Obsessive-Compulsive Disorder: relation to family accommodation and other socio-demographic and clinical characteristics. <i>Epidemiologia E Psichiatria Sociale</i> , <b>2009</b> , 18, 255-261		1
57	Brief dynamic therapy combined with pharmacotherapy in the treatment of major depressive disorder: long-term results. <i>Journal of Affective Disorders</i> , <b>2009</b> , 114, 200-7	6.6	31
56	Axis II comorbidity in euthymic bipolar disorder patients: no differences between bipolar I and II subtypes. <i>Journal of Affective Disorders</i> , <b>2009</b> , 115, 257-61	6.6	18
55	Anti-brain antibodies in adult patients with obsessive-compulsive disorder. <i>Journal of Affective Disorders</i> , <b>2009</b> , 116, 192-200	6.6	24
54	Aripiprazole augmentation of serotonin reuptake inhibitors in treatment-resistant obsessive-compulsive disorder: a 12-week open-label preliminary study. <i>International Clinical Psychopharmacology</i> , <b>2009</b> , 24, 265-9	2.2	46
53	Duloxetine in the prevention of depressive recurrences: a randomized, double-blind, placebo-controlled trial. <i>Journal of Clinical Psychiatry</i> , <b>2009</b> , 70, 706-16	4.6	38
52	Metabolic syndrome in Italian patients with bipolar disorder. <i>General Hospital Psychiatry</i> , <b>2008</b> , 30, 318-23	3.6	53
51	Impact of anxiety disorder comorbidity on quality of life in euthymic bipolar disorder patients: differences between bipolar I and II subtypes. <i>Journal of Affective Disorders</i> , <b>2008</b> , 105, 297-303	6.6	100
50	Prevalence and correlates of overweight in drug-naïve patients with bipolar disorder. <i>Journal of Affective Disorders</i> , <b>2008</b> , 110, 149-55	6.6	96
49	Impact of maternal psychological distress on fetal weight, prematurity and intrauterine growth retardation. <i>Journal of Affective Disorders</i> , <b>2008</b> , 111, 214-20	6.6	66
48	Transient acute depressive state induced by subthalamic region stimulation. <i>Journal of the Neurological Sciences</i> , <b>2008</b> , 273, 135-8	3.2	46
47	Early-onset obsessive-compulsive disorder and personality disorders in adulthood. <i>Psychiatry Research</i> , <b>2008</b> , 158, 217-25	9.9	33
46	8-week, single-blind, randomized trial comparing risperidone versus olanzapine augmentation of serotonin reuptake inhibitors in treatment-resistant obsessive-compulsive disorder. <i>European Neuropsychopharmacology</i> , <b>2008</b> , 18, 364-72	1.2	62
45	Aripiprazole: a discussion on its clinical use in mania associated with bipolar I disorder. <i>Drugs and Therapy Perspectives</i> , <b>2008</b> , 24, 1	1.5	1
44	Quality of life and clinical characteristics of patients with generalized and performance-focused social anxiety disorder: An Italian study. <i>International Journal of Psychiatry in Clinical Practice</i> , <b>2008</b> , 12, 256-60	2.4	7
43	A Review of Current Strategies for Treatment Resistant Obsessive-Compulsive Disorder. <i>Current Drug Therapy</i> , <b>2008</b> , 3, 126-142	0.7	3
42	Olanzapine or lamotrigine addition to lithium in remitted bipolar disorder patients with anxiety disorder comorbidity: a randomized, single-blind, pilot study. <i>Journal of Clinical Psychiatry</i> , <b>2008</b> , 69, 609-16	4.6	30
41	The use of antidepressants in bipolar disorder. <i>Journal of Clinical Psychiatry</i> , <b>2008</b> , 69, 1307-18	4.6	44



40	Bipolar obsessive-compulsive disorder and personality disorders. <i>Bipolar Disorders</i> , <b>2007</b> , 9, 722-9	3.8	36
39	Valproate or olanzapine add-on to lithium: an 8-week, randomized, open-label study in Italian patients with a manic relapse. <i>Journal of Affective Disorders</i> , <b>2007</b> , 99, 247-51	6.6	5
38	Combined brief dynamic therapy and pharmacotherapy in the treatment of major depressive disorder: a pilot study. <i>Psychotherapy and Psychosomatics</i> , <b>2007</b> , 76, 298-305	9.4	22
37	Health-related quality of life among first-degree relatives of patients with obsessive-compulsive disorder in Italy. <i>Psychiatric Services</i> , <b>2007</b> , 58, 970-6	3.3	21
36	Health-related quality of life in euthymic bipolar disorder patients: differences between bipolar I and II subtypes. <i>Journal of Clinical Psychiatry</i> , <b>2007</b> , 68, 207-12	4.6	59
35	Axis I and II comorbidities in subjects with and without nocturnal panic. <i>Depression and Anxiety</i> , <b>2006</b> , 23, 422-8	8.4	19
34	Randomized controlled trial comparing brief dynamic and supportive therapy with waiting list condition in minor depressive disorders. <i>Psychotherapy and Psychosomatics</i> , <b>2005</b> , 74, 43-50	9.4	86
33	Nocturnal panic and recent life events. <i>Depression and Anxiety</i> , <b>2005</b> , 22, 52-8	8.4	14
32	Validity and reliability of the Italian version of the Quality of Life, Enjoyment and Satisfaction Questionnaire. <i>Quality of Life Research</i> , <b>2005</b> , 14, 2323-8	3.7	27
31	Antipsychotics in Obsessive-Compulsive Disorder. <i>Current Psychiatry Reviews</i> , <b>2005</b> , 1, 293-301	0.9	4
30	Personality disorders in patients with burning mouth syndrome. <i>Journal of Personality Disorders</i> , <b>2005</b> , 19, 84-93	2.6	61
29	DSM-IV obsessive-compulsive personality disorder: prevalence in patients with anxiety disorders and in healthy comparison subjects. <i>Comprehensive Psychiatry</i> , <b>2004</b> , 45, 325-32	7.3	68
28	Weight gain during long-term treatment of obsessive-compulsive disorder: a prospective comparison between serotonin reuptake inhibitors. <i>Journal of Clinical Psychiatry</i> , <b>2004</b> , 65, 1365-71	4.6	62
27	Antipsychotic augmentation for treatment resistant obsessive-compulsive disorder: what if antipsychotic is discontinued?. <i>International Clinical Psychopharmacology</i> , <b>2003</b> , 18, 23-8	2.2	40
26	Antipsychotic augmentation for treatment resistant obsessive-compulsive disorder: what if antipsychotic is discontinued?. <i>International Clinical Psychopharmacology</i> , <b>2003</b> , 18, 23-28	2.2	10
25	Reply to Burning Mouth Syndrome as a Side Effect of SSRIs. <i>Journal of Clinical Psychiatry</i> , <b>2003</b> , 64, 337-338	3.8	2
24	An exploratory study on obsessive-compulsive disorder with and without a familial component: are there any phenomenological differences?. <i>Psychopathology</i> , <b>2002</b> , 35, 8-16	3.4	44
23	Sertraline treatment of obsessive-compulsive disorder: efficacy and tolerability of a rapid titration regimen. <i>European Neuropsychopharmacology</i> , <b>2002</b> , 12, 181-6	1.2	20

22	Premorbid conditions and precipitating events in early-onset panic disorder. <i>Comprehensive Psychiatry</i> , <b>2002</b> , 43, 28-36	7.3	26
21	Comparative efficacy of SSRIs and amisulpride in burning mouth syndrome: a single-blind study. <i>Journal of Clinical Psychiatry</i> , <b>2002</b> , 63, 38-43	4.6	98
20	Venlafaxine versus clomipramine in the treatment of obsessive-compulsive disorder: a preliminary single-blind, 12-week, controlled study. <i>Journal of Clinical Psychiatry</i> , <b>2002</b> , 63, 1004-9	4.6	59
19	Gender-related differences in the onset of panic disorder. <i>Acta Psychiatrica Scandinavica</i> , <b>2001</b> , 103, 189-95	6.5	14
18	Dysthymic disorder: clinical characteristics in relation to age at onset. <i>Journal of Affective Disorders</i> , <b>2001</b> , 66, 39-46	6.6	13
17	Gender-related distribution of personality disorders in a sample of patients with panic disorder. <i>European Psychiatry</i> , <b>2001</b> , 16, 173-9	6	29
16	Occurrence and clinical correlates of psychiatric co-morbidity in delusional disorder. <i>European Psychiatry</i> , <b>2001</b> , 16, 222-8	6	32
15	The cAMP-dependent protein kinase substrate Rap1 in platelets from patients with obsessive compulsive disorder or schizophrenia. <i>European Neuropsychopharmacology</i> , <b>2001</b> , 11, 221-5	1.2	13
14	Bulimia nervosa with and without obsessive-compulsive syndromes. <i>Comprehensive Psychiatry</i> , <b>2001</b> , 42, 456-60	7.3	14
13	The role of recent life events in the onset of obsessive-compulsive disorder. <i>CNS Spectrums</i> , <b>2000</b> , 5, 44-50	1.8	5
12	Onset of obsessive-compulsive disorder: premorbid conditions and prodromal phase. <i>CNS Spectrums</i> , <b>2000</b> , 5, 31-43	1.8	1
11	Altered cAMP-dependent protein kinase A in platelets of patients with obsessive-compulsive disorder. <i>American Journal of Psychiatry</i> , <b>2000</b> , 157, 284-6	11.9	18
10	Lymphocyte peripheral benzodiazepine receptor mRNA decreases in obsessive-compulsive disorder. <i>European Neuropsychopharmacology</i> , <b>2000</b> , 10, 337-40	1.2	8
9	Recent life events and obsessive-compulsive disorder (OCD): the role of pregnancy/delivery. <i>Psychiatry Research</i> , <b>1999</b> , 89, 49-58	9.9	143
8	Gender-related clinical differences in obsessive-compulsive disorder. <i>European Psychiatry</i> , <b>1999</b> , 14, 434-41	6.1	141
7	Long Term Treatment of Obsessive-Compulsive Disorder. <i>CNS Drugs</i> , <b>1998</b> , 10, 247-255	6.7	12
6	Psychiatric comorbidity in patients with burning mouth syndrome. <i>Psychosomatic Medicine</i> , <b>1998</b> , 60, 378-85	3.7	87
5	Clinical Features of Lewy Body Dementia. <i>European Psychiatry</i> , <b>1997</b> , 12, 188s-188s	6	

4	An open-label, randomized, prospective comparison of sertraline and amisulpride in the treatment of dysthymia in the elderly. <i>Current Therapeutic Research</i> , <b>1997</b> , 58, 798-808	2.4	9
3	Episodic and chronic obsessive-compulsive disorder. <i>Depression and Anxiety</i> , <b>1997</b> , 6, 154-8	8.4	69
2	Type I and type II schizophrenia: relations between tonic electrodermal activity and clinical ratings before and after haloperidol treatment. <i>Psychiatry Research</i> , <b>1995</b> , 57, 49-56	9.9	8
1	Oxiracetam in the treatment of primary degenerative and multi-infarct dementia: a double-blind, placebo-controlled study. <i>Neuropsychobiology</i> , <b>1989</b> , 21, 141-5	4	15