Christian Morberg Wejse

List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/3609129/christian-morberg-wejse-publications-by-year.pdf

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

168
papers3,537
citations29
h-index54
g-index201
ext. papers4,399
ext. citations5.3
avg, IF5.27
L-index

#	Paper	IF	Citations
168	A cross-sectional study of risk factors for TB among socially marginalised people <i>International Journal of Tuberculosis and Lung Disease</i> , 2022 , 26, 166-168	2.1	
167	A self-rated health score predicts severe disease and high mortality in patients with pulmonary TB <i>International Journal of Tuberculosis and Lung Disease</i> , 2022 , 26, 158-165	2.1	0
166	Clinical Management of COVID-19 Patients - An Update. Seminars in Nuclear Medicine, 2022, 52, 4-10	5.4	7
165	Is body height a prognostic marker for outcome of tuberculosis treatment?. <i>Infectious Diseases</i> , 2022 , 1-4	3.1	
164	A Mental Health Profile of 900 Newly Arrived Refugees in Denmark Using ICD-10 Diagnoses. <i>Sustainability</i> , 2022 , 14, 418	3.6	O
163	War in Ukraine: an immense threat to the fight against tuberculosis <i>European Respiratory Journal</i> , 2022 , 59,	13.6	1
162	Long-Term Symptoms among Hospitalized COVID-19 Patients 48 Weeks after Discharge-A Prospective Cohort Study. <i>Journal of Clinical Medicine</i> , 2021 , 10,	5.1	1
161	Disseminated complex infection in a woman with anti-interferon-hautoantibodies. <i>IDCases</i> , 2021 , 26, e01300	2	1
160	HIV Prevalence in Migrant Groups Based on Country of Origin: A Systematic Review on Data Obtained between 1993 and 2020. <i>Sustainability</i> , 2021 , 13, 11642	3.6	
159	Transcriptomic signatures have a place in short-term prediction of incident tuberculosis. <i>Lancet Infectious Diseases, The</i> , 2021 , 21, 299-300	25.5	1
158	Active case-finding of tuberculosis in general populations and at-risk groups: a systematic review and meta-analysis. <i>European Respiratory Journal</i> , 2021 , 58,	13.6	2
157	Tuberculous lymphadenitis: a forgotten and delayed diagnosis in low-incidence countries. <i>Infection</i> , 2021 , 1	5.8	0
156	High yield from repeated testing for tuberculosis among high-risk citizens in Denmark. <i>International Journal of Infectious Diseases</i> , 2021 , 102, 352-356	10.5	O
155	Pregnancy complications among refugee women: A systematic review. <i>Acta Obstetricia Et Gynecologica Scandinavica</i> , 2021 , 100, 649-657	3.8	4
154	Life expectancy of HIV-infected patients followed at the largest hospital in Guinea-Bissau is one-fourth of life expectancy of the background population. <i>Infection</i> , 2021 , 49, 631-643	5.8	1
153	Hypertension is associated with increased mortality in patients with tuberculosis in Guinea-Bissau. <i>International Journal of Infectious Diseases</i> , 2021 , 109, 123-128	10.5	1
152	Assessing gender differences among presumed and diagnosed patients with pulmonary TB: observations from Guinea-Bissau. <i>Transactions of the Royal Society of Tropical Medicine and Hygiene</i> , 2021 , 115, 1273-1281	2	O

151	Is there a need of health assessments for resettling refugees? A cross-sectional study of 1431 refugees who arrived in Denmark between 2014 and 2018. <i>Journal of Migration and Health</i> , 2021 , 3, 10	0044	2
150	CLEC4E (Mincle) genetic variation associates with pulmonary tuberculosis in Guinea-Bissau (West Africa). <i>Infection, Genetics and Evolution</i> , 2020 , 85, 104560	4.5	2
149	Characteristics and predictors for tuberculosis related mortality in Denmark from 2009 through 2014: A retrospective cohort study. <i>PLoS ONE</i> , 2020 , 15, e0231821	3.7	2
148	Historical review of studies on the effect of treating latent tuberculosis. <i>International Journal of Infectious Diseases</i> , 2020 , 92S, S31-S36	10.5	4
147	A clinical score has utility in tuberculosis case-finding among patients with HIV: A feasibility study from Bissau. <i>International Journal of Infectious Diseases</i> , 2020 , 92S, S78-S84	10.5	2
146	Advancing new diagnostic tests for latent tuberculosis infection due to multidrug-resistant strains of Mycobacterium tuberculosis - End of the road?. <i>International Journal of Infectious Diseases</i> , 2020 , 92S, S69-S71	10.5	7
145	Tools to implement the World Health Organization End TB Strategy: Addressing common challenges in high and low endemic countries. <i>International Journal of Infectious Diseases</i> , 2020 , 92S, S60-S68	10.5	10
144	MDR/XDR-TB management of patients and contacts: Challenges facing the new decade. The 2020 clinical update by the Global Tuberculosis Network. <i>International Journal of Infectious Diseases</i> , 2020 , 92S, S15-S25	10.5	59
143	Review of tuberculosis treatment outcome reporting system in Denmark, a retrospective study cohort study from 2009 through 2014. <i>BMC Health Services Research</i> , 2020 , 20, 83	2.9	2
142	HIV treatment in Guinea-Bissau: room for improvement and time for new treatment options. <i>AIDS Research and Therapy</i> , 2020 , 17, 3	3	1
141	Interaction between host genes and Mycobacterium tuberculosis lineage can affect tuberculosis severity: Evidence for coevolution?. <i>PLoS Genetics</i> , 2020 , 16, e1008728	6	14
140	High prevalence of methicillin-resistant, and in asymptomatic Syrian asylum seekers in Denmark during 2016 through 2018. <i>Journal of Migration and Health</i> , 2020 , 1-2, 100016	1.5	1
139	Acceptance and Feasibility of Partner Notification to HIV Infected Individuals in Guinea-Bissau. <i>AIDS and Behavior</i> , 2020 , 24, 1476-1485	4.3	2
138	Hepatitis B and C in the adult population of Bissau, Guinea-Bissau: a cross-sectional survey. <i>Tropical Medicine and International Health</i> , 2020 , 25, 255-263	2.3	3
137	Clinical features of tuberculous lymphadenitis in a low-incidence country. <i>International Journal of Infectious Diseases</i> , 2020 , 98, 366-371	10.5	3
136	HIV-1 and HIV-2 prevalence, risk factors and birth outcomes among pregnant women in Bissau, Guinea-Bissau: a retrospective cross-sectional hospital study. <i>Scientific Reports</i> , 2020 , 10, 12174	4.9	Ο
135	Asylum seekers@and Refugees@changing Health (ARCH) study protocol: an observational study in Lebanon and Denmark to assess health implications of long-distance migration on communicable and non-communicable diseases and mental health. BMJ Open, 2020, 10, e034412	3	3
134	Using BCG vaccine to enhance non-specific protection of health care workers during the COVID-19 pandemic: A structured summary of a study protocol for a randomised controlled trial in Denmark. <i>Trials</i> , 2020 , 21, 799	2.8	13

133	Neonatal BCG vaccination and child survival in TB-exposed and TB-unexposed children: a prospective cohort study. <i>BMJ Open</i> , 2020 , 10, e035595	3	13
132	Extrapulmonary Tuberculosis in Denmark From 2009 to 2014; Characteristics and Predictors for Treatment Outcome. <i>Open Forum Infectious Diseases</i> , 2019 , 6, ofz388	1	10
131	HIV-2 as a model to identify a functional HIV cure. AIDS Research and Therapy, 2019, 16, 24	3	7
130	Predictors for Pulmonary Tuberculosis Treatment Outcome in Denmark 2009-2014. <i>Scientific Reports</i> , 2019 , 9, 12995	4.9	17
129	Modelling tuberculosis control priorities: more of the same will not do. <i>The Lancet Global Health</i> , 2019 , 7, e1319	13.6	
128	A new DNA sensor system for specific and quantitative detection of mycobacteria. <i>Nanoscale</i> , 2019 , 11, 587-597	7.7	5
127	Discriminatory rapid tests cause HIV-type misclassification-evaluation of three rapid tests using clinical samples from Guinea-Bissau. <i>Transactions of the Royal Society of Tropical Medicine and Hygiene</i> , 2019 ,	2	1
126	Xpert MTB/RIF is cost-effective, but less so than expected. <i>The Lancet Global Health</i> , 2019 , 7, e692-e693	313.6	3
125	Utility of a clinical scoring system in prioritizing TB investigations - a systematic review. <i>Expert Review of Anti-Infective Therapy</i> , 2019 , 17, 475-488	5.5	1
124	Delays in the Diagnosis and Treatment of Tuberculous Lymphadenitis in Low-Incidence Countries: A Systematic Review. <i>Respiration</i> , 2019 , 97, 576-584	3.7	6
123	Dietary intake in undernourished adults living in Guinea-Bissau; a cross-sectional study. <i>BMC Nutrition</i> , 2019 , 5, 13	2.5	2
122	Adjunctive vitamin D in tuberculosis treatment: meta-analysis of individual participant data. <i>European Respiratory Journal</i> , 2019 , 53,	13.6	37
121	HTLV prevalence is no longer following the decreasing HIV prevalence - 20 years of retroviral surveillance in Guinea-Bissau, West Africa. <i>Acta Tropica</i> , 2019 , 192, 144-150	3.2	6
120	Epidemiology of tuberculous lymphadenitis in Denmark: A nationwide register-based study. <i>PLoS ONE</i> , 2019 , 14, e0221232	3.7	8
119	The global prevalence of latent tuberculosis: a systematic review and meta-analysis. <i>European Respiratory Journal</i> , 2019 , 54,	13.6	133
118	A clinical case of tuberculosis with transient constrictive pericarditis and perimyocarditis. <i>Echo Research and Practice</i> , 2019 , 6, K7-K12	2	2
117	Sedimentation rate and suPAR in relation to disease activity and mortality in patients with tuberculosis. <i>International Journal of Tuberculosis and Lung Disease</i> , 2019 , 23, 1155-1161	2.1	2
116	High coverage of polio immunization program in refugees resettling in Denmark. A cross-sectional study of polio serology in newly arrived refugees. <i>Expert Review of Vaccines</i> , 2019 , 18, 1317-1322	5.2	4

(2018-2019)

115	T-cell and B-cell perturbations identify distinct differences in HIV-2 compared with HIV-1-induced immunodeficiency. <i>Aids</i> , 2019 , 33, 1131-1141	3.5	5
114	T-cell and B-cell perturbations are similar in ART-naive HIV-1 and HIV-1/2 dually infected patients. <i>Aids</i> , 2019 , 33, 1143-1153	3.5	4
113	HIV-2 continues to decrease, whereas HIV-1 is stabilizing in Guinea-Bissau. <i>Aids</i> , 2018 , 32, 1193-1198	3.5	31
112	The challenge of discriminating between HIV-1, HIV-2 and HIV-1/2 dual infections. <i>HIV Medicine</i> , 2018 , 19, 403-410	2.7	15
111	The influence of human leukocyte antigen-types on disease progression among HIV-2 infected patients in Guinea-Bissau. <i>Aids</i> , 2018 , 32, 721-728	3.5	8
110	Refugees and family-reunified immigrants have a high incidence of HIV diagnosis and late presentation compared with Danish born: a nationwide register-based cohort study. <i>Infection</i> , 2018 , 46, 659-667	5.8	9
109	Political instability and supply-side barriers undermine the potential for high participation in HIV testing for the prevention of mother-to-child transmission in Guinea-Bissau: A retrospective cross-sectional study. <i>PLoS ONE</i> , 2018 , 13, e0199819	3.7	5
108	Mycobacterium marinum infections in Denmark from 2004 to 2017: A retrospective study of incidence, patient characteristics, treatment regimens and outcome. <i>Scientific Reports</i> , 2018 , 8, 6738	4.9	21
107	Increased mortality among HIV infected patients with cryptococcal antigenemia in Guinea-Bissau. <i>Pan African Medical Journal</i> , 2018 , 29, 18	1.2	8
106	Impact of geographic distance on appraisal delay for active TB treatment seeking in Uganda: a network analysis of the Kawempe Community Health Cohort Study. <i>BMC Public Health</i> , 2018 , 18, 798	4.1	10
105	Excessive mortality and loss to follow-up among HIV-infected children in Guinea-Bissau, West Africa: a retrospective follow-up study. <i>Tropical Medicine and International Health</i> , 2018 , 23, 1148-1156	2.3	3
104	Prevalence and clinical characteristics of CMV coinfection among HIV infected individuals in Guinea-Bissau: a cross-sectional study. <i>Tropical Medicine and International Health</i> , 2018 , 23, 896-904	2.3	1
103	QT prolongation and cardiac toxicity of new tuberculosis drugs in Europe: a Tuberculosis Network European Trialsgroup (TBnet) study. <i>European Respiratory Journal</i> , 2018 , 52,	13.6	18
102	Medical treatment for urogenital tuberculosis (UGTB). GMS Infectious Diseases, 2018, 6, Doc04	0.9	1
101	Vitamin D and Infectious Diseases. Contemporary Endocrinology, 2018, 57-75	0.3	1
100	Is it time to revise the notion that HIV-2 is benign?. Lancet HIV, the, 2018,	7.8	2
99	Comorbidities, mortality and causes of death among patients with tuberculosis in Denmark 1998-2010: a nationwide, register-based case-control study. <i>Thorax</i> , 2018 , 73, 70-77	7.3	12
98	Protease Inhibitors or NNRTIs as First-Line HIV-1 Treatment in West Africa (PIONA): A Randomized Controlled Trial. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2018 , 79, 386-393	3.1	8

97	Case Report: latrogenic Infection from Traditional Treatment of Stingray Envenomation. <i>American Journal of Tropical Medicine and Hygiene</i> , 2018 , 98, 929-932	3.2	О
96	Long-term effects of smallpox vaccination on expression of the HIV-1 co-receptor CCR5 in women. <i>PLoS ONE</i> , 2018 , 13, e0207259	3.7	2
95	Soluble Macrophage Mannose Receptor (sCD206/sMR) as a Biomarker in Human Immunodeficiency Virus Infection. <i>Journal of Infectious Diseases</i> , 2018 , 218, 1291-1295	7	6
94	De-isolation of patients with pulmonary tuberculosis after start of treatment - clear, unequivocal guidelines are missing. <i>International Journal of Infectious Diseases</i> , 2017 , 56, 34-38	10.5	7
93	Noma in an HIV infected patient in Guinea-Bissau: a case report. <i>Infection</i> , 2017 , 45, 897-901	5.8	3
92	Systematic health screening of refugees after resettlement in recipient countries: a scoping review. <i>Annals of Human Biology</i> , 2017 , 44, 475-483	1.7	26
91	Development of an epitope panel for consistent identification of antigen-specific T-cells in humans. <i>Immunology</i> , 2017 , 152, 298-307	7.8	1
90	Tuberculosis and hypertension-a systematic review of the literature. <i>International Journal of Infectious Diseases</i> , 2017 , 56, 54-61	10.5	13
89	Tuberculosis case finding and mortality prediction: added value of the clinical TBscore and biomarker suPAR. <i>International Journal of Tuberculosis and Lung Disease</i> , 2017 , 21, 67-72	2.1	12
88	Awareness, attitudes and perceptions regarding HIV and PMTCT amongst pregnant women in Guinea-Bissau- a qualitative study. <i>BMC Womenis Health</i> , 2017 , 17, 71	2.9	9
87	Review of infectious diseases in refugees and asylum seekers-current status and going forward. <i>Public Health Reviews</i> , 2017 , 38, 22	4.3	57
86	Genomics of human pulmonary tuberculosis: from genes to pathways. <i>Current Genetic Medicine Reports</i> , 2017 , 5, 149-166	2.2	21
85	Anemia and growth retardation associated with Schistosoma haematobium infection in Mali: a possible subtle impact of a neglected tropical disease. <i>Transactions of the Royal Society of Tropical Medicine and Hygiene</i> , 2017 , 111, 144-153	2	6
84	Assessing factors for loss to follow-up of HIV infected patients in Guinea-Bissau. <i>Infection</i> , 2017 , 45, 187	7- <u>5</u> 1.97	14
83	Review of cytomegalovirus coinfection in HIV-infected individuals in Africa. <i>Reviews in Medical Virology</i> , 2017 , 27, e1907	11.7	27
82	Organomegaly in Mali before and after praziquantel treatment. A possible association with. <i>Heliyon</i> , 2017 , 3, e00440	3.6	
81	Low prevalence of malnourishment among household contacts of patients with tuberculosis in Guinea-Bissau. <i>International Journal of Tuberculosis and Lung Disease</i> , 2017 , 21, 664-669	2.1	4
80	Mycobacterium chelonae hand infection after steroid injection in a patient with rheumatoid arthritis receiving long-term linezolid therapy. <i>BMJ Case Reports</i> , 2017 , 2017,	0.9	2

(2015-2017)

79	One-sixth of inpatients in a Danish infectious disease ward have imported diseases: A cross-sectional analysis. <i>Travel Medicine and Infectious Disease</i> , 2017 , 20, 43-48	8.4	1
78	Comment on Liet al.: Prevalence of hepatitis B markers in Senegalese HIV-1 infected patients. Journal of Medical Virology, 2016 , 88, 1653-4	19.7	3
77	Nonadherence is Associated with Lack of HIV-Related Knowledge: A Cross-Sectional Study among HIV-Infected Individuals in Guinea-Bissau. <i>Journal of the International Association of Providers of AIDS Care</i> , 2016 , 15, 350-8	1.7	23
76	The when and how of male circumcision and the risk of HIV: a retrospective cross-sectional analysis of two HIV surveys from Guinea-Bissau. <i>Pan African Medical Journal</i> , 2016 , 23, 21	1.2	8
75	High prevalence and excess mortality of late presenters among HIV-1, HIV-2 and HIV-1/2 dually infected patients in Guinea-Bissau - a cohort study from West Africa. <i>Pan African Medical Journal</i> , 2016 , 25, 40	1.2	29
74	Differential effects of sex in a West African cohort of HIV-1, HIV-2 and HIV-1/2 dually infected patients: men are worse off. <i>Tropical Medicine and International Health</i> , 2016 , 21, 253-62	2.3	13
73	Comment on Gautheret-Dejean et al.: Performance of rapid tests for discrimination between HIV-1 and/or HIV-2 infections. <i>Journal of Medical Virology</i> , 2016 , 88, 367-8	19.7	1
72	Brief Report: Macrophage Activation in HIV-2-Infected Patients Is Less Affected by Antiretroviral Treatment-sCD163 in HIV-1, HIV-2, and HIV-1/2 Dually Infected Patients. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2016 , 72, 254-8	3.1	8
71	Effect of sex and age on outcomes among HIV-2-infected patients starting antiretroviral therapy in West Africa. <i>Aids</i> , 2016 , 30, 2707-2714	3.5	15
70	Diabetes mellitus and impaired fasting glucose in ART-na\(\mathbb{U}\)e patients with HIV-1, HIV-2 and HIV-1/2 dual infection in Guinea-Bissau: a cross-sectional study. <i>Transactions of the Royal Society of Tropical Medicine and Hygiene</i> , 2016 , 110, 219-27	2	9
69	Management of infections in critically ill returning travellers in the intensive care unit-II: clinical syndromes and special considerations in immunocompromised patients. <i>International Journal of Infectious Diseases</i> , 2016 , 48, 104-12	10.5	8
68	Clinical presentation and opportunistic infections in HIV-1, HIV-2 and HIV-1/2 dual seropositive patients in Guinea-Bissau. <i>Infectious Diseases</i> , 2016 , 48, 604-11	3.1	10
67	Tuberculosis case detection revisited: better testing might not improve outcomes. <i>The Lancet Global Health</i> , 2015 , 3, e424-e425	13.6	3
66	The economic burden of tuberculosis in Denmark 1998-2010. Cost analysis in patients and their spouses. <i>International Journal of Infectious Diseases</i> , 2015 , 32, 183-90	10.5	13
65	Towards host-directed therapies for tuberculosis. <i>Nature Reviews Drug Discovery</i> , 2015 , 14, 511-2	64.1	80
64	Diabetes mellitus prevalence in tuberculosis patients and the background population in Guinea-Bissau: a disease burden study from the capital Bissau. <i>Transactions of the Royal Society of Tropical Medicine and Hygiene</i> , 2015 , 109, 400-7	2	21
63	Cohort Profile: The Bissau HIV Cohort-a cohort of HIV-1, HIV-2 and co-infected patients. <i>International Journal of Epidemiology</i> , 2015 , 44, 756-63	7.8	39
62	Impact of HIV-1, HIV-2, and HIV-1+2 dual infection on the outcome of tuberculosis. <i>International Journal of Infectious Diseases</i> , 2015 , 32, 128-34	10.5	17

61	Increased concentrations of the soluble mannose receptor in serum from patients with pneumococcal bacteraemia, and prediction of survival. <i>Infectious Diseases</i> , 2015 , 47, 203-8	3.1	17
60	High level of HIV-1 drug resistance among patients with HIV-1 and HIV-1/2 dual infections in Guinea-Bissau. <i>Virology Journal</i> , 2015 , 12, 41	6.1	18
59	Tuberculosis elimination in the post Millennium Development Goals era. <i>International Journal of Infectious Diseases</i> , 2015 , 32, 152-5	10.5	14
58	Shortening Isolation of Patients With Suspected Tuberculosis by Using Polymerase Chain Reaction Analysis: A Nationwide Cross-sectional Study. <i>Clinical Infectious Diseases</i> , 2015 , 61, 1365-73	11.6	6
57	Tuberculosis in Pediatric Antiretroviral Therapy Programs in Low- and Middle-Income Countries: Diagnosis and Screening Practices. <i>Journal of the Pediatric Infectious Diseases Society</i> , 2015 , 4, 30-8	4.8	12
56	Interobserver variation of the rapid test SD bioline HIV-1/2 3.0 for HIV type discrimination: experiences from Guinea-Bissau. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2015 , 68, e23	3-3-1	12
55	Rapid tests for HIV type discrimination in West Africa may perform differently. <i>Journal of the International AIDS Society</i> , 2015 , 18, 19460	5.4	2
54	Lack of awareness of treatment failure among HIV-1-infected patients in Guinea-Bissau - a retrospective cohort study. <i>Journal of the International AIDS Society</i> , 2015 , 18, 20243	5.4	12
53	Characteristics and Clinical Outcome of Bone and Joint Tuberculosis From 1994 to 2011: A Retrospective Register-based Study in Denmark. <i>Clinical Infectious Diseases</i> , 2015 , 61, 554-62	11.6	52
52	Disseminated Mycobacterium celatum disease with prolonged pulmonary involvement. <i>International Journal of Infectious Diseases</i> , 2014 , 26, 88-90	10.5	4
52 51		10.5	8
	International Journal of Infectious Diseases, 2014 , 26, 88-90		
51	Point-of-care diagnostics for tuberculosis elimination?. <i>Lancet, The</i> , 2014 , 383, 388-90 Treatment delay affects clinical severity of tuberculosis: a longitudinal cohort study. <i>BMJ Open</i> ,	40	8
50	Point-of-care diagnostics for tuberculosis elimination?. <i>Lancet, The</i> , 2014 , 383, 388-90 Treatment delay affects clinical severity of tuberculosis: a longitudinal cohort study. <i>BMJ Open</i> , 2014 , 4, e004818 Performance of 3 rapid tests for discrimination between HIV-1 and HIV-2 in Guinea-Bissau, West	40	8
51 50 49	Point-of-care diagnostics for tuberculosis elimination?. <i>Lancet, The,</i> 2014 , 383, 388-90 Treatment delay affects clinical severity of tuberculosis: a longitudinal cohort study. <i>BMJ Open,</i> 2014 , 4, e004818 Performance of 3 rapid tests for discrimination between HIV-1 and HIV-2 in Guinea-Bissau, West Africa. <i>Journal of Acquired Immune Deficiency Syndromes (1999), 2014, 65, 87-90 Can tuberculosis case finding among health-care seeking adults be improved? Observations from</i>	40 3 3.1	8 79 31
51 50 49 48	Point-of-care diagnostics for tuberculosis elimination?. Lancet, The, 2014, 383, 388-90 Treatment delay affects clinical severity of tuberculosis: a longitudinal cohort study. BMJ Open, 2014, 4, e004818 Performance of 3 rapid tests for discrimination between HIV-1 and HIV-2 in Guinea-Bissau, West Africa. Journal of Acquired Immune Deficiency Syndromes (1999), 2014, 65, 87-90 Can tuberculosis case finding among health-care seeking adults be improved? Observations from Bissau. International Journal of Tuberculosis and Lung Disease, 2014, 18, 277-85 Hepatitis B and Delta virus are prevalent but often subclinical co-infections among HIV infected	3 3.1 2.1	8 79 31
51 50 49 48 47	Point-of-care diagnostics for tuberculosis elimination?. Lancet, The, 2014, 383, 388-90 Treatment delay affects clinical severity of tuberculosis: a longitudinal cohort study. BMJ Open, 2014, 4, e004818 Performance of 3 rapid tests for discrimination between HIV-1 and HIV-2 in Guinea-Bissau, West Africa. Journal of Acquired Immune Deficiency Syndromes (1999), 2014, 65, 87-90 Can tuberculosis case finding among health-care seeking adults be improved? Observations from Bissau. International Journal of Tuberculosis and Lung Disease, 2014, 18, 277-85 Hepatitis B and Delta virus are prevalent but often subclinical co-infections among HIV infected patients in Guinea-Bissau, West Africa: a cross-sectional study. PLoS ONE, 2014, 9, e99971 Disease patterns and causes of death of hospitalized HIV-positive adults in West Africa: a multicountry survey in the antiretroviral treatment era. Journal of the International AIDS Society,	3 3.1 2.1 3.7	8 79 31 19 36

43	Challenges facing HIV treatment in Guinea-Bissau: the benefits of international research collaborations. <i>Bulletin of the World Health Organization</i> , 2014 , 92, 909-14	8.2	30
42	Detection and management of drug-resistant tuberculosis in HIV-infected patients in lower-income countries. <i>International Journal of Tuberculosis and Lung Disease</i> , 2014 , 18, 1327-36	2.1	8
41	Hepatitis B virus surface antigen and anti-hepatitis C virus rapid tests underestimate hepatitis prevalence among HIV-infected patients. <i>HIV Medicine</i> , 2014 , 15, 571-6	2.7	13
40	Decline in overall, smear-negative and HIV-positive TB incidence while smear-positive incidence stays stable in Guinea-Bissau 2004-2011. <i>Tropical Medicine and International Health</i> , 2014 , 19, 1367-76	2.3	8
39	Multifactor dimensionality reduction reveals a three-locus epistatic interaction associated with susceptibility to pulmonary tuberculosis. <i>BioData Mining</i> , 2013 , 6, 4	4.3	30
38	Reproductive patterns and fertility wishes among HIV-infected patients: survey from six outpatient clinics in Denmark. <i>International Journal of Infectious Diseases</i> , 2013 , 17, e851-6	10.5	3
37	TBscore II: refining and validating a simple clinical score for treatment monitoring of patients with pulmonary tuberculosis. <i>Scandinavian Journal of Infectious Diseases</i> , 2013 , 45, 825-36		32
36	The Bandim tuberculosis score: reliability and comparison with the Karnofsky performance score. <i>Scandinavian Journal of Infectious Diseases</i> , 2013 , 45, 256-64		22
35	Impact of tuberculosis treatment on CD4 cell count, HIV RNA, and p24 antigen in patients with HIV and tuberculosis. <i>International Journal of Infectious Diseases</i> , 2013 , 17, e907-12	10.5	6
34	An information-gain approach to detecting three-way epistatic interactions in genetic association studies. <i>Journal of the American Medical Informatics Association: JAMIA</i> , 2013 , 20, 630-6	8.6	55
33	Loss to follow-up occurs at all stages in the diagnostic and follow-up period among HIV-infected patients in Guinea-Bissau: a 7-year retrospective cohort study. <i>BMJ Open</i> , 2013 , 3, e003499	3	66
32	Barriers and facilitators to antiretroviral therapy adherence among patients with HIV in Bissau, Guinea-Bissau: A qualitative study. <i>African Journal of AIDS Research</i> , 2013 , 12, 1-8	1.8	13
31	Impact of isoniazid preventive therapy on mortality among children less than 5 years old following exposure to tuberculosis at home in Guinea-Bissau: a prospective cohort study. <i>BMJ Open</i> , 2013 , 3,	3	5
30	Characteristics of HIV-2 and HIV-1/HIV-2 Dually Seropositive Adults in West Africa Presenting for Care and Antiretroviral Therapy: The IeDEA-West Africa HIV-2 Cohort Study. <i>PLoS ONE</i> , 2013 , 8, e66135	3.7	26
29	Demographic and clinical characteristics in relation to patient and health system delays in a tuberculosis low-incidence country. <i>Scandinavian Journal of Infectious Diseases</i> , 2012 , 44, 29-36		22
28	MCP1 SNPs and pulmonary tuberculosis in cohorts from West Africa, the USA and Argentina: lack of association or epistasis with IL12B polymorphisms. <i>PLoS ONE</i> , 2012 , 7, e32275	3.7	15
27	Assessment of simple risk markers for early mortality among HIV-infected patients in Guinea-Bissau: a cohort study. <i>BMJ Open</i> , 2012 , 2,	3	31
26	Utility of the plasma level of suPAR in monitoring risk of mortality during TB treatment. <i>PLoS ONE</i> , 2012 , 7, e43933	3.7	14

25	Enhanced tuberculosis identification through 1-month follow-up of smear-negative tuberculosis suspects. <i>International Journal of Tuberculosis and Lung Disease</i> , 2011 , 15, 459-64	2.1	18
24	Adherence to isoniazid preventive therapy in children exposed to tuberculosis: a prospective study from Guinea-Bissau. <i>International Journal of Tuberculosis and Lung Disease</i> , 2011 , 15, 1637-43	2.1	24
23	Interleukin 12B (IL12B) genetic variation and pulmonary tuberculosis: a study of cohorts from The Gambia, Guinea-Bissau, United States and Argentina. <i>PLoS ONE</i> , 2011 , 6, e16656	3.7	29
22	Impact of tuberculosis exposure at home on mortality in children under 5 years of age in Guinea-Bissau. <i>Thorax</i> , 2011 , 66, 163-7	7.3	20
21	Serum procalcitonin in pulmonary tuberculosis. <i>International Journal of Tuberculosis and Lung Disease</i> , 2011 , 15, 251-6, i	2.1	10
20	Epidemic Stevens-Johnson syndrome in HIV patients in Guinea-Bissau: a side effect of the drug-supply policy?. <i>Aids</i> , 2010 , 24, 783-5	3.5	11
19	Variants in toll-like receptors 2 and 9 influence susceptibility to pulmonary tuberculosis in Caucasians, African-Americans, and West Africans. <i>Human Genetics</i> , 2010 , 127, 65-73	6.3	131
18	Urine suPAR levels compared with plasma suPAR levels as predictors of post-consultation mortality risk among individuals assumed to be TB-negative: a prospective cohort study. <i>Inflammation</i> , 2010 , 33, 374-80	5.1	12
17	Tuberculosis burden in an urban population: a cross sectional tuberculosis survey from Guinea Bissau. <i>BMC Infectious Diseases</i> , 2010 , 10, 96	4	13
	Improved Vitamin D Status Despite Allocation to Placebo in a Tuberculosis Treatment Trial:		
16	Contamination Bias?. American Journal of Respiratory and Critical Care Medicine, 2009 , 180, 189-190	10.2	
15		10.2	4
	Contamination Bias?. American Journal of Respiratory and Critical Care Medicine, 2009, 180, 189-190 Inter-observer variation of the Bandim TB-score. Scandinavian Journal of Infectious Diseases, 2009,	10.2	4
15	Contamination Bias?. American Journal of Respiratory and Critical Care Medicine, 2009, 180, 189-190 Inter-observer variation of the Bandim TB-score. Scandinavian Journal of Infectious Diseases, 2009, 41, 220-3 Effect of Vitamin D on Tuberculosis and HIV Replication Depends on Conversion to Calcitriol and		20
15 14	Contamination Bias?. American Journal of Respiratory and Critical Care Medicine, 2009, 180, 189-190 Inter-observer variation of the Bandim TB-score. Scandinavian Journal of Infectious Diseases, 2009, 41, 220-3 Effect of Vitamin D on Tuberculosis and HIV Replication Depends on Conversion to Calcitriol and Concentration. American Journal of Respiratory and Critical Care Medicine, 2009, 180, 795-796 High mortality risk among individuals assumed to be TB-negative can be predicted using a simple	10.2	
15 14 13	Inter-observer variation of the Bandim TB-score. Scandinavian Journal of Infectious Diseases, 2009, 41, 220-3 Effect of Vitamin D on Tuberculosis and HIV Replication Depends on Conversion to Calcitriol and Concentration. American Journal of Respiratory and Critical Care Medicine, 2009, 180, 795-796 High mortality risk among individuals assumed to be TB-negative can be predicted using a simple test. Tropical Medicine and International Health, 2009, 14, 986-94 Antibiotic treatment interruption of suspected lower respiratory tract infections based on a single procalcitonin measurement at hospital admissiona randomized trial. Clinical Microbiology and	10.2	20
15 14 13	Contamination Bias?. American Journal of Respiratory and Critical Care Medicine, 2009, 180, 189-190 Inter-observer variation of the Bandim TB-score. Scandinavian Journal of Infectious Diseases, 2009, 41, 220-3 Effect of Vitamin D on Tuberculosis and HIV Replication Depends on Conversion to Calcitriol and Concentration. American Journal of Respiratory and Critical Care Medicine, 2009, 180, 795-796 High mortality risk among individuals assumed to be TB-negative can be predicted using a simple test. Tropical Medicine and International Health, 2009, 14, 986-94 Antibiotic treatment interruption of suspected lower respiratory tract infections based on a single procalcitonin measurement at hospital admissiona randomized trial. Clinical Microbiology and Infection, 2009, 15, 481-7 Vitamin D as supplementary treatment for tuberculosis: a double-blind, randomized,	10.2 2.3 9.5	2 0
15 14 13 12	Inter-observer variation of the Bandim TB-score. Scandinavian Journal of Infectious Diseases, 2009, 41, 220-3 Effect of Vitamin D on Tuberculosis and HIV Replication Depends on Conversion to Calcitriol and Concentration. American Journal of Respiratory and Critical Care Medicine, 2009, 180, 795-796 High mortality risk among individuals assumed to be TB-negative can be predicted using a simple test. Tropical Medicine and International Health, 2009, 14, 986-94 Antibiotic treatment interruption of suspected lower respiratory tract infections based on a single procalcitonin measurement at hospital admission—a randomized trial. Clinical Microbiology and Infection, 2009, 15, 481-7 Vitamin D as supplementary treatment for tuberculosis: a double-blind, randomized, placebo-controlled trial. American Journal of Respiratory and Critical Care Medicine, 2009, 179, 843-50 TBscore: Signs and symptoms from tuberculosis patients in a low-resource setting have predictive value and may be used to assess clinical course. Scandinavian Journal of Infectious Diseases, 2008,	10.2 2.3 9.5	20 88 327

LIST OF PUBLICATIONS

7	DC-SIGN (CD209), pentraxin 3 and vitamin D receptor gene variants associate with pulmonary tuberculosis risk in West Africans. <i>Genes and Immunity</i> , 2007 , 8, 456-67	4.4	152	
6	Tuberculin reaction, BCG scar, and lower female mortality. <i>Epidemiology</i> , 2006 , 17, 562-8	3.1	72	
5	Macrophage serum markers in pneumococcal bacteremia: Prediction of survival by soluble CD163. <i>Critical Care Medicine</i> , 2006 , 34, 2561-6	1.4	342	
4	Variant mannose-binding lectin alleles are not associated with susceptibility to or outcome of invasive pneumococcal infection in randomly included patients. <i>Journal of Infectious Diseases</i> , 2002 , 185, 1517-20	7	102	
3	Respiratory tract infections in cytomegalovirus-excreting and nonexcreting infants. <i>Pediatric Infectious Disease Journal</i> , 2001 , 20, 256-9	3.4	12	
2	The fluctuating pattern of various genome types of respiratory syncytial virus in Copenhagen and some other locations in Denmark. <i>Apmis</i> , 1999 , 107, 843-50	3.4	7	
1	Interaction between host genes and M. tuberculosis lineage can affect tuberculosis severity: evidence for coevolution		1	