

Toshimitsu Matsui

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3610284/publications.pdf>

Version: 2024-02-01

137
papers

3,539
citations

159585

30
h-index

168389

53
g-index

138
all docs

138
docs citations

138
times ranked

3662
citing authors

#	ARTICLE	IF	CITATIONS
1	Mobilization efficiency is critically regulated by fat via marrow PPAR γ . <i>Haematologica</i> , 2021, 106, 1671-1683.	3.5	13
2	FGF-23 from erythroblasts promotes hematopoietic progenitor mobilization. <i>Blood</i> , 2021, 137, 1457-1467.	1.4	10
3	Extracellular mRNA transported to the nucleus exerts translation-independent function. <i>Nature Communications</i> , 2021, 12, 3655.	12.8	6
4	Vitamin D receptor-mediated skewed differentiation of macrophages initiates myelofibrosis and subsequent osteosclerosis. <i>Blood</i> , 2019, 133, 1619-1629.	1.4	21
5	Role of exosomes as a proinflammatory mediator in the development of EBV-associated lymphoma. <i>Blood</i> , 2018, 131, 2552-2567.	1.4	76
6	Transformed Follicular Lymphoma (TFL) Predicts Outcome in Advanced Endometrial Cancer. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2018, 27, 963-969.	2.5	5
7	Loss of the EPH receptor B6 contributes to colorectal cancer metastasis. <i>Scientific Reports</i> , 2017, 7, 43702.	3.3	25
8	G-CSF-induced sympathetic tone provokes fever and primes antimobilizing functions of neutrophils via PGE2. <i>Blood</i> , 2017, 129, 587-597.	1.4	45
9	Use of mycophenolate mofetil and a calcineurin inhibitor in allogeneic hematopoietic stem-cell transplantation from HLA-matched siblings or unrelated volunteer donors: Japanese multicenter phase II trials. <i>International Journal of Hematology</i> , 2017, 105, 485-496.	1.6	6
10	Very-Low-Dose Lenalidomide for Elderly and/or Frail Multiple Myeloma Patients: Lower Might Be Better. <i>Acta Haematologica</i> , 2017, 138, 52-54.	1.4	1
11	Severe post-transplant lymphoproliferative disorder after living donor liver transplantation. <i>Hepatology Research</i> , 2015, 45, 356-362.	3.4	1
12	A novel FOXP1-PDGFR α fusion gene in myeloproliferative neoplasm with eosinophilia. <i>Cancer Genetics</i> , 2015, 208, 508-512.	0.4	9
13	Posttranscriptional Modulation of Cytokine Production in T Cells for the Regulation of Excessive Inflammation by TFL. <i>Journal of Immunology</i> , 2014, 192, 1512-1524.	0.8	40
14	Hes1 upregulation contributes to the development of FIP1L1-PDGFR α -positive leukemia in blast crisis. <i>Experimental Hematology</i> , 2014, 42, 369-379.e3.	0.4	8
15	HIV-negative, HHV-8-unrelated primary effusion lymphoma-like lymphoma with genotypic infidelity and c-MYC expression. <i>Annals of Hematology</i> , 2014, 93, 1609-1610.	1.8	7
16	Unusual hepatic involvement with significant fibrosis in adult T cell leukemia. <i>Annals of Hematology</i> , 2014, 93, 897-898.	1.8	1
17	Osteocytes Regulate Primary Lymphoid Organs and Fat Metabolism. <i>Cell Metabolism</i> , 2013, 18, 749-758.	16.2	109
18	Matrix-Embedded Osteocytes Regulate Mobilization of Hematopoietic Stem/Progenitor Cells. <i>Cell Stem Cell</i> , 2013, 12, 737-747.	11.1	135

#	ARTICLE	IF	CITATIONS
19	Successful Management of Obstructive Jaundice due to Gallstones with Eculizumab in a Patient with Paroxysmal Nocturnal Hemoglobinuria. <i>Internal Medicine</i> , 2012, 51, 2613-2616.	0.7	4
20	Long-Term Outcome and Patterns of Failure in Primary Ocular Adnexal Mucosa-Associated Lymphoid Tissue Lymphoma Treated With Radiotherapy. <i>International Journal of Radiation Oncology Biology Physics</i> , 2012, 82, 1509-1514.	0.8	39
21	Rimonabant attenuates amphetamine sensitisation in a CCK2 receptor-dependent manner. <i>Behavioural Brain Research</i> , 2012, 226, 335-339.	2.2	5
22	A novel feedback mechanism by $\text{E} \times \text{phrin} \times \text{B} / \text{B} \times 2$ in $\text{T} \times \text{cell}$ activation involves a concentration-dependent switch from costimulation to inhibition. <i>European Journal of Immunology</i> , 2012, 42, 1562-1572.	2.9	39
23	Requirement of phospholipase C and protein kinase C in cholecystokinin-mediated facilitation of NMDA channel function and anxiety-like behavior. <i>Hippocampus</i> , 2012, 22, 1438-1450.	1.9	23
24	Mycophenolate mofetil: fully utilizing its benefits for GvHD prophylaxis. <i>International Journal of Hematology</i> , 2012, 96, 10-25.	1.6	28
25	The putative tumor suppressor Zc3h12d modulates toll-like receptor signaling in macrophages. <i>Cellular Signalling</i> , 2012, 24, 569-576.	3.6	52
26	Use of mycophenolate mofetil in patients received allogeneic hematopoietic stem cell transplantation in Japan. <i>International Journal of Hematology</i> , 2011, 93, 523-531.	1.6	16
27	Pharmacokinetics-based optimal dose prediction of donor source-dependent response to mycophenolate mofetil in unrelated hematopoietic cell transplantation. <i>International Journal of Hematology</i> , 2011, 94, 193-202.	1.6	22
28	Strategy for bone marrow transplantation in eculizumab-treated paroxysmal nocturnal hemoglobinuria. <i>International Journal of Hematology</i> , 2011, 94, 403-407.	1.6	16
29	Cholecystokinin facilitates neuronal excitability in the entorhinal cortex via activation of TRPC-like channels. <i>Journal of Neurophysiology</i> , 2011, 106, 1515-1524.	1.8	36
30	Therapy-related Myelodysplastic/myeloproliferative Neoplasms with del(5q) and t(1;11)(p32;q23) Lacking MLL Rearrangement. <i>Internal Medicine</i> , 2010, 49, 1031-1035.	0.7	0
31	Role for vitamin D receptor in the neuronal control of the hematopoietic stem cell niche. <i>Blood</i> , 2010, 116, 5528-5535.	1.4	63
32	Does the Eastern Cooperative Oncology Group Performance Status Scale Affect Physical Activity of Patients Undergoing Allogeneic Hematopoietic Stem Cell Transplantation in a Bioclean Room?. <i>Rigakuryoho Kagaku</i> , 2010, 25, 165-169.	0.1	0
33	Progressive osteosclerosis and visceral calcification after cord blood transplantation. <i>International Journal of Hematology</i> , 2010, 91, 542-545.	1.6	0
34	Histiocytic sarcoma with two immunohistopathologically distinct populations. <i>International Journal of Hematology</i> , 2010, 92, 642-646.	1.6	7
35	A novel unbalanced whole-arm translocation der(3;10)(q10;q10) in acute monocytic leukemia. <i>Cancer Genetics and Cytogenetics</i> , 2010, 199, 134-138.	1.0	3
36	Therapy-related, mixed phenotype acute leukemia with t(1;21)(p36;q22) and RUNX1 rearrangement. <i>Cancer Genetics and Cytogenetics</i> , 2010, 201, 122-127.	1.0	6

#	ARTICLE	IF	CITATIONS
37	Two further cases of myelodysplastic syndrome and acute myeloid leukemia with der(5;19)(p10;q10): Association with abnormalities involving chromosomes 12 and 21. <i>Leukemia Research</i> , 2010, 34, e38-e41.	0.8	3
38	Unbalanced whole-arm translocation der(18;21)(q10;q10) is a recurrent cytogenetic aberration appearing during progression in myeloid leukemias. <i>Leukemia Research</i> , 2010, 34, e339-e341.	0.8	0
39	p58TFL Does Not Localize to Messenger RNA Processing Bodies - Response. <i>Molecular Cancer Research</i> , 2010, 8, 132-133.	3.4	0
40	Cholecystokinin Facilitates Glutamate Release by Increasing the Number of Readily Releasable Vesicles and Releasing Probability. <i>Journal of Neuroscience</i> , 2010, 30, 5136-5148.	3.6	56
41	Fatal cardiac tamponade due to coronary sinus thrombosis in acute lymphoblastic leukaemia: a case report. <i>Cases Journal</i> , 2009, 2, 9095.	0.4	8
42	Inhibition of G1 to S Phase Progression by a Novel Zinc Finger Protein P58TFL at P-bodies. <i>Molecular Cancer Research</i> , 2009, 7, 880-889.	3.4	24
43	Duplication of isodicentric chromosome 21, idic(21)(p11.2), leading to pentasomy 21q in acute myeloid leukemia with multilineage dysplasia. <i>Cancer Genetics and Cytogenetics</i> , 2009, 194, 38-43.	1.0	5
44	Acquired pure red cell aplasia associated with malignant lymphomas: A nationwide cohort study in Japan for the PRCA Collaborative Study Group. <i>American Journal of Hematology</i> , 2009, 84, 144-148.	4.1	40
45	Alterations in Gastric Mucosal Lineages Before or After Acute Oxyntic Atrophy in Gastrin Receptor and H2 Histamine Receptor-Deficient Mice. <i>Digestive Diseases and Sciences</i> , 2009, 54, 1625-1635.	2.3	9
46	Gastric acid secretion in cholecystokinin-1 receptor, -2 receptor, and -1, -2 receptor gene knockout mice. <i>Journal of Physiological Sciences</i> , 2009, 59, 23-29.	2.1	12
47	Unbalanced whole-arm translocation der(5;19)(p10;q10) is a novel and recurrent cytogenetic aberration in myelodysplastic syndrome. <i>Leukemia Research</i> , 2009, 33, 377-383.	0.8	6
48	Environmental enrichment reduces mechanical hypersensitivity in neuropathic mice, but fails to abolish the phenotype of CCK2 receptor deficient mice. <i>Neuroscience Letters</i> , 2009, 467, 230-233.	2.1	5
49	Pharmacokinetics-based optimal dose-exploration of mycophenolate mofetil in allogeneic hematopoietic stem cell transplantation. <i>International Journal of Hematology</i> , 2008, 88, 104-110.	1.6	24
50	Pure red cell aplasia with primary sclerosing cholangitis. <i>International Journal of Hematology</i> , 2008, 88, 599-601.	1.6	4
51	DR negativity is a distinctive feature of M1/M2 AML cases with NPM1 mutation. <i>Leukemia Research</i> , 2008, 32, 1141-1143.	0.8	22
52	Stress-induced analgesia in mice: evidence for interaction between endocannabinoids and cholecystokinin. <i>European Journal of Neuroscience</i> , 2008, 27, 2147-2155.	2.6	18
53	Imatinib resistance in a novel translocation der(17)t(1;17)(q25;p13) with loss of TP53 but without BCR/ABL kinase domain mutation in chronic myelogenous leukemia. <i>Cancer Genetics and Cytogenetics</i> , 2008, 183, 77-81.	1.0	3
54	Unrelated Cord Blood Transplantation for Severe Aplastic Anemia. <i>Biology of Blood and Marrow Transplantation</i> , 2008, 14, 1057-1063.	2.0	100

#	ARTICLE	IF	CITATIONS
55	Different housing conditions alter the behavioural phenotype of CCK2 receptor-deficient mice. <i>Behavioural Brain Research</i> , 2008, 193, 108-116.	2.2	27
56	Dock2 participates in bone marrow lympho-hematopoiesis. <i>Biochemical and Biophysical Research Communications</i> , 2008, 367, 90-96.	2.1	15
57	Successful Engraftment in Reduced-Intensity Cord Blood Transplantation (CBT) as a Salvage Therapy for Graft Failure After Primary CBT in Adults. <i>Transplantation</i> , 2007, 83, 1281-1282.	1.0	9
58	Predominant Infiltration of Monocytes in Chronic Graft-Versus-Host Disease. <i>Transplantation</i> , 2007, 83, 220-224.	1.0	14
59	Rapid hematopoietic progenitor mobilization by sulfated colominic acid. <i>Biochemical and Biophysical Research Communications</i> , 2007, 355, 970-975.	2.1	7
60	HLA-DR-negative AML (M1 and M2): FLT3 mutations (ITD and D835) and cell-surface antigen expression. <i>Leukemia Research</i> , 2007, 31, 921-929.	0.8	15
61	Deregulation of a possible tumour suppressor gene, <i>ZC3H12D</i> , by translocation of <i>IGK@</i> in transformed follicular lymphoma with t(2;6)(p12;q25). <i>British Journal of Haematology</i> , 2007, 139, 161-163.	2.5	32
62	Translocation (7;9)(q22;q34) in therapy-related myelodysplastic syndrome after allogeneic bone marrow transplantation for acute myeloblastic leukemia. <i>Cancer Genetics and Cytogenetics</i> , 2007, 176, 61-66.	1.0	3
63	A novel t(8;18)(q13;q21) in acute monocytic leukemia evolving from constitutional trisomy 8 mosaicism. <i>Cancer Genetics and Cytogenetics</i> , 2007, 176, 144-149.	1.0	8
64	Chronic myeloid leukemia with a rare variant BCR-ABL translocation: t(9;22;21)(q34;q11.2;q11.2). <i>Cancer Genetics and Cytogenetics</i> , 2007, 179, 85-87.	1.0	2
65	Derivative (3)t(3;18)(q27;q21)t(18;16)(q21;?) involving the BCL2 and BCL6 genes in follicular lymphoma with t(3;14;18)(q27;q32;q21). <i>Cancer Genetics and Cytogenetics</i> , 2007, 179, 69-75.	1.0	7
66	A multicenter analysis of the FIP1L1- $\hat{\pm}$ PDGFR fusion gene in Japanese idiopathic hypereosinophilic syndrome: an aberrant splicing skipping the $\hat{\pm}$ PDGFR exon 12. <i>Annals of Hematology</i> , 2007, 86, 855-863.	1.8	9
67	Diagnostic performance of CT, PET, side-by-side, and fused image interpretations for restaging of non-Hodgkin lymphoma. <i>Annals of Nuclear Medicine</i> , 2007, 21, 189-196.	2.2	24
68	Chronic Eosinophilic Leukemia with the FIP1L1-PDGFR $\hat{\pm}$ Fusion Gene in a Patient with a History of Combination Chemotherapy. <i>International Journal of Hematology</i> , 2006, 83, 152-155.	1.6	14
69	Cat odour exposure decreases exploratory activity and alters neuropeptide gene expression in CCK2 receptor deficient mice, but not in their wild-type littermates. <i>Behavioural Brain Research</i> , 2006, 169, 212-219.	2.2	12
70	Gender specific effects of ethanol in mice, lacking CCK2 receptors. <i>Behavioural Brain Research</i> , 2006, 175, 149-156.	2.2	13
71	Casein kinase I $\hat{\epsilon}$ down-regulates phospho-Akt via PTEN, following genotoxic stress-induced apoptosis in hematopoietic cells. <i>Life Sciences</i> , 2006, 78, 1624-1629.	4.3	12
72	Differences in behavioural effects of amphetamine and dopamine-related gene expression in wild-type and homozygous CCK2 receptor deficient mice. <i>Neuroscience Letters</i> , 2006, 406, 17-22.	2.1	6

#	ARTICLE	IF	CITATIONS
73	Therapy-related myelodysplastic syndrome with inv(16)(p13q22) and I type CBF \hat{F} ² /MYH11 after autologous transplantation: Undetectable fusion transcript in pretransplant progenitor cells. <i>Leukemia Research</i> , 2006, 30, 354-361.	0.8	3
74	A biphenotypic transformation of 8p11 myeloproliferative syndrome with CEP1/FGFR1 fusion gene. <i>European Journal of Haematology</i> , 2006, 77, 349-354.	2.2	28
75	Histological and cytogenetic characterization of bone marrow in relation to prognosis and diagnosis of myelodysplastic syndromes. <i>Pathology International</i> , 2006, 56, 191-199.	1.3	5
76	The role of transcriptional coactivator TRAP220 in myelomonocytic differentiation. <i>Genes To Cells</i> , 2005, 10, 1127-1137.	1.2	27
77	A t(2;3)(q11;q27) involving the BCL6 gene in follicular lymphoma with dup(12q) and t(14;18). <i>Cancer Genetics and Cytogenetics</i> , 2005, 159, 184-186.	1.0	2
78	A der(13)t(7;13)(p13;q14) with monoallelic loss of RB1 and D13S319 in myelodysplastic syndrome. <i>Cancer Genetics and Cytogenetics</i> , 2005, 162, 160-165.	1.0	4
79	Targeted invalidation of CCK2 receptor gene induces anxiolytic-like action in light \hat{C} “dark exploration, but not in fear conditioning test. <i>Psychopharmacology</i> , 2005, 181, 347-357.	3.1	30
80	DIFFERENCES IN ETHANOL INGESTION BETWEEN CHOLECYSTOKININ-A RECEPTOR DEFICIENT AND -B RECEPTOR DEFICIENT MICE. <i>Alcohol and Alcoholism</i> , 2005, 40, 176-180.	1.6	14
81	Biphasic Functions of the Kinase-defective Ephb6 Receptor in Cell Adhesion and Migration. <i>Journal of Biological Chemistry</i> , 2005, 280, 29355-29363.	3.4	62
82	Deletion of the CCK2 receptor gene reduces mechanical sensitivity and abolishes the development of hyperalgesia in mononeuropathic mice. <i>European Journal of Neuroscience</i> , 2004, 20, 1577-1586.	2.6	28
83	Unique roles of G protein-coupled histamine H2 and gastrin receptors in growth and differentiation of gastric mucosa. <i>European Journal of Pharmacology</i> , 2004, 502, 243-252.	3.5	16
84	Unbalanced translocation der(11)t(11;12)(q23;q13): a new recurrent cytogenetic aberration in myelodysplastic syndrome with a complex karyotype. <i>Cancer Genetics and Cytogenetics</i> , 2004, 155, 67-73.	1.0	7
85	An extra X chromosome as a sole abnormality in relapse of an adult acute lymphoblastic leukemia. <i>Cancer Genetics and Cytogenetics</i> , 2004, 155, 154-155.	1.0	1
86	Enhanced gastric emptying of a liquid gastric load in mice lacking cholecystokinin-B receptor: a study of CCK-A,B, and AB receptor gene knockout mice. <i>Journal of Gastroenterology</i> , 2004, 39, 319-323.	5.1	25
87	Targeted mutation of CCK2 receptor gene antagonises behavioural changes induced by social isolation in female, but not in male mice. <i>Behavioural Brain Research</i> , 2004, 155, 1-11.	2.2	55
88	Involvement of casein kinase II μ in cytokine-induced granulocytic differentiation. <i>Blood</i> , 2004, 103, 2997-3004.	1.4	15
89	Altered pain sensitivity and morphine-induced anti-nociception in mice lacking CCK2 receptors. <i>Psychopharmacology</i> , 2003, 166, 168-175.	3.1	19
90	Targeted mutation of CCK2 receptor gene modifies the behavioural effects of diazepam in female mice. <i>Psychopharmacology</i> , 2003, 168, 417-425.	3.1	26

#	ARTICLE	IF	CITATIONS
91	A novel t(2;6)(p12;q23) appearing during transformation of follicular lymphoma with t(18;22)(q21;q11) to diffuse large cell lymphoma. <i>Cancer Genetics and Cytogenetics</i> , 2003, 147, 128-133.	1.0	12
92	Distinct changes in the behavioural effects of morphine and naloxone in CCK2 receptor-deficient mice. <i>Behavioural Brain Research</i> , 2003, 144, 125-135.	2.2	15
93	Effective Anti-viral Therapy for Hemophagocytic Syndrome Associated with B-cell Lymphoma. <i>Leukemia and Lymphoma</i> , 2003, 44, 1807-1810.	1.3	4
94	Developmental expression of EphB6 in the thymus: lessons from EphB6 knockout mice. <i>Biochemical and Biophysical Research Communications</i> , 2002, 298, 87-94.	2.1	38
95	Anxiety-related behaviors in cholecystokinin-A, B, and AB receptor gene knockout mice in the plus-maze. <i>Neuroscience Letters</i> , 2002, 335, 115-118.	2.1	49
96	Deletion of CCK2Receptor in Mice Results in an Upregulation of the Endogenous Opioid System. <i>Journal of Neuroscience</i> , 2002, 22, 2005-2011.	3.6	71
97	Energy Metabolism and Turnover Are Increased in Mice Lacking the Cholecystokinin-B Receptor. <i>Journal of Nutrition</i> , 2002, 132, 739-741.	2.9	40
98	Mutant mice lacking the cholecystokinin2 receptor show a dopamine-dependent hyperactivity and a behavioral sensitization to morphine. <i>Neuroscience Letters</i> , 2001, 306, 41-44.	2.1	20
99	Behavioral Profile of CCK2 Receptor- deficient Mice. <i>Neuropsychopharmacology</i> , 2001, 25, 690-698.	5.4	59
100	T-Cell-Specific Expression of Kinase-DefectiveEph-Family Receptor Protein, EphB6 in Normal as well as Transformed Hematopoietic Cells. <i>Growth Factors</i> , 2000, 18, 63-78.	1.7	36
101	Rat Hippocampal Neurons Are Critically Involved in Physiological Improvement of Memory Processes Induced by Cholecystokinin-B Receptor Stimulation. <i>Journal of Neuroscience</i> , 1999, 19, 7230-7237.	3.6	76
102	Response to Granulocyte Colony-Stimulating Factor in an Autoimmune Neutropenic Adult. <i>Acta Haematologica</i> , 1999, 101, 153-156.	1.4	12
103	Proliferative reaction of myelogenous leukemia cells with cytokines G-CSF, GM-CSF, M-CSF, SCF and TPO. <i>Leukemia Research</i> , 1998, 22, 557-560.	0.8	15
104	Expression of a Kinase-DefectiveEph-like Receptor in the Normal Human Brain. <i>Biochemical and Biophysical Research Communications</i> , 1997, 235, 487-492.	2.1	58
105	Regulation of dopamine D2 receptor affinity by cholecystokinin octapeptide in fibroblast cells cotransfected with human CCKB and D2L receptor cDNAs. <i>Molecular Brain Research</i> , 1996, 36, 292-299.	2.3	20
106	Antiproliferative Effect of a Novel Cholecystokinin-B/Gastrin Receptor Antagonist, YM022. <i>Japanese Journal of Cancer Research</i> , 1996, 87, 743-750.	1.7	12
107	Gastrin receptor genes are expressed in gastric parietal and enterochromaffin-like cells of <i>Mastomys natalensis</i> . <i>Digestive Diseases and Sciences</i> , 1994, 39, 2149-2156.	2.3	59
108	Gastrin Receptor Gene Expression in Several Human Carcinomas. <i>Japanese Journal of Cancer Research</i> , 1994, 85, 819-824.	1.7	40

#	ARTICLE	IF	CITATIONS
109	Distribution of mRNA for CCK-B receptor in the brain of <i>Mastomys natalensis</i> : abundant expression in telencephalic neurons. <i>Brain Research</i> , 1994, 640, 81-92.	2.2	12
110	Lymphocytic Hypophysitis, Pustulosis Palmaris et Plantaris and Eosinophilia.. <i>Internal Medicine</i> , 1994, 33, 150-154.	0.7	10
111	FK506 and cyclosporin a regulate proliferation and proto-oncogene expression in HTLV-1 -associated myelopathy/tropical-spastic-paraparesis-derived T cells. <i>International Journal of Cancer</i> , 1993, 54, 348-354.	5.1	11
112	Cloning and characterization of gastrin receptor from ECL carcinoid tumor of <i>Mastomys natalensis</i> . <i>Biochemical and Biophysical Research Communications</i> , 1992, 187, 1151-1157.	2.1	114
113	Effect of combination chemotherapy with cefoperazone on non-hodgkin's lymphoma. <i>Leukemia Research</i> , 1992, 16, 417-418.	0.8	0
114	Rare point mutation at codon 301 and 969 of FMS/M-CSF receptor in acute myelomonocytic and monocytic leukemia. <i>Leukemia Research</i> , 1992, 16, 541-543.	0.8	5
115	Platelet-derived growth factor (PDGF) receptor activation in cell transformation and human malignancy. <i>Experimental Gerontology</i> , 1992, 27, 523-532.	2.8	17
116	Leukemic proliferation of myeloblasts after granulocyte colony-stimulating factor administration following lymphoma-type chemotherapy in a patient with uterine cervical myeloblastoma. <i>American Journal of Hematology</i> , 1992, 40, 155-156.	4.1	1
117	A Role for Fibroblast Growth Factor in Oligodendrocyte Development. <i>Annals of the New York Academy of Sciences</i> , 1991, 638, 378-386.	3.8	34
118	Two Platelet-derived Growth Factor Receptors in Vascular Smooth Muscle Cells.. <i>Japanese Circulation Journal</i> , 1991, 55, 1027-1035.	1.0	7
119	Calcium and vitamin D in osteoporosis. <i>Journal of Bone and Mineral Metabolism</i> , 1991, 9, 26-30.	2.7	0
120	Cytokines and Osteoporosis. <i>Annals of the New York Academy of Sciences</i> , 1990, 587, 371-375.	3.8	32
121	FGF modulates the PDGF-driven pathway of oligodendrocyte development. <i>Neuron</i> , 1990, 5, 603-614.	8.1	580
122	Effect of prostaglandin E2 on gamma-interferon and 1,25(OH)2D3 vitamin D3-induced c-myc reduction during HL-60 cell differentiation. <i>Leukemia Research</i> , 1988, 12, 597-605.	0.8	6
123	Metabolism of the vitamin D3 derivative (24R)-hydroxycalcidiol by human promyelocytic leukemia cells (HL-60). Isolation and identification of (5Z) and (5E)-(24R)-19-nor-10-oxo-24-hydroxycalcidiol. <i>FEBS Journal</i> , 1987, 170, 475-483.	0.2	3
124	Possible involvement of protein kinase C in interleukin-1 production by mouse peritoneal macrophages. <i>Biochemical and Biophysical Research Communications</i> , 1986, 135, 355-362.	2.1	15
125	Inhibitors of 12-O-tetradecanoylphorbol-13-acetate (TPA)-induced multinucleated cell formation and HTLV-I p19 antigen expression in HTLV-I-infected T-cell line KH-2Lo. <i>International Journal of Cancer</i> , 1986, 37, 911-917.	5.1	19
126	Metabolism of 25-hydroxycholecalciferol in human promyelocytic leukemia cells (HL-60). Isolation and identification of (5Z)- and (5E)-19-nor-10-oxo-25-hydroxycholecalciferol. <i>FEBS Journal</i> , 1986, 161, 233-239.	0.2	8

#	ARTICLE	IF	CITATIONS
127	Inhibitors of IL-2 production and IL-2 receptor expression in human leukemic T-cell line, Jurkat. Cellular Immunology, 1986, 103, 469-475.	3.0	8
128	Effect of Active Vitamin D3 on Age-Related Immunological Changes. Journal of Nutritional Science and Vitaminology, 1985, 31, S49-S57.	0.6	2
129	Effect of 1,25-dihydroxyvitamin D3 on cytokine-induced thymocyte proliferation. Cellular Immunology, 1985, 96, 455-461.	3.0	20
130	Effects of Corticosteroid and 1,24R-Dihydroxy-Vitamin D₃ Administration on Lymphoproliferation and Autoimmune Disease in MRL/MP-lpr/lpr Mice. International Archives of Allergy and Immunology, 1985, 77, 396-404.	2.1	70
131	1, 25-dihydroxyvitamin D3 regulates proliferation of activated T-lymphocyte subsets. Life Sciences, 1985, 37, 95-101.	4.3	26
132	Phenotypic differentiation-linked growth inhibition in human leukemia cells by active vitamin D3 analogues. International Journal of Cancer, 1984, 33, 193-202.	5.1	56
133	Effect of tumor promoters on human T cell leukemia/lymphoma virus (HTLV)-structural protein induction in adult T-cell leukemia cells. Cancer Letters, 1984, 24, 129-139.	7.2	15
134	Phenotypic changes induced in the human thymic all cell line HPB-all by an ingenol ester, milliamin. International Journal of Immunopharmacology, 1983, 5, 443-453.	1.1	3
135	éâ²—é—†ç—†ã«ãšãã,ã...ç—«ç°ã„. Japanese Journal of Geriatrics, 1983, 20, 485-490.	0.1	0
136	Paradoxical anti-leukemic effects of plant-derived tumor promoters on a human thymic lymphoblast cell line. International Journal of Cancer, 1982, 30, 687-695.	5.1	10
137	Effect of 1,25-Dihydroxyvitamin D₃ on Proliferation of Activated T-Cells and Established Human Lymphotropic Virus Type I-Positive T-Cell Lines<xref ref-type="fn" rid="FN2">2</xref>. Journal of the National Cancer Institute, 0, , .	6.3	3