

# Daniel Freeman

## List of Publications by Citations

**Source:** <https://exaly.com/author-pdf/3612437/daniel-freeman-publications-by-citations.pdf>

**Version:** 2024-04-24

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

298  
papers

18,188  
citations

74  
h-index

127  
g-index

321  
ext. papers

21,422  
ext. citations

5.2  
avg, IF

7.06  
L-index

| #   | Paper   | IF   | Citations |
|-----|---|------|-----------|
| 298 | A cognitive model of the positive symptoms of psychosis. <i>Psychological Medicine</i> , <b>2001</b> , 31, 189-95   | 6.9  | 1067      |
| 297 | Suspicious minds: the psychology of persecutory delusions. <i>Clinical Psychology Review</i> , <b>2007</b> , 27, 425-57   | 10.8 | 566       |
| 296 | A cognitive model of persecutory delusions. <i>British Journal of Clinical Psychology</i> , <b>2002</b> , 41, 331-47  | 3.6  | 545       |
| 295 | Cognitive approaches to delusions: a critical review of theories and evidence. <i>British Journal of Clinical Psychology</i> , <b>1999</b> , 38, 113-54   | 3.6  | 515       |
| 294 | Psychological investigation of the structure of paranoia in a non-clinical population. <i>British Journal of Psychiatry</i> , <b>2005</b> , 186, 427-35   | 5.4  | 469       |
| 293 | Virtual reality in the assessment, understanding, and treatment of mental health disorders. <i>Psychological Medicine</i> , <b>2017</b> , 47, 2393-2400   | 6.9  | 381       |
| 292 | Reasoning, emotions, and delusional conviction in psychosis. <i>Journal of Abnormal Psychology</i> , <b>2005</b> , 114, 373-384   | 7    | 333       |
| 291 | Connecting neurosis and psychosis: the direct influence of emotion on delusions and hallucinations. <i>Behaviour Research and Therapy</i> , <b>2003</b> , 41, 923-47  | 5.2  | 320       |
| 290 | London-East Anglia randomised controlled trial of cognitive-behavioural therapy for psychosis. I: effects of the treatment phase. <i>British Journal of Psychiatry</i> , <b>1997</b> , 171, 319-27          | 5.4  | 305       |
| 289 | The effects of improving sleep on mental health (OASIS): a randomised controlled trial with mediation analysis. <i>Lancet Psychiatry</i> , <b>2017</b> , 4, 749-758   | 23.3 | 286       |
| 288 | Emotion and psychosis: links between depression, self-esteem, negative schematic beliefs and delusions and hallucinations. <i>Schizophrenia Research</i> , <b>2006</b> , 86, 181-8                          | 3.6  | 275       |
| 287 | The Brief Core Schema Scales (BCSS): psychometric properties and associations with paranoia and grandiosity in non-clinical and psychosis samples. <i>Psychological Medicine</i> , <b>2006</b> , 36, 749-59 | 6.9  | 271       |
| 286 | COVID-19 vaccine hesitancy in the UK: the Oxford coronavirus explanations, attitudes, and narratives survey (Oceans) II. <i>Psychological Medicine</i> , <b>2020</b> , 1-15                                 | 6.9  | 249       |
| 285 | The past and future of delusions research: from the inexplicable to the treatable. <i>British Journal of Psychiatry</i> , <b>2013</b> , 203, 327-33   | 5.4  | 243       |
| 284 | Implications for neurobiological research of cognitive models of psychosis: a theoretical paper. <i>Psychological Medicine</i> , <b>2007</b> , 37, 1377-91  | 6.9  | 241       |
| 283 | Measuring ideas of persecution and social reference: the Green et al. Paranoid Thought Scales (GPTS). <i>Psychological Medicine</i> , <b>2008</b> , 38, 101-11  | 6.9  | 239       |
| 282 | Persecutory delusions: developing the understanding of belief maintenance and emotional distress. <i>Psychological Medicine</i> , <b>2001</b> , 31, 1293-306  | 6.9  | 219       |

|     |   |      |     |
|-----|---|------|-----|
| 281 | Advances in understanding and treating persecutory delusions: a review. <i>Social Psychiatry and Psychiatric Epidemiology</i> , <b>2014</b> , 49, 1179-89   | 4.5  | 218 |
| 280 | Cognitive-behavioural therapy and family intervention for relapse prevention and symptom reduction in psychosis: randomised controlled trial. <i>British Journal of Psychiatry</i> , <b>2008</b> , 192, 412-23                                  | 5.4  | 214 |
| 279 | Comments on the content of persecutory delusions: does the definition need clarification?. <i>British Journal of Clinical Psychology</i> , <b>2000</b> , 39, 407-14   | 3.6  | 212 |
| 278 | Virtual reality study of paranoid thinking in the general population. <i>British Journal of Psychiatry</i> , <b>2008</b> , 192, 258-63  | 5.4  | 189 |
| 277 | Coronavirus conspiracy beliefs, mistrust, and compliance with government guidelines in England. <i>Psychological Medicine</i> , <b>2020</b> , 1-13  | 6.9  | 188 |
| 276 | London-east Anglia randomised controlled trial of cognitive-behavioural therapy for psychosis. III: Follow-up and economic evaluation at 18 months. <i>British Journal of Psychiatry</i> , <b>1998</b> , 173, 61-8                              | 5.4  | 178 |
| 275 | The association between traumatic experience, paranoia and hallucinations: a test of the predictions of psychological models. <i>Acta Psychiatrica Scandinavica</i> , <b>2007</b> , 116, 280-9  | 6.5  | 165 |
| 274 | Why do people with delusions fail to choose more realistic explanations for their experiences? An empirical investigation. <i>Journal of Consulting and Clinical Psychology</i> , <b>2004</b> , 72, 671-80                                      | 6.5  | 165 |
| 273 | London-East Anglia randomised controlled trial of cognitive-behavioural therapy for psychosis. II: Predictors of outcome. <i>British Journal of Psychiatry</i> , <b>1997</b> , 171, 420-6   | 5.4  | 160 |
| 272 | Effects of cognitive behaviour therapy for worry on persecutory delusions in patients with psychosis (WIT): a parallel, single-blind, randomised controlled trial with a mediation analysis. <i>Lancet Psychiatry</i> , <b>2015</b> , 2, 305-13 | 23.3 | 158 |
| 271 | Concomitants of paranoia in the general population. <i>Psychological Medicine</i> , <b>2011</b> , 41, 923-36  | 6.9  | 154 |
| 270 | Trauma and hallucinatory experience in psychosis. <i>Journal of Nervous and Mental Disease</i> , <b>2005</b> , 193, 501-7   | 1.8  | 153 |
| 269 | Insomnia, worry, anxiety and depression as predictors of the occurrence and persistence of paranoid thinking. <i>Social Psychiatry and Psychiatric Epidemiology</i> , <b>2012</b> , 47, 1195-203  | 4.5  | 152 |
| 268 | WORRY, WORRY PROCESSES AND DIMENSIONS OF DELUSIONS: AN EXPLORATORY INVESTIGATION OF A ROLE FOR ANXIETY PROCESSES IN THE MAINTENANCE OF DELUSIONAL DISTRESS. <i>Behavioural and Cognitive Psychotherapy</i> , <b>1999</b> , 27, 47-62            | 2.1  | 152 |
| 267 | Routes to psychotic symptoms: trauma, anxiety and psychosis-like experiences. <i>Psychiatry Research</i> , <b>2009</b> , 169, 107-12  | 9.9  | 150 |
| 266 | The structure of paranoia in the general population. <i>British Journal of Psychiatry</i> , <b>2013</b> , 202, 419-27   | 5.4  | 146 |
| 265 | Persecutory delusions and catastrophic worry in psychosis: developing the understanding of delusion distress and persistence. <i>Behaviour Research and Therapy</i> , <b>2007</b> , 45, 523-37  | 5.2  | 142 |
| 264 | Effect of Digital Cognitive Behavioral Therapy for Insomnia on Health, Psychological Well-being, and Sleep-Related Quality of Life: A Randomized Clinical Trial. <i>JAMA Psychiatry</i> , <b>2019</b> , 76, 21-30                               | 14.5 | 142 |

|     |  |      |     |
|-----|--|------|-----|
| 263 | A large-scale validation study of the Medication Adherence Rating Scale (MARS). <i>Schizophrenia Research</i> , <b>2008</b> , 100, 53-9  | 3.6  | 140 |
| 262 | Persecutory delusions: a cognitive perspective on understanding and treatment. <i>Lancet Psychiatry</i> , <b>2016</b> , 3, 685-92  | 23.3 | 138 |
| 261 | Acting on persecutory delusions: the importance of safety seeking. <i>Behaviour Research and Therapy</i> , <b>2007</b> , 45, 89-99   | 5.2  | 133 |
| 260 | Automated psychological therapy using immersive virtual reality for treatment of fear of heights: a single-blind, parallel-group, randomised controlled trial. <i>Lancet Psychiatry</i> , <b>2018</b> , 5, 625-632   | 23.3 | 131 |
| 259 | Virtual reality in the treatment of persecutory delusions: randomised controlled experimental study testing how to reduce delusional conviction. <i>British Journal of Psychiatry</i> , <b>2016</b> , 209, 62-7  | 5.4  | 130 |
| 258 | Negative cognition, depressed mood, and paranoia: a longitudinal pathway analysis using structural equation modeling. <i>Schizophrenia Bulletin</i> , <b>2012</b> , 38, 1063-73  | 1.3  | 129 |
| 257 | The role of sleep dysfunction in the occurrence of delusions and hallucinations: A systematic review. <i>Clinical Psychology Review</i> , <b>2015</b> , 42, 96-115   | 10.8 | 128 |
| 256 | Testing the continuum of delusional beliefs: an experimental study using virtual reality. <i>Journal of Abnormal Psychology</i> , <b>2010</b> , 119, 83-92   | 7    | 127 |
| 255 | Jumping to conclusions and paranoid ideation in the general population. <i>Schizophrenia Research</i> , <b>2008</b> , 102, 254-60  | 3.6  | 125 |
| 254 | Characterization of psychotic experiences in adolescence using the specific psychotic experiences questionnaire: findings from a study of 5000 16-year-old twins. <i>Schizophrenia Bulletin</i> , <b>2014</b> , 40, 868-77                                     | 1.3  | 124 |
| 253 | The London-East Anglia randomized controlled trial of cognitive-behaviour therapy for psychosis. IV: Self-esteem and persecutory delusions. <i>British Journal of Clinical Psychology</i> , <b>1998</b> , 37, 415-30   | 3.6  | 123 |
| 252 | Efficacy of cognitive behavioural therapy for sleep improvement in patients with persistent delusions and hallucinations (BEST): a prospective, assessor-blind, randomised controlled pilot trial. <i>Lancet Psychiatry</i> , <b>2015</b> , 2, 975-83          | 23.3 | 117 |
| 251 | A randomized experimental investigation of reasoning training for people with delusions. <i>Schizophrenia Bulletin</i> , <b>2011</b> , 37, 324-33  | 1.3  | 112 |
| 250 | Cognitive behavioural treatment of insomnia in individuals with persistent persecutory delusions: a pilot trial. <i>Journal of Behavior Therapy and Experimental Psychiatry</i> , <b>2011</b> , 42, 330-6  | 2.6  | 110 |
| 249 | Understanding suicidal ideation in psychosis: findings from the Psychological Prevention of Relapse in Psychosis (PRP) trial. <i>Acta Psychiatrica Scandinavica</i> , <b>2006</b> , 114, 177-86  | 6.5  | 109 |
| 248 | Consistent etiology of severe, frequent psychotic experiences and milder, less frequent manifestations: a twin study of specific psychotic experiences in adolescence. <i>JAMA Psychiatry</i> , <b>2014</b> , 71, 1049-57                                      | 14.5 | 108 |
| 247 | Jumping to conclusions, a lack of belief flexibility and delusional conviction in psychosis: a longitudinal investigation of the structure, frequency, and relatedness of reasoning biases. <i>Journal of Abnormal Psychology</i> , <b>2012</b> , 121, 129-139 | 7    | 108 |
| 246 | The psychological effect of an urban environment on individuals with persecutory delusions: the Camberwell walk study. <i>Schizophrenia Research</i> , <b>2008</b> , 99, 77-84   | 3.6  | 105 |

|     |   |      |     |
|-----|---|------|-----|
| 245 | Insomnia and paranoia. <i>Schizophrenia Research</i> , <b>2009</b> , 108, 280-4   | 3.6  | 104 |
| 244 | Delusions in the nonclinical population. <i>Current Psychiatry Reports</i> , <b>2006</b> , 8, 191-204   | 9.1  | 104 |
| 243 | Sleep disturbance and psychiatric disorders. <i>Lancet Psychiatry</i> , <b>2020</b> , 7, 628-637  | 23.3 | 103 |
| 242 | A randomised controlled trial of a worry intervention for individuals with persistent persecutory delusions. <i>Journal of Behavior Therapy and Experimental Psychiatry</i> , <b>2010</b> , 41, 45-51   | 2.6  | 102 |
| 241 | Studying and treating schizophrenia using virtual reality: a new paradigm. <i>Schizophrenia Bulletin</i> , <b>2008</b> , 34, 605-10   | 1.3  | 99  |
| 240 | What makes one person paranoid and another person anxious? The differential prediction of social anxiety and persecutory ideation in an experimental situation. <i>Psychological Medicine</i> , <b>2008</b> , 38, 1121-32   | 6.9  | 96  |
| 239 | The psychology of persecutory ideation II: a virtual reality experimental study. <i>Journal of Nervous and Mental Disease</i> , <b>2005</b> , 193, 309-15   | 1.8  | 96  |
| 238 | Cognitive, emotional, and social processes in psychosis: refining cognitive behavioral therapy for persistent positive symptoms. <i>Schizophrenia Bulletin</i> , <b>2006</b> , 32 Suppl 1, S24-31   | 1.3  | 95  |
| 237 | Targeting reasoning biases in delusions: a pilot study of the Maudsley Review Training Programme for individuals with persistent, high conviction delusions. <i>Journal of Behavior Therapy and Experimental Psychiatry</i> , <b>2011</b> , 42, 414-21              | 2.6  | 90  |
| 236 | Neuropsychological functioning and jumping to conclusions in delusions. <i>Schizophrenia Research</i> , <b>2013</b> , 150, 570-4  | 3.6  | 89  |
| 235 | Current paranoid thinking in patients with delusions: the presence of cognitive-affective biases. <i>Schizophrenia Bulletin</i> , <b>2013</b> , 39, 1281-7  | 1.3  | 89  |
| 234 | Can virtual reality be used to investigate persecutory ideation?. <i>Journal of Nervous and Mental Disease</i> , <b>2003</b> , 191, 509-14  | 1.8  | 88  |
| 233 | Psychological Mechanisms Mediating Effects Between Trauma and Psychotic Symptoms: The Role of Affect Regulation, Intrusive Trauma Memory, Beliefs, and Depression. <i>Schizophrenia Bulletin</i> , <b>2016</b> , 42 Suppl 1, S34-43                                 | 1.3  | 88  |
| 232 | Emotional dysfunction in schizophrenia spectrum psychosis: the role of illness perceptions. <i>Psychological Medicine</i> , <b>2006</b> , 36, 761-70  | 6.9  | 87  |
| 231 | Cognitive mechanisms of change in delusions: an experimental investigation targeting reasoning to effect change in paranoia. <i>Schizophrenia Bulletin</i> , <b>2015</b> , 41, 400-10   | 1.3  | 83  |
| 230 | Insomnia, Nightmares, and Chronotype as Markers of Risk for Severe Mental Illness: Results from a Student Population. <i>Sleep</i> , <b>2016</b> , 39, 173-81   | 1.1  | 80  |
| 229 | An early Phase II randomised controlled trial testing the effect on persecutory delusions of using CBT to reduce negative cognitions about the self: the potential benefits of enhancing self confidence. <i>Schizophrenia Research</i> , <b>2014</b> , 160, 186-92 | 3.6  | 80  |
| 228 | Mood instability and psychosis: analyses of British national survey data. <i>Schizophrenia Bulletin</i> , <b>2014</b> , 40, 269-77  | 1.3  | 79  |

|     |  |      |    |
|-----|--|------|----|
| 227 | Effects of different types of written vaccination information on COVID-19 vaccine hesitancy in the UK (OCEANS-III): a single-blind, parallel-group, randomised controlled trial. <i>Lancet Public Health, The</i> , <b>2021</b> , 6, e416-e427 | 22.4 | 77 |
| 226 | Influence of carer expressed emotion and affect on relapse in non-affective psychosis. <i>British Journal of Psychiatry</i> , <b>2006</b> , 188, 173-9   | 5.4  | 76 |
| 225 | How cannabis causes paranoia: using the intravenous administration of $\Delta^9$ -tetrahydrocannabinol (THC) to identify key cognitive mechanisms leading to paranoia. <i>Schizophrenia Bulletin</i> , <b>2015</b> , 41, 391-9                 | 1.3  | 75 |
| 224 | Persecutory ideation and insomnia: findings from the second British National Survey of Psychiatric Morbidity. <i>Journal of Psychiatric Research</i> , <b>2010</b> , 44, 1021-6  | 5.2  | 73 |
| 223 | Delusions and decision-making style: use of the Need for Closure Scale. <i>Behaviour Research and Therapy</i> , <b>2006</b> , 44, 1147-58  | 5.2  | 73 |
| 222 | Cognitive factors maintaining persecutory delusions in psychosis: the contribution of depression. <i>Journal of Abnormal Psychology</i> , <b>2013</b> , 122, 1121-31   | 7    | 72 |
| 221 | Height, social comparison, and paranoia: an immersive virtual reality experimental study. <i>Psychiatry Research</i> , <b>2014</b> , 218, 348-52   | 9.9  | 68 |
| 220 | Virtual reality and paranoid ideations in people with an at-risk mental state for psychosis. <i>British Journal of Psychiatry</i> , <b>2007</b> , 51, s63-8  | 5.4  | 67 |
| 219 | Differences in cognitive and emotional processes between persecutory and grandiose delusions. <i>Schizophrenia Bulletin</i> , <b>2013</b> , 39, 629-39   | 1.3  | 65 |
| 218 | Disrupting Sleep: The Effects of Sleep Loss on Psychotic Experiences Tested in an Experimental Study With Mediation Analysis. <i>Schizophrenia Bulletin</i> , <b>2018</b> , 44, 662-671  | 1.3  | 64 |
| 217 | A measure of state persecutory ideation for experimental studies. <i>Journal of Nervous and Mental Disease</i> , <b>2007</b> , 195, 781-4  | 1.8  | 64 |
| 216 | The concomitants of conspiracy concerns. <i>Social Psychiatry and Psychiatric Epidemiology</i> , <b>2017</b> , 52, 595-604   | 5    | 61 |
| 215 | Bullying victimisation and risk of psychotic phenomena: analyses of British national survey data. <i>Lancet Psychiatry</i> , <b>2015</b> , 2, 618-24   | 23.3 | 61 |
| 214 | Misattribution of self-generated speech in relation to hallucinatory proneness and delusional ideation in healthy volunteers. <i>Schizophrenia Research</i> , <b>2006</b> , 84, 281-8  | 3.6  | 60 |
| 213 | Paranoia   |      | 60 |
| 212 | The prediction of hallucinatory predisposition in non-clinical individuals: examining the contribution of emotion and reasoning. <i>British Journal of Clinical Psychology</i> , <b>2005</b> , 44, 127-32                                      | 3.6  | 59 |
| 211 | The psychology of persecutory ideation I: a questionnaire survey. <i>Journal of Nervous and Mental Disease</i> , <b>2005</b> , 193, 302-8  | 1.8  | 57 |
| 210 | A validation of a new measure of activity in psychosis. <i>Schizophrenia Research</i> , <b>2006</b> , 85, 288-95   | 3.6  | 55 |

|     |  |     |    |
|-----|--|-----|----|
| 209 | Using Directed Acyclic Graphs in Epidemiological Research in Psychosis: An Analysis of the Role of Bullying in Psychosis. <i>Schizophrenia Bulletin</i> , <b>2017</b> , 43, 1273-1279  | 1.3 | 54 |
| 208 | Do sleep disturbances and psychotic-like experiences in adolescence share genetic and environmental influences?. <i>Journal of Abnormal Psychology</i> , <b>2015</b> , 124, 674-684  | 7   | 54 |
| 207 | Sleep Disorders in Early Psychosis: Incidence, Severity, and Association With Clinical Symptoms. <i>Schizophrenia Bulletin</i> , <b>2019</b> , 45, 287-295   | 1.3 | 54 |
| 206 | Sleep Disturbances and Suicide Risk in an 8-Year Longitudinal Study of Schizophrenia-Spectrum Disorders. <i>Sleep</i> , <b>2016</b> , 39, 1275-82  | 1.1 | 53 |
| 205 | Patients' Beliefs about the causes, persistence and control of psychotic experiences predict take-up of effective cognitive behaviour therapy for psychosis. <i>Psychological Medicine</i> , <b>2013</b> , 43, 269-77  | 6.9 | 53 |
| 204 | Attributional style in psychosis--the role of affect and belief type. <i>Behaviour Research and Therapy</i> , <b>2006</b> , 44, 1597-607   | 5.2 | 53 |
| 203 | The Stress of the Street for Patients With Persecutory Delusions: A Test of the Symptomatic and Psychological Effects of Going Outside Into a Busy Urban Area. <i>Schizophrenia Bulletin</i> , <b>2015</b> , 41, 971-9                                       | 1.3 | 50 |
| 202 | Improving cognitive treatments for delusions. <i>Schizophrenia Research</i> , <b>2011</b> , 132, 135-9   | 3.6 | 50 |
| 201 | Virtual reality and persecutory delusions: safety and feasibility. <i>Schizophrenia Research</i> , <b>2008</b> , 104, 228-36   | 6.6 | 50 |
| 200 | Treating Sleep Problems in Patients with Schizophrenia. <i>Behavioural and Cognitive Psychotherapy</i> , <b>2016</b> , 44, 273-87  | 2.1 | 50 |
| 199 | Thinking Well: A randomised controlled feasibility study of a new CBT therapy targeting reasoning biases in people with distressing persecutory delusional beliefs. <i>Journal of Behavior Therapy and Experimental Psychiatry</i> , <b>2015</b> , 48, 82-9  | 2.6 | 49 |
| 198 | Jumping to conclusions, neuropsychological functioning, and delusional beliefs in first episode psychosis. <i>Schizophrenia Bulletin</i> , <b>2015</b> , 41, 411-8   | 1.3 | 48 |
| 197 | Paranoia and post-traumatic stress disorder in the months after a physical assault: a longitudinal study examining shared and differential predictors. <i>Psychological Medicine</i> , <b>2013</b> , 43, 2673-84   | 6.9 | 47 |
| 196 | Effective elements of cognitive behaviour therapy for psychosis: results of a novel type of subgroup analysis based on principal stratification. <i>Psychological Medicine</i> , <b>2012</b> , 42, 1057-68   | 6.9 | 47 |
| 195 | Genome-wide analysis of adolescent psychotic-like experiences shows genetic overlap with psychiatric disorders. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , <b>2018</b> , 177, 416-425                                   | 3.5 | 46 |
| 194 | A shared genetic propensity underlies experiences of bullying victimization in late childhood and self-rated paranoid thinking in adolescence. <i>Schizophrenia Bulletin</i> , <b>2015</b> , 41, 754-63  | 1.3 | 46 |
| 193 | Negative cognitions about the self in patients with persecutory delusions: An empirical study of self-compassion, self-stigma, schematic beliefs, self-esteem, fear of madness, and suicidal ideation. <i>Psychiatry Research</i> , <b>2016</b> , 239, 79-84 | 9.9 | 46 |
| 192 | The multidimensional measurement of the positive symptoms of psychosis. <i>International Journal of Methods in Psychiatric Research</i> , <b>2007</b> , 16, 88-96  | 4.3 | 45 |

|     |   |     |    |
|-----|---|-----|----|
| 191 | The revised Green , Paranoid Thoughts Scale (R-GPTS): psychometric properties, severity ranges, and clinical cut-offs. <i>Psychological Medicine</i> , <b>2021</b> , 51, 244-253  | 6.9 | 45 |
| 190 | Content and affect in persecutory delusions. <i>British Journal of Clinical Psychology</i> , <b>2006</b> , 45, 561-77   | 3.6 | 44 |
| 189 | An examination of hypervigilance for external threat in individuals with generalized anxiety disorder and individuals with persecutory delusions using visual scan paths. <i>Quarterly Journal of Experimental Psychology Section A: Human Experimental Psychology</i> , <b>2000</b> , 53, 549-67 |     | 44 |
| 188 | Are genetic risk factors for psychosis also associated with dimension-specific psychotic experiences in adolescence?. <i>PLoS ONE</i> , <b>2014</b> , 9, e94398   | 3.7 | 43 |
| 187 | Treatable clinical intervention targets for patients with schizophrenia. <i>Schizophrenia Research</i> , <b>2019</b> , 211, 44-50   | 3.6 | 42 |
| 186 | Understanding jumping to conclusions in patients with persecutory delusions: working memory and intolerance of uncertainty. <i>Psychological Medicine</i> , <b>2014</b> , 44, 3017-24   | 6.9 | 41 |
| 185 | The patient experience of sleep problems and their treatment in the context of current delusions and hallucinations. <i>Psychology and Psychotherapy: Theory, Research and Practice</i> , <b>2016</b> , 89, 181-93  | 3.5 | 41 |
| 184 | Social defeat predicts paranoid appraisals in people at high risk for psychosis. <i>Schizophrenia Research</i> , <b>2015</b> , 168, 16-22   | 3.6 | 40 |
| 183 | Discrepant illness perceptions, affect and expressed emotion in people with psychosis and their carers. <i>Social Psychiatry and Psychiatric Epidemiology</i> , <b>2007</b> , 42, 277-83  | 4.5 | 40 |
| 182 | Caregiving and illness beliefs in the course of psychotic illness. <i>Canadian Journal of Psychiatry</i> , <b>2008</b> , 53, 460-8  | 4.8 | 39 |
| 181 | Suspicious young minds: paranoia and mistrust in 8- to 14-year-olds in the U.K. and Hong Kong. <i>British Journal of Psychiatry</i> , <b>2014</b> , 205, 221-9  | 5.4 | 38 |
| 180 | Stabilising sleep for patients admitted at acute crisis to a psychiatric hospital (OWLS): an assessor-blind pilot randomised controlled trial. <i>Psychological Medicine</i> , <b>2018</b> , 48, 1694-1704  | 6.9 | 38 |
| 179 | Transdiagnostic Extension of Delusions: Schizophrenia and Beyond. <i>Schizophrenia Bulletin</i> , <b>2017</b> , 43, 273-282   | 4.3 | 37 |
| 178 | Insomnia and hallucinations in the general population: Findings from the 2000 and 2007 British Psychiatric Morbidity Surveys. <i>Psychiatry Research</i> , <b>2016</b> , 241, 141-6   | 9.9 | 37 |
| 177 | Developing treatments of persistent persecutory delusions: the impact of an emotional processing and metacognitive awareness intervention. <i>Journal of Nervous and Mental Disease</i> , <b>2011</b> , 199, 653-8  | 1.8 | 36 |
| 176 | It feels real: physiological responses to a stressful virtual reality environment and its impact on working memory. <i>Journal of Psychopharmacology</i> , <b>2019</b> , 33, 1264-1273  | 4.6 | 35 |
| 175 | The interaction of affective with psychotic processes: a test of the effects of worrying on working memory, jumping to conclusions, and anomalies of experience in patients with persecutory delusions. <i>Journal of Psychiatric Research</i> , <b>2013</b> , 47, 1837-42                        | 5.2 | 35 |
| 174 | Gut feelings, deliberative thought, and paranoid ideation: a study of experiential and rational reasoning. <i>Psychiatry Research</i> , <b>2012</b> , 197, 119-22   | 9.9 | 35 |



|     |  |      |    |
|-----|--|------|----|
| 173 | Impact of state anxiety on the jumping to conclusions delusion bias. <i>Australian and New Zealand Journal of Psychiatry</i> , <b>2008</b> , 42, 879-86  | 2.6  | 33 |
| 172 | Treating Sleep Problems in Young People at Ultra-High Risk of Psychosis: A Feasibility Case Series. <i>Behavioural and Cognitive Psychotherapy</i> , <b>2018</b> , 46, 276-291   | 2.1  | 33 |
| 171 | Self-Confidence and Paranoia: An Experimental Study Using an Immersive Virtual Reality Social Situation. <i>Behavioural and Cognitive Psychotherapy</i> , <b>2016</b> , 44, 56-64  | 2.1  | 32 |
| 170 | Coping styles in carers of people with recent and long-term psychosis. <i>Journal of Nervous and Mental Disease</i> , <b>2011</b> , 199, 423-4   | 1.8  | 31 |
| 169 | Jumping to conclusions and persecutory delusions. <i>European Psychiatry</i> , <b>2008</b> , 23, 457-9   | 6    | 31 |
| 168 | Grandiose delusions: an experimental investigation of the delusion as defense. <i>Journal of Nervous and Mental Disease</i> , <b>2005</b> , 193, 480-7   | 1.8  | 31 |
| 167 | Caregiver reports of patient-initiated violence in psychosis. <i>Canadian Journal of Psychiatry</i> , <b>2014</b> , 59, 376-84   | 4.8  | 30 |
| 166 | Persecutory delusions and psychological well-being. <i>Social Psychiatry and Psychiatric Epidemiology</i> , <b>2014</b> , 49, 1045-50  | 4.5  | 30 |
| 165 | Reasoning bias and belief conviction in obsessive-compulsive disorder and delusions: jumping to conclusions across disorders?. <i>British Journal of Clinical Psychology</i> , <b>2012</b> , 51, 84-99                             | 3.6  | 30 |
| 164 | Patient perceptions of caregiver criticism in psychosis: links with patient and caregiver functioning. <i>Journal of Nervous and Mental Disease</i> , <b>2009</b> , 197, 85-91   | 1.8  | 30 |
| 163 | Injection fears and COVID-19 vaccine hesitancy. <i>Psychological Medicine</i> , <b>2021</b> , 1-11   | 6.9  | 30 |
| 162 | The paranoia as defence model of persecutory delusions: a systematic review and meta-analysis. <i>Lancet Psychiatry</i> , <b>2018</b> , 5, 913-929   | 23.3 | 30 |
| 161 | SlowMo, a digital therapy targeting reasoning in paranoia, versus treatment as usual in the treatment of people who fear harm from others: study protocol for a randomised controlled trial. <i>Trials</i> , <b>2017</b> , 18, 510 | 2.8  | 29 |
| 160 | Effects of cognitive behavioural therapy for insomnia on the mental health of university students: study protocol for a randomized controlled trial. <i>Trials</i> , <b>2015</b> , 16, 236   | 2.8  | 29 |
| 159 | Intrusive mental imagery in patients with persecutory delusions. <i>Behaviour Research and Therapy</i> , <b>2013</b> , 51, 7-14  | 5.2  | 29 |
| 158 | Measuring Adherence in CBT for Psychosis: A Psychometric Analysis of an Adherence Scale. <i>Behavioural and Cognitive Psychotherapy</i> , <b>2008</b> , 36, 163-178  | 2.1  | 29 |
| 157 | The use of intuitive and analytic reasoning styles by patients with persecutory delusions. <i>Journal of Behavior Therapy and Experimental Psychiatry</i> , <b>2014</b> , 45, 454-8  | 2.6  | 28 |
| 156 | A pilot trial of cognitive behavioural therapy for interpersonal sensitivity in individuals with persecutory delusions. <i>Journal of Behavior Therapy and Experimental Psychiatry</i> , <b>2014</b> , 45, 441-6                   | 2.6  | 28 |

|     |  |      |    |
|-----|--|------|----|
| 155 | Paranoia <b>2008</b> ,   |      | 28 |
| 154 | Insomnia, negative affect, and psychotic experiences: Modelling pathways over time in a clinical observational study. <i>Psychiatry Research</i> , <b>2018</b> , 269, 673-680  | 9.9  | 28 |
| 153 | Clinician perceptions of sleep problems, and their treatment, in patients with non-affective psychosis. <i>Psychosis</i> , <b>2017</b> , 9, 129-139  | 1.2  | 27 |
| 152 | Genetic moderation of the effects of cannabis: catechol-O-methyltransferase (COMT) affects the impact of $\Delta$ -tetrahydrocannabinol (THC) on working memory performance but not on the occurrence of psychotic experiences. <i>Journal of Psychopharmacology</i> , <b>2015</b> , 29, 1146-51 | 4.6  | 27 |
| 151 | Digital Cognitive Behavioural Therapy for Insomnia versus sleep hygiene education: the impact of improved sleep on functional health, quality of life and psychological well-being. Study protocol for a randomised controlled trial. <i>Trials</i> , <b>2016</b> , 17, 257                      | 2.8  | 27 |
| 150 | Jumping to the wrong conclusions? An investigation of the mechanisms of reasoning errors in delusions. <i>Psychiatry Research</i> , <b>2014</b> , 219, 275-82  | 9.9  | 27 |
| 149 | Helping patients with paranoid and suspicious thoughts: a cognitive behavioural approach. <i>Advances in Psychiatric Treatment</i> , <b>2006</b> , 12, 404-415   |      | 27 |
| 148 | Automated psychological therapy using virtual reality (VR) for patients with persecutory delusions: study protocol for a single-blind parallel-group randomised controlled trial (THRIVE). <i>Trials</i> , <b>2019</b> , 20, 87  | 2.8  | 26 |
| 147 | Interpretation biases in paranoia. <i>Behavior Therapy</i> , <b>2015</b> , 46, 110-24  | 4.8  | 26 |
| 146 | Nightmares in the general population: identifying potential causal factors. <i>Social Psychiatry and Psychiatric Epidemiology</i> , <b>2017</b> , 52, 1123-1133  | 4.5  | 26 |
| 145 | Identifying potential predictors of traumatic reactions to psychotic episodes. <i>British Journal of Clinical Psychology</i> , <b>2006</b> , 45, 545-59  | 3.6  | 26 |
| 144 | Jumping to conclusions: the psychology of delusional reasoning. <i>Advances in Psychiatric Treatment</i> , <b>2011</b> , 17, 332-339   |      | 25 |
| 143 | Sleep and schizophrenia: From epiphenomenon to treatable causal target. <i>Schizophrenia Research</i> , <b>2020</b> , 221, 44-56   | 3.6  | 25 |
| 142 | The effects of cannabidiol on persecutory ideation and anxiety in a high trait paranoid group. <i>Journal of Psychopharmacology</i> , <b>2018</b> , 32, 276-282  | 4.6  | 24 |
| 141 | Fear of madness and persecutory delusions: Preliminary investigation of a new scale. <i>Psychosis</i> , <b>2009</b> , 1, 39-50   | 1.2  | 23 |
| 140 | Antipsychotic medication versus psychological intervention versus a combination of both in adolescents with first-episode psychosis (MAPS): a multicentre, three-arm, randomised controlled pilot and feasibility study. <i>Lancet Psychiatry</i> , <b>2020</b> , 7, 788-800                     | 23.3 | 23 |
| 139 | Targeting Recovery in Persistent Persecutory Delusions: A Proof of Principle Study of a New Translational Psychological Treatment (the Feeling Safe Programme). <i>Behavioural and Cognitive Psychotherapy</i> , <b>2016</b> , 44, 539-52  | 2.1  | 23 |
| 138 | Psychotic experiences are linked to cannabis use in adolescents in the community because of common underlying environmental risk factors. <i>Psychiatry Research</i> , <b>2015</b> , 227, 144-51   | 9.9  | 22 |

|     |   |     |    |
|-----|---|-----|----|
| 137 | The use of immersive virtual reality (VR) to predict the occurrence 6 months later of paranoid thinking and posttraumatic stress symptoms assessed by self-report and interviewer methods: a study of individuals who have been physically assaulted. <i>Psychological Assessment</i> , <b>2014</b> , 26, 841-847 | 5.3 | 22 |
| 136 | Online Social Endorsement and Covid-19 Vaccine Hesitancy in the United Kingdom. <i>Social Media and Society</i> , <b>2021</b> , 7, 205630512110088  | 2.3 | 22 |
| 135 | Automated virtual reality (VR) cognitive therapy for patients with psychosis: study protocol for a single-blind parallel group randomised controlled trial (gameChange). <i>BMJ Open</i> , <b>2019</b> , 9, e031606   | 3   | 22 |
| 134 | Heritability of Individual Psychotic Experiences Captured by Common Genetic Variants in a Community Sample of Adolescents. <i>Behavior Genetics</i> , <b>2015</b> , 45, 493-502   | 3.2 | 20 |
| 133 | Adapted CBT to Stabilize Sleep on Psychiatric Wards: a Transdiagnostic Treatment Approach. <i>Behavioural and Cognitive Psychotherapy</i> , <b>2018</b> , 46, 661-675   | 2.1 | 20 |
| 132 | Association between stressful life events and psychotic experiences in adolescence: evidence for gene-environment correlations. <i>British Journal of Psychiatry</i> , <b>2016</b> , 208, 532-8   | 5.4 | 20 |
| 131 | Hallucinations in the months after a trauma: An investigation of the role of cognitive processing of a physical assault in the occurrence of hallucinatory experiences. <i>Psychiatry Research</i> , <b>2016</b> , 246, 601-605   | 9.9 | 20 |
| 130 | Cognitive, affective, and social factors maintaining paranoia in adolescents with mental health problems: A longitudinal study. <i>Psychiatry Research</i> , <b>2017</b> , 257, 34-39   | 9.9 | 20 |
| 129 | Cognitive Behavioural Therapy for Nightmares for Patients with Persecutory Delusions (Nites): An Assessor-Blind, Pilot Randomized Controlled Trial. <i>Canadian Journal of Psychiatry</i> , <b>2019</b> , 64, 686-696   | 4.8 | 19 |
| 128 | The efficacy of a new translational treatment for persecutory delusions: study protocol for a randomised controlled trial (The Feeling Safe Study). <i>Trials</i> , <b>2016</b> , 17, 134   | 2.8 | 19 |
| 127 | Worry processes in patients with persecutory delusions. <i>British Journal of Clinical Psychology</i> , <b>2016</b> , 55, 387-400   | 3.6 | 19 |
| 126 | The effects of using cognitive behavioural therapy to improve sleep for patients with delusions and hallucinations (the BEST study): study protocol for a randomized controlled trial. <i>Trials</i> , <b>2013</b> , 14, 214  | 2.8 | 19 |
| 125 | Links between psychotic and neurotic symptoms in the general population: an analysis of longitudinal British National Survey data using Directed Acyclic Graphs. <i>Psychological Medicine</i> , <b>2019</b> , 49, 388-395  | 6.9 | 18 |
| 124 | Sleep duration and psychotic experiences in patients at risk of psychosis: A secondary analysis of the EDIE-2 trial. <i>Schizophrenia Research</i> , <b>2019</b> , 204, 326-333   | 3.6 | 18 |
| 123 | Paranoid explanations of experience: a novel experimental study. <i>Behavioural and Cognitive Psychotherapy</i> , <b>2011</b> , 39, 21-34   | 2.1 | 18 |
| 122 | How Inclusive, User-Centered Design Research Can Improve Psychological Therapies for Psychosis: Development of SlowMo. <i>JMIR Mental Health</i> , <b>2018</b> , 5, e11222  | 6   | 18 |
| 121 | Shared Etiology of Psychotic Experiences and Depressive Symptoms in Adolescence: A Longitudinal Twin Study. <i>Schizophrenia Bulletin</i> , <b>2016</b> , 42, 1197-206  | 1.3 | 17 |
| 120 | Adult attention deficit hyperactivity symptoms and psychosis: Epidemiological evidence from a population survey in England. <i>Psychiatry Research</i> , <b>2015</b> , 229, 49-56   | 9.9 | 17 |

|     |  |      |    |
|-----|--|------|----|
| 119 | Correlates of perceptual distortions in clinical and non-clinical populations using the Cardiff Anomalous Perceptions Scale (CAPS): associations with anxiety and depression and a re-validation using a representative population sample. <i>Psychiatry Research</i> , <b>2011</b> , 189, 451-7 | 9.9  | 17 |
| 118 | Developing an automated VR cognitive treatment for psychosis: gameChange VR therapy. <i>Journal of Behavioral and Cognitive Therapy</i> , <b>2020</b> , 30, 33-40  | 1.6  | 16 |
| 117 | Suicidal ideation and behaviour in patients with persecutory delusions: Prevalence, symptom associations, and psychological correlates. <i>Comprehensive Psychiatry</i> , <b>2019</b> , 93, 41-47  | 7.3  | 16 |
| 116 | The Perseverative Thinking Questionnaire in Patients with Persecutory Delusions. <i>Behavioural and Cognitive Psychotherapy</i> , <b>2016</b> , 44, 472-81   | 2.1  | 15 |
| 115 | Coronavirus conspiracy beliefs in the German-speaking general population: endorsement rates and links to reasoning biases and paranoia. <i>Psychological Medicine</i> , <b>2021</b> , 1-15   | 6.9  | 15 |
| 114 | Dimensional psychotic experiences in adolescence: Evidence from a taxometric study of a community-based sample. <i>Psychiatry Research</i> , <b>2016</b> , 241, 35-42  | 9.9  | 14 |
| 113 | Psychological characteristics of religious delusions. <i>Social Psychiatry and Psychiatric Epidemiology</i> , <b>2014</b> , 49, 1051-61  | 4.5  | 14 |
| 112 | The application of cognitive-behavioral therapy for psychosis in clinical and research settings. <i>Psychiatric Services</i> , <b>2007</b> , 58, 1297-302  | 3.3  | 14 |
| 111 | Adolescent Paranoia: Prevalence, Structure, and Causal Mechanisms. <i>Schizophrenia Bulletin</i> , <b>2019</b> , 45, 1134-1142   | 1.3  | 14 |
| 110 | Body image and paranoia. <i>Psychiatry Research</i> , <b>2017</b> , 258, 136-140   | 9.9  | 13 |
| 109 | A pilot validation of a modified Illness Perceptions Questionnaire designed to predict response to cognitive therapy for psychosis. <i>Journal of Behavior Therapy and Experimental Psychiatry</i> , <b>2014</b> , 45, 459-66  | 2.6  | 13 |
| 108 | A longitudinal twin study of the association between childhood autistic traits and psychotic experiences in adolescence. <i>Molecular Autism</i> , <b>2015</b> , 6, 44   | 6.5  | 13 |
| 107 | The effects of reducing worry in patients with persecutory delusions: study protocol for a randomized controlled trial. <i>Trials</i> , <b>2012</b> , 13, 223  | 2.8  | 13 |
| 106 | Assessing Levels of Subthreshold Psychotic Symptoms in the Recovery Phase: The Schizotypal Symptoms Inventory (SSI). <i>Journal of Experimental Psychopathology</i> , <b>2012</b> , 3, 582-593   | 2.3  | 13 |
| 105 | Carers' attributions about positive events in psychosis relate to expressed emotion. <i>Behaviour Research and Therapy</i> , <b>2009</b> , 47, 783-9   | 5.2  | 13 |
| 104 | Effects of SlowMo, a Blended Digital Therapy Targeting Reasoning, on Paranoia Among People With Psychosis: A Randomized Clinical Trial. <i>JAMA Psychiatry</i> , <b>2021</b> , 78, 714-725   | 14.5 | 13 |
| 103 | Dissociation in relation to other mental health conditions: An exploration using network analysis. <i>Journal of Psychiatric Research</i> , <b>2021</b> , 136, 460-467   | 5.2  | 13 |
| 102 | Cognitive triggers of auditory hallucinations: an experimental investigation. <i>Journal of Behavior Therapy and Experimental Psychiatry</i> , <b>2010</b> , 41, 179-84  | 2.6  | 12 |

|     |  |      |    |
|-----|--|------|----|
| 101 | Jumping to conclusions and the persistence of delusional beliefs in first episode psychosis. <i>Schizophrenia Research</i> , <b>2015</b> , 165, 243-6  | 3.6  | 11 |
| 100 | Characterization and structure of hypomania in a British nonclinical adolescent sample. <i>Journal of Affective Disorders</i> , <b>2017</b> , 207, 228-235   | 6.6  | 11 |
| 99  | Delusional belief flexibility and informal caregiving relationships in psychosis: a potential cognitive route for the protective effect of social support. <i>Epidemiology and Psychiatric Sciences</i> , <b>2014</b> , 23, 389-97                                     | 5.1  | 11 |
| 98  | Slow habituation of arousal associated with psychosis proneness. <i>Psychological Medicine</i> , <b>2007</b> , 37, 577-82  | 2.9  | 11 |
| 97  | The Experience of Sleep Problems and Their Treatment in Young People at Ultra-High Risk of Psychosis: A Thematic Analysis. <i>Frontiers in Psychiatry</i> , <b>2018</b> , 9, 375   | 5    | 11 |
| 96  | Willingness of children and adolescents to have a COVID-19 vaccination: Results of a large whole schools survey in England. <i>EClinicalMedicine</i> , <b>2021</b> , 40, 101144  | 11.3 | 11 |
| 95  | How do people with persecutory delusions evaluate threat in a controlled social environment? A qualitative study using virtual reality. <i>Behavioural and Cognitive Psychotherapy</i> , <b>2015</b> , 43, 89-107  | 2.1  | 10 |
| 94  | Urbanicity, persecutory delusions, and clinical intervention: the development of a brief CBT module for helping patients with persecutory delusions enter social urban environments. <i>Behavioural and Cognitive Psychotherapy</i> , <b>2015</b> , 43, 42-51          | 2.1  | 10 |
| 93  | Depersonalization in patients with persecutory delusions. <i>Journal of Nervous and Mental Disease</i> , <b>2014</b> , 202, 752-8  | 1.8  | 10 |
| 92  | Virtual reality clinical-experimental tests of compassion treatment techniques to reduce paranoia. <i>Scientific Reports</i> , <b>2020</b> , 10, 8547  | 4.9  | 10 |
| 91  | Insomnia as a mediating therapeutic target for depressive symptoms: A sub-analysis of participant data from two large randomized controlled trials of a digital sleep intervention. <i>Journal of Sleep Research</i> , <b>2021</b> , 30, e13140                        | 5.8  | 10 |
| 90  | Describing the indescribable: A qualitative study of dissociative experiences in psychosis. <i>PLoS ONE</i> , <b>2020</b> , 15, e0229091   | 3.7  | 9  |
| 89  | The weeks before 100 persecutory delusions: the presence of many potential contributory causal factors. <i>BJPsych Open</i> , <b>2019</b> , 5, e83   | 5    | 8  |
| 88  | Understanding, treating, and renaming grandiose delusions: A qualitative study. <i>Psychology and Psychotherapy: Theory, Research and Practice</i> , <b>2021</b> , 94, 119-140   | 3.5  | 8  |
| 87  | Twisting the lion's tail: Manipulationist tests of causation for psychological mechanisms in the occurrence of delusions and hallucinations. <i>Clinical Psychology Review</i> , <b>2019</b> , 68, 25-37   | 10.8 | 8  |
| 86  | Cost-effectiveness of cognitive-behavioural therapy for sleep disorder added to usual care in patients with schizophrenia: the BEST study. <i>BJPsych Open</i> , <b>2018</b> , 4, 126-135  | 5    | 8  |
| 85  | Comparison of a theoretically driven cognitive therapy (the Feeling Safe Programme) with befriending for the treatment of persistent persecutory delusions: a parallel, single-blind, randomised controlled trial. <i>Lancet Psychiatry</i> , <b>2021</b> , 8, 696-707 | 23.3 | 8  |
| 84  | Persistent persecutory delusions: The spirit, style and content of targeted treatment. <i>World Psychiatry</i> , <b>2017</b> , 16, 208-209   | 14.4 | 7  |

|    |  |     |   |
|----|--|-----|---|
| 83 | Conceptualising paranoia in ASD: A systematic review and development of a theoretical framework. <i>Research in Autism Spectrum Disorders</i> , <b>2016</b> , 25, 97-111   | 3   | 7 |
| 82 | How do individuals with persecutory delusions bring worry to a close? An interpretive phenomenological analysis. <i>Behavioural and Cognitive Psychotherapy</i> , <b>2015</b> , 43, 465-77   | 2.1 | 7 |
| 81 | Persecutory ideation and a history of cannabis use. <i>Schizophrenia Research</i> , <b>2013</b> , 148, 122-5   | 3.6 | 7 |
| 80 | Developing a theoretical understanding of therapy techniques: an illustrative analogue study. <i>British Journal of Clinical Psychology</i> , <b>2005</b> , 44, 241-54   | 3.6 | 7 |
| 79 | The assessment of persecutory ideation <b>2008</b> , 23-52   |     | 7 |
| 78 | The Dunn Worry Questionnaire and the Paranoia Worries Questionnaire: new assessments of worry. <i>Psychological Medicine</i> , <b>2020</b> , 50, 771-780   | 6.9 | 7 |
| 77 | The experience of body image concerns in patients with persecutory delusions: 'People don't want to sit next to me'. <i>Psychology and Psychotherapy: Theory, Research and Practice</i> , <b>2020</b> , 93, 639-655  | 3.5 | 7 |
| 76 | A new perspective and assessment measure for common dissociative experiences: 'Felt Sense of Anomaly'. <i>PLoS ONE</i> , <b>2021</b> , 16, e0247037  | 3.7 | 7 |
| 75 | Study protocol for a randomised controlled trial of CBT vs antipsychotics vs both in 14-18-year-olds: Managing Adolescent first episode Psychosis: a feasibility study (MAPS). <i>Trials</i> , <b>2019</b> , 20, 395   | 2.8 | 6 |
| 74 | Negative communication in psychosis: understanding pathways to poorer patient outcomes. <i>Journal of Nervous and Mental Disease</i> , <b>2014</b> , 202, 829-32   | 1.8 | 6 |
| 73 | The need for closure in caregivers of people with psychosis. <i>Epidemiologia E Psichiatria Sociale</i> , <b>2010</b> , 19, 159-167  |     | 6 |
| 72 | Theories of cognition, emotion and the social world: missing links in psychosis 219-237  |     | 6 |
| 71 | Annual Research Review: Immersive virtual reality and digital applied gaming interventions for the treatment of mental health problems in children and young people: the need for rigorous treatment development and clinical evaluation. <i>Journal of Child Psychology and Psychiatry and Allied Disciplines</i> , <b>2021</b> , 62, 584-605 | 7.9 | 6 |
| 70 | Socioeconomic status and paranoia: the role of life hassles, self-mastery, and striving to avoid inferiority. <i>Journal of Nervous and Mental Disease</i> , <b>2013</b> , 201, 698-702  | 1.8 | 5 |
| 69 | Family interventions in psychosis: a scale to measure therapist adherence. <i>Journal of Family Therapy</i> , <b>2009</b> , 31, 270-283  | 2.9 | 5 |
| 68 | Participatory design to create a VR therapy for psychosis. <i>Design for Health</i> , <b>2021</b> , 5, 98-119  | 0.8 | 5 |
| 67 | A twin study exploring the association between childhood emotional and behaviour problems and specific psychotic experiences in a community sample of adolescents. <i>Journal of Child Psychology and Psychiatry and Allied Disciplines</i> , <b>2018</b> , 59, 565-573  | 7.9 | 5 |
| 66 | Catastrophic cognitions about coronavirus: the Oxford psychological investigation of coronavirus questionnaire [TOPIC-Q]. <i>Psychological Medicine</i> , <b>2021</b> , 1-10   | 6.9 | 5 |

|    |  |      |   |
|----|--|------|---|
| 65 | The effect of paranoia on the judging of harmful events. <i>Cognitive Neuropsychiatry</i> , <b>2015</b> , 20, 122-7  | 2    | 4 |
| 64 | The assessment of paranoia in young people: Item and test properties of the Bird Checklist of Adolescent Paranoia. <i>Schizophrenia Research</i> , <b>2020</b> , 220, 116-122  | 3.6  | 4 |
| 63 | The stabilized set of p $\mathbb{R}$ in Krivine $\mathbb{R}$ theorem can be disconnected. <i>Advances in Mathematics</i> , <b>2015</b> , 281, 553-577  | 1.3  | 4 |
| 62 | An explanatory randomised controlled trial testing the effects of targeting worry in patients with persistent persecutory delusions: the Worry Intervention Trial (WIT). <i>Efficacy and Mechanism Evaluation</i> , <b>2015</b> , 2, 1-36  | 1.7  | 4 |
| 61 | Cognitive appraisals of dissociation in psychosis: a new brief measure. <i>Behavioural and Cognitive Psychotherapy</i> , <b>2020</b> , 1-13  | 2.1  | 4 |
| 60 | The COVID-19 Pandemic Mental Health Questionnaire (CoPaQ): psychometric evaluation and compliance with countermeasures in psychiatric inpatients and non-clinical individuals. <i>BMC Psychiatry</i> , <b>2021</b> , 21, 426   | 4.2  | 4 |
| 59 | Automated virtual reality therapy to treat agoraphobic avoidance and distress in patients with psychosis (gameChange): a multicentre, parallel-group, single-blind, randomised, controlled trial in England with mediation and moderation analyses.. <i>Lancet Psychiatry</i> , <b>2022</b> , 9, 375-388 | 23.3 | 4 |
| 58 | The comments of voices on the appearance of patients with psychosis: Rhe voices tell me that I am ugly $\mathbb{R}$ . <i>BJPsych Open</i> , <b>2019</b> , 5, e86   | 5    | 3 |
| 57 | A Twin Study on the Association Between Psychotic Experiences and Tobacco Use During Adolescence. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , <b>2019</b> , 58, 267-276.e8   | 7.2  | 3 |
| 56 | We should beware of ignoring uncomfortable possible truths (a reply to McManus et al). <i>Psychological Medicine</i> , <b>2020</b> , 1   | 6.9  | 3 |
| 55 | Treating sleep problems in young people at ultra-high-risk of psychosis: study protocol for a single-blind parallel group randomised controlled feasibility trial (SleepWell). <i>BMJ Open</i> , <b>2020</b> , 10, e045235   | 2.3  | 3 |
| 54 | Virtual Reality Cognitive Therapy in Inpatient Psychiatric Wards: Protocol for a Qualitative Investigation of Staff and Patient Views Across Multiple National Health Service Sites. <i>JMIR Research Protocols</i> , <b>2020</b> , 9, e20300  | 2    | 3 |
| 53 | Do letters about conspiracy belief studies greatly exaggerate? A reply to Sutton and Douglas. <i>Psychological Medicine</i> , <b>2020</b> , 1-2  | 6.9  | 3 |
| 52 | Anticipatory pleasure in current psychosis: Cognitive and emotional correlates. <i>Psychiatry Research</i> , <b>2021</b> , 297, 113697   | 9.9  | 3 |
| 51 | The Oxford Agoraphobic Avoidance Scale. <i>Psychological Medicine</i> , 1-11   | 6.9  | 3 |
| 50 | Why conspiracy theorists are not always paranoid: Conspiracy theories and paranoia form separate factors with distinct psychological predictors.. <i>PLoS ONE</i> , <b>2022</b> , 17, e0259053   | 3.7  | 3 |
| 49 | Automated Virtual Reality Cognitive Therapy (gameChange) in Inpatient Psychiatric Wards: Qualitative Study of Staff and Patient Views Using an Implementation Framework.. <i>JMIR Formative Research</i> , <b>2022</b> , 6, e34225   | 2.5  | 2 |
| 48 | COVID-19 vaccination rates, intent, and hesitancy in patients with solid organ and blood cancers: A multicenter study.. <i>Asia-Pacific Journal of Clinical Oncology</i> , <b>2022</b> ,   | 1.9  | 2 |

|    |  |     |   |
|----|--|-----|---|
| 47 | The challenges and opportunities of social connection when hearing derogatory and threatening voices: A thematic analysis with patients experiencing psychosis. <i>Psychology and Psychotherapy: Theory, Research and Practice</i> , <b>2021</b> , 94, 341-356 | 3.5 | 2 |
| 46 | Dissociation in patients with non-affective psychosis: Prevalence, symptom associations, and maintenance factors. <i>Schizophrenia Research</i> , <b>2021</b> , 239, 11-18   | 3.6 | 2 |
| 45 | Measuring Reasoning in Paranoia: Development of the Fast and Slow Thinking Questionnaire. <i>Schizophrenia Bulletin Open</i> , <b>2020</b> , 1,  | 2.2 | 2 |
| 44 | Why do patients with psychosis listen to and believe derogatory and threatening voices? 21 reasons given by patients. <i>Behavioural and Cognitive Psychotherapy</i> , <b>2020</b> , 48, 631-645   | 2.1 | 2 |
| 43 | Automated Virtual Reality Cognitive Therapy for People With Psychosis: Protocol for a Qualitative Investigation Using Peer Research Methods. <i>JMIR Research Protocols</i> , <b>2021</b> , 10, e31742   | 2   | 2 |
| 42 | Excessive sleepiness in patients with psychosis: An initial investigation. <i>PLoS ONE</i> , <b>2021</b> , 16, e0245301  | 3.7 | 2 |
| 41 | Paranoia in patients attending child and adolescent mental health services. <i>Australian and New Zealand Journal of Psychiatry</i> , <b>2021</b> , 55, 1166-1177  | 2.6 | 2 |
| 40 | Group-Based Worry Intervention for Persecutory Delusions: an Initial Feasibility Study. <i>Behavioural and Cognitive Psychotherapy</i> , <b>2018</b> , 46, 619-625   | 2.1 | 2 |
| 39 | Psychological intervention, antipsychotic medication or a combined treatment for adolescents with a first episode of psychosis: the MAPS feasibility three-arm RCT. <i>Health Technology Assessment</i> , <b>2021</b> , 25, 1-124                              | 4.4 | 2 |
| 38 | Understanding agoraphobic avoidance: the development of the Oxford Cognitions and Defences Questionnaire (O-CDQ).. <i>Behavioural and Cognitive Psychotherapy</i> , <b>2022</b> , 1-12   | 2.1 | 2 |
| 37 | The psychological journey of weight gain in psychosis.. <i>Psychology and Psychotherapy: Theory, Research and Practice</i> , <b>2022</b> ,   | 3.5 | 1 |
| 36 | Genome-wide analysis of adolescent psychotic experiences shows genetic overlap with psychiatric disorders  |     | 1 |
| 35 | Estimating EQ-5D utilities based on the Short-Form Long Term Conditions Questionnaire (LTCQ-8). <i>Health and Quality of Life Outcomes</i> , <b>2020</b> , 18, 279   | 3   | 1 |
| 34 | Paranoia and Grandiosity in the General Population: Differential Associations With Putative Causal Factors. <i>Frontiers in Psychiatry</i> , <b>2021</b> , 12, 668152  | 5   | 1 |
| 33 | Parenting behaviour and paranoia: a network analysis and results from the National Comorbidity Survey-Adolescents (NCS-A). <i>Social Psychiatry and Psychiatric Epidemiology</i> , <b>2021</b> , 56, 593-604   | 4.5 | 1 |
| 32 | Differential psychological response to the COVID-19 pandemic in psychiatric inpatients compared to a non-clinical population from Germany. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , <b>2021</b> , 1                                  | 5.1 | 1 |
| 31 | The impact of Patient and Public Involvement in the SlowMo study: Reflections on peer innovation. <i>Health Expectations</i> , <b>2021</b> ,   | 3.7 | 1 |
| 30 | Improving Sleep, Improving Delusions213-233  |     | 1 |



|    |   |     |   |
|----|---|-----|---|
| 29 | Cognitive and Social Processes in Psychosis: Recent Developments <b>2010</b> , 283-298  |     | 1 |
| 28 | Body image concerns in patients with persecutory delusions.. <i>Psychological Medicine</i> , <b>2022</b> , 1-9  | 6.9 | 1 |
| 27 | Power posing for paranoia: A double-blind randomised controlled experimental test using virtual reality. <i>Behaviour Research and Therapy</i> , <b>2020</b> , 132, 103691  | 5.2 | 0 |
| 26 | Schematic beliefs and problem solving performance predict depression in people experiencing persecutory delusions. <i>Journal of Psychiatric Research</i> , <b>2018</b> , 100, 5-7  | 5.2 | 0 |
| 25 | The Latent Structure of Negative Symptoms in the General Population in Adolescence and Emerging Adulthood.. <i>Schizophrenia Bulletin Open</i> , <b>2022</b> , 3, sgac009   | 2.2 | 0 |
| 24 | A compassionate imagery intervention for patients with persecutory delusions. <i>Behavioural and Cognitive Psychotherapy</i> , <b>2021</b> , 1-13   | 2.1 | 0 |
| 23 | Psychotic-Like Experiences in Adolescence Occurring in Combination or Isolation: Associations with Schizophrenia Risk Factors. <i>Psychiatric Research and Clinical Practice</i> , <b>2021</b> , 3, 67-75   | 2.7 | 0 |
| 22 | Digitally supported CBT to reduce paranoia and improve reasoning for people with schizophrenia-spectrum psychosis: the SlowMo RCT. <i>Efficacy and Mechanism Evaluation</i> , <b>2021</b> , 8, 1-90   | 1.7 | 0 |
| 21 | Appraisal of patient-level health economic models of severe mental illness: systematic review.. <i>British Journal of Psychiatry</i> , <b>2021</b> , 1-12   | 5.4 | 0 |
| 20 | Does raising heart rate prior to a behavioural test enhance learning in cognitive therapy for anxiety? An experimental test for the treatment of fear of heights using virtual reality. <i>Behaviour Research and Therapy</i> , <b>2021</b> , 144, 103928 | 5.2 | 0 |
| 19 | COVID-19 vaccine hesitancy in systemic sclerosis. <i>Clinical and Experimental Rheumatology</i> , <b>2021</b> , 39 Suppl 131, 165-166   | 2.2 | 0 |
| 18 | "": a qualitative investigation of concerns about the speed of COVID-19 vaccine development and how these may be overcome.. <i>Human Vaccines and Immunotherapeutics</i> , <b>2022</b> , 1-8  | 4.4 | 0 |
| 17 | COVID-19 vaccine hesitancy in systemic sclerosis. <i>Clinical and Experimental Rheumatology</i> , <b>2021</b> , 39, 165-166   |     | 0 |
| 16 | Self-observation of a virtual body-double engaged in social interaction reduces persecutory thoughts.. <i>Scientific Reports</i> , <b>2021</b> , 11, 23923  | 4.9 | 0 |
| 15 | Virtual reality (VR) therapy for patients with psychosis: satisfaction and side effects.. <i>Psychological Medicine</i> , <b>2022</b> , 1-12  | 6.9 | 0 |
| 14 | Serious Underlying Medical Conditions and COVID-19 Vaccine Hesitancy: A Large Cross-Sectional Analysis from Australia. <i>Vaccines</i> , <b>2022</b> , 10, 851  | 5.3 | 0 |
| 13 | AuthorsReply to a comment on "Body image and paranoia". <i>Psychiatry Research</i> , <b>2018</b> , 263, 281   | 9.9 |   |
| 12 | AuthorsReply. <i>British Journal of Psychiatry</i> , <b>2014</b> , 204, 242-3   | 5.4 |   |

11 Delusions **2006**, 205-213

10 Psychological mechanisms connected to dissociation: Generating hypotheses using network analyses.. *Journal of Psychiatric Research*, **2022**, 148, 165-173 5.2

9 CBT for psychosis. *British Journal of Psychiatry*, **2004**, 185, 438; author reply 438 5.4

8 Emotional Processing and Metacognitive Awareness for Persecutory Delusions 33-46

7 Delusions **2006**, 205-213

6 Describing the indescribable: A qualitative study of dissociative experiences in psychosis **2020**, 15, e0229091

5 Describing the indescribable: A qualitative study of dissociative experiences in psychosis **2020**, 15, e0229091

4 Describing the indescribable: A qualitative study of dissociative experiences in psychosis **2020**, 15, e0229091

3 Describing the indescribable: A qualitative study of dissociative experiences in psychosis **2020**, 15, e0229091

2 Describing the indescribable: A qualitative study of dissociative experiences in psychosis **2020**, 15, e0229091

1 Describing the indescribable: A qualitative study of dissociative experiences in psychosis **2020**, 15, e0229091