## Paul Hilton

# List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/3612581/paul-hilton-publications-by-year.pdf

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

66 4,654 119 34 h-index g-index citations papers 128 5,161 5.67 3.5 L-index avg, IF ext. citations ext. papers

| #   | Paper  | IF   | Citations |
|-----|--|------|-----------|
| 119 | Topical Estrogen Treatment Augments the Vaginal Response to Escherichia coli Flagellin. <i>Scientific Reports</i> , <b>2020</b> , 10, 8473   | 4.9  | 3         |
| 118 | Interventions for treating recurrent stress urinary incontinence after failed minimally invasive synthetic midurethral tape surgery in women. <i>The Cochrane Library</i> , <b>2019</b> , 9, CD009407  | 5.2  | 10        |
| 117 | Participant experiences of clean intermittent self-catheterisation, urinary tract infections and antibiotic use on the ANTIC trial - A qualitative study. <i>International Journal of Nursing Studies</i> , <b>2018</b> , 81, 1-7  | 5.8  | 7         |
| 116 | Surgery for recurrent stress urinary incontinence: the views of surgeons and women. <i>International Urogynecology Journal</i> , <b>2018</b> , 29, 45-54   | 2    | 8         |
| 115 | Invasive urodynamic testing prior to surgical treatment for stress urinary incontinence in women: cost-effectiveness and value of information analyses in the context of a mixed methods feasibility study. <i>Pilot and Feasibility Studies</i> , <b>2018</b> , 4, 67                           | 1.9  | 4         |
| 114 | Continuous low-dose antibiotic prophylaxis to prevent urinary tract infection in adults who perform clean intermittent self-catheterisation: the AnTIC RCT. <i>Health Technology Assessment</i> , <b>2018</b> , 22, 1-102  | 4.4  | 15        |
| 113 | Operations for urogenital fistulae <b>2018</b> , 231-265   |      |           |
| 112 | Continuous low-dose antibiotic prophylaxis for adults with repeated urinary tract infections (AnTIC): a randomised, open-label trial. <i>Lancet Infectious Diseases, The</i> , <b>2018</b> , 18, 957-968   | 25.5 | 52        |
| 111 | Targeting Deficiencies in the TLR5 Mediated Vaginal Response to Treat Female Recurrent Urinary Tract Infection. <i>Scientific Reports</i> , <b>2017</b> , 7, 11039   | 4.9  | 12        |
| 110 | Author's reply to letter from Dr. Ahmed Al-Badr on: "Trends in the aetiology of urogenital fistula: a case of 'retrogressive evolution'?". <i>International Urogynecology Journal</i> , <b>2016</b> , 27, 1445   | 2    |           |
| 109 | The "learning curve" for retropubic mid-urethral sling procedures: a retrospective cohort study. <i>International Urogynecology Journal</i> , <b>2016</b> , 27, 565-70   | 2    | 15        |
| 108 | Trial participation as avoidance strategy: a qualitative study. <i>Health Expectations</i> , <b>2016</b> , 19, 1346-1354   | 3.7  | 1         |
| 107 | Trends in the aetiology of urogenital fistula: a case of 'retrogressive evolution'?. <i>International Urogynecology Journal</i> , <b>2016</b> , 27, 831-7  | 2    | 28        |
| 106 | The Aetiology, Treatment, and Outcome of Urogenital Fistulae Managed in Well- and Low-resourced Countries: A Systematic Review. <i>European Urology</i> , <b>2016</b> , 70, 478-92   | 10.2 | 58        |
| 105 | Antibiotic treatment for intermittent bladder catheterisation with once daily prophylaxis (the AnTIC study): Study protocol for a randomised controlled trial. <i>Trials</i> , <b>2016</b> , 17, 276   | 2.8  | 4         |
| 104 | Understanding variations in patient screening and recruitment in a multicentre pilot randomised controlled trial: a vignette-based study. <i>Trials</i> , <b>2016</b> , 17, 522  | 2.8  | 3         |
| 103 | Re: Hilton P, Bryant A, Howel D, McColl E, Buckley BS, Lucas MG, et al. Assessing professional equipoise and views about a future clinical trial of invasive urodynamics prior to surgery for stress urinary incontinence in women: A survey within a mixed methods feasibility study. Neurourol | 2.3  |           |

### (2011-2016)

| 102 | The risk of ureteric injury associated with hysterectomy: a 10-year retrospective cohort study. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , <b>2016</b> , 123, 1184-91  | 3.7 | 28 |
|-----|---|-----|----|
| 101 | Efficacy and duration of response to botulinum neurotoxin A (onabotulinumA) as a treatment for detrusor overactivity in women. <i>International Urogynecology Journal</i> , <b>2015</b> , 26, 1605-12   | 2   | 15 |
| 100 | Using vignettes to understand variations in patient screening and recruitment. <i>Trials</i> , <b>2015</b> , 16,  | 2.8 | 78 |
| 99  | A mixed methods study to assess the feasibility of a randomised controlled trial of invasive urodynamic testing versus clinical assessment and non-invasive tests prior to surgery for stress urinary incontinence in women: the INVESTIGATE-I study. <i>Trials</i> , <b>2015</b> , 16, 400                             | 2.8 | 9  |
| 98  | INVESTIGATE-I (INVasive Evaluation before Surgical Treatment of Incontinence Gives Added Therapeutic Effect?): a mixed-methods study to assess the feasibility of a future randomised controlled trial of invasive urodynamic testing prior to surgery for stress urinary incontinence in                               | 4.4 | 8  |
| 97  | women. Health Technology Assessment, 2015, 19, 1-273, vii-viii Pelvic floor muscle training as an adjunct to prolapse surgery: a randomised feasibility study. International Urogynecology Journal, 2014, 25, 883-91  | 2   | 36 |
| 96  | Doing diagnosis: whether and how clinicians use a diagnostic tool of uncertain clinical utility. <i>Social Science and Medicine</i> , <b>2014</b> , 120, 208-14   | 5.1 | 27 |
| 95  | Retrospective cohort study on patterns of care and outcomes of surgical treatment for lower urinary-genital tract fistula among English National Health Service hospitals between 2000 and 2009. <i>BJU International</i> , <b>2013</b> , 111, E257-62  | 5.6 | 29 |
| 94  | Treatment of recurrent stress urinary incontinence after failed minimally invasive synthetic suburethral tape surgery in women. <i>The Cochrane Library</i> , <b>2013</b> , CD009407  | 5.2 | 26 |
| 93  | Urogenital fistula in the UK: a personal case series managed over 25 years. <i>BJU International</i> , <b>2012</b> , 110, 102-10  | 5.6 | 53 |
| 92  | Mullerianosis involving the urinary bladder. <i>International Urogynecology Journal</i> , <b>2012</b> , 23, 123-5   | 2   | 13 |
| 91  | The risk of vesicovaginal and urethrovaginal fistula after hysterectomy performed in the English National Health Servicea retrospective cohort study examining patterns of care between 2000 and 2008. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , <b>2012</b> , 119, 1447-54                 | 3.7 | 67 |
| 90  | Assessing professional equipoise and views about a future clinical trial of invasive urodynamics prior to surgery for stress urinary incontinence in women: a survey within a mixed methods feasibility study. <i>Neurourology and Urodynamics</i> , <b>2012</b> , 31, 1223-30  | 2.3 | 23 |
| 89  | Comparing clean intermittent catheterisation and transurethral indwelling catheterisation for incomplete voiding after vaginal prolapse surgery: a multicentre randomised trial. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , <b>2012</b> , 119, 112-3; author reply 113-4                     | 3.7 | 2  |
| 88  | Treatment of recurrent stress urinary incontinence after failed minimally invasive synthetic suburethral tape surgery in women <b>2011</b> ,  |     | 3  |
| 87  | INVESTIGATE-I (INVasive Evaluation before Surgical Treatment of Incontinence Gives Added Therapeutic Effect?): study protocol for a mixed methods study to assess the feasibility of a future randomised controlled trial of the clinical utility of invasive urodynamic testing. <i>Trials</i> , <b>2011</b> , 12, 169 | 2.8 | 13 |
| 86  | Defining cure. Neurourology and Urodynamics, 2011, 30, 741-5  | 2.3 | 15 |
| 85  | Constructing trials to show whether urodynamic studies are necessary in lower urinary tract dysfunction. <i>Neurourology and Urodynamics</i> , <b>2011</b> , 30, 735-40   | 2.3 | 16 |

| 84 | RCT of urethral versus suprapubic catheterization. <i>British Journal of Nursing</i> , <b>2010</b> , 19, S7-13  | 0.7                  | 23  |
|----|---|----------------------|-----|
| 83 | Obstetric risk factors and pelvic floor dysfunction 20 years after first delivery. <i>International Urogynecology Journal</i> , <b>2010</b> , 21, 535-44  | 2                    | 50  |
| 82 | Updated systematic review and meta-analysis of the comparative data on colposuspensions, pubovaginal slings, and midurethral tapes in the surgical treatment of female stress urinary incontinence. <i>European Urology</i> , <b>2010</b> , 58, 218-38                                    | 10.2                 | 257 |
| 81 | Risk of tape-related complications after TVT is at least 4%. <i>Neurourology and Urodynamics</i> , <b>2010</b> , 29, 40-  | 12.3                 | 35  |
| 8o | A 2-year observational study to determine the efficacy of a novel single incision sling procedure (Minitape) for female stress urinary incontinence. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , <b>2010</b> , 117, 356-60                                      | 3.7                  | 12  |
| 79 | A randomised controlled trial comparing TVT, Pelvicol and autologous fascial slings for the treatment of stress urinary incontinence in women. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , <b>2010</b> , 117, 1493-502  | 3.7                  | 41  |
| 78 | Urethral injury associated with minimally invasive mid-urethral sling procedures for the treatment of stress urinary incontinence: a case series and systematic literature search. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , <b>2009</b> , 116, 1120-6        | 3.7                  | 46  |
| 77 | Urethrovaginal fistula associated with 'sterile abscess' formation following periurethral injection of dextranomer/hyaluronic acid co-polymer (Zuidex) for the treatment of stress urinary incontinencea case report. BJOG: an International Journal of Obstetrics and Gynaecology, 2009, | 3.7                  | 10  |
| 76 | Urethral and bladder injuries with mid-urethral sling procedures Ido we always need to cystoscope? Authors IReply. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , <b>2009</b> , 116, 168   | 3 <sup>2-</sup> 7684 | 4   |
| 75 | Urinary symptoms and quality of life in women following urogenital fistula repair: a long-term follow-up study. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , <b>2008</b> , 115, 1570-4   | 3.7                  | 17  |
| 74 | Tension-free vaginal tape versus colposuspension for primary urodynamic stress incontinence: 5-year follow up. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , <b>2008</b> , 115, 226-33  | 3.7                  | 259 |
| 73 | Long-term follow-up studies in pelvic floor dysfunction: the Holy Grail or a realistic aim?. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , <b>2008</b> , 115, 135-43  | 3.7                  | 47  |
| 72 | Of porcupines and poodlesa joint challenge to industry and the profession. <i>International Urogynecology Journal</i> , <b>2007</b> , 18, 3-11  | 2                    | 5   |
| 71 | Of porcupines and poodles joint challenge to industry and the profession: reply to C. Chapple. <i>International Urogynecology Journal</i> , <b>2007</b> , 18, 837-837   | 2                    |     |
| 70 | Surgery for stress incontinence. Women's Health Medicine, 2005, 2, 34-38  |                      |     |
| 69 | Randomized comparison of vaginal and rectal measurement of intra-abdominal pressure during subtracted dual-channel cystometry. <i>Urology</i> , <b>2005</b> , 65, 1059-63   | 1.6                  | 12  |
| 68 | Minimally invasive synthetic suburethral slings: emerging complications. <i>The Obstetrician and Gynaecologist</i> , <b>2005</b> , 7, 223-232   | 0.9                  | 10  |
| 67 | A proposal for a new classification for operative procedures for stress urinary incontinence. <i>BJU International</i> , <b>2005</b> , 96, 232-3  | 5.6                  | 12  |

### (2001-2004)

| 66 | Pathophysiology of urinary incontinence and pelvic organ prolapse. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , <b>2004</b> , 111 Suppl 1, 5-9  | 3.7              | 17  |
|----|--|------------------|-----|
| 65 | A prospective multicenter randomized trial of tension-free vaginal tape and colposuspension for primary urodynamic stress incontinence: two-year follow-up. <i>American Journal of Obstetrics and Gynecology</i> , <b>2004</b> , 190, 324-31 | 6.4              | 395 |
| 64 | Congenital vesicovaginal fistula in association with hypoplastic kidney and uterus didelphys. <i>Urology</i> , <b>2004</b> , 63, 175-7   | 1.6              | 15  |
| 63 | Anaesthesia for tension-free vaginal tape. <i>European Urology</i> , <b>2003</b> , 43, 205-7; author reply 207   | 10.2             |     |
| 62 | Postural perineal pain associated with perforation of the lower urinary tract due to insertion of a tension-free vaginal tape. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , <b>2003</b> , 110, 79-8.                | 2 <sup>3.7</sup> | 12  |
| 61 | A costlitility analysis of tension-free vaginal tape versus colposuspension for primary urodynamic stress incontinence. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , <b>2003</b> , 110, 255-262                     | 3.7              | 8   |
| 60 | Vesico-vaginal fistulas in developing countries. <i>International Journal of Gynecology and Obstetrics</i> , <b>2003</b> , 82, 285-95  | 4                | 84  |
| 59 | The assessment and investigation of urinary incontinence in the female. <i>Reviews in Gynaecological Practice</i> , <b>2003</b> , 3, 221-228   |                  | 1   |
| 58 | Surgical Management of Stress Incontinence: Which Technique When?. EAU Update Series, 2003, 1, 154-  | 165              | 5   |
| 57 | Vesico-vaginal and Urethro-vaginal Fistulae <b>2003</b> , 273-283  |                  | 1   |
| 56 | Trials of surgery for stress incontinencethoughts on the 'Humpty Dumpty principle'. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , <b>2002</b> , 109, 1081-8  | 3.7              | 23  |
| 55 | Prospective multicentre randomised trial of tension-free vaginal tape and colposuspension as primary treatment for stress incontinence. <i>BMJ, The</i> , <b>2002</b> , 325, 67  | 5.9              | 385 |
| 54 | Pleasing some of the people none of the time. <i>BMJ, The</i> , <b>2002</b> , 325, 1361  | 5.9              | 0   |
| 53 | Diagnosis and management of vesicovaginal fistulae. <i>The Obstetrician and Gynaecologist</i> , <b>2001</b> , 3, 173-1   | <b>78</b> .9     | 2   |
| 52 | Cellular proliferation in the female lower urinary tract with reference to oestrogen status. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , <b>2001</b> , 108, 813-6  | 3.7              | 18  |
| 51 | Cellular proliferation in the female lower urinary tract with reference to oestrogen status. <i>British Journal of Obstetrics and Gynaecology</i> , <b>2001</b> , 108, 813-816   |                  | 27  |
| 50 | THE TENSION-FREE VAGINAL TAPE PROCEDURE IN WOMEN WITH PREVIOUS FAILED STRESS INCONTINENCE SURGERY. <i>Journal of Urology</i> , <b>2001</b> , 166, 554-556  | 2.5              | 50  |
| 49 | Vesico-vaginal fistula: new perspectives. <i>Current Opinion in Obstetrics and Gynecology</i> , <b>2001</b> , 13, 513-20   | 2.4              | 49  |

| 48 | Oestrogen and progesterone receptor expression in the female lower urinary tract, with reference to oestrogen status. <i>BJU International</i> , <b>2000</b> , 86, 32-8   | 5.6 | 148 |
|----|---|-----|-----|
| 47 | Tension-free vaginal tape for primary genuine stress incontinence: a two-centre follow-up study. <i>BJU International</i> , <b>2000</b> , 86, 39-42   | 5.6 | 114 |
| 46 | Assessment and investigations for urinary incontinence. <i>Best Practice and Research in Clinical Obstetrics and Gynaecology</i> , <b>2000</b> , 14, 227-49   | 4.6 | 6   |
| 45 | The incidence of detrusor instability before and after colposuspension: a study using conventional and ambulatory urodynamic monitoring. <i>BJU International</i> , <b>1999</b> , 84, 961-5   | 5.6 | 12  |
| 44 | Epidemiological and surgical aspects of urogenital fistulae: a review of 25 years' experience in southeast Nigeria. <i>International Urogynecology Journal</i> , <b>1998</b> , 9, 189-94  | 2   | 125 |
| 43 | Periurethral injection of autologous fat for the treatment of post-fistula repair stress incontinence: a preliminary report. <i>International Urogynecology Journal</i> , <b>1998</b> , 9, 118-21   | 2   | 15  |
| 42 | Ambulatory monitoring. International Urogynecology Journal, 1997, 8, 369-76   | 2   | 7   |
| 41 | Cellular and molecular biology in urogynaecology. <i>Current Opinion in Obstetrics and Gynecology</i> , <b>1996</b> , 8, 357-360  | 2.4 | 5   |
| 40 | Die operative Therapie der Rezidivstreinkontinenz. Der Gynakologe, <b>1996</b> , 29, 639-647  | 0.1 |     |
| 39 | The effectiveness of surgery for stress incontinence in women: a systematic review. <i>BJU International</i> , <b>1996</b> , 78, 497-510  | 5.6 | 193 |
| 38 | Doctors leaving the training grades in obstetrics and gynaecology: a study of the years 1985 to 1988. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , <b>1996</b> , 103, 1243-6   | 3.7 | 2   |
| 37 | Ambulatory urodynamic monitoring. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , <b>1996</b> , 103, 393-9  | 3.7 | 15  |
| 36 | Ambulatory monitoring and conventional cystometry in asymptomatic female volunteers. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , <b>1996</b> , 103, 434-41  | 3.7 | 102 |
| 35 | Can scoring the severity of symptoms help to predict the urodynamic diagnosis?. <i>International Urogynecology Journal</i> , <b>1995</b> , 6, 267-270   | 2   | 1   |
| 34 | Time-series analysis of urethral electrical conductance measurements in the assessment of unstable urethral pressure: results in normal patients and in those with genuine stress incontinence. <i>Neurourology and Urodynamics</i> , <b>1993</b> , 12, 23-31 | 2.3 | 2   |
| 33 | The symptomatic characterization of patients with detrusor instability and those with genuine stress incontinence. <i>International Urogynecology Journal</i> , <b>1993</b> , 4, 23-26  | 2   | 3   |
| 32 | The prevalence of sexual problems in women attending for urodynamic investigation. <i>International Urogynecology Journal</i> , <b>1993</b> , 4, 212-215  | 2   | 26  |
| 31 | Subtrigonal phenol injections in the treatment of idiopathic detrusor instability in the femalea long-term urodynamic follow-up. <i>British Journal of Urology</i> , <b>1992</b> , 69, 363-5  |     | 11  |

#### (1986-1991)

| 30 | The Stamey endoscopic bladder neck suspension: a clinical and urodynamic investigation, including actuarial follow-up over four years. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , <b>1991</b> , 98, 1141-9                         | 3.7             | 42  |
|----|---|-----------------|-----|
| 29 | Ureteric peristalsis: An unusual finding during cystometry. <i>Neurourology and Urodynamics</i> , <b>1991</b> , 10, 50  | 3- <u>5</u> .96 | 2   |
| 28 | The Stamey procedure for stress incontinence. Current Obstetrics & Gynaecology, 1991, 1, 103-108  |                 |     |
| 27 | Primary angiosarcoma of the uterus: a case report. <i>Histopathology</i> , <b>1990</b> , 16, 203-5  | 7.3             | 15  |
| 26 | Oral and intravaginal estrogens alone and in combination with alpha-adrenergic stimulation in genuine stress incontinence. <i>International Urogynecology Journal</i> , <b>1990</b> , 1, 80-86  | 2               | 69  |
| 25 | Micturition 1990,   |                 | 3   |
| 24 | Urethral pressure measurement: A comparison of profiles obtained by conventional and fibre-optic microtransducers. <i>Neurourology and Urodynamics</i> , <b>1989</b> , 8, 481-489   | 2.3             | 4   |
| 23 | A clinical and urodynamic study comparing the Stamey bladder neck suspension and suburethral sling procedures in the treatment of genuine stress incontinence. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , <b>1989</b> , 96, 213-20 | 3.7             | 76  |
| 22 | The distal urethral electrical conductance test: Standardisation of method and clinical reliability. <i>Neurourology and Urodynamics</i> , <b>1988</b> , 7, 55-60   | 2.3             | 7   |
| 21 | Short pad test: Standardisation of method and comparison with 1-hour test. <i>Neurourology and Urodynamics</i> , <b>1988</b> , 7, 443-445   | 2.3             | 11  |
| 20 | Surgical wound drainage: a survey of practices among gynaecologists in the British Isles. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , <b>1988</b> , 95, 1063-9  | 3.7             | 6   |
| 19 | Urinary incontinence during sexual intercourse: a common, but rarely volunteered, symptom. <i>BJOG:</i> an International Journal of Obstetrics and Gynaecology, <b>1988</b> , 95, 377-81  | 3.7             | 117 |
| 18 | Bladder drainage: a survey of practices among gynaecologists in the British Isles. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , <b>1988</b> , 95, 1178-89  | 3.7             | 24  |
| 17 | Primary insular argentaffin carcinoma of ovary. Case report and literature review. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , <b>1988</b> , 95, 1324-31  | 3.7             | 2   |
| 16 | Urinary incontinence in women. British Medical Journal, 1987, 295, 426-32   |                 | 13  |
| 15 | Unstable urethral pressure: Toward a more relevant definition. <i>Neurourology and Urodynamics</i> , <b>1987</b> , 6, 411-418   | 2.3             | 10  |
| 14 | Catheters and Drains <b>1987</b> , 257-283  |                 | 8   |
| 13 | The Mechanism of Continence <b>1986</b> , 1-21  |                 | 1   |

| 12 | Mllerian adenofibroma. Case report. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , <b>1984</b> , 91, 1261-5  | 3.7 | 3   |
|----|---|-----|-----|
| 11 | The urethral pressure profile under stress: A comparison of profiles on coughing and straining. <i>Neurourology and Urodynamics</i> , <b>1983</b> , 2, 55-62  | 2.3 | 7   |
| 10 | Clinical and urodynamic evaluation of the polypropylene (marlex) sling for genuine stress incontinence. <i>Neurourology and Urodynamics</i> , <b>1983</b> , 2, 145-153  | 2.3 | 28  |
| 9  | The use of desmopressin (DDAVP) for nocturia in women with multiple sclerosis. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , <b>1983</b> , 46, 854-5   | 5.5 | 81  |
| 8  | Transient autonomic and sensory neuropathy in newly diagnosed insulin dependent diabetes mellitus. <i>British Medical Journal</i> , <b>1983</b> , 286, 686  |     | 10  |
| 7  | Urethral pressure measurement by microtransducer: the results in symptom-free women and in those with genuine stress incontinence. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , <b>1983</b> , 90, 919-33 | 3.7 | 265 |
| 6  | A clinical and urodynamic assessment of the Burch colposuspension for genuine stress incontinence. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , <b>1983</b> , 90, 934-9                                  | 3.7 | 76  |
| 5  | The use of intravaginal oestrogen cream in genuine stress incontinence. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , <b>1983</b> , 90, 940-4   | 3.7 | 108 |
| 4  | The urethral pressure profile at rest: An analysis of variance. <i>Neurourology and Urodynamics</i> , <b>1982</b> , 1, 303-311  | 2.3 | 14  |
| 3  | Clinical and urodynamic effects of anterior colporrhaphy and vaginal hysterectomy for prolapse with and without incontinence. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , <b>1982</b> , 89, 459-63      | 3.7 | 102 |
| 2  | Algorithmic method for assessing urinary incontinence in elderly women. <i>British Medical Journal</i> , <b>1981</b> , 282, 940-2   |     | 104 |
| 1  | Hyponatraemia and severity and outcome of myocardial infarction. <i>The BMJ</i> , <b>1979</b> , 1, 1242-6   |     | 38  |