Gon-Ho Kim

List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/3615105/gon-ho-kim-publications-by-year.pdf

Version: 2024-04-25

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

83	622	12	2 O
papers	citations	h-index	g-index
101	725	2.3 avg, IF	3.52
ext. papers	ext. citations		L-index

#	Paper	IF	Citations
83	Phenomenology-based model predictive control of electron density in Ar/SF6 capacitively coupled etch plasma. <i>Journal of the Korean Physical Society</i> , 2022 , 80, 233-240	0.6	
82	Sparse Bayesian long short-term memory networks for computationally efficient stochastic modeling of plasma etch processes. <i>Computers and Chemical Engineering</i> , 2022 , 159, 107696	4	
81	Development of model predictive control of fluorine density in SF6/O2/Ar etch plasma by oxygen flow rate. <i>Current Applied Physics</i> , 2022 , 36, 183-186	2.6	1
80	Population Kinetics Modeling of Low-Temperature Argon Plasma. <i>Atoms</i> , 2021 , 9, 100	2.1	0
79	Micro-range uniformity control of the etching profile in the OLED display mass production referring to the PI-VM model. <i>Physics of Plasmas</i> , 2021 , 28, 103505	2.1	O
78	Development of Virtual Metrology Using Plasma Information Variables to Predict Si Etch Profile Processed by SF/O/Ar Capacitively Coupled Plasma. <i>Materials</i> , 2021 , 14,	3.5	6
77	Safety evaluation of atmospheric pressure plasma jets in and experiments. <i>Journal of Periodontal and Implant Science</i> , 2021 , 51, 213-223	2	1
76	Predictive control of the plasma processes in the OLED display mass production referring to the discontinuity qualifying PI-VM. <i>Physics of Plasmas</i> , 2020 , 27, 083507	2.1	3
75	Characteristics of a plasma information variable in phenomenology-based, statistically-tuned virtual metrology to predict silicon dioxide etching depth. <i>Current Applied Physics</i> , 2019 , 19, 1068-1075	2.6	3
74	Cause analysis of the faults in HARC etching processes by using the PI-VM model for OLED display manufacturing. <i>Plasma Processes and Polymers</i> , 2019 , 16, 1900030	3.4	3
73	The bactericidal effect of an atmospheric-pressure plasma jet on biofilms on sandblasted and acid-etched titanium discs. <i>Journal of Periodontal and Implant Science</i> , 2019 , 49, 319-329	2	10
72	Quantitation of the ROS production in plasma and radiation treatments of biotargets. <i>Scientific Reports</i> , 2019 , 9, 19837	4.9	13
71	Optimal Parameters for Intervertebral Disk Resection Using Aqua-Plasma Beams. <i>Journal of Neurological Surgery, Part A: Central European Neurosurgery</i> , 2019 , 80, 34-38	1.1	2
70	Design of a self-tuning adaptive model predictive controller using recursive model parameter estimation for real-time plasma variable control. <i>Computers and Chemical Engineering</i> , 2019 , 123, 126-14	42	4
69	Application of PI-VM for management of the metal target plasma etching processes in OLED display manufacturing. <i>Plasma Physics and Controlled Fusion</i> , 2019 , 61, 014032	2	5
68	Development of the Virtual Metrology for the Nitride Thickness in Multi-Layer Plasma-Enhanced Chemical Vapor Deposition Using Plasma-Information Variables. <i>IEEE Transactions on Semiconductor Manufacturing</i> , 2018 , 31, 232-241	2.6	18
67	Numerical Analysis on the Electrical and Thermal Flow Characteristics of Ar-N2 Inductively Coupled Plasma Torch System. <i>Journal of the Korean Physical Society</i> , 2018 , 72, 755-764	0.6	3

66	Recursive Model Estimation for the Plasma Parameters Quality Control. <i>Computer Aided Chemical Engineering</i> , 2018 , 43, 279-284	0.6	
65	Online System Identification for the Real Time Control of the Plasma Parameters. <i>Computer Aided Chemical Engineering</i> , 2018 , 2041-2046	0.6	
64	Design of optical emission spectroscopy based plasma parameter controller for real-time advanced equipment control. <i>Computers and Chemical Engineering</i> , 2017 , 100, 38-47	4	7
63	Ion-neutral collision effect on ion-ion two-stream-instability near sheath-presheath boundary in two-ion-species plasmas. <i>Plasma Sources Science and Technology</i> , 2017 , 26, 06LT01	3.5	5
62	Optical diagnostics for the highly populated tail of an electron energy distribution function in very-high-frequency capacitively coupled plasma using spin- and dipole-forbidden lines. <i>Journal Physics D: Applied Physics</i> , 2017 , 50, 225201	3	1
61	Fabrication of sintered tungsten by spark plasma sintering and investigation of thermal stability. <i>International Journal of Refractory Metals and Hard Materials</i> , 2017 , 69, 164-169	4.1	20
60	Enhancement of deuterium retention in damaged tungsten by plasma-induced defect clustering. <i>Nuclear Fusion</i> , 2017 , 57, 126042	3.3	7
59	High-temperature thermo-mechanical behavior of functionally graded materials produced by plasma sprayed coating: Experimental and modeling results. <i>Metals and Materials International</i> , 2016 , 22, 817-824	2.4	12
58	Improvement of mechanical property of air plasma sprayed tungsten film using pulsed electric current treatment. <i>International Journal of Refractory Metals and Hard Materials</i> , 2016 , 60, 99-103	4.1	11
57	Effects of metastable species in helium and argon atmospheric pressure plasma jets (APPJs) on inactivation of periodontopathogenic bacteria. <i>Journal of the Korean Physical Society</i> , 2016 , 68, 1176-11	91 ⁶	8
56	Deuterium ion irradiation induced blister formation and destruction. <i>Fusion Engineering and Design</i> , 2016 , 109-111, 624-628	1.7	6
55	Observation of oversaturation-induced defect formation in tungsten irradiated by low energy deuterium ion. <i>Journal of the Korean Physical Society</i> , 2016 , 69, 518-524	0.6	2
54	Vacuum pump age effects by the exposure to the corrosive gases on the Cr etch rate as observed using optical emission spectroscopy in an Ar/O2/Cl2 mixed plasma. <i>Thin Solid Films</i> , 2016 , 603, 154-159	2.2	5
53	Global model analysis of negative ion generation in low-pressure inductively coupled hydrogen plasmas with bi-Maxwellian electron energy distributions. <i>Physics of Plasmas</i> , 2015 , 22, 033506	2.1	29
52	Determination of electron energy probability function in low-temperature plasmas from current Voltage characteristics of two Langmuir probes filtered by Savitzky Golay and Blackman window methods. Current Applied Physics, 2015, 15, 1173-1183	2.6	9
51	How to determine the relative ion concentrations of multiple-ion-species plasmas generated in the multi-dipole filament source. <i>Journal Physics D: Applied Physics</i> , 2015 , 48, 225201	3	3
50	Investigation of SOL plasma interaction with graphite PFC. Journal of Nuclear Materials, 2015, 463, 753-	756	3
49	Determination of electron energy distribution function shape for non-Maxwellian plasmas using floating harmonics method. <i>Journal Physics D: Applied Physics</i> , 2015 , 48, 022001	3	О

48	Analysis on Interface Diffusion-Induced Embrittlement between Tungsten and Graphite with Reactive Diffusion Barrier Model. <i>Fusion Science and Technology</i> , 2015 , 68, 113-119	1.1	
47	Characterization of TwoRadio-FrequencyDriven Dual Antenna Negative Hydrogen Ion Sources. <i>Fusion Science and Technology</i> , 2015 , 68, 105-112	1.1	2
46	Laser-Assisted H\(\mathbf{B}\)pectroscopy for Measurement of Negative Ion Density in a Hydrogen Plasma. <i>Fusion Science and Technology</i> , 2015 , 68, 171-177	1.1	
45	Bullet Velocity Distribution of a Helium Atmospheric-Pressure Plasma Jet in Various N2/O2 Mixed Ambient Conditions. <i>IEEE Transactions on Plasma Science</i> , 2015 , 43, 2054-2063	1.3	5
44	. IEEE Transactions on Semiconductor Manufacturing, 2015 , 28, 241-246	2.6	20
43	Recrystallization of bulk and plasma-coated tungsten with accumulated thermal energy relevant to Type-I ELM in ITER H-mode operation. <i>Journal of Nuclear Materials</i> , 2015 , 463, 215-218	3.3	7
42	Standing wave effect on plasma distribution in an inductively coupled plasma source with a short antenna. <i>Journal Physics D: Applied Physics</i> , 2014 , 47, 015205	3	6
41	Characteristics of OH* Generation in Pin-to-Electrolyte Discharges. <i>IEEE Transactions on Plasma Science</i> , 2014 , 42, 2814-2815	1.3	1
40	Characteristics of a non-Maxwellian electron energy distribution in a low-pressure argon plasma. Journal of the Korean Physical Society, 2014 , 64, 1819-1827	0.6	13
39	Preliminary test results on tungsten tile with castellation structures in KSTAR. <i>Fusion Engineering and Design</i> , 2014 , 89, 1704-1708	1.7	7
38	Effect of annealing with pressure on tungsten film properties fabricated by atmospheric plasma spray. <i>Metals and Materials International</i> , 2014 , 20, 1037-1042	2.4	12
37	Effect of Helmholtz Oscillation on Auto-shroud for APS Tungsten Carbide Coating. <i>Journal of Thermal Spray Technology</i> , 2013 , 22, 756-763	2.5	1
36	Driving frequency dependency of gas species in the bubble formation for aqua-plasma generation. <i>Current Applied Physics</i> , 2013 , 13, S54-S58	2.6	4
35	Field-emission performance and structural change mechanism of multiwalled carbon nanotubes by oxygen plasma treatment. <i>Thin Solid Films</i> , 2013 , 547, 202-206	2.2	9
34	Deposition/erosion and H/D retention characteristics in gaps of PFCs in KSTAR studied by cavity technique. <i>Journal of Nuclear Materials</i> , 2013 , 438, S698-S706	3.3	11
33	Experimental investigation of plasma recovery during the pulse-off time in plasma source ion implantation. <i>Thin Solid Films</i> , 2013 , 547, 13-16	2.2	2
32	Low-energy D+ and H+ ion irradiation effects on highly oriented pyrolytic graphite. <i>Journal of Applied Physics</i> , 2013 , 114, 214310	2.5	3
31	Numerical investigation of plasma recovery in plasma source ion implantation. <i>Thin Solid Films</i> , 2012 , 521, 197-200	2.2	5

(2006-2012)

30	Influence of H+ ion irradiation on the surface and microstructural changes of a nuclear graphite. <i>Fusion Engineering and Design</i> , 2012 , 87, 344-351	1.7	23
29	Field emission characteristics of cone-shaped carbon-nanotube bundles fabricated using an oxygen plasma. <i>Journal of the Korean Physical Society</i> , 2012 , 61, 1083-1087	0.6	5
28	Characteristics of vapor coverage formation on an RF-driven metal electrode to discharge a plasma in saline solution. <i>Plasma Sources Science and Technology</i> , 2012 , 21, 055017	3.5	7
27	Frequency and electrode shape effects on etch rate uniformity in a dual-frequency capacitive reactor. <i>Journal of Vacuum Science and Technology A: Vacuum, Surfaces and Films</i> , 2012 , 30, 061301	2.9	12
26	Efficacy of a new navigable percutaneous disc decompression device (LÆDISQ) in patients with herniated nucleus pulposus related to radicular pain. <i>Pain Medicine</i> , 2011 , 12, 370-6	2.8	24
25	Hydroxyl Radical Generation on Bubble Surface of Aqua-Plasma Discharge. <i>IEEE Transactions on Plasma Science</i> , 2011 , 39, 2658-2659	1.3	6
24	Dynamic sheath expansion in a non-uniform plasma with ion drift. <i>Plasma Sources Science and Technology</i> , 2011 , 20, 045014	3.5	5
23	Hydrogen Adsorption Property of Pore Structure Controlled Single-Walled Carbon Nanotubes with Electron Irradiation. <i>Journal of Physical Chemistry C</i> , 2010 , 114, 13975-13978	3.8	2
22	Effects of argon and oxygen flow rate on water vapor barrier properties of silicon oxide coatings deposited on polyethylene terephthalate by plasma enhanced chemical vapor deposition. <i>Thin Solid Films</i> , 2010 , 518, 1929-1934	2.2	7
21	Metal surface oxidation by using dielectric barrier discharge. <i>Thin Solid Films</i> , 2010 , 518, 6394-6398	2.2	7
20	Effects of shroud gas injection on material properties of tungsten layers coated by plasma spraying. <i>Thin Solid Films</i> , 2010 , 518, 6369-6372	2.2	12
19	Mechanism of cone-shaped carbon nanotube bundle formation by plasma treatment. <i>Carbon</i> , 2010 , 48, 3864-3873	10.4	7
18	. IEEE Transactions on Plasma Science, 2009 , 37, 773-784	1.3	
17	Effect on plasma and etch-rate uniformity of controlled phase shift between rf voltages applied to powered electrodes in a triode capacitively coupled plasma reactor. <i>Journal of Vacuum Science and Technology A: Vacuum, Surfaces and Films</i> , 2009 , 27, 13-19	2.9	28
16	Plasma uniformity and phase-controlled etching in a very high frequency capacitive discharge. <i>Journal of Applied Physics</i> , 2009 , 106, 023303	2.5	15
15	Self-consistent circuit model for plasma source ion implantation. <i>Review of Scientific Instruments</i> , 2008 , 79, 02C502	1.7	2
14	Etching of Multi-Walled Carbon Nanotubes Using Energetic Plasma Ions. <i>Japanese Journal of Applied Physics</i> , 2006 , 45, 8317-8322	1.4	7
13	Investigation of Current on the Conducting Target Biased with a Large Negative Potential in the Non-Uniform Plasma. <i>Japanese Journal of Applied Physics</i> , 2006 , 45, L686-L689	1.4	2

12	Time-resolved plasma measurement in a high-power pulsed ICP source for large area. <i>Surface and Coatings Technology</i> , 2004 , 186, 161-164	4.4	3
11	Analysis of Langmuir probe data using wavelet transform. <i>IEEE Transactions on Plasma Science</i> , 2004 , 32, 355-361	1.3	1
10	Measurement of expanding plasma sheath from a target biased by a negative pulse with a fast rise time. <i>Journal of Applied Physics</i> , 2003 , 93, 1384-1388	2.5	5
9	The effect of plasma exposure and annealing atmosphere on shallow junction formation using plasma source ion implantation. <i>Surface and Coatings Technology</i> , 2002 , 157, 19-25	4.4	2
8	Measurement of sheath expansion in plasma source ion implantation. <i>Surface and Coatings Technology</i> , 2001 , 136, 97-101	4.4	8
7	The measurement of nitrogen ion species ratio in inductively coupled plasma source ion implantation. <i>Surface and Coatings Technology</i> , 2001 , 136, 106-110	4.4	10
6	Calculation of transport parameters in KT-1 tokamak edge plasma. Current Applied Physics, 2001 , 1, 49	7- 5 03	
5	Design and operation of an Omegatron mass spectrometer for measurements of positive and negative ion species in electron cyclotron resonance plasmas. <i>Plasma Sources Science and Technology</i> , 2000 , 9, 97-107	3.5	1
4	Polymer surface modification by plasma source ion implantation. <i>Surface and Coatings Technology</i> , 1997 , 93, 261-264	4.4	109
3	Development of plasma sources and diagnostics for the simulation of fusion edge plasmas. <i>Journal of the Korean Physical Society</i> ,1	0.6	
2	Simulations of fusion edge plasmas by linear plasma devices: physics and plasmathaterial interactions. <i>Journal of the Korean Physical Society</i> ,1	0.6	
	Plasma information-based virtual metrology (PI-VM) and mass production process control. <i>Journal</i>		