

Sung Woo Kwon

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/361537/publications.pdf>

Version: 2024-02-01

40
papers

506
citations

623574

14
h-index

713332

21
g-index

47
all docs

47
docs citations

47
times ranked

827
citing authors

#	ARTICLE	IF	CITATIONS
1	Coronary Artery Calcium Scoring Does Not Add Prognostic Value to Standard 64-Section CT Angiography Protocol in Low-Risk Patients Suspected of Having Coronary Artery Disease. <i>Radiology</i> , 2011, 259, 92-99.	3.6	55
2	Lipoprotein(a) and LDL Particle Size Are Related to the Severity of Coronary Artery Disease. <i>Cardiology</i> , 2007, 108, 282-289.	0.6	41
3	Significance of Small Dense Low-Density Lipoprotein as a Risk Factor for Coronary Artery Disease and Acute Coronary Syndrome. <i>Yonsei Medical Journal</i> , 2006, 47, 405.	0.9	38
4	Diverse left ventricular morphology and predictors of short-term outcome in patients with stress-induced cardiomyopathy. <i>International Journal of Cardiology</i> , 2013, 168, 331-337.	0.8	30
5	mHealth Interventions for Lifestyle and Risk Factor Modification in Coronary Heart Disease: Randomized Controlled Trial. <i>JMIR MHealth and UHealth</i> , 2021, 9, e29928.	1.8	30
6	Serum Levels of Advanced Glycation End Products Are Associated with In-Stent Restenosis in Diabetic Patients. <i>Yonsei Medical Journal</i> , 2005, 46, 78.	0.9	25
7	Relation Between Neutrophil-to-Lymphocyte Ratio and Index of Microcirculatory Resistance in Patients With ST-Segment Elevation Myocardial Infarction Undergoing Primary Percutaneous Coronary Intervention. <i>American Journal of Cardiology</i> , 2016, 118, 1323-1328.	0.7	22
8	Qualitative assessment of neointimal tissue after drug-eluting stent implantation: Comparison between follow-up optical coherence tomography and intravascular ultrasound. <i>American Heart Journal</i> , 2011, 161, 367-372.	1.2	20
9	Large False Lumen Area Is a Predictor of Failed False Lumen Volume Reduction After Stent-Graft Repair in Type B Aortic Dissection. <i>Journal of Endovascular Therapy</i> , 2014, 21, 697-706.	0.8	20
10	Comprehensive assessment of microcirculation after primary percutaneous intervention in ST-segment elevation myocardial infarction. <i>Coronary Artery Disease</i> , 2016, 27, 34-39.	0.3	20
11	Numbness after Transradial Cardiac Catheterization: the Results from a Nerve Conduction Study of the Superficial Radial Nerve. <i>Korean Circulation Journal</i> , 2016, 46, 161.	0.7	19
12	Prognostic impact of alkaline phosphatase measured at time of presentation in patients undergoing primary percutaneous coronary intervention for ST-segment elevation myocardial infarction. <i>PLoS ONE</i> , 2017, 12, e0171914.	1.1	18
13	Prognostic significance of elevated lipoprotein(a) in coronary artery revascularization patients. <i>International Journal of Cardiology</i> , 2013, 167, 1990-1994.	0.8	17
14	Outcomes of Cardiac Involvement in Patients with Late-Stage Duchenne Muscular Dystrophy under Management in the Pulmonary Rehabilitation Center of a Tertiary Referral Hospital. <i>Cardiology</i> , 2012, 121, 186-193.	0.6	15
15	Synephrine-containing dietary supplement precipitating apical ballooning syndrome in a young female. <i>Korean Journal of Internal Medicine</i> , 2013, 28, 356.	0.7	12
16	Prognostic Impact of Combined Contrast-Induced Acute Kidney Injury and Hypoxic Liver Injury in Patients with ST Elevation Myocardial Infarction Undergoing Primary Percutaneous Coronary Intervention: Results from INTERSTELLAR Registry. <i>PLoS ONE</i> , 2016, 11, e0159416.	1.1	11
17	Relation of Stature to Outcomes in Korean Patients Undergoing Primary Percutaneous Coronary Intervention for Acute ST-Elevation Myocardial Infarction (from the INTERSTELLAR Registry). <i>American Journal of Cardiology</i> , 2016, 118, 177-182.	0.7	11
18	Impact of final kissing balloon inflation after simple stent implantation for the treatment of non-left main true coronary bifurcation lesions in patients with acute coronary syndrome. <i>International Journal of Cardiology</i> , 2014, 177, 907-911.	0.8	9

#	ARTICLE	IF	CITATIONS
19	Elevated Lipoprotein(a) has Incremental Prognostic Value in Type 2 Diabetic Patients with Symptomatic Coronary Artery Disease. <i>Journal of Atherosclerosis and Thrombosis</i> , 2015, 22, 527-534.	0.9	9
20	Impact of gender on heart failure presentation in non-obstructive hypertrophic cardiomyopathy. <i>Heart and Vessels</i> , 2020, 35, 214-222.	0.5	8
21	Addition of routine blood biomarkers to TIMI risk score improves predictive performance of 1-year mortality in patients with ST-segment elevation myocardial infarction. <i>BMC Cardiovascular Disorders</i> , 2020, 20, 486.	0.7	8
22	Neutrophil-to-Lymphocyte Ratio at Emergency Room Predicts Mechanical Complications of ST-segment Elevation Myocardial Infarction. <i>Journal of Korean Medical Science</i> , 2021, 36, e131.	1.1	8
23	Predictors of stent fracture in patients treated with closed-cell design stents. <i>Coronary Artery Disease</i> , 2011, 22, 40-44.	0.3	7
24	Prognostic Impact of Combined Dysglycemia and Hypoxic Liver Injury on Admission in Patients With ST-Segment Elevation Myocardial Infarction Who Underwent Primary Percutaneous Coronary Intervention (from the INTERSTELLAR Cohort). <i>American Journal of Cardiology</i> , 2017, 119, 1179-1185.	0.7	7
25	Prognostic impact of the combination of serum transaminase and alkaline phosphatase determined in the emergency room in patients with ST-segment elevation myocardial infarction undergoing primary percutaneous coronary intervention. <i>PLoS ONE</i> , 2020, 15, e0233286.	1.1	7
26	Prognostic Value of Elevated Homocysteine Levels in Korean Patients with Coronary Artery Disease: A Propensity Score Matched Analysis. <i>Korean Circulation Journal</i> , 2016, 46, 154.	0.7	6
27	Prognostic Implications of Newly Developed T-Wave Inversion After Primary Percutaneous Coronary Intervention in Patients With ST-Segment Elevation Myocardial Infarction. <i>American Journal of Cardiology</i> , 2017, 119, 515-519.	0.7	6
28	Multidetector Computed Tomography for the Evaluation of Coronary Artery Disease; The Diagnostic Accuracy in Calcified Coronary Arteries, Comparing with IVUS Imaging. <i>Yonsei Medical Journal</i> , 2014, 55, 599.	0.9	5
29	Complete Versus Culprit-Only Revascularization for ST-Segment Elevation Myocardial Infarction and Multivessel Disease in the 2nd Generation Drug-Eluting Stent Era: Data from the INTERSTELLAR Registry. <i>Korean Circulation Journal</i> , 2018, 48, 989.	0.7	5
30	Kilt Technique as an Angle Modification Method for Endovascular Repair of Abdominal Aortic Aneurysm with Severe Neck Angle. <i>Annals of Thoracic and Cardiovascular Surgery</i> , 2017, 23, 96-103.	0.3	4
31	Ivabradine-Induced Torsade de Pointes in Patients with Heart Failure Reduced Ejection Fraction. <i>International Heart Journal</i> , 2020, 61, 1044-1048.	0.5	4
32	Prone position coronary angiography due to intractable back pain: another merit of transradial approach compared to transfemoral approach. <i>Journal of Invasive Cardiology</i> , 2012, 24, 605-7.	0.4	4
33	Outcome of Triple Antiplatelet Therapy Including Cilostazol in Elderly Patients with ST-Elevation Myocardial Infarction who Underwent Primary Percutaneous Coronary Intervention: Results from the INTERSTELLAR Registry. <i>Drugs and Aging</i> , 2017, 34, 467-477.	1.3	3
34	Clinical Implication of Hypoxic Liver Injury for Predicting Hypoxic Hepatitis and In-Hospital Mortality in ST Elevation Myocardial Infarction Patients. <i>Yonsei Medical Journal</i> , 2021, 62, 877.	0.9	2
35	The selection of β -blocker after successful reperfusion in patients with ST-elevation myocardial infarction. <i>Perfusion (United Kingdom)</i> , 2020, 35, 338-347.	0.5	0
36	Assessment of optimal renin-angiotensin-system inhibition strategy in Asian patients with STEMI after primary myocardial revascularization. <i>Reviews in Cardiovascular Medicine</i> , 2022, 23, 1.	0.5	0

#	ARTICLE	IF	CITATIONS
37	Title is missing!. , 2020, 15, e0233286.		0
38	Title is missing!. , 2020, 15, e0233286.		0
39	Title is missing!.. , 2020, 15, e0233286.		0
40	Title is missing!.. , 2020, 15, e0233286.		0