

Andrew Bateman

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3615477/publications.pdf>

Version: 2024-02-01

64
papers

1,492
citations

430442

18
h-index

377514

34
g-index

78
all docs

78
docs citations

78
times ranked

1607
citing authors

#	ARTICLE	IF	CITATIONS
1	A randomized control trial of the effects of home-based online attention training and working memory training on cognition and everyday function in a community stroke sample. <i>Neuropsychological Rehabilitation</i> , 2022, 32, 2603-2627.	1.0	5
2	Psychometric Properties of the Revised Dysexecutive Questionnaire in a Non-clinical Population. <i>Frontiers in Human Neuroscience</i> , 2022, 16, 767367.	1.0	3
3	A Systematic Review of the Validity and Reliability of Assessment Tools for Executive Function and Adaptive Function Following Brain Pathology among Children and Adolescents in Low- and Middle-Income Countries. <i>Neuropsychology Review</i> , 2022, 32, 974-1016.	2.5	6
4	Assessment Tools for Executive Function and Adaptive Function Following Brain Pathology Among Children in Developing Country Contexts: a Scoping Review of Current Tools. <i>Neuropsychology Review</i> , 2022, 32, 459-482.	2.5	6
5	Assistive technology and telecare to maintain independent living at home for people with dementia: the ATTILA RCT. <i>Health Technology Assessment</i> , 2021, 25, 1-156.	1.3	18
6	Client experiences with holistic neuropsychological rehabilitation: "it is an ongoing process". <i>Neuropsychological Rehabilitation</i> , 2021, , 1-23.	1.0	3
7	The effectiveness and cost-effectiveness of assistive technology and telecare for independent living in dementia: a randomised controlled trial. <i>Age and Ageing</i> , 2021, 50, 882-890.	0.7	36
8	Evaluation of NeuroPage as a memory aid for people with multiple sclerosis: A randomised controlled trial. <i>Neuropsychological Rehabilitation</i> , 2020, 30, 15-31.	1.0	11
9	Measurement of everyday dysexecutive symptoms in normal aging with the Greek version of the dysexecutive questionnaire-revised. <i>Neuropsychological Rehabilitation</i> , 2020, 30, 1024-1043.	1.0	5
10	Mood, Activity Participation, and Leisure Engagement Satisfaction (MAPLES): a randomised controlled pilot feasibility trial for low mood in acquired brain injury. <i>Pilot and Feasibility Studies</i> , 2020, 6, 135.	0.5	6
11	The impact of assistive technology on burden and psychological well-being in informal caregivers of people with dementia (ATTILA Study). <i>Alzheimer's and Dementia: Translational Research and Clinical Interventions</i> , 2020, 6, e12064.	1.8	15
12	Detecting mental health problems after paediatric acquired brain injury: A pilot Rasch analysis of the strengths and difficulties questionnaire. <i>Neuropsychological Rehabilitation</i> , 2020, 31, 1-21.	1.0	3
13	Validation of the ToMas-child Scale for the Assessment of the Theory of Mind in a Group of Spanish Speaking Children Aged 3 to 7 Years from Spain. <i>Developmental Neuropsychology</i> , 2020, 45, 232-245.	1.0	5
14	How primary care can help survivors of transient ischaemic attack and stroke return to work: focus groups with stakeholders from a UK community. <i>British Journal of General Practice</i> , 2020, 70, e294-e302.	0.7	5
15	Assessment of need and practice for assistive technology and telecare for people with dementia "The ATTILA (Assistive Technology and Telecare to maintain Independent Living At home for people with) Tj ETQq1 1 0.784314 rgBT /Overl	1.8	19
16	Distribution of the EQ-5D-5L Profiles and Values in Three Patient Groups. <i>Value in Health</i> , 2019, 22, 355-361.	0.1	10
17	Exploring factors that impact the decision to use assistive telecare: perspectives of family care-givers of older people in the United Kingdom. <i>Ageing and Society</i> , 2018, 38, 1912-1932.	1.2	22
18	Home-based neurologic music therapy for arm hemiparesis following stroke: results from a pilot, feasibility randomized controlled trial. <i>Clinical Rehabilitation</i> , 2018, 32, 18-28.	1.0	29

#	ARTICLE	IF	CITATIONS
19	Methylphenidate-mediated motor control network enhancement in patients with traumatic brain injury. <i>Brain Injury</i> , 2018, 32, 1040-1049.	0.6	10
20	The Dysexecutive Questionnaire Revised (DEX-R): An extended measure of everyday dysexecutive problems after acquired brain injury. <i>Neuropsychological Rehabilitation</i> , 2017, 27, 1124-1141.	1.0	18
21	External memory aids for memory problems in people with multiple sclerosis: A systematic review. <i>Neuropsychological Rehabilitation</i> , 2017, 27, 1081-1102.	1.0	4
22	A Randomized Controlled Trial of Assisted Intention Monitoring for the Rehabilitation of Executive Impairments Following Acquired Brain Injury. <i>Neurorehabilitation and Neural Repair</i> , 2017, 31, 323-333.	1.4	24
23	An Actor-Partner Interdependence Model of Acquired Brain Injury Patient Impairments and Caregiver Psychosocial Functioning: A Dyadic-Report, Multinational Study. <i>Journal of Clinical Psychology</i> , 2017, 73, 279-293.	1.0	5
24	Computerized Cognitive Behavioral Therapy to Treat Emotional Distress After Stroke: A Feasibility Randomized Controlled Trial. <i>JMIR Mental Health</i> , 2017, 4, e16.	1.7	17
25	Dysexecutive symptoms and carer strain following acquired brain injury: Changes measured before and after holistic neuropsychological rehabilitation. <i>NeuroRehabilitation</i> , 2016, 39, 53-64.	0.5	5
26	Selection and visualisation of outcome measures for complex post-acute acquired brain injury rehabilitation interventions. <i>NeuroRehabilitation</i> , 2016, 39, 65-79.	0.5	7
27	Barriers and facilitators to staying in work after stroke: insight from an online forum. <i>BMJ Open</i> , 2016, 6, e009974.	0.8	60
28	Exploring the factors that influence the decision to adopt and engage with an integrated assistive telehealth and telecare service in Cambridgeshire, UK: a nested qualitative study of patient "users" and "non-users". <i>BMC Health Services Research</i> , 2016, 16, 137.	0.9	81
29	Measuring coping style following acquired brain injury: A modification of the Coping Inventory for Stressful Situations Using <scp>R</scp> asch analysis. <i>British Journal of Clinical Psychology</i> , 2015, 54, 249-265.	1.7	5
30	Home-based neurologic music therapy for upper limb rehabilitation with stroke patients at community rehabilitation stage—a feasibility study protocol. <i>Frontiers in Human Neuroscience</i> , 2015, 9, 480.	1.0	20
31	Observational gait assessment tools in paediatrics — A systematic review. <i>Gait and Posture</i> , 2014, 40, 279-285.	0.6	86
32	Neuropsychological rehabilitation for bipolar disorder — A single case design. <i>Translational Neuroscience</i> , 2013, 4, .	0.7	2
33	Does telecare prolong community living in dementia? A study protocol for a pragmatic, randomised controlled trial. <i>Trials</i> , 2013, 14, 349.	0.7	38
34	Ecological validity of the Multiple Errands Test using predictive models of dysexecutive problems in everyday life. <i>Journal of Clinical and Experimental Neuropsychology</i> , 2013, 35, 329-336.	0.8	36
35	New guidelines on rehabilitation likely to restrict practices and stifle innovation. <i>BMJ, The</i> , 2013, 347, f4876-f4876.	3.0	2
36	Validating independent ratings of executive functioning following acquired brain injury using Rasch analysis. <i>Neuropsychological Rehabilitation</i> , 2012, 22, 874-889.	1.0	7

#	ARTICLE	IF	CITATIONS
37	Exploration of use of SenseCam to support autobiographical memory retrieval within a cognitive-behavioural therapeutic intervention following acquired brain injury. <i>Memory</i> , 2011, 19, 745-757.	0.9	36
38	Dimensions of the Dysexecutive Questionnaire (DEX) examined using Rasch analysis. <i>Neuropsychological Rehabilitation</i> , 2011, 21, 1-25.	1.0	50
39	Spanish, French, and British Cross-Cultural Validation of the European Brain Injury Questionnaire. <i>Journal of Head Trauma Rehabilitation</i> , 2011, 26, 478-488.	1.0	5
40	Computerised Cognitive Behavioural Therapy (cCBT): A possible treatment for mood disorders experienced by people with neurological conditions?. <i>Neuropsychological Rehabilitation</i> , 2011, 21, 925-928.	1.0	3
41	An Evaluation of a Fatigue Management Intervention for People with Acquired Brain Injury: An Exploratory Study. <i>British Journal of Occupational Therapy</i> , 2009, 72, 174-179.	0.5	9
42	Assessing construct validity of the self-rating version of the European Brain Injury Questionnaire (EBIQ) using Rasch analysis. <i>Neuropsychological Rehabilitation</i> , 2009, 19, 941-954.	1.0	14
43	Walking and talking therapy: Improving cognitive-motor dual-tasking in neurological illness. <i>Journal of the International Neuropsychological Society</i> , 2009, 15, 112-120.	1.2	81
44	Is this approach effective? Outcome measurement at the Oliver Zangwill Centre. , 2009, , 334-349.		1
45	Rehabilitation of executive dysfunction following brain injury: 'Content-free' cueing improves everyday prospective memory performance. <i>Neuropsychologia</i> , 2007, 45, 1318-1330.	0.7	154
46	Impaired orientation discrimination and localisation following parietal damage: On the interplay between dorsal and ventral processes in visual perception. <i>Cognitive Neuropsychology</i> , 2004, 21, 597-623.	0.4	53
47	Heart Rate as a Measure of Exercise Testing Early after Acquired Brain Injury. <i>Physiotherapy</i> , 2003, 89, 570-574.	0.2	3
48	The effect of a perceptual cognitive task on exercise performance: the dual-task condition after brain injury. <i>Clinical Rehabilitation</i> , 2003, 17, 535-539.	1.0	5
49	The effect of increasing effort on movement economy during incremental cycling exercise in individuals early after acquired brain injury. <i>Clinical Rehabilitation</i> , 2003, 17, 528-534.	1.0	5
50	The effect of aerobic training on rehabilitation outcomes after recent severe brain injury: A randomized controlled evaluation. <i>Archives of Physical Medicine and Rehabilitation</i> , 2001, 82, 174-182.	0.5	140
51	Can brain-injured patients participate in an aerobic exercise programme during early inpatient rehabilitation?. <i>Clinical Rehabilitation</i> , 2001, 15, 535-544.	1.0	17
52	Screening Test Sensitivity. <i>Physiotherapy</i> , 2000, 86, 55.	0.2	1
53	High-intensity cycling exercise after a stroke: a single case study. <i>Clinical Rehabilitation</i> , 2000, 14, 570-573.	1.0	10
54	A Cognitive Neuropsychological Approach to Assessment of Patients with Brain Damage. <i>Physiotherapy</i> , 1998, 84, 132.	0.2	0

#	ARTICLE	IF	CITATIONS
55	Cognitive Deficits Following Stroke. <i>Physiotherapy</i> , 1995, 81, 465-473.	0.2	13
56	“Paradoxical neglect” spatial representations, hemisphere-specific activation, and spatial cueing. <i>Cognitive Neuropsychology</i> , 1995, 12, 569-604.	0.4	40
57	Cueing in a case of neglect: modality and automaticity effects. <i>Cognitive Neuropsychology</i> , 1995, 12, 605-621.	0.4	19
58	Visual object agnosia without prosopagnosia or alexia: Evidence for hierarchical theories of visual recognition. <i>Visual Cognition</i> , 1994, 1, 181-225.	0.9	41
59	Wider Perspective on Stroke. <i>Physiotherapy</i> , 1994, 80, 565.	0.2	1
60	The Oliver Zangwill Centre approach to neuropsychological rehabilitation. , 0, , 47-67.		11
61	Adam: extending the therapeutic milieu into the community in the rehabilitation of a client with severe aphasia and apraxia. , 0, , 292-303.		0
62	Practically based project groups. , 0, , 164-181.		2
63	The Understanding Brain Injury (UBI) Group. , 0, , 68-80.		1
64	Psychodynamic counselling after stroke: a pilot service development project and evaluation. <i>Advances in Clinical Neuroscience & Rehabilitation: ACNR</i> , 0, , .	0.1	1