

Anthony J Donato

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/3616008/anthony-j-donato-publications-by-year.pdf>

Version: 2024-04-26

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

119
papers

4,915
citations

36
h-index

70
g-index

128
ext. papers

5,833
ext. citations

3.7
avg, IF

5.67
L-index

#	Paper	IF	Citations
119	Sirt1 overexpression attenuates Western-style diet-induced aortic stiffening in mice.. <i>Physiological Reports</i> , 2022 , 10, e15284	2.6	
118	Tetrahydrobiopterin Administration Augments Exercise-Induced Hyperemia and Endothelial Function in Patients With Systemic Sclerosis.. <i>Frontiers in Medicine</i> , 2021 , 8, 791689	4.9	
117	T lymphocyte depletion ameliorates age-related metabolic impairments in mice. <i>GeroScience</i> , 2021 , 43, 1331-1347	8.9	4
116	T cells mediate cell non-autonomous arterial ageing in mice. <i>Journal of Physiology</i> , 2021 , 599, 3973-3991	3.9	1
115	Lifelong SIRT-1 overexpression attenuates large artery stiffening with advancing age. <i>Aging</i> , 2020 , 12, 11314-11324	5.6	7
114	Aging differentially impacts vasodilation and angiogenesis in arteries from the white and brown adipose tissues. <i>Experimental Gerontology</i> , 2020 , 142, 111126	4.5	1
113	The role of the endothelial glycocalyx in advanced age and cardiovascular disease. <i>Current Opinion in Pharmacology</i> , 2019 , 45, 66-71	5.1	19
112	Mitochondrial Oxidative Phosphorylation defect in the Heart of Subjects with Coronary Artery Disease. <i>Scientific Reports</i> , 2019 , 9, 7623	4.9	28
111	Deletion of Robo4 prevents high-fat diet-induced adipose artery and systemic metabolic dysfunction. <i>Microcirculation</i> , 2019 , 26, e12540	2.9	2
110	A Focused DNA-Encoded Chemical Library for the Discovery of Inhibitors of NAD-Dependent Enzymes. <i>Journal of the American Chemical Society</i> , 2019 , 141, 5169-5181	16.4	51
109	The role of senescence, telomere dysfunction and shelterin in vascular aging. <i>Microcirculation</i> , 2019 , 26, e12487	2.9	28
108	Dietary Glycocalyx Precursor Supplementation Ameliorates Age-Related Vascular Dysfunction. <i>FASEB Journal</i> , 2019 , 33, 828.1	0.9	4
107	Deletion of miR-92a Results in Glucose Intolerance via Impaired Pancreatic Beta Cell Function. <i>FASEB Journal</i> , 2019 , 33, 714.2	0.9	
106	Aged endothelial cells exhibit a metabolic shift from anaerobic glycolysis to oxidative phosphorylation. <i>FASEB Journal</i> , 2019 , 33, 693.14	0.9	
105	The pro-atherogenic response to disturbed blood flow is increased by a western diet, but not by old age. <i>Scientific Reports</i> , 2019 , 9, 2925	4.9	2
104	Impact of high-fat diet on vasoconstrictor reactivity of white and brown adipose tissue resistance arteries. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2019 , 316, H485-H494	5.2	3
103	Cerebral and skeletal muscle feed artery vasoconstrictor responses in a mouse model with greater large elastic artery stiffness. <i>Experimental Physiology</i> , 2019 , 104, 434-442	2.4	6

102	Induced Trf2 deletion leads to aging vascular phenotype in mice associated with arterial telomere uncapping, senescence signaling, and oxidative stress. <i>Journal of Molecular and Cellular Cardiology</i> , 2019 , 127, 74-82	5.8	9
101	Age-related arterial immune cell infiltration in mice is attenuated by caloric restriction or voluntary exercise. <i>Experimental Gerontology</i> , 2018 , 109, 99-107	4.5	17
100	Telomere uncapping and vascular aging. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2018 , 315, H1-H5	5.2	18
99	Advanced age results in a diminished endothelial glycocalyx. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2018 , 315, H531-H539	5.2	45
98	Implications of endothelial shear stress on systemic sclerosis vasculopathy and treatment. <i>Clinical and Experimental Rheumatology</i> , 2018 , 36 Suppl 113, 175-182	2.2	3
97	The Impact of Acute Tetrahydrobiopterin Administration on Plasma Adropin Concentration in Patients with Systemic Sclerosis. <i>FASEB Journal</i> , 2018 , 32, 902.20	0.9	
96	Mechanisms of Vascular Aging. <i>Circulation Research</i> , 2018 , 123, 849-867	15.7	237
95	Mechanisms of Dysfunction in the Aging Vasculature and Role in Age-Related Disease. <i>Circulation Research</i> , 2018 , 123, 825-848	15.7	160
94	Attenuated nitric oxide bioavailability in systemic sclerosis: Evidence from the novel assessment of passive leg movement. <i>Experimental Physiology</i> , 2018 , 103, 1412-1424	2.4	3
93	Selected life-extending interventions reduce arterial CXCL10 and macrophage colony-stimulating factor in aged mouse arteries. <i>Cytokine</i> , 2017 , 96, 102-106	4	7
92	Endothelial cell senescence with aging in healthy humans: prevention by habitual exercise and relation to vascular endothelial function. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2017 , 313, H890-H895	5.2	91
91	Age-Associated ALU Element Instability in White Blood Cells Is Linked to Lower Survival in Elderly Adults: A Preliminary Cohort Study. <i>PLoS ONE</i> , 2017 , 12, e0169628	3.7	3
90	Automated Measurement of Microvascular Function Reveals Dysfunction in Systemic Sclerosis: A Cross-sectional Study. <i>Journal of Rheumatology</i> , 2017 , 44, 1603-1611	4.1	20
89	Dietary rapamycin supplementation reverses age-related vascular dysfunction and oxidative stress, while modulating nutrient-sensing, cell cycle, and senescence pathways. <i>Aging Cell</i> , 2017 , 16, 17-26	9.9	93
88	Cerebrovascular dysfunction following subfailure axial stretch. <i>Journal of the Mechanical Behavior of Biomedical Materials</i> , 2017 , 65, 627-633	4.1	9
87	Acute oral tetrahydrobiopterin administration ameliorates endothelial dysfunction in systemic sclerosis. <i>Clinical and Experimental Rheumatology</i> , 2017 , 35 Suppl 106, 167-172	2.2	5
86	Ultrasound Assessment of Flow-Mediated Dilation of the Brachial and Superficial Femoral Arteries in Rats. <i>Journal of Visualized Experiments</i> , 2016 ,	1.6	6
85	Age-related arterial telomere uncapping and senescence is greater in women compared with men. <i>Experimental Gerontology</i> , 2016 , 73, 65-71	4.5	7

84	Critical Role for Telomerase in the Mechanism of Flow-Mediated Dilation in the Human Microcirculation. <i>Circulation Research</i> , 2016 , 118, 856-66	15.7	62
83	Exercise-induced brachial artery blood flow and vascular function is impaired in systemic sclerosis. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2016 , 311, H1375-H1381	5.2	9
82	Experimental reduction of miR-92a mimics arterial aging. <i>Experimental Gerontology</i> , 2016 , 83, 165-70	4.5	15
81	Systemic sclerosis induces pronounced peripheral vascular dysfunction characterized by blunted peripheral vasoreactivity and endothelial dysfunction. <i>Clinical Rheumatology</i> , 2015 , 34, 905-13	3.9	26
80	Endothelin-A-mediated vasoconstriction during exercise with advancing age. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2015 , 70, 554-65	6.4	35
79	Differential Telomere Shortening in Blood versus Arteries in an Animal Model of Type 2 Diabetes. <i>Journal of Diabetes Research</i> , 2015 , 2015, 153829	3.9	5
78	Greater impairments in cerebral artery compared with skeletal muscle feed artery endothelial function in a mouse model of increased large artery stiffness. <i>Journal of Physiology</i> , 2015 , 593, 1931-43	3.9	23
77	Exercise training reverses aging-induced impairment of myogenic constriction in skeletal muscle arterioles. <i>Journal of Applied Physiology</i> , 2015 , 118, 904-11	3.7	16
76	Cellular and molecular biology of aging endothelial cells. <i>Journal of Molecular and Cellular Cardiology</i> , 2015 , 89, 122-35	5.8	270
75	Dietary Vitamin D and Its Metabolites Non-Genomically Stabilize the Endothelium. <i>PLoS ONE</i> , 2015 , 10, e0140370	3.7	38
74	Partial Carotid Ligation Impairs Middle Cerebral Artery Endothelial Function in Old Mice. <i>FASEB Journal</i> , 2015 , 29, 949.1	0.9	
73	Endothelial ARF6 deletion impairs insulin-induced dilation of adipose arteries and systemic glucose tolerance. <i>FASEB Journal</i> , 2015 , 29, 802.1	0.9	
72	Age-Related Telomere Uncapping Occurs Independent of Telomere Shortening in Mouse Endothelial Cells. <i>FASEB Journal</i> , 2015 , 29, 642.1	0.9	1
71	Inhibition of MiR-92 Mimics Arterial Aging. <i>FASEB Journal</i> , 2015 , 29, 1047.3	0.9	
70	Aging is associated with reduced vasodilation to insulin in subcutaneous adipose arteries in B6D2F1 mice. <i>FASEB Journal</i> , 2015 , 29, 1044.5	0.9	
69	Smooth muscle specific disruption of the endothelin-A receptor in mice reduces arterial pressure, and vascular reactivity and affects vascular development. <i>Life Sciences</i> , 2014 , 118, 238-43	6.8	17
68	The SIRT1 activator SRT1720 reverses vascular endothelial dysfunction, excessive superoxide production, and inflammation with aging in mice. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2014 , 307, H1754-63	5.2	119
67	The impact of ageing on adipose structure, function and vasculature in the B6D2F1 mouse: evidence of significant multisystem dysfunction. <i>Journal of Physiology</i> , 2014 , 592, 4083-96	3.9	37

66	Beneficial effects of lifelong caloric restriction on endothelial function are greater in conduit arteries compared to cerebral resistance arteries. <i>Age</i> , 2014 , 36, 559-69		25
65	Dichotomous mechanisms of aortic stiffening in high-fat diet fed young and old B6D2F1 mice. <i>Physiological Reports</i> , 2014 , 2, e00268	2.6	18
64	Role of arterial telomere dysfunction in hypertension: relative contributions of telomere shortening and telomere uncapping. <i>Journal of Hypertension</i> , 2014 , 32, 1293-9	1.9	45
63	SIRT1 overexpression protects against high fat diet-induced cerebral artery endothelial dysfunction (1070.10). <i>FASEB Journal</i> , 2014 , 28, 1070.10	0.9	
62	Life-long caloric restriction reduces oxidative stress and preserves nitric oxide bioavailability and function in arteries of old mice. <i>Aging Cell</i> , 2013 , 12, 772-83	9.9	116
61	Age-related telomere uncapping is associated with cellular senescence and inflammation independent of telomere shortening in human arteries. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2013 , 305, H251-8	5.2	65
60	Aortic stiffening as a result of reduced elastin content leads to cerebral artery dysfunction. <i>FASEB Journal</i> , 2013 , 27, 1194.3	0.9	0
59	Dietary rapamycin selectively improves arterial function in old mice. <i>FASEB Journal</i> , 2013 , 27, 1194.17	0.9	2
58	Morphological Changes Underlying High Fat Diet-Associated Arterial Stiffening Differ with Advancing Age. <i>FASEB Journal</i> , 2013 , 27, 1194.16	0.9	
57	Telomere uncapping causes cellular senescence and inflammation in arteries: implications for arterial aging. <i>FASEB Journal</i> , 2013 , 27, 1131.1	0.9	1
56	Sustained activation of AMPK ameliorates age-associated vascular endothelial dysfunction via a nitric oxide-independent mechanism. <i>Mechanisms of Ageing and Development</i> , 2012 , 133, 368-71	5.6	36
55	TNF- α impairs endothelial function in adipose tissue resistance arteries of mice with diet-induced obesity. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2012 , 303, H672-9	5.2	37
54	Increased TRF2 binding likely limits telomere uncapping in older human arteries despite age-related telomere attrition. <i>FASEB Journal</i> , 2012 , 26, 865.10	0.9	
53	Whole body C-cbl Associated Protein (CAP) deleted mice display impaired endothelium dependent dilation and nitric oxide bioavailability. <i>FASEB Journal</i> , 2012 , 26, 1129.12	0.9	
52	Blunting of Endothelium Dependent Dilation in Adipose Tissue Arteries by Tumor Necrosis Factor Alpha is Lost after High Fat Feeding. <i>FASEB Journal</i> , 2012 , 26, 680.17	0.9	
51	Evidence of the regulatory potential of human skeletal muscle feed arteries. <i>FASEB Journal</i> , 2012 , 26, 1138.29	0.9	
50	Reduced large elastic artery stiffness in older exercising adults is associated with suppressed nuclear factor kappa B signaling. <i>FASEB Journal</i> , 2012 , 26, 1138.10	0.9	
49	SIRT1 Activation with SRT1720 Reverses Impaired Endothelium-Dependent Dilation in Old Mice by Augmenting COX-2 Mediated Vasodilation. <i>FASEB Journal</i> , 2012 , 26, 1b661	0.9	

48	Smaller cerebrovascular arteries have a greater age-related endothelial dysfunction and a blunted response to life-long caloric restriction. <i>FASEB Journal</i> , 2012 , 26, 685.31	0.9	
47	Endothelium-dependent dilation is inversely related to hematocrit among healthy young and older adults. <i>FASEB Journal</i> , 2012 , 26, 865.13	0.9	
46	SIRT-1 and vascular endothelial dysfunction with ageing in mice and humans. <i>Journal of Physiology</i> , 2011 , 589, 4545-54	3.9	163
45	Salicylate treatment improves age-associated vascular endothelial dysfunction: potential role of nuclear factor kappaB and Forkhead Box O phosphorylation. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2011 , 66, 409-18	6.4	49
44	Ageing and vascular endothelial function in humans. <i>Clinical Science</i> , 2011 , 120, 357-75	6.5	405
43	Aerobic exercise reverses arterial inflammation with aging in mice. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2011 , 301, H1025-32	5.2	88
42	Voluntary running and caloric restriction reverse cerebrovascular endothelial dysfunction in old mice by restoring nitric oxide bioavailability. <i>FASEB Journal</i> , 2011 , 25, 1108.16	0.9	
41	Treatment with the SIRT1 activator SRT1720 reduces large elastic artery stiffness, superoxide production and inflammation in old mice. <i>FASEB Journal</i> , 2011 , 25, 1b485	0.9	1
40	Short-term calorie restriction reverses vascular endothelial dysfunction in old mice by increasing nitric oxide and reducing oxidative stress. <i>Aging Cell</i> , 2010 , 9, 304-12	9.9	125
39	Vascular endothelial function is related to white blood cell count and myeloperoxidase among healthy middle-aged and older adults. <i>Hypertension</i> , 2010 , 55, 363-9	8.5	36
38	Exercise-induced brachial artery vasodilation: effects of antioxidants and exercise training in elderly men. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2010 , 298, H671-8	5.2	65
37	Life-long caloric restriction elicits pronounced protection of the aged myocardium: a role for AMPK. <i>Mechanisms of Ageing and Development</i> , 2010 , 131, 739-42	5.6	59
36	MicroRNA expression with aging in human aortic endothelial cells. <i>FASEB Journal</i> , 2010 , 24, 626.7	0.9	
35	Age-related impairment in endothelium-dependent dilation is related to diminished sirT deacetylase expression and increased eNOS acetylation. <i>FASEB Journal</i> , 2010 , 24, 1039.2	0.9	1
34	Short-term AMPK activation improves vascular endothelial function in old mice by a different mechanism than habitual aerobic exercise. <i>FASEB Journal</i> , 2010 , 24, 619.9	0.9	
33	Vascular endothelial dysfunction with aging: endothelin-1 and endothelial nitric oxide synthase. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2009 , 297, H425-32	5.2	210
32	B6D2F1 Mice are a suitable model of oxidative stress-mediated impaired endothelium-dependent dilation with aging. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2009 , 64, 9-20	6.4	63
31	Voluntary wheel running restores endothelial function in conduit arteries of old mice: direct evidence for reduced oxidative stress, increased superoxide dismutase activity and down-regulation of NADPH oxidase. <i>Journal of Physiology</i> , 2009 , 587, 3271-85	3.9	167

30	Role of NFkappaB in age-related vascular endothelial dysfunction in humans. <i>Aging</i> , 2009 , 1, 678-80	5.6	44
29	Voluntary aerobic exercise abolishes age-associated arterial stiffening in mice: relation to collagen subtype expression in the medial and adventitial layers. <i>FASEB Journal</i> , 2009 , 23, 774.13	0.9	
28	Reduction in mononuclear cell mRNA expression of pro-inflammatory and pro-oxidant genes with habitual aerobic exercise in older humans. <i>FASEB Journal</i> , 2009 , 23, 776.8	0.9	
27	Aortic microRNA expression is altered with aging in mice. <i>FASEB Journal</i> , 2009 , 23, 776.1	0.9	
26	Sedentary Aging is Associated with a Senescent Endothelial Cell Phenotype that is Ameliorated by Habitual Aerobic Exercise. <i>FASEB Journal</i> , 2009 , 23, 965.15	0.9	
25	Short-term Caloric Restriction Improves Glucose Tolerance in Older Mice Independent of Changes in SIRT-1. <i>FASEB Journal</i> , 2009 , 23, 990.33	0.9	
24	Voluntary wheel running abolishes vascular inflammation and restores endothelial function in old mice. <i>FASEB Journal</i> , 2009 , 23, 777.6	0.9	
23	Aging is associated with greater nuclear NF kappa B, reduced I kappa B alpha, and increased expression of proinflammatory cytokines in vascular endothelial cells of healthy humans. <i>Aging Cell</i> , 2008 , 7, 805-12	9.9	183
22	Habitual exercise and arterial aging. <i>Journal of Applied Physiology</i> , 2008 , 105, 1323-32	3.7	253
21	Weight loss alone improves conduit and resistance artery endothelial function in young and older overweight/obese adults. <i>Hypertension</i> , 2008 , 52, 72-9	8.5	128
20	Cytochrome P-450 2C9 signaling does not contribute to age-associated vascular endothelial dysfunction in humans. <i>Journal of Applied Physiology</i> , 2008 , 105, 1359-63	3.7	22
19	Vascular Endothelial Dysfunction with Aging in Healthy Adults is Related to Total White Blood Cell Count and Selective Immune Cell Populations. <i>FASEB Journal</i> , 2008 , 22, 967.13	0.9	
18	Increased Cytochrome P450 2C9 signaling does not contribute to vascular endothelial dysfunction in healthy older adults. <i>FASEB Journal</i> , 2008 , 22, 967.1	0.9	
17	Inflammatory Circulating Mononuclear Cell Phenotype in Healthy Older Adults with Low-Grade Systemic Inflammation and Endothelial Dysfunction. <i>FASEB Journal</i> , 2008 , 22, 1155.4	0.9	
16	Weight Loss-Associated Improvements in Vascular Endothelial Function in Overweight/Obese Humans are Related to Reductions in Abdominal Visceral Fat. <i>FASEB Journal</i> , 2008 , 22, 743.1	0.9	
15	Age-Related Vascular Endothelial Dysfunction is Associated with Altered Regulation of Nuclear Factor k B and Increased Pro-Inflammatory Cytokines in Humans. <i>FASEB Journal</i> , 2008 , 22, 964.12	0.9	
14	Ageing and exercise training alter adrenergic vasomotor responses of rat skeletal muscle arterioles. <i>Journal of Physiology</i> , 2007 , 579, 115-25	3.9	69
13	Ageing and vascular adrenoceptor desensitization: too little, too late?. <i>Journal of Physiology</i> , 2007 , 582, 9-10	3.9	0

12	Direct evidence of endothelial oxidative stress with aging in humans: relation to impaired endothelium-dependent dilation and upregulation of nuclear factor-kappaB. <i>Circulation Research</i> , 2007 , 100, 1659-66	15.7	403
11	Overweight and obese humans demonstrate increased vascular endothelial NAD(P)H oxidase-p47(phox) expression and evidence of endothelial oxidative stress. <i>Circulation</i> , 2007 , 115, 627-37	16.7	166
10	Reduced Endothelium-Dependent Dilation with Aging in Humans is Associated with Endothelial Oxidative Stress and Enhanced Expression of NADPH Oxidase. <i>FASEB Journal</i> , 2007 , 21, A1372	0.9	
9	Oxidative stress contributes to the age related decline in basal leg blood flow in sedentary men. <i>FASEB Journal</i> , 2007 , 21, A1238	0.9	
8	Age-Associated Reductions in Endothelium-Dependent Dilation in Humans are Related to Increases in Vascular Endothelial Protein Expression of Endothelin-1. <i>FASEB Journal</i> , 2007 , 21, A1237	0.9	
7	Enhanced vascular endothelium-dependent dilation in older men who exercise is associated with markedly lower endothelial oxidative stress. <i>FASEB Journal</i> , 2007 , 21, A932	0.9	
6	Plasma low-density lipoprotein cholesterol modulates vascular endothelial function as well as systemic and vascular endothelial oxidative stress in middle-aged and older men. <i>FASEB Journal</i> , 2007 , 21, A445	0.9	
5	Age-related impaired endothelium-dependent dilation is associated with increased vascular endothelial cell protein expression of NF-kB in humans. <i>FASEB Journal</i> , 2006 , 20, A721	0.9	
4	MECHANISM OF ANGIOTENSIN II VASOREACTIVITY IN RAT SOLEUS MUSCLE ARTERIOLES: EFFECTS OF AGING AND EXERCISE TRAINING. <i>FASEB Journal</i> , 2006 , 20, A285	0.9	
3	The effects of aging and exercise training on endothelin-1 vasoconstrictor responses in rat skeletal muscle arterioles. <i>Cardiovascular Research</i> , 2005 , 66, 393-401	9.9	62
2	Effects of ageing and exercise training on endothelium-dependent vasodilatation and structure of rat skeletal muscle arterioles. <i>Journal of Physiology</i> , 2004 , 556, 947-58	3.9	159
1	Basal leg blood flow in healthy women is related to age and hormone replacement therapy status. <i>Journal of Physiology</i> , 2003 , 547, 309-16	3.9	84