

Chisato Miyaura

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3616024/publications.pdf>

Version: 2024-02-01

102
papers

6,689
citations

101384

36
h-index

66788

78
g-index

108
all docs

108
docs citations

108
times ranked

5687
citing authors

#	ARTICLE	IF	CITATIONS
1	Endosomal TLR3 signaling in stromal osteoblasts induces prostaglandin E2-mediated inflammatory periodontal bone resorption. <i>Journal of Biological Chemistry</i> , 2022, 298, 101603.	1.6	5
2	Gram-positive bacteria cell wall-derived lipoteichoic acid induces inflammatory alveolar bone loss through prostaglandin E production in osteoblasts. <i>Scientific Reports</i> , 2021, 11, 13353.	1.6	18
3	The Combination of Soy Isoflavones and Resveratrol Preserve Bone Mineral Density in Hindlimb-Unloaded Mice. <i>Nutrients</i> , 2020, 12, 2043.	1.7	8
4	Molecular evidence of IGFBP-3 dependent and independent VD3 action and its nonlinear response on IGFBP-3 induction in prostate cancer cells. <i>BMC Cancer</i> , 2020, 20, 802.	1.1	6
5	Hypergravity and microgravity exhibited reversal effects on the bone and muscle mass in mice. <i>Scientific Reports</i> , 2019, 9, 6614.	1.6	51
6	Beta-Cryptoxanthin Inhibits Lipopolysaccharide-Induced Osteoclast Differentiation and Bone Resorption via the Suppression of Inhibitor of NF- κ B Kinase Activity. <i>Nutrients</i> , 2019, 11, 368.	1.7	28
7	Structure-Activity Relationship of Anthocyanidins as an Inhibitory Effect on Osteoclast Differentiation. <i>BPB Reports</i> , 2019, 2, 1-6.	0.1	1
8	Raloxifene reduces the risk of local alveolar bone destruction in a mouse model of periodontitis combined with systemic postmenopausal osteoporosis. <i>Archives of Oral Biology</i> , 2018, 85, 98-103.	0.8	6
9	Low Molecular-Weight Curdlan, (1 α '3)- β -2-Glucan Suppresses TLR2-Induced RANKL-Dependent Bone Resorption. <i>Biological and Pharmaceutical Bulletin</i> , 2018, 41, 1282-1285.	0.6	13
10	Effects of Polymethoxyflavonoids on Bone Loss Induced by Estrogen Deficiency and by LPS-Dependent Inflammation in Mice. <i>Pharmaceuticals</i> , 2018, 11, 7.	1.7	14
11	Development of Human Resources in Science and Technology. <i>Trends in the Sciences</i> , 2018, 23, 11_63-11_66.	0.0	1
12	Indoxyl sulfate, a uremic toxin in chronic kidney disease, suppresses both bone formation and bone resorption. <i>FEBS Open Bio</i> , 2017, 7, 1178-1185.	1.0	41
13	Effects of <i>O</i> -methylated (α)-epigallocatechin gallate (EGCG) on LPS-induced osteoclastogenesis, bone resorption, and alveolar bone loss in mice. <i>FEBS Open Bio</i> , 2017, 7, 1972-1981.	1.0	19
14	Lutein, a carotenoid, suppresses osteoclastic bone resorption and stimulates bone formation in cultures. <i>Bioscience, Biotechnology and Biochemistry</i> , 2017, 81, 302-306.	0.6	16
15	Lutein Enhances Bone Mass by Stimulating Bone Formation and Suppressing Bone Resorption in Growing Mice. <i>Biological and Pharmaceutical Bulletin</i> , 2017, 40, 716-721.	0.6	14
16	Strengthening of Female Researchers' Activities: The Support System in TUAT. <i>Trends in the Sciences</i> , 2017, 22, 8_80-8_86.	0.0	0
17	BA321, a novel carborane analog that binds to androgen and estrogen receptors, acts as a new selective androgen receptor modulator of bone in male mice. <i>Biochemical and Biophysical Research Communications</i> , 2016, 478, 279-285.	1.0	22
18	Abrogation of prostaglandin E-EP4 signaling in osteoblasts prevents the bone destruction induced by human prostate cancer metastases. <i>Biochemical and Biophysical Research Communications</i> , 2016, 478, 154-161.	1.0	6

#	ARTICLE	IF	CITATIONS
19	The MET/Vascular Endothelial Growth Factor Receptor (VEGFR)-targeted Tyrosine Kinase Inhibitor Also Attenuates FMS-dependent Osteoclast Differentiation and Bone Destruction Induced by Prostate Cancer. <i>Journal of Biological Chemistry</i> , 2016, 291, 20891-20899.	1.6	22
20	The Optimal Duration of PTH(1-34) Infusion Is One Hour per Day to Increase Bone Mass in Rats. <i>Biological and Pharmaceutical Bulletin</i> , 2016, 39, 625-630.	0.6	15
21	An improved procedure for isolation of high-quality RNA from nematode-infected Arabidopsis roots through laser capture microdissection. <i>Plant Methods</i> , 2016, 12, 25.	1.9	25
22	Combined Effects of Soy Isoflavones and β -Carotene on Osteoblast Differentiation. <i>International Journal of Environmental Research and Public Health</i> , 2015, 12, 13750-13761.	1.2	26
23	Direct Melanoma Cell Contact Induces Stromal Cell Autocrine Prostaglandin E2-EP4 Receptor Signaling That Drives Tumor Growth, Angiogenesis, and Metastasis. <i>Journal of Biological Chemistry</i> , 2015, 290, 29781-29793.	1.6	35
24	Indoxyl sulfate exacerbates low bone turnover induced by parathyroidectomy in young adult rats. <i>Bone</i> , 2015, 79, 252-258.	1.4	27
25	Epigallocatechin gallate (EGCG) suppresses lipopolysaccharide-induced inflammatory bone resorption, and protects against alveolar bone loss in mice. <i>FEBS Open Bio</i> , 2015, 5, 522-527.	1.0	45
26	Heptamethoxyflavone, a citrus flavonoid, suppresses inflammatory osteoclastogenesis and alveolar bone resorption. <i>Bioscience, Biotechnology and Biochemistry</i> , 2015, 79, 155-158.	0.6	10
27	Bombyx mori silk fibroin scaffolds for bone regeneration studied by bone differentiation experiment. <i>Journal of Bioscience and Bioengineering</i> , 2013, 115, 575-578.	1.1	26
28	Bi-Phasic Effect of Equol on Adipocyte Differentiation of MC3T3-L1 Cells. <i>Bioscience, Biotechnology and Biochemistry</i> , 2013, 77, 201-204.	0.6	3
29	The Protective Effects of β -Cryptoxanthin on Inflammatory Bone Resorption in a Mouse Experimental Model of Periodontitis. <i>Bioscience, Biotechnology and Biochemistry</i> , 2013, 77, 860-862.	0.6	19
30	Possible role of S-equol on bone loss via amelioration of inflammatory indices in ovariectomized mice. <i>Journal of Clinical Biochemistry and Nutrition</i> , 2013, 53, 41-48.	0.6	22
31	Capsaicin, a TRPV1 Ligand, Suppresses Bone Resorption by Inhibiting the Prostaglandin E Production of Osteoblasts, and Attenuates the Inflammatory Bone Loss Induced by Lipopolysaccharide. <i>ISRN Pharmacology</i> , 2012, 2012, 1-6.	1.6	23
32	The Correlation between Postmenopausal Osteoporosis and Inflammatory Periodontitis Regarding Bone Loss in Experimental Models. <i>Experimental Animals</i> , 2012, 61, 183-187.	0.7	27
33	Polymethoxy Flavonoids, Nobiletin and Tangeretin, Prevent Lipopolysaccharide-Induced Inflammatory Bone Loss in an Experimental Model for Periodontitis. <i>Journal of Pharmacological Sciences</i> , 2012, 119, 390-394.	1.1	58
34	Synthesis of vitamin D3 derivatives with nitrogen-linked substituents at A-ring C-2 and evaluation of their vitamin D receptor-mediated transcriptional activity. <i>Organic and Biomolecular Chemistry</i> , 2012, 10, 7826.	1.5	8
35	Toll-like receptor 2 heterodimers, TLR2/6 and TLR2/1 induce prostaglandin E production by osteoblasts, osteoclast formation and inflammatory periodontitis. <i>Biochemical and Biophysical Research Communications</i> , 2012, 428, 110-115.	1.0	34
36	Nobiletin, a Polymethoxy Flavonoid, Suppresses Bone Resorption by Inhibiting NF κ B-Dependent Prostaglandin E Synthesis in Osteoblasts and Prevents Bone Loss Due to Estrogen Deficiency. <i>Journal of Pharmacological Sciences</i> , 2011, 115, 89-93.	1.1	47

#	ARTICLE	IF	CITATIONS
37	Cell Shape and Matrix Production of Fibroblasts Cultured on Fibroin-organized Silk Scaffold with Type-II .BETA.-turn Structured (Ala-Gly-Ala-Gly-Ser-Gly) _n Sequences. Journal of Health Science, 2010, 56, 738-744.	0.9	5
38	Comparative Effects of Estrogen and Raloxifene on B Lymphopoiesis and Bone Loss Induced by Sex Steroid Deficiency in Mice. Journal of Bone and Mineral Research, 2010, 15, 541-549.	3.1	88
39	Pyroloquinoline quinone inhibits the fibrillation of amyloid proteins. Prion, 2010, 4, 26-31.	0.9	29
40	A novel carborane analog, BE360, with a carbon-containing polyhedral boron-cluster is a new selective estrogen receptor modulator for bone. Biochemical and Biophysical Research Communications, 2009, 380, 218-222.	1.0	33
41	Hyaluronan inhibits bone resorption by suppressing prostaglandin E synthesis in osteoblasts treated with interleukin-1. Biochemical and Biophysical Research Communications, 2009, 381, 139-143.	1.0	17
42	Role of Prostaglandin E in Receptor Activator of Nuclear Factor- κ B Ligand (RANKL) Expression in Osteoblasts Induced by Cell Adhesion to Bone Marrow B-lymphocytes. Journal of Health Science, 2009, 55, 832-837.	0.9	1
43	Naringin Suppresses Osteoclast Formation and Enhances Bone Mass in Mice. Journal of Health Science, 2009, 55, 463-467.	0.9	20
44	Novel vitamin D3 analogs, 1 α , 25(OH)2D3-26, 23-lactam (DLAMs), antagonize bone resorption via suppressing RANKL expression in osteoblasts. Biochemical and Biophysical Research Communications, 2008, 372, 434-439.	1.0	12
45	1.ALPHA.,25-Dihydroxyvitamin D3-26,23-lactam, a Novel Vitamin D3 Analog, Acts as a Vitamin D3 Antagonist in Human Prostate Cancer Cells. Journal of Health Science, 2008, 54, 497-502.	0.9	1
46	Prostaglandin E Receptor EP4 Antagonist Suppresses Lipopolysaccharide-Induced Osteoclast Formation and Inflammatory Bone Loss. Journal of Health Science, 2007, 53, 234-239.	0.9	0
47	Capsaicin, A Ligand for Vanilloid Receptor-1, Transduces Suppressive Signal for Osteoclast Differentiation in Bone. Journal of Health Science, 2007, 53, 240-244.	0.9	1
48	Prostaglandin E receptor EP4 antagonist suppresses osteolysis due to bone metastasis of mouse malignant melanoma cells. FEBS Letters, 2007, 581, 565-571.	1.3	30
49	Prevention of aortic calcification by etidronate in the renal failure rat model. European Journal of Pharmacology, 2007, 558, 159-166.	1.7	46
50	Estrogen and androgen play distinct roles in bone turnover in male mice before and after reaching sexual maturity. Bone, 2006, 38, 220-226.	1.4	44
51	Soybean isoflavones preserve bone mass in hindlimb-unloaded mice. Journal of Bone and Mineral Metabolism, 2006, 24, 439-446.	1.3	14
52	Membrane-Bound Prostaglandin E Synthase-1-Mediated Prostaglandin E2 Production by Osteoblast Plays a Critical Role in Lipopolysaccharide-Induced Bone Loss Associated with Inflammation. Journal of Immunology, 2006, 177, 1879-1885.	0.4	110
53	Critical roles for collagenase-3 (Mmp13) in development of growth plate cartilage and in endochondral ossification. Proceedings of the National Academy of Sciences of the United States of America, 2004, 101, 17192-17197.	3.3	502
54	B-Lymphocytes are Elevated in Mouse Bone Marrow by Estrogen Deficiency, and Induce Receptor Activator of Nuclear Factor κ B Ligand (RANKL) Expression in Osteoblasts via Cell Adhesion. Journal of Health Science, 2004, 50, 309-314.	0.9	1

#	ARTICLE	IF	CITATIONS
55	Dietary Bisphenol A Suppresses the Growth of Newborn Pups by Insufficient Supply of Maternal Milk in Mice. <i>Journal of Health Science</i> , 2004, 50, 315-318.	0.9	14
56	Role of prostaglandin E produced by osteoblasts in osteolysis due to bone metastasis. <i>Biochemical and Biophysical Research Communications</i> , 2003, 300, 957-964.	1.0	57
57	An Essential Role of Cytosolic Phospholipase A2 β in Prostaglandin E2-mediated Bone Resorption Associated with Inflammation. <i>Journal of Experimental Medicine</i> , 2003, 197, 1303-1310.	4.2	164
58	Boron clusters for medicinal drug design: Selective estrogen receptor modulators bearing carborane. <i>Pure and Applied Chemistry</i> , 2003, 75, 1197-1205.	0.9	56
59	Dietary bisphenol A prevents ovarian degeneration and bone loss in female mice lacking the aromatase gene (Cyp19). <i>FEBS Journal</i> , 2002, 269, 2214-2222.	0.2	34
60	Sex- and Age-Related Response to Aromatase Deficiency in Bone. <i>Biochemical and Biophysical Research Communications</i> , 2001, 280, 1062-1068.	1.0	112
61	Potent estrogen agonists based on carborane as a hydrophobic skeletal structure. <i>Chemistry and Biology</i> , 2001, 8, 341-355.	6.2	172
62	Connection Between B Lymphocyte and Osteoclast Differentiation Pathways. <i>Journal of Immunology</i> , 2001, 167, 2625-2631.	0.4	215
63	Impaired Bone Resorption to Prostaglandin E2 in Prostaglandin E Receptor EP4-knockout Mice. <i>Journal of Biological Chemistry</i> , 2000, 275, 19819-19823.	1.6	193
64	Intracellular Calcium and Protein Kinase C Mediate Expression of Receptor Activator of Nuclear Factor- κ B Ligand and Osteoprotegerin in Osteoblasts. <i>Endocrinology</i> , 2000, 141, 4711-4719.	1.4	85
65	The Role of Prostaglandin E Receptor Subtypes (EP1, EP2, EP3, and EP4) in Bone Resorption: An Analysis Using Specific Agonists for the Respective EPs. <i>Endocrinology</i> , 2000, 141, 1554-1559.	1.4	354
66	Difference in Effective Dosage of Genistein on Bone and Uterus in Ovariectomized Mice. <i>Biochemical and Biophysical Research Communications</i> , 2000, 274, 697-701.	1.0	164
67	Selective Effects of Genistein, a Soybean Isoflavone, on B-Lymphopoiesis and Bone Loss Caused by Estrogen Deficiency*. <i>Endocrinology</i> , 1999, 140, 1893-1900.	1.4	234
68	Independent impairment of osteoblast and osteoclast differentiation in klotho mouse exhibiting low-turnover osteopenia. <i>Journal of Clinical Investigation</i> , 1999, 104, 229-237.	3.9	184
69	Regulation of Matrix Metalloproteinases (MMP-2, -3, -9, and -13) by Interleukin-1 and Interleukin-6 in Mouse Calvaria: Association of MMP Induction with Bone Resorption*. <i>Endocrinology</i> , 1998, 139, 1338-1345.	1.4	341
70	Expression of Estrogen Receptor β in Rat Bone. <i>Endocrinology</i> , 1997, 138, 4509-4512.	1.4	281
71	Transcriptional Induction of Cyclooxygenase-2 in Osteoblasts Is Involved in Interleukin-6-Induced Osteoclast Formation*. <i>Endocrinology</i> , 1997, 138, 2372-2379.	1.4	130
72	Activation of Cytosolic Phospholipase A2 by Platelet-derived Growth Factor Is Essential for Cyclooxygenase-2-dependent Prostaglandin E2 Synthesis in Mouse Osteoblasts Cultured with Interleukin-1. <i>Journal of Biological Chemistry</i> , 1997, 272, 5952-5958.	1.6	106

#	ARTICLE	IF	CITATIONS
73	Endogenous bone-resorbing factors in estrogen deficiency: Cooperative effects of IL-1 and IL-6. <i>Journal of Bone and Mineral Research</i> , 1995, 10, 1365-1373.	3.1	151
74	Mechanism of bone resorption induced by estrogen deficiency. <i>Journal of Bone and Mineral Metabolism</i> , 1994, 12, S3-S7.	1.3	2
75	Leukemia inhibitory factor/differentiation-stimulating factor (LIF/D-factor): Regulation of its production and possible roles in bone metabolism. <i>Journal of Cellular Physiology</i> , 1992, 152, 71-78.	2.0	64
76	Mechanism of action of amylin in bone. <i>Journal of Cellular Physiology</i> , 1992, 153, 6-14.	2.0	35
77	Factors Regulating Islet Regeneration in the Post-Insulinoma NEDH Rat. <i>Advances in Experimental Medicine and Biology</i> , 1992, 321, 71-84.	0.8	5
78	Expression of <i>reg</i>/PSP, a Pancreatic Exocrine Gene: Relationship to Changes in Islet β-Cell Mass. <i>Molecular Endocrinology</i>, 1991, 5, 226-234.</i>	3.7	84
79	Fusion of mouse alveolar macrophages induced by 1 α ,25-dihydroxyvitamin D ₃ involves extracellular, but not intracellular, calcium. <i>Journal of Cellular Physiology</i> , 1990, 142, 434-439.	2.0	15
80	Production of interleukin 6 and its relation to the macrophage differentiation of mouse myeloid leukemia cells (M1) treated with differentiation-inducing factor and 1 α ,25-dihydroxyvitamin D ₃ . <i>Biochemical and Biophysical Research Communications</i> , 1989, 158, 660-666.	1.0	39
81	Spermidine-dependent proteins are involved in the fusion of mouse alveolar macrophages induced by 1 α ,25-dihydroxyvitamin D ₃ and interleukin 4. <i>Experimental Cell Research</i> , 1989, 180, 72-83.	1.2	11
82	A SYNTHETIC ANALOGUE OF VITAMIN D ₃ , 22-OXA-1 α ,25-DIHYDROXYVITAMIN D ₃ IS A POTENT MODULATOR OF IN VIVO IMMUNOREGULATING ACTIVITY WITHOUT INDUCING HYPERCALCEMIA IN MICE. <i>Endocrinology</i> , 1989, 124, 2645-2647.	1.4	119
83	Calcium is essential in the fusion of mouse alveolar macrophages induced by 1 α , 25-dihydroxyvitamin D ₃ . <i>Journal of Cellular Physiology</i> , 1988, 137, 110-116.	2.0	7
84	Recombinant human interleukin 6 (B-cell stimulatory factor 2) is a potent inducer of differentiation of mouse myeloid leukemia cells (M1). <i>FEBS Letters</i> , 1988, 234, 17-21.	1.3	158
85	The Relationship between Fusion and Proliferation in Mouse Alveolar Macrophages*. <i>Endocrinology</i> , 1987, 121, 271-277.	1.4	11
86	Fusion and Activation of Human Alveolar Macrophages Induced by Recombinant Interferon- β and Their Suppression by Dexamethasone. <i>The American Review of Respiratory Disease</i> , 1987, 136, 916-921.	2.9	39
87	Alteration of Lipid Metabolism Associated with the Activation of Mouse Alveolar Macrophages Induced by 1 α ,25-Dihydroxyvitamin D ₃ *. <i>Endocrinology</i> , 1987, 120, 1813-1820.	1.4	4
88	Synthetic analogues of vitamin D ₃ with an oxygen atom in the side chain skeleton A trial of the development of vitamin D compounds which exhibit potent differentiation-inducing activity without inducing hypercalcemia. <i>FEBS Letters</i> , 1987, 226, 58-62.	1.3	144
89	Phagocytic cells metabolize 25-hydroxyvitamin D ₃ to 10-oxo-19-nor-25-hydroxyvitamin D ₃ and a new metabolite, 8 α ,25-dihydroxy-9, 10-seco-4,6,10(19)-cholestatrien-3-one. <i>FEBS Letters</i> , 1987, 218, 200-204.	1.3	7
90	An ultrastructural study on the multinucleation process of mouse alveolar macrophages induced by 1 α ,25-dihydroxyvitamin D ₃ . <i>Journal of Bone and Mineral Research</i> , 1987, 2, 547-557.	3.1	9

#	ARTICLE	IF	CITATIONS
91	Effects of retinoic acid on the activation and fusion of mouse alveolar macrophages induced by 1 α ,25-dihydroxyvitamin D ₃ . Journal of Bone and Mineral Research, 1986, 1, 359-368.	3.1	11
92	Mechanism of the differentiating action of 25-hydroxyvitamin D ₃ endoperoxides in human myeloid leukemia cells (HL-60). Journal of Medicinal Chemistry, 1985, 28, 1153-1158.	2.9	18
93	Syntheses and differentiating action of vitamin D endoperoxides. Singlet oxygen adducts of vitamin D derivatives in human myeloid leukemia cells (HL-60). Journal of Medicinal Chemistry, 1985, 28, 1148-1153.	2.9	21
94	Extracellular Calcium Is Involved in the Mechanism of Differentiation of Mouse Myeloid Leukemia Cells (M1) Induced by 1 α ,25-Dihydroxyvitamin D ₃ . Endocrinology, 1984, 115, 1891-1896.	1.4	14
95	1 α ,25-Dihydroxyvitamin D ₃ directly induces fusion of alveolar macrophages by a mechanism involving RNA and protein synthesis, but not DNA synthesis. FEBS Letters, 1984, 174, 61-65.	1.3	19
96	1 α ,25-Dihydroxyvitamin D ₃ induces differentiation of human promyelocytic leukemia cells (HL-60) into monocyte-macrophages, but not into granulocytes. Biochemical and Biophysical Research Communications, 1983, 117, 86-92.	1.0	213
97	Cooperative effect of 1 α ,25-dihydroxyvitamin D ₃ and dexamethasone in inducing differentiation of mouse myeloid leukemia cells. Archives of Biochemistry and Biophysics, 1983, 227, 379-385.	1.4	25
98	1 α ,25-dihydroxyvitamin D ₃ suppresses proliferation of murine granulocyte-macrophage progenitor cells (CFU-C). Biochemical and Biophysical Research Communications, 1982, 108, 1728-1733.	1.0	43
99	1 α ,25-Dihydroxyvitamin D ₃ induces differentiation of human myeloid leukemia cells. Biochemical and Biophysical Research Communications, 1981, 102, 937-943.	1.0	479
100	Failure to demonstrate the stimulative effect of calcitonin on cyclic AMP accumulation in avian bone in vitro.. Endocrinologia Japonica, 1981, 28, 403-408.	0.5	10
101	Transcriptional Induction of Cyclooxygenase-2 in Osteoblasts Is Involved in Interleukin-6-Induced Osteoclast Formation. , 0, .		43
102	The Role of Prostaglandin E Receptor Subtypes (EP1, EP2, EP3, and EP4) in Bone Resorption: An Analysis Using Specific Agonists for the Respective EPs. , 0, .		169