

Yeul Hong Kim

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/3619098/yeul-hong-kim-publications-by-year.pdf>

Version: 2024-04-09

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

186 papers	5,469 citations	32 h-index	68 g-index
196 ext. papers	6,258 ext. citations	5.1 avg, IF	4.81 L-index

#	Paper	IF	Citations
186	Predictive factors for renal function deterioration during palliative first-line chemotherapy for metastatic colorectal cancer.. <i>Journal of Clinical Oncology</i> , 2022 , 40, 85-85	2.2	
185	Ultrasensitive and highly selective detection of PIK3CA single point mutations in cell-free DNA with LNA-modified hairpin-shaped probe. <i>Sensors and Actuators B: Chemical</i> , 2022 , 355, 131309	8.5	
184	Genetic Characteristics Associated With Drug Resistance in Lung Cancer and Colorectal Cancer Using Whole Exome Sequencing of Cell-Free DNA.. <i>Frontiers in Oncology</i> , 2022 , 12, 843561	5.3	0
183	Blood transfusion has an adverse impact on the prognosis of patients receiving chemotherapy for advanced colorectal cancer: experience from a single institution with a patient blood management program.. <i>Supportive Care in Cancer</i> , 2022 , 1	3.9	
182	Genomic landscape and clinical utility of Korean advanced pan-cancer patients from prospective clinical sequencing: K-MASTER program. <i>Cancer Discovery</i> , 2021 ,	24.4	4
181	Tumor Suppressor miR-584-5p Inhibits Migration and Invasion in Smoking Related Non-Small Cell Lung Cancer Cells by Targeting YKT6. <i>Cancers</i> , 2021 , 13,	6.6	4
180	Clinical Implication of Liquid Biopsy in Colorectal Cancer Patients Treated with Metastasectomy. <i>Cancers</i> , 2021 , 13,	6.6	2
179	Clathrin-mediated EGFR endocytosis as a potential therapeutic strategy for overcoming primary resistance of EGFR TKI in wild-type EGFR non-small cell lung cancer. <i>Cancer Medicine</i> , 2021 , 10, 372-385	4.8	4
178	Clinical Application of Targeted Deep Sequencing in Metastatic Colorectal Cancer Patients: Actionable Genomic Alteration in K-MASTER Project. <i>Cancer Research and Treatment</i> , 2021 , 53, 123-130	5.2	4
177	Korean red ginseng for cancer-related fatigue in colorectal cancer patients with chemotherapy: A randomised phase III trial. <i>European Journal of Cancer</i> , 2020 , 130, 51-62	7.5	13
176	Marbetuximab plus pembrolizumab in patients with previously treated, HER2-positive gastro-oesophageal adenocarcinoma (CP-MGAH22-05): a single-arm, phase 1b-2 trial. <i>Lancet Oncology</i> , 2020 , 21, 1066-1076	21.7	60
175	Innovative countermeasures can maintain cancer care continuity during the coronavirus disease-2019 pandemic in Korea. <i>European Journal of Cancer</i> , 2020 , 136, 69-75	7.5	6
174	Clinical Implication of Concordant or Discordant Genomic Profiling between Primary and Matched Metastatic Tissues in Patients with Colorectal Cancer. <i>Cancer Research and Treatment</i> , 2020 , 52, 764-778	5.2	3
173	A Phase II Study of Avelumab Monotherapy in Patients with Mismatch Repair-Deficient/Microsatellite Instability-High or POLE-Mutated Metastatic or Unresectable Colorectal Cancer. <i>Cancer Research and Treatment</i> , 2020 , 52, 1135-1144	5.2	21
172	The Clinical Significance of RAS, PIK3CA, and PTEN Mutations in Non-Small Cell Lung Cancer Using Cell-Free DNA. <i>Journal of Clinical Medicine</i> , 2020 , 9,	5.1	2
171	Tuberculosis infection and lung adenocarcinoma: Mendelian randomization and pathway analysis of genome-wide association study data from never-smoking Asian women. <i>Genomics</i> , 2020 , 112, 1223-1232	4.3	8
170	A Selective FGFR inhibitor AZD4547 suppresses RANKL/M-CSF/OPG-dependent osteoclastogenesis and breast cancer growth in the metastatic bone microenvironment. <i>Scientific Reports</i> , 2019 , 9, 8726	4.9	12

169	Clinical implications of circulating cell-free DNA quantification and metabolic tumor burden in advanced non-small cell lung cancer. <i>Lung Cancer</i> , 2019 , 134, 158-166	5.9	5
168	A phase I/II study of poziotinib combined with paclitaxel and trastuzumab in patients with HER2-positive advanced gastric cancer. <i>Gastric Cancer</i> , 2019 , 22, 1206-1214	7.6	17
167	Identification of different gene expressions between diffuse- and intestinal-type spheroid-forming gastric cancer cells. <i>Gastric Cancer</i> , 2019 , 22, 967-979	7.6	3
166	A Phase III Study to Compare the Efficacy and Safety of Paclitaxel Versus Irinotecan in Patients with Metastatic or Recurrent Gastric Cancer Who Failed in First-line Therapy (KCSG ST10-01). <i>Oncologist</i> , 2019 , 24, 18-e24	5.7	15
165	Landscape of Actionable Genetic Alterations Profiled from 1,071 Tumor Samples in Korean Cancer Patients. <i>Cancer Research and Treatment</i> , 2019 , 51, 211-222	5.2	5
164	Behaviors and Attitudes toward the Use of Complementary and Alternative Medicine among Korean Cancer Patients. <i>Cancer Research and Treatment</i> , 2019 , 51, 851-860	5.2	8
163	Accuracy and Prognostic Significance of Oncologists' Estimates and Scenarios for Survival Time in Advanced Gastric Cancer. <i>Oncologist</i> , 2019 , 24, e1102-e1107	5.7	5
162	Completion rate of physician orders for life-sustaining treatment for patients with metastatic or recurrent cancer: a preliminary, cross-sectional study. <i>BMC Palliative Care</i> , 2019 , 18, 84	3	6
161	Efficacy and tolerability of ramucirumab monotherapy or in combination with paclitaxel in gastric cancer patients from the Expanded Access Program Cohort by the Korean Cancer Study Group (KCSG). <i>Gastric Cancer</i> , 2018 , 21, 819-830	7.6	15
160	Incidence and risk factors for congestive heart failure in patients with early breast cancer who received anthracycline and/or trastuzumab: a big data analysis of the Korean Health Insurance Review and Assessment service database. <i>Breast Cancer Research and Treatment</i> , 2018 , 171, 181-188	4.4	2
159	Phase 1b/2 study of margetuximab (M) plus pembrolizumab (P) in advanced HER2+ gastroesophageal junction (GEJ) or gastric (G) adenocarcinoma (GEA).. <i>Journal of Clinical Oncology</i> , 2018 , 36, 140-140	2.2	11
158	Gemcitabine and Docetaxel Combination for Advanced Soft Tissue Sarcoma: A Nationwide Retrospective Study. <i>Cancer Research and Treatment</i> , 2018 , 50, 175-182	5.2	8
157	Health-related quality of life associated with regorafenib treatment in refractory advanced gastric adenocarcinoma. <i>Gastric Cancer</i> , 2018 , 21, 473-480	7.6	17
156	Isolation of spheroid-forming single cells from gastric cancer cell lines: enrichment of cancer stem-like cells. <i>BioTechniques</i> , 2018 , 65, 197-203	2.5	16
155	A non-randomized, open-label, single-arm, Phase 2 study of emibetuzumab in Asian patients with MET diagnostic positive, advanced gastric cancer. <i>Cancer Chemotherapy and Pharmacology</i> , 2017 , 80, 1197-1207	3.5	19
154	Hepatic Lesions that Mimic Metastasis on Radiological Imaging during Chemotherapy for Gastrointestinal Malignancy: Recent Updates. <i>Korean Journal of Radiology</i> , 2017 , 18, 413-426	6.9	14
153	Quantification of circulating cell-free DNA to predict patient survival in non-small-cell lung cancer. <i>Oncotarget</i> , 2017 , 8, 94417-94430	3.3	18
152	Efficacy of Sequential Ipilimumab Monotherapy versus Best Supportive Care for Unresectable Locally Advanced/Metastatic Gastric or Gastroesophageal Junction Cancer. <i>Clinical Cancer Research</i> , 2017 , 23, 5671-5678	12.9	91

151	Detection of somatic variants and mutations in cell-free DNA from non-small cell lung cancer patients by ultra-deep sequencing using the ion ampliseq cancer hotspot panel and droplet digital polymerase chain reaction. <i>Oncotarget</i> , 2017 , 8, 106901-106912	3.3	14
150	Korean red ginseng to improve cancer-related fatigue in colorectal cancer patients with FOLFOX chemotherapy: A randomized, double-blind, placebo-controlled, parallel, multicenter trial, NCT02039635.. <i>Journal of Clinical Oncology</i> , 2017 , 35, 10008-10008	2.2	2
149	Updated antitumor activity and safety of FPA144, an ADCC-enhanced, FGFR2b isoform-specific monoclonal antibody, in patients with FGFR2b+ gastric cancer.. <i>Journal of Clinical Oncology</i> , 2017 , 35, 4067-4067	2.2	8
148	De novo EGFR T790M, KRAS and PIK3CA somatic mutations in cell free DNA in non-small cell lung cancer patients and clinical characteristics.. <i>Journal of Clinical Oncology</i> , 2017 , 35, e20561-e20561	2.2	1
147	Association between GWAS-identified lung adenocarcinoma susceptibility loci and EGFR mutations in never-smoking Asian women, and comparison with findings from Western populations. <i>Human Molecular Genetics</i> , 2017 , 26, 454-465	5.6	40
146	Incidence and Predictors of Febrile Neutropenia among Early-Stage Breast Cancer Patients Receiving Anthracycline-Based Chemotherapy in Korea. <i>Oncology</i> , 2016 , 91, 274-282	3.6	8
145	Female chromosome X mosaicism is age-related and preferentially affects the inactivated X chromosome. <i>Nature Communications</i> , 2016 , 7, 11843	17.4	59
144	Meta-analysis of genome-wide association studies identifies multiple lung cancer susceptibility loci in never-smoking Asian women. <i>Human Molecular Genetics</i> , 2016 , 25, 620-9	5.6	32
143	Caveolin-1 Modulates Docetaxel-Induced Cell Death in Breast Cancer Cell Subtypes through Different Mechanisms. <i>Cancer Research and Treatment</i> , 2016 , 48, 715-26	5.2	15
142	Real-Life Experience of Sorafenib Treatment for Hepatocellular Carcinoma in Korea: From GIDEON Data. <i>Cancer Research and Treatment</i> , 2016 , 48, 1243-1252	5.2	17
141	The prognostic role of serum C-X-C chemokine receptor type 4 in patients with metastatic or recurrent colorectal cancer. <i>OncoTargets and Therapy</i> , 2016 , 9, 3307-12	4.4	8
140	A Prognostic Index to Identify Patients With Intrahepatic Cholangiocarcinoma Who Could Benefit From Gemcitabine Plus Cisplatin. <i>American Journal of Therapeutics</i> , 2016 , 23, e1449-e1455	1	4
139	Randomized phase II trial of nimotuzumab plus irinotecan versus irinotecan alone as second-line therapy for patients with advanced gastric cancer. <i>Gastric Cancer</i> , 2015 , 18, 824-32	7.6	77
138	Randomized, Double-Blind Phase II Trial With Prospective Classification by ATM Protein Level to Evaluate the Efficacy and Tolerability of Olaparib Plus Paclitaxel in Patients With Recurrent or Metastatic Gastric Cancer. <i>Journal of Clinical Oncology</i> , 2015 , 33, 3858-65	2.2	202
137	Genetic variants associated with longer telomere length are associated with increased lung cancer risk among never-smoking women in Asia: a report from the female lung cancer consortium in Asia. <i>International Journal of Cancer</i> , 2015 , 137, 311-9	7.5	55
136	Analysis of Heritability and Shared Heritability Based on Genome-Wide Association Studies for Thirteen Cancer Types. <i>Journal of the National Cancer Institute</i> , 2015 , 107, djv279	9.7	107
135	Characterization of large structural genetic mosaicism in human autosomes. <i>American Journal of Human Genetics</i> , 2015 , 96, 487-97	11	77
134	Novel Germline Mutation of BRCA1 Gene in a 56-Year-Old Woman with Breast Cancer, Ovarian Cancer, and Diffuse Large B-Cell Lymphoma. <i>Cancer Research and Treatment</i> , 2015 , 47, 534-8	5.2	6

133	Can Serum be Used for Analyzing the KRAS Mutation Status in Patients with Advanced Colorectal Cancer?. <i>Cancer Research and Treatment</i> , 2015 , 47, 796-803	5.2	5
132	A phase II open-label randomized multicenter trial of TSU-68 in combination with S-1 and oxaliplatin versus S-1 in combination with oxaliplatin in patients with metastatic colorectal cancer. <i>Investigational New Drugs</i> , 2014 , 32, 561-8	4.3	2
131	YKL-40 expression could be a poor prognostic marker in the breast cancer tissue. <i>Tumor Biology</i> , 2014 , 35, 277-86	2.9	14
130	Distinct Rayleigh scattering from hot spot mutant p53 proteins reveals cancer cells. <i>Small</i> , 2014 , 10, 2954-62	4.6	5
129	Vaccination with ErbB-2 peptides prevents cancer stem cell expansion and suppresses the development of spontaneous tumors in MMTV-PyMT transgenic mice. <i>Breast Cancer Research and Treatment</i> , 2014 , 147, 69-80	4.4	12
128	Predictors of mortality attributable to Clostridium difficile infection in patients with underlying malignancy. <i>Supportive Care in Cancer</i> , 2014 , 22, 2039-48	3.9	19
127	Transcriptional and posttranslational regulation of insulin-like growth factor binding protein-3 by Akt3. <i>Carcinogenesis</i> , 2014 , 35, 2232-43	4.6	9
126	Imputation and subset-based association analysis across different cancer types identifies multiple independent risk loci in the TERT-CLPTM1L region on chromosome 5p15.33. <i>Human Molecular Genetics</i> , 2014 , 23, 6616-33	5.6	77
125	A functional polymorphism in CSF1R gene is a novel susceptibility marker for lung cancer among never-smoking females. <i>Journal of Thoracic Oncology</i> , 2014 , 9, 1647-55	8.9	17
124	Addition of docetaxel to S-1 without platinum prolongs survival of patients with advanced gastric cancer: a randomized study (START). <i>Journal of Cancer Research and Clinical Oncology</i> , 2014 , 140, 319-28	4.9	132
123	Open-label, randomized, single-dose, crossover study to evaluate the pharmacokinetics and safety differences between two docetaxel products, CKD-810 and Taxotere injection, in patients with advanced solid cancer. <i>Cancer Chemotherapy and Pharmacology</i> , 2014 , 73, 9-16	3.5	0
122	EGFR endocytosis is a novel therapeutic target in lung cancer with wild-type EGFR. <i>Oncotarget</i> , 2014 , 5, 1265-78	3.3	34
121	The role of chemotherapy and/or octreotide in patients with metastatic gastroenteropancreatic and hepatobiliary neuroendocrine carcinoma. <i>Journal of Gastrointestinal Oncology</i> , 2014 , 5, 457-62	2.8	8
120	Bladder and liver involvement of visceral larva migrans may mimic malignancy. <i>Cancer Research and Treatment</i> , 2014 , 46, 419-24	5.2	4
119	A Randomized Double-Blind, Double-Dummy, Multicenter Trial of Azasetron versus Ondansetron to Evaluate Efficacy and Safety in the Prevention of Delayed Nausea and Vomiting Induced by Chemotherapy. <i>Cancer Research and Treatment</i> , 2014 , 46, 19-26	5.2	7
118	Dose KRAS Mutation Status Affect on the Effect of VEGF Therapy in Metastatic Colon Cancer Patients?. <i>Cancer Research and Treatment</i> , 2014 , 46, 48-54	5.2	7
117	Modified MVAC as a Second-Line Treatment for Patients with Metastatic Urothelial Carcinoma after Failure of Gemcitabine and Cisplatin Treatment. <i>Cancer Research and Treatment</i> , 2014 , 46, 172-7	5.2	7
116	Combination of gemcitabine and carboplatin as first line treatment in elderly patients or those unfit for cisplatin-based chemotherapy with advanced transitional cell carcinoma of the urinary tract. <i>Cancer Chemotherapy and Pharmacology</i> , 2013 , 71, 1033-9	3.5	14

115	Everolimus for previously treated advanced gastric cancer: results of the randomized, double-blind, phase III GRANITE-1 study. <i>Journal of Clinical Oncology</i> , 2013 , 31, 3935-43	2.2	358
114	The relationship between preeclampsia, pregnancy-induced hypertension and maternal risk of breast cancer: a meta-analysis. <i>Acta Oncologica</i> , 2013 , 52, 1643-8	3.2	28
113	Regorafenib for metastatic colorectal cancer. <i>Lancet, The</i> , 2013 , 381, 1537-8	4.0	1
112	Can mutations of EGFR and KRAS in serum be predictive and prognostic markers in patients with advanced non-small cell lung cancer (NSCLC)?. <i>Medical Oncology</i> , 2013 , 30, 328	3.7	27
111	Tumor-infiltrating lymphocytes, tumor characteristics, and recurrence in patients with early breast cancer. <i>American Journal of Clinical Oncology: Cancer Clinical Trials</i> , 2013 , 36, 224-31	2.7	91
110	Can serum be used for analyzing the EGFR mutation status in patients with advanced non-small cell lung cancer?. <i>American Journal of Clinical Oncology: Cancer Clinical Trials</i> , 2013 , 36, 57-63	2.7	23
109	Genome-wide association study of lung cancer in Korean non-smoking women. <i>Journal of Korean Medical Science</i> , 2013 , 28, 840-7	4.7	12
108	Wnt5a is associated with cigarette smoke-related lung carcinogenesis via protein kinase C. <i>PLoS ONE</i> , 2013 , 8, e53012	3.7	21
107	Predictive efficacy of low burden EGFR mutation detected by next-generation sequencing on response to EGFR tyrosine kinase inhibitors in non-small-cell lung carcinoma. <i>PLoS ONE</i> , 2013 , 8, e81975	3.7	17
106	Impact of KRAS Mutation Status on Outcomes in Metastatic Colon Cancer Patients without Anti-Epidermal Growth Factor Receptor Therapy. <i>Cancer Research and Treatment</i> , 2013 , 45, 55-62	5.2	13
105	RASSF1A Suppresses Cell Migration through Inactivation of HDAC6 and Increase of Acetylated β -Tubulin. <i>Cancer Research and Treatment</i> , 2013 , 45, 134-44	5.2	19
104	Is chemotherapy in elderly patients with metastatic or recurrent gastric cancer as tolerable and effective as in younger patients?. <i>Asia-Pacific Journal of Clinical Oncology</i> , 2012 , 8, 194-200	1.9	6
103	The relationship between twin births and maternal risk of breast cancer: a meta-analysis. <i>Breast Cancer Research and Treatment</i> , 2012 , 131, 671-7	4.4	4
102	The 18p11.22 locus is associated with never smoker non-small cell lung cancer susceptibility in Korean populations. <i>Human Genetics</i> , 2012 , 131, 365-72	6.3	41
101	Adjuvant capecitabine and oxaliplatin for gastric cancer after D2 gastrectomy (CLASSIC): a phase 3 open-label, randomised controlled trial. <i>Lancet, The</i> , 2012 , 379, 315-21	4.0	1085
100	Genome-wide association analysis identifies new lung cancer susceptibility loci in never-smoking women in Asia. <i>Nature Genetics</i> , 2012 , 44, 1330-5	36.3	237
99	A phase II trial of ixabepilone in Asian patients with advanced gastric cancer previously treated with fluoropyrimidine-based chemotherapy. <i>Cancer Chemotherapy and Pharmacology</i> , 2012 , 70, 583-90	3.5	5
98	Promoter methylation of RASSF1A modulates the effect of the microtubule-targeting agent docetaxel in breast cancer. <i>International Journal of Oncology</i> , 2012 , 41, 611-20	4.4	15

97	Histone deacetylase inhibitors enhance the apoptotic activity of insulin-like growth factor binding protein-3 by blocking PKC-induced IGFBP-3 degradation. <i>International Journal of Cancer</i> , 2012 , 131, 2253-63	7.5	6
96	Gefitinib versus pemetrexed as second-line treatment in patients with nonsmall cell lung cancer previously treated with platinum-based chemotherapy (KCSG-LU08-01): an open-label, phase 3 trial. <i>Cancer</i> , 2012 , 118, 6234-42	6.4	72
95	The serum bone morphogenetic protein-2 level in non-small-cell lung cancer patients. <i>Medical Oncology</i> , 2012 , 29, 582-8	3.7	26
94	Genetic variant in TP63 on locus 3q28 is associated with risk of lung adenocarcinoma among never-smoking females in Asia. <i>Human Genetics</i> , 2012 , 131, 1197-203	6.3	35
93	A prognostic model to identify patients with advanced pancreas adenocarcinoma who could benefit from second-line chemotherapy. <i>Clinical Oncology</i> , 2012 , 24, 105-11	2.8	12
92	How does inhibition of the renin-angiotensin system affect the prognosis of advanced gastric cancer patients receiving platinum-based chemotherapy?. <i>Oncology</i> , 2012 , 83, 354-60	3.6	32
91	Varicella zoster virus infection during chemotherapy in solid cancer patients. <i>Oncology</i> , 2012 , 82, 126-30	3.6	11
90	Chemotherapy in Patients Older than or Equal to 75 Years with Advanced Non-small Cell Lung Cancer. <i>Cancer Research and Treatment</i> , 2012 , 44, 37-42	5.2	3
89	The Blocking of c-Met Signaling Induces Apoptosis through the Increase of p53 Protein in Lung Cancer. <i>Cancer Research and Treatment</i> , 2012 , 44, 251-61	5.2	17
88	Metastasis to the Iliopsoas Muscle from Advanced Gastric Carcinoma: an Unusual Site of Metastasis. <i>Korean Journal of Medicine</i> , 2012 , 82, 754	0.5	
87	Bevacizumab for salvage treatment of metastatic breast cancer: a systemic review and meta-analysis of randomized controlled trials. <i>Investigational New Drugs</i> , 2011 , 29, 182-8	4.3	18
86	Phase II study of vinorelbine monotherapy in anthracycline and taxane pre-treated metastatic breast cancer. <i>Investigational New Drugs</i> , 2011 , 29, 360-5	4.3	14
85	Phase II trial of S-1 monotherapy in elderly or frail patients with metastatic colorectal cancer. <i>Investigational New Drugs</i> , 2011 , 29, 1073-80	4.3	6
84	Association of a vascular endothelial growth factor gene 936 C/T polymorphism with breast cancer risk: a meta-analysis. <i>Breast Cancer Research and Treatment</i> , 2011 , 125, 849-53	4.4	18
83	Epidermal growth factor receptor mutations as a prognostic factor in Korean patients with advanced lung adenocarcinoma who had not been treated with received epidermal growth factor receptor tyrosine kinase inhibitors. <i>Chemotherapy</i> , 2011 , 57, 108-14	3.2	2
82	An association study of polymorphisms in JAK3 gene with lung cancer in the Korean population. <i>Cancer Research and Treatment</i> , 2011 , 43, 108-16	5.2	2
81	Mitomycin-C, 5-fluorouracil, and leucovorin as a salvage therapy in patients with metastatic colorectal adenocarcinoma. <i>Asia-Pacific Journal of Clinical Oncology</i> , 2010 , 6, 286-91	1.9	7
80	Treatment results including more than third-line chemotherapy for patients with advanced non-small cell lung cancer. <i>Oncology Letters</i> , 2010 , 1, 51-55	2.6	4

79	Individualized tumor response testing for prediction of response to Paclitaxel and Cisplatin chemotherapy in patients with advanced gastric cancer. <i>Journal of Korean Medical Science</i> , 2010 , 25, 684-90	4.7	8
78	Prognostic significance of serum vascular endothelial growth factor per platelet count in unresectable advanced gastric cancer patients. <i>Japanese Journal of Clinical Oncology</i> , 2010 , 40, 1147-53	2.8	27
77	The 5p15.33 locus is associated with risk of lung adenocarcinoma in never-smoking females in Asia. <i>PLoS Genetics</i> , 2010 , 6, e1001051	6	141
76	High serum YKL-40 is a poor prognostic marker in patients with advanced non-small cell lung cancer. <i>Acta Oncologica</i> , 2010 , 49, 861-4	3.2	19
75	Selection of a patient subgroup with advanced esophageal squamous carcinoma who could benefit from second-line chemotherapy. <i>Oncology</i> , 2010 , 79, 363-9	3.6	1
74	Gemcitabine and oxaliplatin in patients with unresectable biliary cancer including gall bladder cancer: a Korean Cancer Study Group phase II trial. <i>Cancer Chemotherapy and Pharmacology</i> , 2010 , 65, 641-7	3.5	59
73	A multicenter phase II study of gemcitabine and S-1 combination chemotherapy in patients with unresectable pancreatic cancer. <i>Cancer Chemotherapy and Pharmacology</i> , 2010 , 65, 527-36	3.5	32
72	Concurrent chemoradiation followed by adjuvant chemotherapy in patients with locoregionally advanced nasopharyngeal carcinoma in Korea. <i>Cancer Chemotherapy and Pharmacology</i> , 2010 , 66, 643-51	3.5	11
71	Bone morphogenetic protein-2 levels are elevated in the patients with gastric cancer and correlate with disease progression. <i>Medical Oncology</i> , 2010 , 27, 1192-9	3.7	28
70	Association of a progesterone receptor gene +331 G/A polymorphism with breast cancer risk: a meta-analysis. <i>Cancer Genetics and Cytogenetics</i> , 2010 , 196, 194-7		5
69	Genomic alterations of chromosome region 11p as predictive marker by array comparative genomic hybridization in lung adenocarcinoma patients. <i>Cancer Genetics and Cytogenetics</i> , 2010 , 198, 27-34		15
68	The suggestion of a risk stratification system for febrile neutropenia in patients with hematologic disease. <i>Leukemia Research</i> , 2010 , 34, 294-300	2.7	19
67	Single-nucleotide polymorphisms in the promoter of the CDK5 gene and lung cancer risk in a Korean population. <i>Journal of Human Genetics</i> , 2009 , 54, 298-303	4.3	19
66	Microtubule-damaging agents enhance RASSF1A-induced cell death in lung cancer cell lines. <i>Cancer</i> , 2009 , 115, 1253-66	6.4	8
65	Combination chemotherapy of S-1 and taxanes in Korea. <i>Gastric Cancer</i> , 2009 , 12, 31-37	7.6	
64	Array CGH reveals genomic aberrations in human emphysema. <i>Lung</i> , 2009 , 187, 165-72	2.9	9
63	Phase I dose escalation study of docetaxel with a fixed dose of S-1 in combination chemotherapy for advanced gastric cancer. <i>Cancer Chemotherapy and Pharmacology</i> , 2009 , 63, 253-60	3.5	
62	Treatment outcomes of oxaliplatin, 5-FU, and leucovorin as salvage therapy for patients with advanced or metastatic gastric cancer: a retrospective analysis. <i>Cancer Chemotherapy and Pharmacology</i> , 2009 , 63, 433-9	3.5	12

61	No association between promoter polymorphism of STK11 gene and lung cancer risk in the Korean population. <i>Cancer Research and Treatment</i> , 2009 , 41, 211-7	5.2	4
60	Chemotherapy Related Oral and Gastrointestinal Mucositis. <i>Journal of the Korean Medical Association</i> , 2009 , 52, 897	0.5	7
59	The genetic polymorphisms of HER-2 and the risk of lung cancer in a Korean population. <i>BMC Cancer</i> , 2008 , 8, 359	4.8	17
58	The functional implications of Akt activity and TGF-beta signaling in tamoxifen-resistant breast cancer. <i>Biochimica Et Biophysica Acta - Molecular Cell Research</i> , 2008 , 1783, 438-47	4.9	22
57	Putative association of the single nucleotide polymorphisms in RASSF1A promoter with Korean lung cancer. <i>Lung Cancer</i> , 2008 , 61, 301-8	5.9	10
56	Single nucleotide polymorphisms of IGFBP-3 gene and lung cancer risk in a Korean population. <i>Lung Cancer</i> , 2008 , 62, 152-61	5.9	15
55	Properties of the amniotic membrane may be applicable in cancer therapy. <i>Medical Hypotheses</i> , 2008 , 70, 812-4	3.8	23
54	Identification of potential lung cancer biomarkers using an in vitro carcinogenesis model. <i>Experimental and Molecular Medicine</i> , 2008 , 40, 709-20	12.8	59
53	Primary Adrenal Lymphoma Presenting with Cauda Equina Syndrome. <i>Scottish Medical Journal</i> , 2008 , 53, 1-6	1.8	1
52	Extrinsic nitric oxide donor partially reverses arginine deiminase induced cell growth inhibition through NFkappaB and Bcl-X L. <i>Investigational New Drugs</i> , 2008 , 26, 277-82	4.3	3
51	Pemetrexed and cisplatin in patients with advanced gastric cancer: a Korean cancer study group multicenter phase II study. <i>Cancer Chemotherapy and Pharmacology</i> , 2008 , 62, 263-70	3.5	10
50	A phase II study of capecitabine plus gemcitabine in patients with locally advanced or metastatic pancreatic cancer. <i>Cancer Chemotherapy and Pharmacology</i> , 2008 , 62, 763-8	3.5	12
49	Association study of TP53 polymorphisms with lung cancer in a Korean population. <i>Journal of Human Genetics</i> , 2008 , 53, 508	4.3	22
48	Bilateral Optic Nerve Invasion of Extranodal Marginal Zone B Cell Lymphoma with Leukemic Subtype. <i>Blood</i> , 2008 , 112, 5285-5285	2.2	1
47	Mitoxantrone, Etoposide, and Intermediate-Dose Cytarabine in the Treatment of Refractory/Relapsed Acute Myeloid Leukemia : Single-Center Experience. <i>Blood</i> , 2008 , 112, 4007-4007	2.2	
46	Comparative genomic hybridization array analysis and real time PCR reveals genomic alterations in squamous cell carcinomas of the lung. <i>Lung Cancer</i> , 2007 , 55, 43-51	5.9	50
45	Combinational treatment with retinoic acid derivatives in non-small cell lung carcinoma in vitro. <i>Journal of Korean Medical Science</i> , 2007 , 22 Suppl, S52-60	4.7	15
44	Epirubicin, cisplatin, oral UFT, and leucovorin combination chemotherapy in advanced and metastatic esophageal cancer. <i>Medical Oncology</i> , 2007 , 24, 33-7	3.7	3

43	Lack of association of fragile histidine triad (FHIT) polymorphisms with lung cancer in the Korean population. <i>Journal of Human Genetics</i> , 2007 , 52, 668	4.3	
42	Phase II study of a gemcitabine and cisplatin combination regimen in taxane resistant metastatic breast cancer. <i>Cancer Chemotherapy and Pharmacology</i> , 2007 , 59, 269-74	3.5	24
41	Prognostic value of carbonic anhydrase IX and Ki-67 expression in squamous cell carcinoma of the tongue. <i>Japanese Journal of Clinical Oncology</i> , 2007 , 37, 812-9	2.8	47
40	Phase II study of biweekly paclitaxel and cisplatin combination chemotherapy in advanced gastric cancer: Korea Japan Collaborative Study Group Trial. <i>Japanese Journal of Clinical Oncology</i> , 2007 , 37, 501-8	2.8	7
39	Telomere length shortening of peripheral blood mononuclear cells in solid-cancer patients undergoing standard-dose chemotherapy might be correlated with good treatment response and neutropenia severity. <i>Acta Haematologica</i> , 2007 , 118, 30-7	2.7	15
38	Reduced dose of imatinib for patients with chronic myeloid leukemia and low body surface area. <i>Acta Haematologica</i> , 2007 , 118, 219-21	2.7	19
37	Treatment Outcomes and Toxicities of ABVD Combination Chemotherapy Compared with CVPP in Hodgkin's Disease. <i>The Korean Journal of Hematology</i> , 2007 , 42, 335		
36	Phase II study with a combination of epirubicin, cisplatin, UFT, and leucovorin in advanced hepatocellular carcinoma. <i>Cancer Chemotherapy and Pharmacology</i> , 2006 , 57, 436-42	3.5	17
35	Single nucleotide polymorphisms of the TGFB1 gene and lung cancer risk in a Korean population. <i>Cancer Genetics and Cytogenetics</i> , 2006 , 169, 39-44		32
34	Neural network-based analysis of thiol proteomics data in identifying potential selenium targets. <i>Preparative Biochemistry and Biotechnology</i> , 2006 , 36, 37-64	2.4	7
33	Analysis of protein redox modification by hypoxia. <i>Preparative Biochemistry and Biotechnology</i> , 2006 , 36, 65-79	2.4	10
32	Randomized phase II study of gemcitabine plus cisplatin versus etoposide plus cisplatin for the treatment of locally advanced or metastatic non-small cell lung cancer: Korean Cancer Study Group experience. <i>Lung Cancer</i> , 2006 , 52, 75-81	5.9	9
31	Prospective analysis of treatment outcome and prognostic factors in patients with T-cell lymphomas treated by CEOP-B: single institutional study. <i>British Journal of Haematology</i> , 2006 , 134, 45-53	4.5	19
30	uPAR expression under hypoxic conditions depends on iNOS modulated ERK phosphorylation in the MDA-MB-231 breast carcinoma cell line. <i>Cell Research</i> , 2006 , 16, 75-81	24.7	24
29	Comparative genomic hybridization array analysis and real-time PCR reveals genomic copy number alteration for lung adenocarcinomas. <i>Lung</i> , 2006 , 184, 355-62	2.9	39
28	Autocrine vascular endothelial growth factor/vascular endothelial growth factor receptor-2 growth pathway represents a cyclooxygenase-2-independent target for the cyclooxygenase-2 inhibitor NS-398 in colon cancer cells. <i>Oncology</i> , 2005 , 68, 204-11	3.6	14
27	Follow-up study of peripheral blood carcinoembryonic antigen mRNA using reverse transcription-polymerase chain reaction as an early marker of clinical recurrence in patients with curatively resected gastric cancer. <i>American Journal of Clinical Oncology: Cancer Clinical Trials</i> , 2005 , 28, 24-9	2.7	21
26	Hyperacetylation enhances the growth-inhibitory effect of all-trans retinoic acid by the restoration of retinoic acid receptor beta expression in head and neck squamous carcinoma (HNSCC) cells. <i>Cancer Chemotherapy and Pharmacology</i> , 2005 , 56, 543-55	3.5	14

25	CDK2/4 regulate retinoic acid-induced G1 arrest in hepatocellular carcinoma cells. <i>Hepatology Research</i> , 2005 , 31, 143-52	5.1	8
24	RASSF1A suppresses the c-Jun-NH2-kinase pathway and inhibits cell cycle progression. <i>Cancer Research</i> , 2005 , 65, 3682-90	10.1	61
23	Capillary-LC-ESI-MS/MS and Nano-LC-Nano ESI-MS/MS Analysis Using a Single Binary Pump Capillary LC System: Applications in Proteomics. <i>Journal of Liquid Chromatography and Related Technologies</i> , 2005 , 28, 1271-1289	1.3	4
22	Chemotherapy for advanced gastric cancer: slow but further progress. <i>Cancer Research and Treatment</i> , 2005 , 37, 79-86	5.2	12
21	Prediction of Survival in Patients with Non-Hodgkin's Lymphoma: Role of Tumor Necrosis Factor Ligand-Receptor and Extracellular Protein Kinase A.. <i>Blood</i> , 2005 , 106, 4737-4737	2.2	
20	Serum vascular endothelial growth factor per platelet count in hepatocellular carcinoma: correlations with clinical parameters and survival. <i>Japanese Journal of Clinical Oncology</i> , 2004 , 34, 184-90	2.8	44
19	NK/T-cell lymphoma associated with Epstein-Barr virus in a patient infected with human immunodeficiency virus: an autopsy case. <i>International Journal of Hematology</i> , 2004 , 79, 480-3	2.3	5
18	Prevalence and characteristics of anemia in the elderly: cross-sectional study of three urban Korean population samples. <i>American Journal of Hematology</i> , 2004 , 77, 26-30	7.1	34
17	Efficacy of imatinib mesylate (STI571) in chronic neutrophilic leukemia with t(15;19): case report. <i>American Journal of Hematology</i> , 2004 , 77, 366-9	7.1	13
16	BRCA1 and BRCA2 germline mutations in Korean patients with sporadic breast cancer. <i>Human Mutation</i> , 2004 , 24, 350	4.7	43
15	The Cutoff Value of Serum Ferritin for the Diagnosis of Iron Deficiency in the Community-Residing Older Persons.. <i>Blood</i> , 2004 , 104, 5291-5291	2.2	
14	The Effect of Telomerase Antisense for the Differentiation of Embryonic Stem Cells to Hemopoietic Stem Cells.. <i>Blood</i> , 2004 , 104, 4201-4201	2.2	
13	Multicenter study of pain and its management in patients with advanced cancer in Korea. <i>Journal of Pain and Symptom Management</i> , 2003 , 25, 430-7	4.8	49
12	Early lymphopenia as a risk factor for chemotherapy-induced febrile neutropenia. <i>American Journal of Hematology</i> , 2003 , 73, 263-6	7.1	25
11	ESHAP salvage therapy for relapsed or refractory non-Hodgkin's lymphoma. <i>Journal of Korean Medical Science</i> , 2002 , 17, 621-4	4.7	10
10	c-Myc exerts a protective function through ornithine decarboxylase against cellular insults. <i>Molecular Pharmacology</i> , 2002 , 62, 1400-8	4.3	32
9	Long-term engraftment stability of peripheral blood stem cells cryopreserved using the dump-freezing method in a -80 degrees C mechanical freezer with 10% dimethyl sulfoxide. <i>International Journal of Hematology</i> , 2001 , 73, 245-50	2.3	23
8	Response to high-dose intravenous immune globulin as a valuable factor predicting the effect of splenectomy in chronic idiopathic thrombocytopenic purpura patients. <i>American Journal of Hematology</i> , 2001 , 66, 197-202	7.1	32

7	The healing effect of rhGM-CSF on uninfected wounds. <i>Immune Network</i> , 2001 , 1, 32	6.1	
6	Response to high-dose intravenous immune globulin as a valuable factor predicting the effect of splenectomy in chronic idiopathic thrombocytopenic purpura patients 2001 , 66, 197		1
5	Effects of 5-fluorouracil and leucovorin in the treatment of pancreatic-biliary tract adenocarcinomas. <i>American Journal of Clinical Oncology: Cancer Clinical Trials</i> , 2000 , 23, 425-8	2.7	96
4	Selective hepatic arterial chemoembolization for liver metastases in patients with carcinoid tumor or islet cell carcinoma. <i>Cancer Investigation</i> , 1999 , 17, 474-8	2.1	97
3	Amplification of c-erbB-2 proto-oncogene in cancer foci, adjacent normal, metastatic and normal tissues of human primary gastric adenocarcinomas. <i>Journal of Korean Medical Science</i> , 1997 , 12, 311-5	4.7	5
2	Phase II trial of Oral UFT and leucovorin in advanced gastric carcinoma. <i>American Journal of Clinical Oncology: Cancer Clinical Trials</i> , 1996 , 19, 212-6	2.7	31
1	Overexpression of an elongation factor-1 gamma-hybridizing RNA in colorectal adenomas. <i>Molecular Carcinogenesis</i> , 1993 , 7, 18-20	5	22