Eva K Pressman

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/3619893/publications.pdf

Version: 2024-02-01

169 papers 3,474 citations

34 h-index 54 g-index

177 all docs

177 docs citations

177 times ranked

3701 citing authors

#	Article	IF	Citations
1	Complications of Pregnancy in Adolescents. Seminars in Reproductive Medicine, 2022, 40, 098-106.	0.5	13
2	Vitamin D kinetics in nonpregnant and pregnant women after a single oral dose of trideuterated vitamin D3. Journal of Steroid Biochemistry and Molecular Biology, 2022, 216, 106034.	1.2	3
3	Fetal iron uptake from recent maternal diet and the maternal RBC iron pool. American Journal of Clinical Nutrition, 2022, 115, 1069-1079.	2.2	5
4	Placental Iron Content Is Lower than Previously Estimated and Is Associated with Maternal Iron Status in Women at Greater Risk of Gestational Iron Deficiency and Anemia. Journal of Nutrition, 2022, 152, 737-746.	1.3	9
5	Placental Ferroportin Protein Abundance Is Associated With Neonatal Rather Than Maternal Iron Status in Women at High Risk for Gestational Iron Insufficiency. Current Developments in Nutrition, 2022, 6, 622.	0.1	O
6	Piling it on: Perceived stress and lack of access to resources among US-based LGBTQ+ community members during the COVID-19 pandemic. PLoS ONE, 2022, 17, e0271162.	1.1	5
7	Does transvaginal ultrasound at 13–15 weeks improve anatomic survey completion rates in obese gravidas?. Journal of Maternal-Fetal and Neonatal Medicine, 2021, 34, 803-809.	0.7	5
8	Serum Erythroferrone During Pregnancy Is Related to Erythropoietin but Does Not Predict the Risk of Anemia. Journal of Nutrition, 2021, 151, 1824-1833.	1.3	12
9	Placental EPO mRNA Expression Is Measurable in Very Preterm to Term Placentae. Current Developments in Nutrition, 2021, 5, 729.	0.1	O
10	Prevalence of Anemia Across Trimesters in Multiethnic Pregnant Women. Current Developments in Nutrition, 2021, 5, 765.	0.1	0
11	Placental Iron Content Is Lower Than Previously Estimated and Is Associated With Maternal Iron Status. Current Developments in Nutrition, 2021, 5, 715.	0.1	O
12	Umbilical Cord Erythroferrone Is Inversely Associated with Hepcidin, but Does Not Capture the Most Variability in Iron Status of Neonates Born to Teens Carrying Singletons and Women Carrying Multiples. Journal of Nutrition, 2021, 151, 2590-2600.	1.3	12
13	Science, healthcare system, and government effectiveness perception and COVID-19 vaccination acceptance and hesitancy in a global sample: an analytical cross-sectional analysis. BMJ Open, 2021, 11, e049716.	0.8	6
14	The Biopsychosocial Model and Perinatal Health Care: Determinants of Perinatal Care in a Community Sample. Frontiers in Psychiatry, 2021, 12, 746803.	1.3	4
15	Maternal Red Blood Cell Catabolism as a Source of Fetal Iron. Current Developments in Nutrition, 2020, 4, nzaa054_041.	0.1	1
16	864: Uterine Fasciculation-Like Signals: A novel pattern of uterine bioelectric activity. American Journal of Obstetrics and Gynecology, 2020, 222, S539-S540.	0.7	0
17	Letter to the editors re: Giants in Obstetrics and Gynecology Series: a profile of Judith Vaitukaitis, MD, who made possible the early detection of pregnancy. American Journal of Obstetrics and Gynecology, 2020, 222, 287.	0.7	1
18	Iron absorption during pregnancy is underestimated when iron utilization by the placenta and fetus is ignored. American Journal of Clinical Nutrition, 2020, 112, 576-585.	2.2	14

#	Article	IF	Citations
19	Erythroferrone Is Associated with Maternal Erythropoietic Drive During Pregnancy. Current Developments in Nutrition, 2020, 4, nzaa054_040.	0.1	O
20	689: Improving documentation of high-risk perinatal events: effectiveness of real-time chart audits. American Journal of Obstetrics and Gynecology, 2020, 222, S436.	0.7	0
21	58: Detecting the maternal in mortality: A data fusion approach to improving pregnancy-associated mortality ascertainment. American Journal of Obstetrics and Gynecology, 2020, 222, S49-S50.	0.7	0
22	813: Neonatal hypoxic ischemic encephalopathy: a novel audit tool for delivery documentation in high risk births. American Journal of Obstetrics and Gynecology, 2020, 222, S512-S513.	0.7	0
23	Risk of COVID-19-related bullying, harassment and stigma among healthcare workers: an analytical cross-sectional global study. BMJ Open, 2020, 10, e046620.	0.8	123
24	A social media intervention to improve nutrition knowledge and behaviors of low income, pregnant adolescents and adult women. PLoS ONE, 2019, 14, e0223120.	1.1	21
25	276: Safety in should dystocia: implementation of an injury prevention program improves completeness of documentation. American Journal of Obstetrics and Gynecology, 2019, 220, S196-S197.	0.7	1
26	Umbilical Cord Serum Ferritin Concentration is Inversely Associated with Umbilical Cord Hemoglobin in Neonates Born to Adolescents Carrying Singletons and Women Carrying Multiples. Journal of Nutrition, 2019, 149, 406-415.	1.3	17
27	Vitamin B12 Status in Pregnant Adolescents and Their Infants. Nutrients, 2019, 11, 397.	1.7	14
28	Preterm Prelabor Rupture of Membranes: Outcomes with Expectant Management until 34 versus 35 Weeks. American Journal of Perinatology, 2019, 36, 659-668.	0.6	4
29	Patterns and Correlates of Self-Reported Physical Activity in a Cohort of Racially Diverse Pregnant Adolescents. Journal of Pediatric and Adolescent Gynecology, 2019, 32, 51-56.	0.3	12
30	Longitudinal changes in serum vitamin D binding protein and free 25-hydroxyvitamin D in a multiracial cohort of pregnant adolescents. Journal of Steroid Biochemistry and Molecular Biology, 2019, 186, 79-88.	1.2	22
31	Umbilical Cord Coiling in High-risk Pregnancies: Associations With Determinants of Adverse Birth Outcomes and Iron Status. Pediatric and Developmental Pathology, 2018, 21, 537-547.	0.5	7
32	Low Vitamin D is Associated With Infections and Proinflammatory Cytokines During Pregnancy. Reproductive Sciences, 2018, 25, 414-423.	1.1	35
33	SMFM Consult Series #46: Evaluation and management of polyhydramnios. American Journal of Obstetrics and Gynecology, 2018, 219, B2-B8.	0.7	109
34	Umbilical Cord Hepcidin Concentrations Are Positively Associated with the Variance in Iron Status among Multiple Birth Neonates. Journal of Nutrition, 2018, 148, 1716-1722.	1.3	17
35	Gestational Age and Maternal Serum 25-hydroxyvitamin D Concentration Interact to Affect the 24,25-dihydroxyvitamin D Concentration in Pregnant Adolescents. Journal of Nutrition, 2018, 148, 868-875.	1.3	8
36	Predictors of anemia and iron status at birth in neonates born to women carrying multiple fetuses. Pediatric Research, 2018, 84, 199-204.	1.1	21

#	Article	IF	Citations
37	Vitamin D mediates the relationship between placental cathelicidin and group B streptococcus colonization during pregnancy. Journal of Reproductive Immunology, 2017, 121, 42-48.	0.8	9
38	Elemental content of the placenta: A comparison between two high-risk obstetrical populations, adult women carrying multiples and adolescents carrying singletons. Environmental Research, 2017, 158, 553-565.	3.7	23
39	Prevalence and Risk Factors for Infections in a Pregnant Adolescent Population. Journal of Pediatric and Adolescent Gynecology, 2017, 30, 71-75.	0.3	23
40	Serum 24,25â€dihydroxyvitamin D Is Suppressed Across Pregnancy In Adolescents with Low Vitamin D Status. FASEB Journal, 2017, 31, 316.6.	0.2	0
41	The Effects of Trauma History and Prenatal Affective Symptoms on Obstetric Outcomes. Journal of Traumatic Stress, 2016, 29, 245-252.	1.0	34
42	Shear Wave Elastography in the Living, Perfused, Post-Delivery Placenta. Ultrasound in Medicine and Biology, 2016, 42, 1282-1288.	0.7	23
43	Iron deficiency and anemia are prevalent in women with multiple gestations. American Journal of Clinical Nutrition, 2016, 104, 1052-1060.	2.2	50
44	Maternal iron status during pregnancy compared with neonatal iron status better predicts placental iron transporter expression in humans. FASEB Journal, 2016, 30, 3541-3550.	0.2	33
45	Vitamin B12 and placental expression of transcobalamin in pregnant adolescents. Placenta, 2016, 45, 1-7.	0.7	12
46	Prevalence of anemia and associations between neonatal iron status, hepcidin, and maternal iron status among neonates born to pregnant adolescents. Pediatric Research, 2016, 79, 42-48.	1.1	53
47	Procalcitonin for prediction of chorioamnionitis in preterm premature rupture of membranes. Journal of Maternal-Fetal and Neonatal Medicine, 2016, 29, 2056-2061.	0.7	26
48	Prepregnancy Body Mass Index and Gestational Weight Gain Have No Negative Impact on Maternal or Neonatal Iron Status. Reproductive Sciences, 2016, 23, 613-622.	1.1	47
49	The course and outcome of pregnancy in women with nondystrophic myotonias. Muscle and Nerve, 2015, 52, 1013-1015.	1.0	10
50	Vitamin D status is inversely associated with anemia and serum erythropoietin during pregnancy. American Journal of Clinical Nutrition, 2015, 102, 1088-1095.	2.2	45
51	Timing of induction of labor. Seminars in Perinatology, 2015, 39, 450-458.	1.1	6
52	Vitamin D Status Affects Serum Metabolomic Profiles in Pregnant Adolescents. Reproductive Sciences, 2015, 22, 685-695.	1.1	17
53	Gestational Iron Deficiency Is Associated with Pica Behaviors in Adolescents. Journal of Nutrition, 2014, 144, 1533-1539.	1.3	25
54	Maternal Inflammation at Delivery Affects Assessment of Maternal Iron Status. Journal of Nutrition, 2014, 144, 1524-1532.	1.3	35

#	Article	IF	CITATIONS
55	Nutrient Inadequacy Is Prevalent in Pregnant Adolescents, and Prenatal Supplement Use May Not Fully Compensate for Dietary Deficiencies. ICAN: Infant, Child, & Adolescent Nutrition, 2014, 6, 152-159.	0.2	11
56	Placental CYP27B1 and CYP24A1 Expression in Human Placental Tissue and Their Association With Maternal and Neonatal Calcitropic Hormones. Journal of Clinical Endocrinology and Metabolism, 2014, 99, 1348-1356.	1.8	42
57	Placental heme receptor LRP1 correlates with the heme exporter FLVCR1 and neonatal iron status. Reproduction, 2014, 148, 295-302.	1.1	29
58	535: Simulation for learning obstetrical skills–repeated testing and self-efficacy. American Journal of Obstetrics and Gynecology, 2014, 210, S263.	0.7	1
59	146: Imaging of the placental architecture in normotensive versus pregnancies complicated by preeclampsia. American Journal of Obstetrics and Gynecology, 2014, 210, S86-S87.	0.7	0
60	Diurnal cortisol patterns and psychiatric symptoms in pregnancy: Short-term longitudinal study. Biological Psychology, 2014, 96, 35-41.	1.1	75
61	The Delivery Room Communication Checklist. MedEdPORTAL: the Journal of Teaching and Learning Resources, 2014, 10, .	0.5	2
62	Umbilical cord coiling in adolescent and multiples pregnancies: associations with iron status (636.4). FASEB Journal, 2014, 28, 636.4.	0.2	1
63	Prevalence of anemia and iron deficiency among pregnant adolescents (1024.10). FASEB Journal, 2014, 28, 1024.10.	0.2	0
64	Ultrasound for Evaluation of Fetal Anemia. Ultrasound Clinics, 2013, 8, 79-87.	0.2	O
64	Ultrasound for Evaluation of Fetal Anemia. Ultrasound Clinics, 2013, 8, 79-87. Predictive role of prenasal thickness and nasal bone for Down syndrome in the second trimester. European Journal of Obstetrics, Gynecology and Reproductive Biology, 2013, 171, 220-224.	0.2	6
	Predictive role of prenasal thickness and nasal bone for Down syndrome in the second trimester.		
65	Predictive role of prenasal thickness and nasal bone for Down syndrome in the second trimester. European Journal of Obstetrics, Gynecology and Reproductive Biology, 2013, 171, 220-224. Prenatal maternal anxiety predicts reduced adaptive immunity in infants. Brain, Behavior, and	0.5	6
65	Predictive role of prenasal thickness and nasal bone for Down syndrome in the second trimester. European Journal of Obstetrics, Gynecology and Reproductive Biology, 2013, 171, 220-224. Prenatal maternal anxiety predicts reduced adaptive immunity in infants. Brain, Behavior, and Immunity, 2013, 32, 21-28. A higher maternal choline intake among thirdâ€trimester pregnant women lowers placental and circulating concentrations of the antiangiogenic factor fmsâ€like tyrosine kinaseâ€1 (sFLT1). FASEB	0.5 2.0	100
65 66 67	Predictive role of prenasal thickness and nasal bone for Down syndrome in the second trimester. European Journal of Obstetrics, Gynecology and Reproductive Biology, 2013, 171, 220-224. Prenatal maternal anxiety predicts reduced adaptive immunity in infants. Brain, Behavior, and Immunity, 2013, 32, 21-28. A higher maternal choline intake among thirdâ€trimester pregnant women lowers placental and circulating concentrations of the antiangiogenic factor fmsâ€like tyrosine kinaseâ€l (sFLT1). FASEB Journal, 2013, 27, 1245-1253. 111: Decreased sleep duration in the third-trimester is not associated with excessive gestational	0.5 2.0 0.2	6 100 77
65 66 67	Predictive role of prenasal thickness and nasal bone for Down syndrome in the second trimester. European Journal of Obstetrics, Gynecology and Reproductive Biology, 2013, 171, 220-224. Prenatal maternal anxiety predicts reduced adaptive immunity in infants. Brain, Behavior, and Immunity, 2013, 32, 21-28. A higher maternal choline intake among thirdâ€trimester pregnant women lowers placental and circulating concentrations of the antiangiogenic factor fmsâ€kike tyrosine kinaseâ€1 (sFLT1). FASEB Journal, 2013, 27, 1245-1253. 111: Decreased sleep duration in the third-trimester is not associated with excessive gestational weight gain. American Journal of Obstetrics and Gynecology, 2013, 208, S60-S61.	0.5 2.0 0.2 0.7	6 100 77 1
65 66 67 68	Predictive role of prenasal thickness and nasal bone for Down syndrome in the second trimester. European Journal of Obstetrics, Gynecology and Reproductive Biology, 2013, 171, 220-224. Prenatal maternal anxiety predicts reduced adaptive immunity in infants. Brain, Behavior, and Immunity, 2013, 32, 21-28. A higher maternal choline intake among thirdâ€trimester pregnant women lowers placental and circulating concentrations of the antiangiogenic factor fmsâ€kike tyrosine kinaseâ€1 (sFLT1). FASEB Journal, 2013, 27, 1245-1253. 111: Decreased sleep duration in the third-trimester is not associated with excessive gestational weight gain. American Journal of Obstetrics and Gynecology, 2013, 208, S60-S61. Interdisciplinary Simulation-Based Training to Improve Delivery Room Communication. Simulation in Healthcare, 2013, 8, 279-291. Pica behavior is prevalent and associated with low iron status in pregnant adolescents. FASEB	0.5 2.0 0.2 0.7	6 100 77 1 49

#	Article	IF	CITATIONS
73	Vitamin D Status Impacts Serum Metabolomic Profiles in Pregnant Adolescents. FASEB Journal, 2013, 27, 1080.2.	0.2	0
74	Adipocytokines and fetal fat accretion in pregnant teens. FASEB Journal, 2013, 27, 111.8.	0.2	0
75	Iron status is associated with auditory brainstem response measures in newborns. FASEB Journal, 2013, 27, 1058.1.	0.2	0
76	Maternal choline intake modulates maternal and fetal biomarkers of choline metabolism in humans. American Journal of Clinical Nutrition, 2012, 95, 1060-1071.	2.2	140
77	Maternal Hepcidin Is Associated with Placental Transfer of Iron Derived from Dietary Heme and Nonheme Sources4. Journal of Nutrition, 2012, 142, 33-39.	1.3	77
78	Vaginal bleeding in early pregnancy and circulating markers of thrombin generation. Journal of Maternal-Fetal and Neonatal Medicine, 2012, 25, 1479-1482.	0.7	1
79	Perinatal outcomes in type 2 diabetic patients compared with non-diabetic patients matched by body mass index. Journal of Maternal-Fetal and Neonatal Medicine, 2012, 25, 611-615.	0.7	89
80	Risk factors for wound complications in morbidly obese women undergoing primary cesarean delivery. Journal of Maternal-Fetal and Neonatal Medicine, 2012, 25, 1544-1548.	0.7	38
81	Maternal choline intake alters the epigenetic state of fetal cortisolâ€regulating genes in humans. FASEB Journal, 2012, 26, 3563-3574.	0.2	185
82	404: Timing of delivery of the anomalous fetus–effects on neonatal outcomes. American Journal of Obstetrics and Gynecology, 2012, 206, S188-S189.	0.7	0
83	Pregnancy Induces Transcriptional Activation of the Peripheral Innate Immune System and Increases Oxidative DNA Damage among Healthy Third Trimester Pregnant Women. PLoS ONE, 2012, 7, e46736.	1.1	11
84	Neonatal and maternal iron status, but not serum folate, is related to placental expression of the proton coupled folate transporter (PCFT). FASEB Journal, 2012, 26, 641.14.	0.2	0
85	Pregnancy status and choline intake alter DNA integrity, epigenetic marks and gene expression. FASEB Journal, 2012, 26, 116.1.	0.2	0
86	Psychiatric Symptoms and Proinflammatory Cytokines in Pregnancy. Psychosomatic Medicine, 2011, 73, 656-663.	1.3	99
87	Inflammatory cytokines and antioxidants in midtrimester amniotic fluid: correlation with pregnancy outcome. American Journal of Obstetrics and Gynecology, 2011, 204, 155.e1-155.e7.	0.7	30
88	297: The impact of body mass index on the course of oxytocin labor induction. American Journal of Obstetrics and Gynecology, 2011, 204, S123.	0.7	0
89	466: Procalcitonin for assessment of chorioamniotis in preterm premature rupture of membranes. American Journal of Obstetrics and Gynecology, 2011, 204, S187.	0.7	1
90	698: Fetal demise and prior non-stress testing in pregnancies affected by diabetes vs. other indications for testing. American Journal of Obstetrics and Gynecology, 2011, 204, S277.	0.7	0

#	Article	IF	CITATIONS
91	Placental Expression of the Heme Transporter, Feline Leukemia Virus Subgroup C Receptor, Is related to Maternal Iron Status in Pregnant Adolescents. Journal of Nutrition, 2011, 141, 1267-1272.	1.3	29
92	Serum haptoglobin: a marker of maternal obesity and neonatal iron status. FASEB Journal, 2011, 25, 607.11.	0.2	0
93	Fetal stress markers are lowered by maternal choline intakes exceeding recommendations. FASEB Journal, 2011, 25, .	0.2	1
94	A higher maternal choline intake favorably alters placental gene expression of biological pathways related to disease risk. FASEB Journal, 2011, 25, 599.5.	0.2	0
95	Ultrasound Screening for Fetal Aneuploidy Using Soft Markers in the Overweight and Obese Gravida. Obstetrical and Gynecological Survey, 2010, 65, 699-701.	0.2	0
96	OP09.05: Prenatal prediction of Down syndrome using prenasal thickness on second trimester ultrasound. Ultrasound in Obstetrics and Gynecology, 2010, 36, 78-78.	0.9	0
97	Impact of maternal and neonatal iron status on placental transferrin receptor expression in pregnant adolescents. Placenta, 2010, 31, 1010-1014.	0.7	50
98	Ultrasound screening for fetal aneuploidy using soft markers in the overweight and obese gravida. Prenatal Diagnosis, 2010, 30, 821-826.	1.1	29
99	Placement of laminaria tents does not improve time to delivery in patients undergoing second trimester labor induction with misoprostol. Journal of Maternal-Fetal and Neonatal Medicine, 2010, 23, 928-931.	0.7	7
100	Utilization of Iron from an Animal-Based Iron Source Is Greater Than That of Ferrous Sulfate in Pregnant and Nonpregnant Women. Journal of Nutrition, 2010, 140, 2162-2166.	1.3	41
101	Nonâ€heme and heme iron absorption during pregnancy. FASEB Journal, 2010, 24, 208.5.	0.2	1
102	Pregnancy and choline intake alter the metabolic use of orally consumed choline in women consuming deuterium labeled choline. FASEB Journal, 2010, 24, lb313.	0.2	0
103	254: Early glucose testing in the obese gravida. American Journal of Obstetrics and Gynecology, 2009, 201, S106.	0.7	0
104	255: Two low dose oxytocin induction protocols: effects on tachysystole, fetal heart rate patterns and mode of delivery. American Journal of Obstetrics and Gynecology, 2009, 201, S106.	0.7	0
105	345: Effect of maternal obesity on fetal metabolism and growth: a pilot study. American Journal of Obstetrics and Gynecology, 2009, 201, S136.	0.7	1
106	Training for percutaneous umbilical blood sampling during Maternal Fetal Medicine fellowship in the United States. Prenatal Diagnosis, 2009, 29, 790-793.	1,1	6
107	Implementing patient-delivered partner therapy for chlamydia infection at an urban family planning clinic. Contraception, 2009, 80, 222.	0.8	0
108	Maternal serum alpha-fetoprotein values in type 1 and type 2 diabetic patients. American Journal of Obstetrics and Gynecology, 2008, 199, 135.e1-135.e5.	0.7	13

#	Article	IF	Citations
109	456: Nuchal translucency measurements in the obese gravida. American Journal of Obstetrics and Gynecology, 2008, 199, S136.	0.7	0
110	471: Completion rate of screening fetal echocardiography in the obese gravida. American Journal of Obstetrics and Gynecology, 2008, 199, S140.	0.7	0
111	749: Perinatal outcomes in type 2 diabetic patients compared with BMI-matched controls. American Journal of Obstetrics and Gynecology, 2008, 199, S213.	0.7	0
112	Imaging of the Placenta. Ultrasound Clinics, 2008, 3, 13-22.	0.2	7
113	Third trimester ultrasound of fetal pyelectasis: Predictor for postnatal surgery. Journal of Pediatric Urology, 2008, 4, 51-54.	0.6	13
114	Association of Ultrasound Findings with Decision to Continue Down Syndrome Pregnancies. Public Health Genomics, 2007, 10, 227-230.	0.6	8
115	Third trimester ultrasound better predicts postnatal surgery for hydronephrosis. Journal of Pediatric Urology, 2007, 3, S67.	0.6	0
116	82: Placental removal at cesarean delivery. American Journal of Obstetrics and Gynecology, 2007, 197, S36.	0.7	0
117	152: Rates of completion of sonographic aneuploidy screening in obese gravidas. American Journal of Obstetrics and Gynecology, 2007, 197, S54.	0.7	0
118	153: Completion rates for ultrasound anatomic surveys in obese gravid patients compared with non-obese controls. American Journal of Obstetrics and Gynecology, 2007, 197, S55.	0.7	0
119	354: Pregnancy outcomes in type 2 diabetics compared with type 1 diabetics and non-diabetic controls. American Journal of Obstetrics and Gynecology, 2007, 197, S109.	0.7	0
120	639: Characteristics of women who consent to a training invasive prenatal procedure during second-trimester termination of pregnancy. American Journal of Obstetrics and Gynecology, 2007, 197, S184.	0.7	1
121	643: Training for second-trimester invasive pregnancy procedures in a maternal-fetal medicine fellowship. American Journal of Obstetrics and Gynecology, 2007, 197, S185.	0.7	1
122	Ultrasound Findings and the Decision to Terminate Down Syndrome Pregnancies. Obstetrics and Gynecology, 2006, 107, 27S.	1.2	0
123	Accuracy of sonographic birth weight prediction in obese parturients using the gestation-adjusted projection method. American Journal of Obstetrics and Gynecology, 2006, 195, S76.	0.7	1
124	The impact of epidural analgesia on induced labor outcome. American Journal of Obstetrics and Gynecology, 2006, 195, S120.	0.7	1
125	Prediction of preeclampsia by the metabonomic profile. American Journal of Obstetrics and Gynecology, 2006, 195, S128.	0.7	0
126	Maternal serum alpha-fetoprotein in Type 1 and Type 2 diabetics. American Journal of Obstetrics and Gynecology, 2006, 195, S188.	0.7	0

#	Article	IF	CITATIONS
127	Latency antibiotics in preterm premature rupture of membranes: Are they still indicated?. American Journal of Obstetrics and Gynecology, 2006, 195, S234.	0.7	1
128	Use of middle cerebral artery peak systolic velocity and intrauterine transfusion for management of twin–twin transfusion and single fetal intrauterine demise. Journal of Maternal-Fetal and Neonatal Medicine, 2006, 19, 819-821.	0.7	4
129	Prevention of PPROM: Current and future strategies. Journal of Maternal-Fetal and Neonatal Medicine, 2006, 19, 783-789.	0.7	14
130	The impact of induction on the labor curve in term vaginal deliveries. American Journal of Obstetrics and Gynecology, 2004, 191, S82.	0.7	0
131	Midtrimester amniotic fluid vitamin C levels inversely correlate with interleukin-6 levels. American Journal of Obstetrics and Gynecology, 2003, 189, S169.	0.7	0
132	The benefit of cesarean delivery without labor for infants with antenatally diagnosed gastroschisis. American Journal of Obstetrics and Gynecology, 2003, 189, S217.	0.7	0
133	Fetal blood sampling: is intrahepatic vein fetal blood sampling as successful as percutaneous umbilical cord blood sampling?. American Journal of Obstetrics and Gynecology, 2003, 189, S225.	0.7	0
134	Effects of maternal antioxidant supplementation on maternal and fetal antioxidant levels: a randomized, double-blind study. American Journal of Obstetrics and Gynecology, 2003, 189, 1720-1725.	0.7	45
135	Vertical skin incisions and wound complications in the obese parturient. Obstetrics and Gynecology, 2003, 102, 952-956.	1.2	86
136	Vertical Skin Incisions and Wound Complications in the Obese Parturient. Obstetrics and Gynecology, 2003, 102, 952-956.	1.2	44
137	Vertical Skin Incisions Are Associated With More Wound Complications in the Obese Parturient. Obstetrics and Gynecology, 2003, 101, 10S.	1.2	0
138	Preterm premature rupture of the membranes and antioxidants: the free radical connection. Journal of Perinatal Medicine, 2002, 30, 447-57.	0.6	56
139	Ultrasonographic Prediction of Birth Weight in Diabetic Pregnancies. Obstetrics and Gynecology, 2002, 99, 740-744.	1.2	5
140	Maternal stress and affect influence fetal neurobehavioral development Developmental Psychology, 2002, 38, 659-668.	1.2	181
141	Ultrasonographic prediction of birth weight in diabetic pregnancies. Obstetrics and Gynecology, 2002, 99, 740-744.	1.2	28
142	Leiomyomata uteri, genetic amniocentesis, and the risk of second-trimester spontaneous abortion. American Journal of Obstetrics and Gynecology, 2002, 186, 913-915.	0.7	38
143	Physical properties of the chorioamnion throughout gestation. American Journal of Obstetrics and Gynecology, 2002, 187, 672-675.	0.7	39
144	Fetal state concordance predicts infant state regulation. Early Human Development, 2002, 68, 1-13.	0.8	50

#	Article	IF	CITATIONS
145	What does fetal movement predict about behavior during the first two years of life?. Developmental Psychobiology, 2002, 40, 358-371.	0.9	89
146	Maternal stress and affect influence fetal neurobehavioral development. Developmental Psychology, 2002, 38, 659-68.	1.2	44
147	75 The effects of oxytocin on maternal blood pressure during induction or augmentation of labor. American Journal of Obstetrics and Gynecology, 2001, 185, S103.	0.7	0
148	Cross-correlation of fetal cardiac and somatic activity as an indicator of antenatal neural development. American Journal of Obstetrics and Gynecology, 2001, 185, 1421-1428.	0.7	57
149	Room 220-222, 10/18/2000 10: 30 AM - 12: 00 PM (PD) Noninvasive Fetal Monitoring from Maternal Surface ElectrocardiogramÂ. Anesthesiology, 2000, 93, A-591.	1.3	0
150	Antenatal origins of individual differences in heart rate. Developmental Psychobiology, 2000, 37, 221-228.	0.9	62
151	Prediction of birth weight by ultrasound in the third trimester: In reply. Obstetrics and Gynecology, 2000, 96, 319-320.	1.2	0
152	Prediction of birth weight by ultrasound in the third trimester. Obstetrics and Gynecology, 2000, 95, 502-506.	1.2	48
153	Effects of Socioeconomic Status and Psychosocial Stress on the Development of the Fetus. Annals of the New York Academy of Sciences, 1999, 896, 356-358.	1.8	8
154	Fetal movement detection: Comparison of the Toitu actograph with ultrasound from 20 weeks gestation., 1999, 8, 237-242.		45
155	Fetal movement detection: Comparison of the toitu actograph with ultrasound from 20 weeks gestation. Journal of Maternal-Fetal and Neonatal Medicine, 1999, 8, 237-242.	0.7	7
156	Fetal movement detection: Comparison of the Toitu actograph with ultrasound from 20 weeks gestation., 1999, 8, 237.		2
157	Complete trisomy 9 in a term fetus: A case report. , 1998, 7, 247-249.		9
158	Fetal neurobehavioral development: Associations with socioeconomic class and fetal sex. Developmental Psychobiology, 1998, 33, 79-91.	0.9	83
159	Complete trisomy 9 in a term fetus: A case report. Journal of Maternal-Fetal and Neonatal Medicine, 1998, 7, 247-249.	0.7	0
160	Fetal neurobehavioral development: Associations with socioeconomic class and fetal sex., 1998, 33, 79.		1
161	Complete trisomy 9 in a term fetus: A case report. , 1998, 7, 247.		1
162	Managed care does not lower costs but may result in poorer outcomes for patients with gestational diabetes. American Journal of Obstetrics and Gynecology, 1997, 177, 1035-1037.	0.7	8

#	Article	IF	CITATIONS
163	A paternally derived inverted duplication of 7q with evidence of a telomeric deletion., 1997, 68, 76-81.		23
164	A prospective randomized trial of two solutions for intrapartum amnioinfusion: Effects on fetal electrolytes, osmolality, and acid-base status. American Journal of Obstetrics and Gynecology, 1996, 175, 945-949.	0.7	8
165	Comprehensive assessment of the neurologic system. Journal of Nurse-midwifery, 1995, 40, 163-171.	0.5	3
166	The use of polymerase chain reaction to determine fetal RhD status. American Journal of Obstetrics and Gynecology, 1994, 171, 1047-1051.	0.7	18
167	Human red cell Aquaporin CHIP. II. Expression during normal fetal development and in a novel form of congenital dyserythropoietic anemia Journal of Clinical Investigation, 1994, 94, 1050-1058.	3.9	65
168	Rapid Diagnosis of Trisomy 18 and Dizygosity in Twins Using Fluorescence in Situ Hybridization on Uncultured Amniocytes. Journal of Maternal-Fetal and Neonatal Medicine, 1993, 2, 197-200.	0.7	0
169	Morphologic and electrophysiologic characterization of isolated pregnant human myometrial cells. American Journal of Obstetrics and Gynecology, 1988, 159, 1273-1279.	0.7	28