

Thiago Silva Torres

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3620226/publications.pdf>

Version: 2024-02-01

49
papers

1,449
citations

394286

19
h-index

377752

34
g-index

59
all docs

59
docs citations

59
times ranked

1688
citing authors

#	ARTICLE	IF	CITATIONS
1	Retention, engagement, and adherence to pre-exposure prophylaxis for men who have sex with men and transgender women in PrEP Brasil: 48 week results of a demonstration study. <i>Lancet HIV</i> , 2018, 5, e136-e145.	2.1	130
2	High pre-exposure prophylaxis uptake and early adherence among men who have sex with men and transgender women at risk for HIV Infection: the PrEP Brasil demonstration project. <i>Journal of the International AIDS Society</i> , 2017, 20, 21472.	1.2	98
3	Impact of COVID-19 Pandemic on Sexual Minority Populations in Brazil: An Analysis of Social/Racial Disparities in Maintaining Social Distancing and a Description of Sexual Behavior. <i>AIDS and Behavior</i> , 2021, 25, 73-84.	1.4	91
4	Pre-exposure prophylaxis 2.0: new drugs and technologies in the pipeline. <i>Lancet HIV</i> , 2019, 6, e788-e799.	2.1	79
5	Awareness and Willingness to Use Pre-exposure Prophylaxis (PrEP) Among Men Who Have Sex with Men and Transgender Women in Brazil. <i>AIDS and Behavior</i> , 2017, 21, 1278-1287.	1.4	76
6	Aging with HIV: a practical review. <i>Brazilian Journal of Infectious Diseases</i> , 2013, 17, 464-479.	0.3	72
7	Factors Associated With Willingness to Use Pre-Exposure Prophylaxis in Brazil, Mexico, and Peru: Web-Based Survey Among Men Who Have Sex With Men. <i>JMIR Public Health and Surveillance</i> , 2019, 5, e13771.	1.2	58
8	Telemedicine as a tool for PrEP delivery during the COVID-19 pandemic in a large HIV prevention service in Rio de Janeiro-Brazil. <i>Brazilian Journal of Infectious Diseases</i> , 2020, 24, 360-364.	0.3	57
9	Adherence to antiretroviral therapy for HIV/AIDS in Latin America and the Caribbean: Systematic review and meta-analysis. <i>Journal of the International AIDS Society</i> , 2018, 21, e25066.	1.2	56
10	The Prevalence of HIV Among Men Who Have Sex With Men (MSM) and Young MSM in Latin America and the Caribbean: A Systematic Review. <i>AIDS and Behavior</i> , 2021, 25, 3223-3237.	1.4	53
11	Do men who have sex with men who report alcohol and illicit drug use before/during sex (chemsex) present moderate/high risk for substance use disorders?. <i>Drug and Alcohol Dependence</i> , 2020, 209, 107908.	1.6	51
12	Awareness of Prevention Strategies and Willingness to Use Preexposure Prophylaxis in Brazilian Men Who Have Sex With Men Using Apps for Sexual Encounters: Online Cross-Sectional Study. <i>JMIR Public Health and Surveillance</i> , 2018, 4, e11.	1.2	43
13	Factors associated with PrEP awareness according to age and willingness to use HIV prevention technologies: the 2017 online survey among MSM in Brazil. <i>AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV</i> , 2019, 31, 1193-1202.	0.6	40
14	How heterogeneous are MSM from Brazilian cities? An analysis of sexual behavior and perceived risk and a description of trends in awareness and willingness to use pre-exposure prophylaxis. <i>BMC Infectious Diseases</i> , 2019, 19, 1067.	1.3	40
15	Aging with HIV: an overview of an urban cohort in Rio de Janeiro (Brazil) across decades of life. <i>Brazilian Journal of Infectious Diseases</i> , 2013, 17, 324-331.	0.3	39
16	High acceptability of PrEP teleconsultation and HIV self-testing among PrEP users during the COVID-19 pandemic in Brazil. <i>Brazilian Journal of Infectious Diseases</i> , 2021, 25, 101037.	0.3	35
17	A call to improve understanding of Undetectable equals Untransmittable (U=U) in Brazil: a web-based survey. <i>Journal of the International AIDS Society</i> , 2020, 23, e25630.	1.2	28
18	Performance of HIV pre-exposure prophylaxis indirect adherence measures among men who have sex with men and transgender women: Results from the PrEP Brasil Study. <i>PLoS ONE</i> , 2019, 14, e0221281.	1.1	24

#	ARTICLE	IF	CITATIONS
19	Factors Associated with Tobacco Smoking and Cessation among HIV-Infected Individuals under Care in Rio de Janeiro, Brazil. PLoS ONE, 2014, 9, e115900.	1.1	23
20	High Rates of Sexualized Drug Use or Chemsex among Brazilian Transgender Women and Young Sexual and Gender Minorities. International Journal of Environmental Research and Public Health, 2022, 19, 1704.	1.2	19
21	Low PrEP adherence despite high retention among transgender women in Brazil: the PrEPParadas study. Journal of the International AIDS Society, 2022, 25, e25896.	1.2	18
22	Randomized Clinical Trial Comparing the Pharmacokinetics of Standard- and Increased-Dosage Lopinavir-Ritonavir Coformulation Tablets in HIV-Positive Pregnant Women. Antimicrobial Agents and Chemotherapy, 2014, 58, 2884-2893.	1.4	17
23	Hepatotoxicity During Isoniazid Preventive Therapy and Antiretroviral Therapy in People Living With HIV With Severe Immunosuppression: A Secondary Analysis of a Multi-Country Open-Label Randomized Controlled Clinical Trial. Journal of Acquired Immune Deficiency Syndromes (1999), 2018, 78, 54-61.	0.9	17
24	Translation and validation of the Short HIV Stigma scale in Brazilian Portuguese. Health and Quality of Life Outcomes, 2020, 18, 322.	1.0	17
25	Pre-exposure prophylaxis use, HIV knowledge, and internalized homonegativity among men who have sex with men in Brazil: A cross-sectional study. The Lancet Regional Health Americas, 2022, 6, 100152.	1.5	17
26	Outcomes of second-line combination antiretroviral therapy for HIV-infected patients: a cohort study from Rio de Janeiro, Brazil. BMC Infectious Diseases, 2014, 14, 699.	1.3	16
27	Incidence rate of modifying or discontinuing first combined antiretroviral therapy regimen due to toxicity during the first year of treatment stratified by age. Brazilian Journal of Infectious Diseases, 2014, 18, 34-41.	0.3	16
28	High-Risk Sexual Behavior, Binge Drinking and Use of Stimulants are Key Experiences on the Pathway to High Perceived HIV Risk Among Men Who Have Sex with Men in Brazil. AIDS and Behavior, 2021, 25, 748-757.	1.4	16
29	Unprotected Sexual Practices Among Men Who Have Sex with Women and Men Who Have Sex with Men Living with HIV/AIDS in Rio de Janeiro. Archives of Sexual Behavior, 2015, 44, 357-365.	1.2	15
30	Effectiveness of first-line antiretroviral therapy in the IPEC cohort, Rio de Janeiro, Brazil. AIDS Research and Therapy, 2014, 11, 29.	0.7	14
31	Incidence of antiretroviral adverse drug reactions in pregnant women in two referral centers for HIV prevention of mother-to-child-transmission care and research in Rio de Janeiro, Brazil. Brazilian Journal of Infectious Diseases, 2014, 18, 372-378.	0.3	14
32	Quality of life improvement in resource-limited settings after one year of second-line antiretroviral therapy use among adult men and women. Aids, 2018, 32, 583-593.	1.0	14
33	Low socioeconomic status is associated with self-reported HIV positive status among young MSM in Brazil and Peru. BMC Infectious Diseases, 2021, 21, 726.	1.3	13
34	Selective Monophosphorylation of Aliphatic Diamines. Phosphorus, Sulfur and Silicon and the Related Elements, 2006, 181, 1885-1893.	0.8	12
35	Quality of life among HIV-infected individuals failing first-line antiretroviral therapy in resource-limited settings. AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV, 2018, 30, 954-962.	0.6	12
36	Complementary Recruitment Strategies to Reach Men Who Have Sex with Men and Transgender Women: The Experience of a Large Brazilian HIV Prevention Service. AIDS and Behavior, 2022, 26, 2643-2652.	1.4	12

#	ARTICLE	IF	CITATIONS
37	Cross-cultural adaptation of the Perceived Risk of HIV Scale in Brazilian Portuguese. <i>Health and Quality of Life Outcomes</i> , 2021, 19, 117.	1.0	9
38	SARS-CoV-2 testing disparities across geographical regions from a large metropolitan area in Brazil: Results from a web-based survey among individuals interested in clinical trials for COVID-19 vaccines. <i>Brazilian Journal of Infectious Diseases</i> , 2021, 25, 101600.	0.3	9
39	Preferences for pre-exposure prophylaxis (PrEP) among men who have sex with men and transgender women at risk of HIV infection: a multicentre protocol for a discrete choice experiment in Brazil. <i>BMJ Open</i> , 2021, 11, e049011.	0.8	8
40	Are men who have sex with men at higher risk for HIV in Latin America more aware of PrEP?. <i>PLoS ONE</i> , 2021, 16, e0255557.	1.1	7
41	Awareness, knowledge, and attitudes related to HIV pre-exposure prophylaxis and other prevention strategies among physicians from Brazil and Mexico: cross-sectional web-based survey. <i>BMC Health Services Research</i> , 2022, 22, 532.	0.9	7
42	Translation and validation in Brazilian Portuguese of the reactions to homosexuality scale. <i>Psychology, Health and Medicine</i> , 2021, 26, 20-36.	1.3	6
43	Development and Evaluation of Short-Form Measures of the HIV/AIDS Knowledge Assessment Tool Among Sexual and Gender Minorities in Brazil: Cross-sectional Study. <i>JMIR Public Health and Surveillance</i> , 2022, 8, e30676.	1.2	6
44	Factors associated with self-reported adherence to daily oral pre-exposure prophylaxis among men who have sex with man and transgender women: PrEP Brasil study. <i>International Journal of STD and AIDS</i> , 2021, 32, 1231-1241.	0.5	5
45	A Technology-Based Intervention Among Young Men Who Have Sex With Men and Nonbinary People (The Conectad@s Project): Protocol for A Vanguard Mixed Methods Study. <i>JMIR Research Protocols</i> , 2022, 11, e34885.	0.5	4
46	Synthesis and Anti-HSV-1 In Vitro Activity of New Phosphoramidates with 4-oxoquinoline and Phtalimidic Nuclei. <i>Letters in Organic Chemistry</i> , 2008, 5, 644-650.	0.2	2
47	Poor quality of life and incomplete self-reported adherence predict second-line ART virological failure in resource-limited settings. <i>AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV</i> , 2021, 33, 1340-1349.	0.6	1
48	The effect of TB treatment on health-related quality of life for people with advanced HIV. <i>International Journal of Tuberculosis and Lung Disease</i> , 2020, 24, 910-915.	0.6	1
49	What is the best strategy for treating TB-HIV co-infected patients with HAART and rifampicin without saquinavir?. <i>International Journal of Tuberculosis and Lung Disease</i> , 2007, 11, 933-4.	0.6	0