

Meryl A Butters

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3623224/publications.pdf>

Version: 2024-02-01

136
papers

8,821
citations

50276

46
h-index

45317

90
g-index

138
all docs

138
docs citations

138
times ranked

9275
citing authors

#	ARTICLE	IF	CITATIONS
1	Late-life depression and risk of vascular dementia and Alzheimer's disease: systematic review and meta-analysis of community-based cohort studies. <i>British Journal of Psychiatry</i> , 2013, 202, 329-335.	2.8	932
2	The Nature and Determinants of Neuropsychological Functioning in Late-Life Depression. <i>Archives of General Psychiatry</i> , 2004, 61, 587.	12.3	521
3	Pathways linking late-life depression to persistent cognitive impairment and dementia. <i>Dialogues in Clinical Neuroscience</i> , 2008, 10, 345-357.	3.7	401
4	Changes in Cognitive Functioning Following Treatment of Late-Life Depression. <i>American Journal of Psychiatry</i> , 2000, 157, 1949-1954.	7.2	319
5	Brain Morphometric Abnormalities in Geriatric Depression: Long-Term Neurobiological Effects of Illness Duration. <i>American Journal of Psychiatry</i> , 2002, 159, 1424-1427.	7.2	315
6	Persistence of cognitive impairment in geriatric patients following antidepressant treatment: a randomized, double-blind clinical trial with nortriptyline and paroxetine. <i>Journal of Psychiatric Research</i> , 2003, 37, 99-108.	3.1	252
7	Decreased working memory and processing speed mediate cognitive impairment in geriatric depression. <i>Psychological Medicine</i> , 2000, 30, 679-691.	4.5	242
8	Persistence of Neuropsychologic Deficits in the Remitted State of Late-Life Depression. <i>American Journal of Geriatric Psychiatry</i> , 2006, 14, 419-427.	1.2	240
9	Efficacy, safety, and tolerability of augmentation pharmacotherapy with aripiprazole for treatment-resistant depression in late life: a randomised, double-blind, placebo-controlled trial. <i>Lancet</i> , The, 2015, 386, 2404-2412.	13.7	229
10	Salivary cortisol is associated with diagnosis and severity of late-life generalized anxiety disorder. <i>Psychoneuroendocrinology</i> , 2008, 33, 773-781.	2.7	177
11	Serotonin 1A Receptor Binding and Treatment Response in Late-Life Depression. <i>Neuropsychopharmacology</i> , 2004, 29, 2258-2265.	5.4	170
12	A fully automated method for quantifying and localizing white matter hyperintensities on MR images. <i>Psychiatry Research - Neuroimaging</i> , 2006, 148, 133-142.	1.8	170
13	Vascular depression consensus report – a critical update. <i>BMC Medicine</i> , 2016, 14, 161.	5.5	167
14	Cognitive Impairment in Late-Life Generalized Anxiety Disorder. <i>American Journal of Geriatric Psychiatry</i> , 2007, 15, 673-679.	1.2	164
15	Exercise effects on depression: Possible neural mechanisms. <i>General Hospital Psychiatry</i> , 2017, 49, 2-10.	2.4	161
16	Non-pharmacological interventions for adults with mild cognitive impairment and early stage dementia: An updated scoping review. <i>Molecular Aspects of Medicine</i> , 2015, 43-44, 38-53.	6.4	151
17	Impairment in risk-sensitive decision-making in older suicide attempters with depression.. <i>Psychology and Aging</i> , 2011, 26, 321-330.	1.6	150
18	Maintenance Treatment of Depression in Old Age. <i>Archives of General Psychiatry</i> , 2011, 68, 51.	12.3	145

#	ARTICLE	IF	CITATIONS
19	The Relationship Between Pain and Mental Flexibility in Older Adult Pain Clinic Patients. <i>Pain Medicine</i> , 2006, 7, 444-452.	1.9	140
20	Resting state functional connectivity and treatment response in late-life depression. <i>Psychiatry Research - Neuroimaging</i> , 2013, 214, 313-321.	1.8	128
21	Gray Matter Changes in Late Life Depression—a Structural MRI Analysis. <i>Neuropsychopharmacology</i> , 2008, 33, 2566-2572.	5.4	125
22	Imaging Alzheimer Pathology in Late-Life Depression With PET and Pittsburgh Compound-B. <i>Alzheimer Disease and Associated Disorders</i> , 2008, 22, 261-268.	1.3	119
23	History of Bipolar Disorder and the Risk of Dementia: A Systematic Review and Meta-Analysis. <i>American Journal of Geriatric Psychiatry</i> , 2017, 25, 357-362.	1.2	115
24	Escitalopram for Older Adults With Generalized Anxiety Disorder. <i>JAMA - Journal of the American Medical Association</i> , 2009, 301, 295.	7.4	107
25	Efficacy, tolerability, and cognitive effects of deep transcranial magnetic stimulation for late-life depression: a prospective randomized controlled trial. <i>Neuropsychopharmacology</i> , 2018, 43, 2231-2238.	5.4	104
26	Cognitive Functioning and Late-Life Depression. <i>Journal of the International Neuropsychological Society</i> , 2014, 20, 461-467.	1.8	101
27	Plasma biosignature and brain pathology related to persistent cognitive impairment in late-life depression. <i>Molecular Psychiatry</i> , 2015, 20, 594-601.	7.9	101
28	The Neuropsychological Consequences of Abstinence Among Older Alcoholics: A Cross-Sectional Study. <i>Alcoholism: Clinical and Experimental Research</i> , 2000, 24, 1510-1516.	2.4	99
29	Neuropathologic Correlates of Late-Onset Major Depression. <i>Neuropsychopharmacology</i> , 2004, 29, 2242-2250.	5.4	96
30	Patterns of Mild Cognitive Impairment After Treatment of Depression in the Elderly. <i>American Journal of Geriatric Psychiatry</i> , 2009, 17, 308-316.	1.2	96
31	Changes in neuropsychological functioning following treatment for late-life generalised anxiety disorder. <i>British Journal of Psychiatry</i> , 2011, 199, 211-218.	2.8	87
32	Can Performance on Daily Activities Discriminate Between Older Adults with Normal Cognitive Function and Those with Mild Cognitive Impairment?. <i>Journal of the American Geriatrics Society</i> , 2014, 62, 1347-1352.	2.6	76
33	Cognition in older adults with bipolar disorder versus major depressive disorder. <i>Bipolar Disorders</i> , 2012, 14, 198-205.	1.9	69
34	Intrinsic functional connectivity in late-life depression: trajectories over the course of pharmacotherapy in remitters and non-remitters. <i>Molecular Psychiatry</i> , 2017, 22, 450-457.	7.9	68
35	Brain-derived neurotrophic factor levels in late-life depression and comorbid mild cognitive impairment: A longitudinal study. <i>Journal of Psychiatric Research</i> , 2014, 49, 96-101.	3.1	64
36	Plasma and cerebrospinal fluid amyloid- β levels in late-life depression: A systematic review and meta-analysis. <i>Journal of Psychiatric Research</i> , 2015, 69, 35-41.	3.1	60

#	ARTICLE	IF	CITATIONS
37	Three-Dimensional Surface Mapping of the Caudate Nucleus in Late-Life Depression. <i>American Journal of Geriatric Psychiatry</i> , 2009, 17, 4-12.	1.2	59
38	Executive Functioning, Illness Course, and Relapse/Recurrence in Continuation and Maintenance Treatment of Late-Life Depression: Is There a Relationship?. <i>American Journal of Geriatric Psychiatry</i> , 2004, 12, 387-394.	1.2	59
39	Inflammation, Depression, and Slow Gait: A High Mortality Phenotype in Later Life. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2016, 71, 221-227.	3.6	57
40	The Impact of Aging, Cognition, and Symptoms on Functional Competence in Individuals With Schizophrenia Across the Lifespan. <i>Schizophrenia Bulletin</i> , 2015, 41, 374-381.	4.3	55
41	Late-onset major depression: clinical and treatment-response variability. <i>International Journal of Geriatric Psychiatry</i> , 2005, 20, 661-667.	2.7	54
42	Neuropsychological Functioning in the Acute and Remitted States of Late-Life Depression. <i>Journal of Alzheimer's Disease</i> , 2015, 45, 175-185.	2.6	52
43	APOE is associated with age-of-onset, but not cognitive functioning, in late-life depression. <i>International Journal of Geriatric Psychiatry</i> , 2003, 18, 1075-1081.	2.7	51
44	Enhanced Molecular Aging in Late-Life Depression: the Senescent-Associated Secretory Phenotype. <i>American Journal of Geriatric Psychiatry</i> , 2017, 25, 64-72.	1.2	50
45	Memantine for late-life depression and apathy after a disabling medical event: a 12-week, double-blind placebo-controlled pilot study. <i>International Journal of Geriatric Psychiatry</i> , 2012, 27, 974-980.	2.7	49
46	Early Intervention to Preempt Major Depression Among Older Black and White Adults. <i>Psychiatric Services</i> , 2014, 65, 765-773.	2.0	49
47	Circulating biosignatures of late-life depression (LLD): Towards a comprehensive, data-driven approach to understanding LLD pathophysiology. <i>Journal of Psychiatric Research</i> , 2016, 82, 1-7.	3.1	41
48	Late-Life Depression Is Associated With Reduced Cortical Amyloid Burden: Findings From the Alzheimer's Disease Neuroimaging Initiative Depression Project. <i>Biological Psychiatry</i> , 2021, 89, 757-765.	1.3	41
49	Late-life depression and increased risk of dementia: a longitudinal cohort study. <i>Translational Psychiatry</i> , 2021, 11, 147.	4.8	41
50	Dynamic Prediction of Treatment Response in Late-Life Depression. <i>American Journal of Geriatric Psychiatry</i> , 2014, 22, 167-176.	1.2	40
51	fMRI activation in late-life anxious depression: a potential biomarker. <i>International Journal of Geriatric Psychiatry</i> , 2009, 24, 820-828.	2.7	37
52	Cognitive functioning in complicated grief. <i>Journal of Psychiatric Research</i> , 2014, 58, 20-25.	3.1	37
53	Development of a Standardized Approach to Disclosing Amyloid Imaging Research Results in Mild Cognitive Impairment. <i>Journal of Alzheimer's Disease</i> , 2016, 52, 17-24.	2.6	35
54	Immunological biomarkers associated with brain structure and executive function in late-life depression: exploratory pilot study. <i>International Journal of Geriatric Psychiatry</i> , 2017, 32, 692-699.	2.7	33

#	ARTICLE	IF	CITATIONS
55	Does education moderate neuropsychological impairment in late-life depression?. <i>International Journal of Geriatric Psychiatry</i> , 2005, 20, 413-417.	2.7	32
56	Strategy Training During Inpatient Rehabilitation May Prevent Apathy Symptoms After Acute Stroke. <i>PM and R</i> , 2015, 7, 562-570.	1.6	32
57	Brain structural changes in late-life generalized anxiety disorder. <i>Psychiatry Research - Neuroimaging</i> , 2017, 268, 15-21.	1.8	31
58	Guided Training Relative to Direct Skill Training for Individuals With Cognitive Impairments After Stroke: A Pilot Randomized Trial. <i>Archives of Physical Medicine and Rehabilitation</i> , 2017, 98, 673-680.	0.9	31
59	Amygdalae morphometry in late-life depression. <i>International Journal of Geriatric Psychiatry</i> , 2009, 24, 837-846.	2.7	29
60	Exercise for Depression: A Feasibility Trial Exploring Neural Mechanisms. <i>American Journal of Geriatric Psychiatry</i> , 2019, 27, 611-616.	1.2	29
61	Acute trajectories of neural activation predict remission to pharmacotherapy in late-life depression. <i>NeuroImage: Clinical</i> , 2018, 19, 831-839.	2.7	27
62	Disruption of Neural Homeostasis as a Model of Relapse and Recurrence in Late-Life Depression. <i>American Journal of Geriatric Psychiatry</i> , 2019, 27, 1316-1330.	1.2	27
63	Design and Rationale of the PACT-MD Randomized Clinical Trial: Prevention of Alzheimer's dementia with Cognitive remediation plus transcranial direct current stimulation in Mild cognitive impairment and Depression. <i>Journal of Alzheimer's Disease</i> , 2020, 76, 733-751.	2.6	27
64	Investigating Gains in Neurocognition in an Intervention Trial of Exercise (IGNITE): Protocol. <i>Contemporary Clinical Trials</i> , 2019, 85, 105832.	1.8	26
65	Impact of close family members on older adults' early response to depression treatment.. <i>Psychology and Aging</i> , 2008, 23, 447-452.	1.6	25
66	Subjective-Objective Sleep Discrepancy in Older Adults With MCI and Subsyndromal Depression. <i>Journal of Geriatric Psychiatry and Neurology</i> , 2017, 30, 316-323.	2.3	24
67	Neural correlates of perceived physical and mental fatigability in older adults: A pilot study. <i>Experimental Gerontology</i> , 2019, 115, 139-147.	2.8	24
68	Treatment-related alteration of cortisol predicts change in neuropsychological function during acute treatment of late-life anxiety disorder. <i>International Journal of Geriatric Psychiatry</i> , 2012, 27, 454-462.	2.7	23
69	Brain venular pattern by 7T MRI correlates with memory and haemoglobin in sickle cell anaemia. <i>Psychiatry Research - Neuroimaging</i> , 2015, 233, 18-22.	1.8	23
70	Cognitive outcome after ventral capsule/ventral striatum stimulation for treatment-resistant major depression. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2017, 88, 262-265.	1.9	23
71	Trajectories of suicidal ideation in depressed older adults undergoing antidepressant treatment. <i>Journal of Psychiatric Research</i> , 2016, 73, 96-101.	3.1	22
72	Evidence for Structural and Functional Alterations of Frontal-Executive and Corticolimbic Circuits in Late-Life Depression and Relationship to Mild Cognitive Impairment and Dementia: A Systematic Review. <i>Frontiers in Neuroscience</i> , 2020, 14, 253.	2.8	22

#	ARTICLE	IF	CITATIONS
73	Clinical Predictors of Engagement in Inpatient Rehabilitation Among Stroke Survivors With Cognitive Deficits: An Exploratory Study. <i>Journal of the International Neuropsychological Society</i> , 2018, 24, 572-583.	1.8	21
74	Childhood Trauma Is Associated With Poorer Cognitive Performance in Older Adults. <i>Journal of Clinical Psychiatry</i> , 2018, 79, 16m11021.	2.2	21
75	Escitalopram reduces attentional performance in anxious older adults with high-expression genetic variants at serotonin 2A and 1B receptors. <i>International Journal of Neuropsychopharmacology</i> , 2013, 16, 279-288.	2.1	19
76	The influence of medical burden severity and cognition on functional competence in older community-dwelling individuals with schizophrenia. <i>Schizophrenia Research</i> , 2016, 170, 330-335.	2.0	19
77	Theta-gamma coupling and ordering information: a stable brain-behavior relationship across cognitive tasks and clinical conditions. <i>Neuropsychopharmacology</i> , 2020, 45, 2038-2047.	5.4	19
78	A randomized controlled trial of amyloid positron emission tomography results disclosure in mild cognitive impairment. <i>Alzheimer's and Dementia</i> , 2020, 16, 1330-1337.	0.8	19
79	Cognition in Late-Life Depression: Treatment Considerations. <i>Current Treatment Options in Psychiatry</i> , 2014, 1, 1-14.	1.9	18
80	Association of cortisol with neuropsychological assessment in older adults with generalized anxiety disorder. <i>Aging and Mental Health</i> , 2013, 17, 432-440.	2.8	17
81	Late-Onset Suicide: A Dementia Prodrome?. <i>American Journal of Geriatric Psychiatry</i> , 2021, 29, 709-713.	1.2	17
82	Executive Function Predicts Antidepressant Treatment Noncompletion in Late-Life Depression. <i>Journal of Clinical Psychiatry</i> , 2018, 79, .	2.2	17
83	Association between change in brain gray matter volume, cognition, and depression severity: Pre- and post- antidepressant pharmacotherapy for late-life depression. <i>Journal of Psychiatric Research</i> , 2017, 95, 129-134.	3.1	16
84	Self-reported obstructive sleep apnea is associated with nonresponse to antidepressant pharmacotherapy in late-life depression. <i>Depression and Anxiety</i> , 2016, 33, 1107-1113.	4.1	15
85	In the grip of worry: cerebral blood flow changes during worry induction and reappraisal in late-life generalized anxiety disorder. <i>Translational Psychiatry</i> , 2017, 7, e1204-e1204.	4.8	15
86	Neuropsychological Similarities and Differences Among Huntington's Disease, Multiple Sclerosis, and Cortical Dementia. <i>Archives of Clinical Neuropsychology</i> , 1998, 13, 721-735.	0.5	14
87	Reliability and Validity of the Executive Interview (EXIT) and Quick EXIT Among Community Dwelling Older Adults. <i>American Journal of Geriatric Psychiatry</i> , 2014, 22, 1444-1451.	1.2	14
88	Design and Implementation of an Intervention Development Study: Retaining Cognition While Avoiding Late-Life Depression (ReCALL). <i>American Journal of Geriatric Psychiatry</i> , 2016, 24, 444-454.	1.2	14
89	Developing a Non-Pharmacological Intervention for Individuals With Mild Cognitive Impairment. <i>Journal of Applied Gerontology</i> , 2018, 37, 665-676.	2.0	14
90	Frontal-executive and corticolimbic structural brain circuitry in older people with remitted depression, mild cognitive impairment, Alzheimer's dementia, and normal cognition. <i>Neuropsychopharmacology</i> , 2020, 45, 1567-1578.	5.4	14

#	ARTICLE	IF	CITATIONS
91	Improvement in Depression is Associated with Improvement in Cognition in Late-Life Psychotic Depression. <i>American Journal of Geriatric Psychiatry</i> , 2017, 25, 672-679.	1.2	13
92	Disease severity and slower psychomotor speed in adults with sickle cell disease. <i>Blood Advances</i> , 2017, 1, 1790-1795.	5.2	13
93	Latent Classes of Cognitive Functioning Among Depressed Older Adults Without Dementia. <i>Journal of the International Neuropsychological Society</i> , 2019, 25, 811-820.	1.8	13
94	Cognition and Cerebrovascular Reactivity in Midlife Women With History of Preeclampsia and Placental Evidence of Maternal Vascular Malperfusion. <i>Frontiers in Aging Neuroscience</i> , 2021, 13, 637574.	3.4	13
95	Response to Antidepressant Medications in Late-Life Depression Across the Spectrum of Cognitive Functioning. <i>Journal of Clinical Psychiatry</i> , 2014, 75, e100-e107.	2.2	13
96	Neuropsychological similarities and differences among Huntington's disease, multiple sclerosis, and cortical dementia. <i>Archives of Clinical Neuropsychology</i> , 1998, 13, 721-35.	0.5	13
97	Diagnostic Precision in the Detection of Mild Cognitive Impairment: A Comparison of Two Approaches. <i>American Journal of Geriatric Psychiatry</i> , 2022, 30, 54-64.	1.2	12
98	Challenges and Solutions for Depression Prevention Research: Methodology for a Depression Prevention Trial for Older Adults with Knee Arthritis and Emotional Distress. <i>American Journal of Geriatric Psychiatry</i> , 2016, 24, 433-443.	1.2	11
99	Subjective Sleep Quality and Trajectories of Interleukin-6 in Older Adults. <i>American Journal of Geriatric Psychiatry</i> , 2021, 29, 204-208.	1.2	11
100	Incidence of postoperative cognitive dysfunction in older women undergoing pelvic organ prolapse surgery. <i>International Urogynecology Journal</i> , 2021, 32, 433-442.	1.4	11
101	Psychosocial Risk Factors for Cognitive Decline in Late-Life Depression: Findings from the MTL-D-III Study. <i>Canadian Geriatrics Journal</i> , 2015, 18, 43-50.	1.2	11
102	Allostatic load but not medical burden predicts memory performance in late-life bipolar disorder. <i>International Journal of Geriatric Psychiatry</i> , 2018, 33, 546-552.	2.7	10
103	The effects of white matter disease on the accuracy of automated segmentation. <i>Psychiatry Research - Neuroimaging</i> , 2016, 253, 7-14.	1.8	9
104	An inverse relationship between cortical plasticity and cognitive inhibition in late-life depression. <i>Neuropsychopharmacology</i> , 2019, 44, 1659-1666.	5.4	9
105	Examining the Link Between Cardiovascular Risk Factors and Neuropsychiatric Symptoms in Mild Cognitive Impairment and Major Depressive Disorder in Remission. <i>Journal of Alzheimer's Disease</i> , 2019, 67, 1305-1311.	2.6	9
106	Associations between sleep and cognitive performance in a racially/ethnically diverse cohort: the Study of Women's Health Across the Nation. <i>Sleep</i> , 2021, 44, .	1.1	9
107	The Impact of Amyloid Burden and APOE on Rates of Cognitive Impairment in Late Life Depression. <i>Journal of Alzheimer's Disease</i> , 2021, 80, 991-1002.	2.6	9
108	Depression Remission Rates Among Older Black and White Adults: Analyses From the IRL-GREY Trial. <i>Psychiatric Services</i> , 2015, 66, 1303-1311.	2.0	8

#	ARTICLE	IF	CITATIONS
109	Design and Recruitment for a Randomized Controlled Trial of Problem-Solving Therapy to Prevent Depression among Older Adults with Need for Supportive Services. <i>American Journal of Geriatric Psychiatry</i> , 2016, 24, 94-102.	1.2	8
110	The Effects of Gait Speed and Psychomotor Speed on Risk for Depression and Anxiety in Older Adults with Medical Comorbidities. <i>Journal of the American Geriatrics Society</i> , 2021, 69, 1265-1271.	2.6	8
111	Association of Molecular Senescence Markers in Late-Life Depression With Clinical Characteristics and Treatment Outcome. <i>JAMA Network Open</i> , 2022, 5, e2219678.	5.9	8
112	Treatment Considerations for Depression Research in Older Married Couples: A Dyadic Case Study. <i>American Journal of Geriatric Psychiatry</i> , 2017, 25, 388-395.	1.2	7
113	Analysis of hippocampal subfields in sickle cell disease using ultrahigh field MRI. <i>NeuroImage: Clinical</i> , 2021, 30, 102655.	2.7	7
114	Statins and cognition in late-life bipolar disorder. <i>International Journal of Geriatric Psychiatry</i> , 2018, 33, 1355-1360.	2.7	6
115	Sleep Disturbances, Changes in Sleep, and Cognitive Function in Low-Income African Americans. <i>Journal of Alzheimer's Disease</i> , 2022, 87, 1591-1601.	2.6	6
116	Stopping Cognitive Decline in Patients With Late-Life Depression: A New Front in the Fight Against Dementia. <i>American Journal of Geriatric Psychiatry</i> , 2018, 26, 828-834.	1.2	5
117	Preventing disability in older adults with mild cognitive impairment: A Strategy Training intervention study. <i>Contemporary Clinical Trials Communications</i> , 2019, 15, 100368.	1.1	5
118	Depression Agency-Based Collaborative: Effect of Problem-Solving Therapy on Risk of Common Mental Disorders in Older Adults With Home Care Needs. <i>American Journal of Geriatric Psychiatry</i> , 2019, 27, 619-624.	1.2	5
119	Regional amyloid correlates of cognitive performance in ageing and mild cognitive impairment. <i>Brain Communications</i> , 2022, 4, fcac016.	3.3	5
120	Consequences of Anxiety in Aging and Cognitive Decline. <i>American Journal of Geriatric Psychiatry</i> , 2016, 24, 843-845.	1.2	4
121	Postoperative delirium in older patients after undergoing pelvic organ prolapse surgery. <i>International Urogynecology Journal</i> , 2023, 34, 201-209.	1.4	4
122	Measuring Participant Effort in a Depression Prevention Trial: Who Engages in Problem-Solving Therapy?. <i>American Journal of Geriatric Psychiatry</i> , 2017, 25, 909-916.	1.2	3
123	Health-related quality of life in remitted psychotic depression. <i>Journal of Affective Disorders</i> , 2019, 256, 373-379.	4.1	3
124	Imaging beta-amyloid (A β ²) burden in the brains of middle-aged individuals with alcohol-use disorders: a [11C]PIB PET study. <i>Translational Psychiatry</i> , 2021, 11, 257.	4.8	3
125	The Impact of Cognitive Function on Adherence to Hydroxyurea Therapy in Patients with Sickle Cell Disease. <i>Blood</i> , 2016, 128, 2493-2493.	1.4	3
126	Time setting errors in the Clock Drawing Test are associated with both semantic and executive deficits. <i>Applied Neuropsychology Adult</i> , 2022, , 1-10.	1.2	3

#	ARTICLE	IF	CITATIONS
127	Association of functional connectivity of the executive control network or default mode network with cognitive impairment in older adults with remitted major depressive disorder or mild cognitive impairment. <i>Neuropsychopharmacology</i> , 2023, 48, 468-477.	5.4	3
128	Immunological Markers Associated with Brain Health and Treatment Response in Late-Life Depression: Pilot Study. <i>American Journal of Geriatric Psychiatry</i> , 2016, 24, S106-S107.	1.2	2
129	Comparing cardiovascular risk factors in older persons with mild cognitive impairment and lifetime history of major depressive disorder. <i>International Psychogeriatrics</i> , 2021, , 1-7.	1.0	2
130	The Neuropsychological Consequences of Abstinence Among Older Alcoholics: A Cross-Sectional Study. <i>Alcoholism: Clinical and Experimental Research</i> , 2000, 24, 1510-1516.	2.4	2
131	Transcranial magnetic stimulation indices of cortical excitability enhance the prediction of response to pharmacotherapy in late-life depression. <i>Biological Psychiatry: Cognitive Neuroscience and Neuroimaging</i> , 2021, , .	1.5	1
132	Frequency of But Not Capacity for Participation in Everyday Activities Is Associated With Cognitive Impairment in Late Life. <i>Journal of Applied Gerontology</i> , 2021, 40, 1579-1586.	2.0	1
133	Elevated Plasma Thrombospondin-1 (TSP1) Levels Are Correlated with Oxidative Stress and Worse Cognitive Function in Sickle Cell Disease. <i>Blood</i> , 2015, 126, 2184-2184.	1.4	1
134	Does sex impact neuropsychiatric symptom burden in APO ϵ 4 carriers with atâ€risk cognitive conditions?. <i>Alzheimer's and Dementia</i> , 2020, 16, e047038.	0.8	0
135	Cerebrospinal fluid biomarkers in older adults with mild cognitive impairment, with and without a major depressive disorder. <i>Alzheimer's and Dementia</i> , 2020, 16, e047049.	0.8	0
136	Comprehensive Assessment of Cognitive Function in Patients with Sickle Cell Disease Reveals Deficits in Memory and Processing Speed. <i>Blood</i> , 2021, 138, 975-975.	1.4	0