C Hyung Keun Park

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/3625264/publications.pdf

Version: 2024-02-01

840776 996975 39 279 11 15 g-index citations h-index papers 44 44 44 384 docs citations times ranked citing authors all docs

#	Article	IF	CITATIONS
1	Previous psychiatric disorders in the multistep hypothesis of amyotrophic lateral sclerosis: a South Korean population study. Amyotrophic Lateral Sclerosis and Frontotemporal Degeneration, 2022, 23, 601-607.	1.7	2
2	The Psychometric Properties of the French–Canadian Stress and Anxiety to Viral Epidemics-6 Scale for Measuring the Viral Anxiety of the General Population During the COVID-19 Pandemic. Frontiers in Psychiatry, 2022, 13, 807312.	2.6	2
3	Mediating Effect of Viral Anxiety and Perceived Benefits of Physical Distancing on Adherence to Distancing Among High School Students Amid COVID-19. Journal of Korean Medical Science, 2022, 37, e129.	2.5	2
4	Discrepancy Between Desired Time in Bed and Desired Total Sleep Time, Insomnia, Depression, and Dysfunctional Beliefs About Sleep Among the General Population. Psychiatry Investigation, 2022, 19, 281-288.	1.6	13
5	Validation of the Korean Version of the Coronavirus Reassurance-Seeking Behaviors Scale During the COVID-19 Pandemic. Psychiatry Investigation, 2022, , .	1.6	4
6	Detection of Depression and Suicide Risk Based on Text From Clinical Interviews Using Machine Learning: Possibility of a New Objective Diagnostic Marker. Frontiers in Psychiatry, 2022, 13, .	2.6	5
7	National prescription patterns of antidepressants among patients with amyotrophic lateral sclerosis: An analysis of the <scp>Korean National Health Insurance</scp> database. Muscle and Nerve, 2022, 66, 312-318.	2.2	1
8	An integrated model for the relationship between socio-cultural factors, Attitudes Toward Suicide, and intensity of suicidal ideation in Korean, Japanese, and American populations. Journal of Affective Disorders, 2021, 280, 203-210.	4.1	6
9	Self-Transcendence Mediates the Relationship between Early Trauma and Fatal Methods of Suicide Attempts. Journal of Korean Medical Science, 2021, 36, e39.	2.5	2
10	Early Trauma and Relationships among Recent Stress, Depressive Symptoms, Anxiety Symptoms, and Suicidal Ideation in Korean Women. Journal of Korean Medical Science, 2021, 36, e72.	2.5	0
11	The association between serum microbial DNA composition and symptoms of depression and anxiety in mood disorders. Scientific Reports, $2021, 11, 13987$.	3.3	16
12	Correlates of Psychological Distress in Patients With Cancer at a Psycho-oncology Clinic. Journal of the Academy of Consultation-Liaison Psychiatry, 2021, 62, 595-605.	0.4	1
13	Detection of Minor and Major Depression through Voice as a Biomarker Using Machine Learning. Journal of Clinical Medicine, 2021, 10, 3046.	2.4	21
14	The influence of poverty attribution on attitudes toward suicide and suicidal thought: A cross-national comparison between South Korean, Japanese, and American populations. Comprehensive Psychiatry, 2021, 109, 152259.	3.1	1
15	Characteristics of Patients Presenting to a Psycho-Oncology Outpatient Clinic. Psychiatry Investigation, 2021, 18, 743-754.	1.6	1
16	Application of Stress and Anxiety to Viral Epidemics-6 Items (SAVE-6) to Public Workers for Measuring Their Anxiety Response During the COVID-19 Pandemic. Frontiers in Psychiatry, 2021, 12, 701543.	2.6	12
17	Suicide risk factors across suicidal ideators, single suicide attempters, and multiple suicide attempters. Journal of Psychiatric Research, 2020, 131, 1-8.	3.1	29
18	Rate of diagnostic conversion to bipolar disorder in adults with unipolar depression and psychopharmacological treatment in the republic of Korea: A nationwide register-based study. Journal of Affective Disorders, 2020, 273, 240-246.	4.1	7

#	Article	IF	CITATIONS
19	Comparison of serum microbiome composition in bipolar and major depressive disorders. Journal of Psychiatric Research, 2020, 123, 31-38.	3.1	23
20	Cost analysis of depression using the national insurance system in South Korea: a comparison of depression and treatment-resistant depression. BMC Health Services Research, 2020, 20, 286.	2.2	15
21	Identifying the Medical Lethality of Suicide Attempts Using Network Analysis and Deep Learning: Nationwide Study. JMIR Medical Informatics, 2020, 8, e14500.	2.6	4
22	A randomized, double-blind, 6-week prospective pilot study on the efficacy and safety of dose escalation in non-remitters in comparison to those of the standard dose of escitalopram for major depressive disorder. Journal of Affective Disorders, 2019, 259, 91-97.	4.1	3
23	Epidemiology of pharmaceutically treated depression and treatment resistant depression in South Korea. PLoS ONE, 2019, 14, e0221552.	2.5	16
24	The epidemiology of antidepressant use in South Korea: Does short-term antidepressant use affect the relapse and recurrence of depressive episodes?. PLoS ONE, 2019, 14, e0222791.	2.5	5
25	Predicting Planned Suicide Attempts With the Columbia-Suicide Severity Rating Scale. Journal of Nervous and Mental Disease, 2019, 207, 59-68.	1.0	3
26	The Korean Cohort for the Model Predicting a Suicide and Suicide-related Behavior: Study rationale, methodology, and baseline sample characteristics of a long-term, large-scale, multi-center, prospective, naturalistic, observational cohort study. Comprehensive Psychiatry, 2019, 88, 29-38.	3.1	7
27	Characteristics of the "young-old―and "old-old―community-dwelling suicidal Ideators: A longitudinal 6-month follow-up study. Comprehensive Psychiatry, 2019, 89, 67-77.	3.1	13
28	Title is missing!. , 2019, 14, e0222791.		0
29	Title is missing!. , 2019, 14, e0222791.		0
30	Title is missing!. , 2019, 14, e0222791.		0
31	Title is missing!. , 2019, 14, e0222791.		0
32	Classification of attempted suicide by cluster analysis: A study of 888 suicide attempters presenting to the emergency department. Journal of Affective Disorders, 2018, 235, 184-190.	4.1	20
33	Implications of Increased Trait Impulsivity on Psychopathology and Experienced Stress in the Victims of Early Trauma With Suicidality. Journal of Nervous and Mental Disease, 2018, 206, 840-849.	1.0	6
34	SYNESTHESIA OCCURRING AFTER THE USE OF JAPANESE KIKEN DRUGS: A CASE REPORT. Psychiatria Danubina, 2018, 30, 223-226.	0.4	2
35	Impact of acute alcohol consumption on lethality of suicide methods. Comprehensive Psychiatry, 2017, 75, 27-34.	3.1	27
36	Characteristics of completed suicide in different blood alcohol concentrations in Korea. Forensic Science International, 2017, 281, 37-43.	2.2	5

#	Article	IF	CITATIONS
37	Comparison of Baseline Characteristics between Community-based and Hospital-based Suicidal Ideators and Its Implications for Tailoring Strategies for Suicide Prevention: Korean Cohort for the Model Predicting a Suicide and Suicide-related Behavior. Journal of Korean Medical Science, 2017, 32, 1522.	2.5	4
38	PS269. Epidemiology of Completed Suicide in Different Blood Alcohol Concentration: a Nationwide Autopsy-based Study. International Journal of Neuropsychopharmacology, 2016, 19, 97-98.	2.1	0
39	A Case of Delayed Encephalopathy of Carbon Monoxide Intoxication. Journal of Korean Neuropsychiatric Association, 2013, 52, 463.	0.5	1