

# Julien Bezin

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3625288/publications.pdf>

Version: 2024-02-01

39  
papers

882  
citations

623188

14  
h-index

500791

28  
g-index

39  
all docs

39  
docs citations

39  
times ranked

1026  
citing authors

#	ARTICLE	IF	CITATIONS
1	The national healthcare system claims databases in France, SNIIRAM and EGB: Powerful tools for pharmacoepidemiology. <i>Pharmacoepidemiology and Drug Safety</i> , 2017, 26, 954-962.	0.9	382
2	Choice of ICD-10 codes for the identification of acute coronary syndrome in the French hospitalization database. <i>Fundamental and Clinical Pharmacology</i> , 2015, 29, 586-591.	1.0	50
3	Polypharmacy: A general review of definitions, descriptions and determinants. <i>Therapie</i> , 2020, 75, 407-416.	0.6	38
4	Use of the recommended drug combination for secondary prevention after a first occurrence of acute coronary syndrome in France. <i>European Journal of Clinical Pharmacology</i> , 2014, 70, 429-436.	0.8	36
5	Real-Life Benefits of Statins for Cardiovascular Prevention in Elderly Subjects: A Population-Based Cohort Study. <i>American Journal of Medicine</i> , 2019, 132, 740-748.e7.	0.6	34
6	Risk of Drug-Drug Interactions in Out-Hospital Drug Dispensings in France: Results From the DRUG-Drug Interaction Prevalence Study. <i>Frontiers in Pharmacology</i> , 2019, 10, 265.	1.6	31
7	The Burden of Potentially Inappropriate Medications in Chronic Polypharmacy. <i>Journal of Clinical Medicine</i> , 2020, 9, 3728.	1.0	26
8	Antipsychotic long-acting injections: A community-based study from 2007 to 2014 of prescribing trends and characteristics associated with initiation. <i>Schizophrenia Research</i> , 2016, 178, 58-63.	1.1	25
9	Risk of discontinuation of antipsychotic long-acting injections vs. oral antipsychotics in real-life prescribing practice: a community-based study. <i>Acta Psychiatrica Scandinavica</i> , 2017, 135, 429-438.	2.2	23
10	False-positive results in pharmacoepidemiology and pharmacovigilance. <i>Therapie</i> , 2017, 72, 415-420.	0.6	21
11	Persistence to 5-year hormonal breast cancer therapy: a French national population-based study. <i>British Journal of Cancer</i> , 2016, 115, 912-919.	2.9	20
12	Impact of a public media event on the use of statins in the French population. <i>Archives of Cardiovascular Diseases</i> , 2017, 110, 91-98.	0.7	20
13	Clinical impact of STK11 mutation in advanced-stage non-small cell lung cancer. <i>European Journal of Cancer</i> , 2022, 172, 85-95.	1.3	20
14	Comparative effectiveness of recommended versus less intensive drug combinations in secondary prevention of acute coronary syndrome. <i>Pharmacoepidemiology and Drug Safety</i> , 2017, 26, 285-293.	0.9	18
15	National trends in use and costs of oral anticancer drugs in France: An 8-year population-based study. <i>Pharmacoepidemiology and Drug Safety</i> , 2017, 26, 1233-1241.	0.9	16
16	Pharmacological treatments of cardiovascular diseases: Evidence from real-life studies. <i>Pharmacological Research</i> , 2017, 118, 43-52.	3.1	15
17	An Automated System Combining Safety Signal Detection and Prioritization from Healthcare Databases: A Pilot Study. <i>Drug Safety</i> , 2018, 41, 377-387.	1.4	12
18	Antiherpetic drugs: a potential way to prevent Alzheimer's disease?. <i>Alzheimer's Research and Therapy</i> , 2022, 14, 3.	3.0	11

#	ARTICLE	IF	CITATIONS
19	Use of Lipid-Lowering Drugs and the Risk of Cataract: A Population-Based Nested Case-Control Study. <i>Clinical Pharmacology and Therapeutics</i> , 2019, 105, 458-465.	2.3	10
20	Trends in the incidence of use of noninsulin glucose-lowering drugs between 2006 and 2013 in France. <i>Fundamental and Clinical Pharmacology</i> , 2017, 31, 663-675.	1.0	8
21	Impact of Medicine Withdrawal on Reporting of Adverse Events Involving Therapeutic Alternatives: A Study from the French Spontaneous Reporting Database. <i>Drug Safety</i> , 2017, 40, 1099-1107.	1.4	6
22	Medications Recommended for Secondary Prevention After First Acute Coronary Syndrome: Effectiveness of Treatment Combinations in a Real-Life Setting. <i>Clinical Pharmacology and Therapeutics</i> , 2018, 103, 1038-1046.	2.3	6
23	Monitoring of drug misuse or potential misuse in a nationwide healthcare insurance database: A cross-sectional study in France. <i>Therapie</i> , 2019, 74, 469-476.	0.6	6
24	Pharmacoepidemiology of statins. <i>Therapie</i> , 2019, 74, 261-269.	0.6	5
25	Neurocognitive Disorders Associated with PCSK9 Inhibitors: a Pharmacovigilance Disproportionality Analysis. <i>Cardiovascular Drugs and Therapy</i> , 2023, 37, 271-276.	1.3	5
26	Impact of pioglitazone regulatory withdrawal on antidiabetic drug use and health in diabetic patients. <i>European Journal of Clinical Pharmacology</i> , 2017, 73, 1655-1663.	0.8	4
27	Treatment Modalities and Survival in Older Adults with Metastatic Colorectal Cancer in Real Life. <i>Journal of the American Geriatrics Society</i> , 2019, 67, 913-919.	1.3	4
28	DPP-4 Inhibitors in Combination with Lipid-Lowering Agents and Risk of Serious Muscular Injury: A Nested Case-Control Study in a Nationwide Cohort of Patients with Type 2 Diabetes Mellitus. <i>Drug Safety</i> , 2020, 43, 767-774.	1.4	4
29	Evaluation of Covid-19 vaccines: Pharmacoepidemiological aspects. <i>Therapie</i> , 2021, 76, 305-309.	0.6	4
30	Chronic polypharmacy at all age: A population-based drug utilization study. <i>Fundamental and Clinical Pharmacology</i> , 2022, 36, 405-413.	1.0	4
31	Prevalence and direct costs of potentially inappropriate prescriptions in France: a population-based study. <i>Expert Review of Pharmacoeconomics and Outcomes Research</i> , 2021, , 1-10.	0.7	4
32	Cost-effectiveness of screening of coronary artery disease in patients with type 2 DIABetes at a very high cardiovascular risk (SCADIAB study) rational and design. <i>Cardiovascular Diabetology</i> , 2021, 20, 63.	2.7	3
33	Oral Morphine as an Alternative Substitution Treatment for Opioid Use Disorder, a Rare but Non-risk-free Use. <i>Frontiers in Psychiatry</i> , 0, 13, .	1.3	3
34	Risk of Serious Trauma with Glucose-Lowering Drugs in Older Persons: A Nested Case-Control Study. <i>Journal of the American Geriatrics Society</i> , 2018, 66, 2086-2091.	1.3	2
35	Risk of bradyarrhythmia related to ticagrelor: A systematic review and meta-analysis. <i>Pharmacological Research</i> , 2020, 160, 105089.	3.1	2
36	Potentially inappropriate medication use by level of polypharmacy among US Veterans 49-64 and 65-70 years old. <i>Pharmacoepidemiology and Drug Safety</i> , 0, , .	0.9	2

#	ARTICLE	IF	CITATIONS
37	Antidopaminergic antiemetics and trauma-related hospitalization: A population-based self-controlled case series study. <i>British Journal of Clinical Pharmacology</i> , 2021, 87, 1303-1309.	1.1	1
38	Antihypertensive and lipid-lowering drugs usage after primary stroke in a large representative sample of the French population. <i>Fundamental and Clinical Pharmacology</i> , 2022, 36, 742-749.	1.0	1
39	The Reply. <i>American Journal of Medicine</i> , 2019, 132, e622.	0.6	0