

Ana Gonzalez-Pinto

List of Publications by Citations

Source: <https://exaly.com/author-pdf/3625462/ana-gonzalez-pinto-publications-by-citations.pdf>

Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

171
papers

5,126
citations

39
h-index

65
g-index

181
ext. papers

6,198
ext. citations

4.2
avg, IF

5.1
L-index

#	Paper	IF	Citations
171	The International Society for Bipolar Disorders (ISBD) task force report on antidepressant use in bipolar disorders. <i>American Journal of Psychiatry</i> , 2013 , 170, 1249-62	11.9	451
170	Efficacy of functional remediation in bipolar disorder: a multicenter randomized controlled study. <i>American Journal of Psychiatry</i> , 2013 , 170, 852-9	11.9	211
169	Decreased levels of plasma BDNF in first-episode schizophrenia and bipolar disorder patients. <i>Schizophrenia Research</i> , 2006 , 86, 321-2	3.6	164
168	Adherence to Antipsychotic Medication in Bipolar Disorder and Schizophrenic Patients: A Systematic Review. <i>Journal of Clinical Psychopharmacology</i> , 2016 , 36, 355-71	1.7	160
167	Suicidal risk in bipolar I disorder patients and adherence to long-term lithium treatment. <i>Bipolar Disorders</i> , 2006 , 8, 618-24	3.8	144
166	Polarity index of pharmacological agents used for maintenance treatment of bipolar disorder. <i>European Neuropsychopharmacology</i> , 2012 , 22, 339-46	1.2	125
165	Pro-/anti-inflammatory dysregulation in patients with first episode of psychosis: toward an integrative inflammatory hypothesis of schizophrenia. <i>Schizophrenia Bulletin</i> , 2014 , 40, 376-87	1.3	116
164	Progressive brain changes in children and adolescents with first-episode psychosis. <i>Archives of General Psychiatry</i> , 2012 , 69, 16-26		116
163	New treatment guidelines for acute bipolar depression: a systematic review. <i>Journal of Affective Disorders</i> , 2011 , 129, 14-26	6.6	103
162	Suicide attempts in bipolar patients. <i>Journal of Clinical Psychiatry</i> , 2001 , 62, 963-6	4.6	103
161	Treatment nonadherence and neurocognitive impairment in bipolar disorder. <i>Journal of Clinical Psychiatry</i> , 2009 , 70, 1017-23	4.6	95
160	Cannabis and first-episode psychosis: different long-term outcomes depending on continued or discontinued use. <i>Schizophrenia Bulletin</i> , 2011 , 37, 631-9	1.3	84
159	Trait and state attributes of insight in first episodes of early-onset schizophrenia and other psychoses: a 2-year longitudinal study. <i>Schizophrenia Bulletin</i> , 2011 , 37, 38-51	1.3	84
158	Cognitive impairment is related to oxidative stress and chemokine levels in first psychotic episodes. <i>Schizophrenia Research</i> , 2012 , 137, 66-72	3.6	79
157	S229. THE EFFECT OF FAMILY ENVIRONMENT ON LONGITUDINAL FUNCTIONING IN FIRST PSYCHOTIC EPISODES. <i>Schizophrenia Bulletin</i> , 2020 , 46, S125-S126	1.3	78
156	F12. INFLAMMATORY BIOMARKERS AND COGNITION IN FIRST EPISODE PSYCHOSIS: GENDER DIFFERENCES. <i>Schizophrenia Bulletin</i> , 2018 , 44, S222-S223	1.3	78
155	F245. COGNITIVE RESERVE DIFFERENCE IN AFFECTIVE AND NONAFFECTIVE PSYCHOSIS. <i>Schizophrenia Bulletin</i> , 2018 , 44, S318-S318	1.3	78

154	Premorbid adjustment and clinical correlates of cognitive impairment in first-episode psychosis. The PEPsCog Study. <i>Schizophrenia Research</i> , 2015 , 164, 65-73	3.6	75
153	Reduced antioxidant defense in early onset first-episode psychosis: a case-control study. <i>BMC Psychiatry</i> , 2011 , 11, 26	4.2	75
152	The child and adolescent first-episode psychosis study (CAFEPS): design and baseline results. <i>Schizophrenia Research</i> , 2007 , 91, 226-37	3.6	74
151	Cannabis use in children and adolescents with first episode psychosis: influence on psychopathology and short-term outcome (CAFEPS study). <i>Schizophrenia Research</i> , 2009 , 113, 129-37	3.6	71
150	Impact of cannabis and other drugs on age at onset of psychosis. <i>Journal of Clinical Psychiatry</i> , 2008 , 69, 1210-6	4.6	69
149	Association between smoking and alcohol use in the general population: stable and unstable odds ratios across two years in two different countries. <i>Alcohol and Alcoholism</i> , 2007 , 42, 252-7	3.5	67
148	New treatment guidelines for acute bipolar mania: a critical review. <i>Journal of Affective Disorders</i> , 2012 , 140, 125-41	6.6	64
147	Peripheral endocannabinoid system dysregulation in first-episode psychosis. <i>Neuropsychopharmacology</i> , 2013 , 38, 2568-77	8.7	61
146	First episode in bipolar disorder: misdiagnosis and psychotic symptoms. <i>Journal of Affective Disorders</i> , 1998 , 50, 41-4	6.6	59
145	Verbal memory as a mediator in the relationship between subthreshold depressive symptoms and functional outcome in bipolar disorder. <i>Journal of Affective Disorders</i> , 2014 , 160, 50-4	6.6	54
144	Antipsychotic treatment in child and adolescent first-episode psychosis: a longitudinal naturalistic approach. <i>Journal of Child and Adolescent Psychopharmacology</i> , 2008 , 18, 327-36	2.9	50
143	Poor long-term prognosis in mixed bipolar patients: 10-year outcomes in the Vitoria prospective naturalistic study in Spain. <i>Journal of Clinical Psychiatry</i> , 2011 , 72, 671-6	4.6	50
142	Relationship between the use of benzodiazepines and falls in older adults: A systematic review. <i>Maturitas</i> , 2017 , 101, 17-22	5	48
141	Increase in brain-derived neurotrophic factor in first episode psychotic patients after treatment with atypical antipsychotics. <i>International Clinical Psychopharmacology</i> , 2010 , 25, 241-5	2.2	46
140	Working memory as a predictor of negative symptoms and functional outcome in first episode psychosis. <i>Psychiatry Research</i> , 2013 , 206, 8-16	9.9	45
139	Different profile of substance abuse in relation to predominant polarity in bipolar disorder: The Vitoria long-term follow-up study. <i>Journal of Affective Disorders</i> , 2010 , 124, 250-5	6.6	45
138	Duration of untreated psychosis predicts functional and clinical outcome in children and adolescents with first-episode psychosis: a 2-year longitudinal study. <i>Schizophrenia Research</i> , 2014 , 152, 130-8	3.6	44
137	Predictors of suicide attempt in early-onset, first-episode psychoses: a longitudinal 24-month follow-up study. <i>Journal of Clinical Psychiatry</i> , 2013 , 74, 59-66	4.6	44

136	Age at First Episode Modulates Diagnosis-Related Structural Brain Abnormalities in Psychosis. <i>Schizophrenia Bulletin</i> , 2016 , 42, 344-57	1.3	42
135	Mood stabilizers and antipsychotics during breastfeeding: Focus on bipolar disorder. <i>European Neuropsychopharmacology</i> , 2016 , 26, 1562-78	1.2	41
134	Decreased glutathione levels predict loss of brain volume in children and adolescents with first-episode psychosis in a two-year longitudinal study. <i>Schizophrenia Research</i> , 2012 , 137, 58-65	3.6	41
133	Functional remediation for patients with bipolar II disorder: improvement of functioning and subsyndromal symptoms. <i>European Neuropsychopharmacology</i> , 2015 , 25, 257-64	1.2	39
132	Epidemiology, diagnosis and management of mixed mania. <i>CNS Drugs</i> , 2007 , 21, 611-26	6.7	39
131	Two-year diagnostic stability in early-onset first-episode psychosis. <i>Journal of Child Psychology and Psychiatry and Allied Disciplines</i> , 2011 , 52, 1089-98	7.9	38
130	Relationship between sunlight and the age of onset of bipolar disorder: an international multisite study. <i>Journal of Affective Disorders</i> , 2014 , 167, 104-11	6.6	37
129	Relationship between negative symptoms and plasma levels of insulin-like growth factor 1 in first-episode schizophrenia and bipolar disorder patients. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2013 , 44, 29-33	5.5	37
128	Peripheral Inflammatory Parameters in Late-Life Depression: A Systematic Review. <i>International Journal of Molecular Sciences</i> , 2016 , 17,	6.3	37
127	Baseline characteristics and outcomes in patients with first episode or multiple episodes of acute mania. <i>Journal of Clinical Psychiatry</i> , 2010 , 71, 255-61	4.6	36
126	Predictors of suicide in first-episode affective and nonaffective psychotic inpatients: five-year follow-up of patients from a catchment area in Vitoria, Spain. <i>Journal of Clinical Psychiatry</i> , 2007 , 68, 242-7	4.6	35
125	Influence of light exposure during early life on the age of onset of bipolar disorder. <i>Journal of Psychiatric Research</i> , 2015 , 64, 1-8	5.2	34
124	Spanish consensus on the risks and detection of antipsychotic drug-related hyperprolactinaemia. <i>Revista De Psiquiatría Y Salud Mental</i> , 2016 , 9, 158-73	2.7	33
123	Can positive family factors be protective against the development of psychosis?. <i>Psychiatry Research</i> , 2011 , 186, 28-33	9.9	33
122	A longitudinal study on the relationship between duration of untreated psychosis and executive function in early-onset first-episode psychosis. <i>Schizophrenia Research</i> , 2014 , 158, 126-33	3.6	32
121	Impact of sunlight on the age of onset of bipolar disorder. <i>Bipolar Disorders</i> , 2012 , 14, 654-63	3.8	31
120	Multidisciplinary consensus on the therapeutic recommendations for iatrogenic hyperprolactinemia secondary to antipsychotics. <i>Frontiers in Neuroendocrinology</i> , 2017 , 45, 25-34	8.9	30
119	The course of negative symptoms in first-episode schizophrenia and its predictors: A prospective two-year follow-up study. <i>Schizophrenia Research</i> , 2017 , 189, 84-90	3.6	30

118	Modelling gene-environment interaction in first episodes of psychosis. <i>Schizophrenia Research</i> , 2017 , 189, 181-189	3.6	30
117	Basal low antioxidant capacity correlates with cognitive deficits in early onset psychosis. A 2-year follow-up study. <i>Schizophrenia Research</i> , 2014 , 156, 23-9	3.6	30
116	Premorbid impairments in early-onset psychosis: differences between patients with schizophrenia and bipolar disorder. <i>Schizophrenia Research</i> , 2013 , 146, 103-10	3.6	30
115	Validation and use of the functioning assessment short test in first psychotic episodes. <i>Journal of Nervous and Mental Disease</i> , 2010 , 198, 836-40	1.8	30
114	Treatment of bipolar I rapid cycling patients during dysphoric mania with olanzapine. <i>Journal of Clinical Psychopharmacology</i> , 2002 , 22, 450-4	1.7	30
113	Bipolar disorder comorbid with alcohol use disorder: focus on neurocognitive correlates. <i>Frontiers in Physiology</i> , 2015 , 6, 108	4.6	28
112	Dimensions of mania: differences between mixed and pure episodes. <i>European Psychiatry</i> , 2004 , 19, 307-10	4.0	28
111	Internet use by patients with bipolar disorder: Results from an international multisite survey. <i>Psychiatry Research</i> , 2016 , 242, 388-394	9.9	26
110	Evolution of metabolic risk factors over a two-year period in a cohort of first episodes of psychosis. <i>Schizophrenia Research</i> , 2018 , 193, 188-196	3.6	25
109	Plasma brain-derived neurotrophic factor levels, learning capacity and cognition in patients with first episode psychosis. <i>BMC Psychiatry</i> , 2013 , 13, 27	4.2	25
108	Cannabis use and involuntary admission may mediate long-term adherence in first-episode psychosis patients: a prospective longitudinal study. <i>BMC Psychiatry</i> , 2013 , 13, 326	4.2	24
107	Bipolar disorder differences between genders: special considerations for women. <i>Women's Health</i> , 2011 , 7, 663-74; quiz 675-6	3	23
106	The affective dimension of early-onset psychosis and its relationship with suicide. <i>Journal of Child Psychology and Psychiatry and Allied Disciplines</i> , 2015 , 56, 747-755	7.9	22
105	Cannabis use, COMT, BDNF and age at first-episode psychosis. <i>Psychiatry Research</i> , 2017 , 250, 38-43	9.9	21
104	Do patients with bipolar disorder and subsyndromal symptoms benefit from functional remediation? A 12-month follow-up study. <i>European Neuropsychopharmacology</i> , 2017 , 27, 350-359	1.2	21
103	A Pharmacovigilance Study in First Episode of Psychosis: Psychopharmacological Interventions and Safety Profiles in the PEPs Project. <i>International Journal of Neuropsychopharmacology</i> , 2016 , 19,	5.8	21
102	Long-term efficacy of a psychological intervention program for patients with refractory bipolar disorder: a pilot study. <i>Psychiatry Research</i> , 2010 , 176, 161-5	9.9	21
101	Validity and reliability of the Hamilton depression rating scale (5 items) for manic and mixed bipolar disorders. <i>Journal of Nervous and Mental Disease</i> , 2009 , 197, 682-6	1.8	21

100	A systematic review of sex-based differences in effectiveness and adverse effects of clozapine. <i>Psychiatry Research</i> , 2019 , 280, 112506	9.9	20
99	Twenty-four months of antipsychotic treatment in children and adolescents with first psychotic episode: discontinuation and tolerability. <i>Journal of Clinical Psychopharmacology</i> , 2013 , 33, 463-71	1.7	20
98	Differences in the Use and Opinions About New eHealth Technologies Among Patients With Psychosis: Structured Questionnaire. <i>JMIR Mental Health</i> , 2018 , 5, e51	6	19
97	The Efficacy of Non-Pharmacological Interventions on Brain-Derived Neurotrophic Factor in Schizophrenia: A Systematic Review and Meta-Analysis. <i>International Journal of Molecular Sciences</i> , 2016 , 17,	6.3	19
96	Pro-/antiinflammatory dysregulation in early psychosis: results from a 1-year follow-up study. <i>International Journal of Neuropsychopharmacology</i> , 2014 , 18,	5.8	18
95	Number of prior episodes and the presence of depressive symptoms are associated with longer length of stay for patients with acute manic episodes. <i>Annals of General Psychiatry</i> , 2012 , 11, 7	3.4	17
94	Efficacy and safety of ketamine in bipolar depression: A systematic review. <i>Revista De Psiquiatria Y Salud Mental</i> , 2017 , 10, 104-112	2.7	17
93	Predictors of recurrence in bipolar disorders in Spain (PREBIS study data). <i>Journal of Affective Disorders</i> , 2012 , 141, 406-14	6.6	17
92	Subclinical depressive symptoms and continued cannabis use: predictors of negative outcomes in first episode psychosis. <i>PLoS ONE</i> , 2015 , 10, e0123707	3.7	17
91	Online information seeking by patients with bipolar disorder: results from an international multisite survey. <i>International Journal of Bipolar Disorders</i> , 2016 , 4, 17	5.4	16
90	Predictors of good outcome in patients with refractory bipolar disorder after a drug or a drug and cognitive-behavioral treatment. <i>Comprehensive Psychiatry</i> , 2012 , 53, 224-9	7.3	16
89	How effective is a psychological intervention program for patients with refractory bipolar disorder? A randomized controlled trial. <i>Journal of Affective Disorders</i> , 2010 , 126, 80-7	6.6	16
88	Association between solar insolation and a history of suicide attempts in bipolar I disorder. <i>Journal of Psychiatric Research</i> , 2019 , 113, 1-9	5.2	15
87	Neutrophil Count Is Associated With Reduced Gray Matter and Enlarged Ventricles in First-Episode Psychosis. <i>Schizophrenia Bulletin</i> , 2019 , 45, 846-858	1.3	15
86	Opposite Cannabis-Cognition Associations in Psychotic Patients Depending on Family History. <i>PLoS ONE</i> , 2016 , 11, e0160949	3.7	15
85	Predictors of functional and clinical outcome in early-onset first-episode psychosis: the child and adolescent first episode of psychosis (CAFEPS) study. <i>Journal of Clinical Psychiatry</i> , 2015 , 76, e1441-8	4.6	15
84	Functional deterioration from the premorbid period to 2 years after the first episode of psychosis in early-onset psychosis. <i>European Child and Adolescent Psychiatry</i> , 2015 , 24, 1447-59	5.5	14
83	Dysregulated peripheral endocannabinoid system signaling is associated with cognitive deficits in first-episode psychosis. <i>Journal of Psychiatric Research</i> , 2016 , 75, 14-21	5.2	14

82	Mindfulness-based cognitive therapy versus psychoeducational intervention in bipolar outpatients with sub-threshold depressive symptoms: a randomized controlled trial. <i>BMC Psychiatry</i> , 2014 , 14, 215	4.2	14
81	Twelve-month follow-up of family communication and psychopathology in children and adolescents with a first psychotic episode (CAFEPS study). <i>Psychiatry Research</i> , 2011 , 185, 72-7	9.9	14
80	Gray matter changes and cognitive predictors of 2-year follow-up abnormalities in early-onset first-episode psychosis. <i>European Child and Adolescent Psychiatry</i> , 2018 , 27, 113-126	5.5	13
79	Efficacy of quetiapine XR vs. placebo as concomitant treatment to mood stabilizers in the control of subthreshold symptoms of bipolar disorder: Results from a pilot, randomized controlled trial. <i>European Neuropsychopharmacology</i> , 2017 , 27, 959-969	1.2	13
78	Risk Factors for Emergency Department Short Time Readmission in Stratified Population. <i>BioMed Research International</i> , 2015 , 2015, 685067	3	13
77	Birth weight, working memory and epigenetic signatures in IGF2 and related genes: a MZ twin study. <i>PLoS ONE</i> , 2014 , 9, e103639	3.7	13
76	Intuitive pharmacogenetic dosing of risperidone according to CYP2D6 phenotype extrapolated from genotype in a cohort of first episode psychosis patients. <i>European Neuropsychopharmacology</i> , 2017 , 27, 647-656	1.2	12
75	Smoking does not impact social and non-social cognition in patients with first episode psychosis. <i>Schizophrenia Research</i> , 2018 , 199, 64-74	3.6	12
74	Methylphenidate in mania project (MEMAP): study protocol of an international randomised double-blind placebo-controlled study on the initial treatment of acute mania with methylphenidate. <i>BMC Psychiatry</i> , 2013 , 13, 71	4.2	12
73	White Matter Tract Integrity in Alzheimer's Disease vs. Late Onset Bipolar Disorder and Its Correlation with Systemic Inflammation and Oxidative Stress Biomarkers. <i>Frontiers in Aging Neuroscience</i> , 2017 , 9, 179	5.3	12
72	Effectiveness of olanzapine monotherapy and olanzapine combination treatment in the long term following acute mania--results of a two year observational study in bipolar disorder (EMBLEM). <i>Journal of Affective Disorders</i> , 2011 , 131, 320-9	6.6	12
71	Gene-environment interaction between an endocannabinoid system genetic polymorphism and cannabis use in first episode of psychosis. <i>European Neuropsychopharmacology</i> , 2019 , 29, 786-794	1.2	11
70	Benzodiazepine prescriptions and falls in older men and women. <i>Revista De Psiquiatria Y Salud Mental</i> , 2018 , 11, 12-18	2.7	11
69	Nutritional supplements in depressive disorders. <i>Actas Espanolas De Psiquiatria</i> , 2017 , 45, 8-15	0.7	10
68	Gut microbiota, innate immune pathways, and inflammatory control mechanisms in patients with major depressive disorder.. <i>Translational Psychiatry</i> , 2021 , 11, 645	8.6	9
67	Prognostic Value of Affective Symptoms in First-Admission Psychotic Patients. <i>International Journal of Molecular Sciences</i> , 2016 , 17,	6.3	9
66	Can lithium salts prevent depressive episodes in the real world?. <i>European Neuropsychopharmacology</i> , 2018 , 28, 1351-1359	1.2	9
65	Long-Term Antipsychotic Effectiveness in First Episode of Psychosis: A 3-Year Follow-Up Randomized Clinical Trial Comparing Aripiprazole, Quetiapine, and Ziprasidone. <i>International Journal of Neuropsychopharmacology</i> , 2018 , 21, 1090-1101	5.8	9

64	Psychosis and smoking cessation: difficulties in quitting associated with sex and substance abuse. <i>Psychiatry Research</i> , 2012 , 195, 45-50	9.9	8
63	Longitudinal outcome of attenuated positive symptoms, negative symptoms, functioning and remission in people at clinical high risk for psychosis: a meta-analysis. <i>EClinicalMedicine</i> , 2021 , 36, 100909 ¹¹⁻³		8
62	Eigenanatomy on Fractional Anisotropy Imaging Provides White Matter Anatomical Features Discriminating Between Alzheimer's Disease and Late Onset Bipolar Disorder. <i>Current Alzheimer Research</i> , 2016 , 13, 557-65	3	8
61	Internet use by older adults with bipolar disorder: international survey results. <i>International Journal of Bipolar Disorders</i> , 2018 , 6, 20	5.4	8
60	Gene-environment interaction as a predictor of early adjustment in first episode psychosis. <i>Schizophrenia Research</i> , 2017 , 189, 196-203	3.6	7
59	Communicative and Social Skills among Medical Students in Spain: A Descriptive Analysis. <i>International Journal of Environmental Research and Public Health</i> , 2020 , 17,	4.6	7
58	Twin-based study of the complex interplay between childhood maltreatment, socioeconomic status and adult memory. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2013 , 263, 435-40	5.1	7
57	Identifying clinical clusters with distinct trajectories in first-episode psychosis through an unsupervised machine learning technique. <i>European Neuropsychopharmacology</i> , 2021 , 47, 112-129	1.2	7
56	Online psycho-education to the treatment of bipolar disorder: protocol of a randomized controlled trial. <i>BMC Psychiatry</i> , 2016 , 16, 452	4.2	7
55	Gender differences in outcomes of acute mania: a 12-month follow-up study. <i>Archives of Women's Mental Health</i> , 2011 , 14, 107-13	5	6
54	Overview of lithium's use: a nationwide survey. <i>International Journal of Bipolar Disorders</i> , 2021 , 9, 10	5.4	5
53	Auditory hallucinations in first-episode psychosis: A voxel-based morphometry study. <i>Schizophrenia Research</i> , 2019 , 209, 148-155	3.6	4
52	Gender effects on brain changes in early-onset psychosis. <i>European Child and Adolescent Psychiatry</i> , 2015 , 24, 1193-205	5.5	4
51	Cannabis use and nonuse in patients with first-episode psychosis: A systematic review and meta-analysis of studies comparing neurocognitive functioning. <i>European Psychiatry</i> , 2020 , 63, e6	6	4
50	Psychometric properties and validation of a four-item version of the Strauss-Carpenter scale in bipolar disorder. <i>International Journal of Bipolar Disorders</i> , 2016 , 4, 22	5.4	4
49	Exploring Risk and Resilient Profiles for Functional Impairment and Baseline Predictors in a 2-Year Follow-Up First-Episode Psychosis Cohort Using Latent Class Growth Analysis. <i>Journal of Clinical Medicine</i> , 2020 , 10,	5.1	4
48	Predictors of Bipolar Disorder Versus Schizophrenia Diagnosis in a Multicenter First Psychotic Episode Cohort: Baseline Characterization and a 12-Month Follow-Up Analysis. <i>Journal of Clinical Psychiatry</i> , 2020 , 81,	4.6	4
47	The functioning assessment short test (FAST) applied to first-episode psychosis: Psychometric properties and severity thresholds. <i>European Neuropsychopharmacology</i> , 2021 , 47, 98-111	1.2	4

46	Cognitive behavioral therapy program for cannabis use cessation in first-episode psychosis patients: study protocol for a randomized controlled trial. <i>Trials</i> , 2016 , 17, 372	2.8	4
45	A multi-centre, randomised, double-blind, placebo-controlled clinical trial of methylphenidate in the initial treatment of acute mania (MEMAP study). <i>European Neuropsychopharmacology</i> , 2018 , 28, 185-194	1.3	4
44	The complex association between the antioxidant defense system and clinical status in early psychosis. <i>PLoS ONE</i> , 2018 , 13, e0194685	3.7	4
43	Needs of people with psychosis and their caregivers: «In their own voice». <i>Revista De Psiquiatría Y Salud Mental</i> , 2020 , 13, 80-89	2.7	3
42	Prevention of Suicidal Behavior with Telemedicine in Patients with a Recent Suicide Attempt: Is a 6-month Intervention Long Enough?. <i>Suicide and Life-Threatening Behavior</i> , 2020 , 50, 211-219	3.9	3
41	Suicidal behaviour and cognition: A systematic review with special focus on prefrontal deficits. <i>Journal of Affective Disorders</i> , 2021 , 278, 488-496	6.6	3
40	Overdosing of benzodiazepines/Z-drugs and falls in older adults: Costs for the health system. <i>Experimental Gerontology</i> , 2018 , 110, 42-45	4.5	3
39	Correlates of neurocognitive functions in individuals at ultra-high risk for psychosis - A 6-month follow-up study. <i>Psychiatry Research</i> , 2018 , 268, 1-7	9.9	3
38	The effect of family environment and psychiatric family history on psychosocial functioning in first-episode psychosis at baseline and after 2 years. <i>European Neuropsychopharmacology</i> , 2021 , 49, 54-68	1.2	3
37	Lifestyle changes and mental health during the COVID-19 pandemic: A repeated, cross-sectional web survey. <i>Journal of Affective Disorders</i> , 2021 , 295, 173-182	6.6	3
36	International multi-site survey on the use of online support groups in bipolar disorder. <i>Nordic Journal of Psychiatry</i> , 2017 , 71, 473-476	2.3	2
35	Antioxidant defense system and family environment in adolescents with family history of psychosis. <i>BMC Psychiatry</i> , 2012 , 12, 200	4.2	2
34	Genetics of adult attachment: An updated review of the literature. <i>World Journal of Psychiatry</i> , 2021 , 11, 530-542	3	2
33	A systematic review of suicide and suicide attempts in adolescents with psychotic disorders. <i>Schizophrenia Research</i> , 2021 , 235, 80-90	3.6	2
32	Duration of untreated illness and bipolar disorder: time for a new definition? Results from a cross-sectional study. <i>Journal of Affective Disorders</i> , 2021 , 294, 513-520	6.6	2
31	Efficacy and safety of ketamine in bipolar depression: A systematic review. <i>Revista De Psiquiatría Y Salud Mental (English Edition)</i> , 2017 , 10, 104-112	0.2	1
30	CIBERSAM: Ten years of collaborative translational research in mental disorders. <i>Revista De Psiquiatría Y Salud Mental (English Edition)</i> , 2019 , 12, 1-8	0.2	1
29	Birth weight and antipsychotic induced weight gain: A prenatal programming approach in the PEPs study. <i>Schizophrenia Research</i> , 2020 , 218, 292-294	3.6	1

28	The longitudinal effect of antipsychotic burden on psychosocial functioning in first-episode psychosis patients: the role of verbal memory. <i>Psychological Medicine</i> , 2020 , 1-10	6.9	1
27	Is the effect of cognitive reserve in longitudinal outcomes in first-episode psychoses dependent on the use of cannabis?. <i>Journal of Affective Disorders</i> , 2022 , 302, 83-83	6.6	1
26	Affective symptom dimensions in early-onset psychosis over time: a principal component factor analysis of the Young Mania Rating Scale and the Hamilton Depression Rating Scale. <i>European Child and Adolescent Psychiatry</i> , 2021 , 1	5.5	1
25	The Role of Premorbid IQ and Age of Onset as Useful Predictors of Clinical, Functional Outcomes, and Recovery of Individuals with a First Episode of Psychosis. <i>Journal of Clinical Medicine</i> , 2021 , 10,	5.1	1
24	The prevention of relapses in first episodes of schizophrenia: The 2EPs Project, background, rationale and study design. <i>Revista De Psiquiatría Y Salud Mental (English Edition)</i> , 2021 , 14, 164-176	0.2	1
23	Expert consensus on information sheet proposals for patients under treatment with lithium. <i>Revista De Psiquiatría Y Salud Mental</i> , 2021 , 14, 27-39	2.7	1
22	Trajectories of suicidal ideation after first-episode psychosis: a growth mixture modeling approach. <i>Acta Psychiatrica Scandinavica</i> , 2021 , 143, 418-433	6.5	1
21	Fronto-Parietal Gray Matter Volume Loss Is Associated with Decreased Working Memory Performance in Adolescents with a First Episode of Psychosis. <i>Journal of Clinical Medicine</i> , 2021 , 10,	5.1	1
20	Absence of association between the level of lethality and the recidivism of suicide attempts in a Spanish province. <i>Actas Espanolas De Psiquiatria</i> , 2019 , 47, 179-89	0.7	1
19	Clinical and treatment predictors of relapse during a three-year follow-up of a cohort of first episodes of schizophrenia.. <i>Schizophrenia Research</i> , 2022 , 243, 32-42	3.6	1
18	Inflammation biomarkers in suicide attempts and their relation to abuse, global functioning and cognition. <i>World Journal of Biological Psychiatry</i> , 2021 , 1-11	3.8	0
17	Increase in urgent care for patients with an eating disorder during the COVID-19 pandemic in a Spanish province. <i>Revista De Psiquiatría Y Salud Mental</i> , 2021 ,	2.7	0
16	Clinical practice guideline on pharmacological and psychological management of adult patients with bipolar disorder and comorbid substance use. <i>Revista De Psicología De La Salud</i> , 2021 , 1528	1	0
15	Cognition in Recent Suicide Attempts: Altered Executive Function. <i>Frontiers in Psychiatry</i> , 2021 , 12, 701140		0
14	Relevance of well-being, resilience, and health-related quality of life to mental health profiles of European adolescents: results from a cross-sectional analysis of the school-based multinational UPRIGHT project. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2021 , 1	4.5	0
13	Variations in seasonal solar insolation are associated with a history of suicide attempts in bipolar I disorder. <i>International Journal of Bipolar Disorders</i> , 2021 , 9, 26	5.4	0
12	Impact of previous tobacco use with or without cannabis on first psychotic experiences in patients with first-episode psychosis. <i>Schizophrenia Research</i> , 2021 , 236, 19-28	3.6	0
11	Cognitive clusters in first-episode psychosis. <i>Schizophrenia Research</i> , 2021 , 237, 31-39	3.6	0

10	Cortical thinning over two years after first-episode psychosis depends on age of onset.. <i>NPJ Schizophrenia</i> , 2022 , 8, 20	5.5	0
9	Association Between Medication Adherence and Oxidative Stress in Patients With First-Episode Mania. <i>Frontiers in Psychiatry</i> , 2019 , 10, 162	5	
8	An Imaging and Blood Biomarkers Open Dataset on Alzheimer's Disease vs. Late Onset Bipolar Disorder. <i>Frontiers in Aging Neuroscience</i> , 2020 , 12, 583212	5.3	
7	Esketamina intranasal: un nuevo abordaje para el tratamiento de la depresi3n resistente al tratamiento. <i>Psiquiatria Biologica</i> , 2020 , 27, 9-15	0.2	
6	Mixed Forms in Bipolar Disorder and Relation to Gender 2019 , 765-781		
5	Axis II comorbidities are less common in people with borderline personality disorder who are in remission. <i>Evidence-Based Mental Health</i> , 2005 , 8, 51	11.1	
4	Mixed Forms in Bipolar Disorder and Relation to Gender 2015 , 661-677		
3	Repercusiones del consumo de cannabis en la evoluci3n del trastorno bipolar. <i>Psiquiatria Biologica</i> , 2020 , 27, 54-60	0.2	
2	Expert consensus on information sheet proposals for patients under treatment with lithium. <i>Revista De Psiquiatr3a Y Salud Mental (English Edition)</i> , 2021 , 14, 27-39	0.2	
1	The role of BDNF and NGF plasma levels in first-episode schizophrenia: A longitudinal study.. <i>European Neuropsychopharmacology</i> , 2022 , 57, 105-117	1.2	