

Ana Gonzalez-Pinto

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/3625462/ana-gonzalez-pinto-publications-by-year.pdf>

Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

171
papers

5,126
citations

39
h-index

65
g-index

181
ext. papers

6,198
ext. citations

4.2
avg, IF

5.1
L-index

#	Paper	IF	Citations
171	Is the effect of cognitive reserve in longitudinal outcomes in first-episode psychoses dependent on the use of cannabis?. <i>Journal of Affective Disorders</i> , 2022 , 302, 83-83	6.6	1
170	Cortical thinning over two years after first-episode psychosis depends on age of onset.. <i>NPJ Schizophrenia</i> , 2022 , 8, 20	5.5	0
169	The role of BDNF and NGF plasma levels in first-episode schizophrenia: A longitudinal study.. <i>European Neuropsychopharmacology</i> , 2022 , 57, 105-117	1.2	
168	Clinical and treatment predictors of relapse during a three-year follow-up of a cohort of first episodes of schizophrenia.. <i>Schizophrenia Research</i> , 2022 , 243, 32-42	3.6	1
167	Gut microbiota, innate immune pathways, and inflammatory control mechanisms in patients with major depressive disorder.. <i>Translational Psychiatry</i> , 2021 , 11, 645	8.6	9
166	Inflammation biomarkers in suicide attempts and their relation to abuse, global functioning and cognition. <i>World Journal of Biological Psychiatry</i> , 2021 , 1-11	3.8	0
165	Increase in urgent care for patients with an eating disorder during the COVID-19 pandemic in a Spanish province. <i>Revista De Psiquiatría Y Salud Mental</i> , 2021 ,	2.7	0
164	Overview of lithium use: a nationwide survey. <i>International Journal of Bipolar Disorders</i> , 2021 , 9, 10	5.4	5
163	Affective symptom dimensions in early-onset psychosis over time: a principal component factor analysis of the Young Mania Rating Scale and the Hamilton Depression Rating Scale. <i>European Child and Adolescent Psychiatry</i> , 2021 , 1	5.5	1
162	The Role of Premorbid IQ and Age of Onset as Useful Predictors of Clinical, Functional Outcomes, and Recovery of Individuals with a First Episode of Psychosis. <i>Journal of Clinical Medicine</i> , 2021 , 10,	5.1	1
161	Identifying clinical clusters with distinct trajectories in first-episode psychosis through an unsupervised machine learning technique. <i>European Neuropsychopharmacology</i> , 2021 , 47, 112-129	1.2	7
160	Longitudinal outcome of attenuated positive symptoms, negative symptoms, functioning and remission in people at clinical high risk for psychosis: a meta-analysis. <i>EClinicalMedicine</i> , 2021 , 36, 100909	11.3	8
159	Clinical practice guideline on pharmacological and psychological management of adult patients with bipolar disorder and comorbid substance use. <i>Revista De Psicología De La Salud</i> , 2021 , 1528	1	0
158	The functioning assessment short test (FAST) applied to first-episode psychosis: Psychometric properties and severity thresholds. <i>European Neuropsychopharmacology</i> , 2021 , 47, 98-111	1.2	4
157	Cognition in Recent Suicide Attempts: Altered Executive Function. <i>Frontiers in Psychiatry</i> , 2021 , 12, 701140	1.5	0
156	The prevention of relapses in first episodes of schizophrenia: The 2EPs Project, background, rationale and study design. <i>Revista De Psiquiatría Y Salud Mental (English Edition)</i> , 2021 , 14, 164-176	0.2	1
155	Suicidal behaviour and cognition: A systematic review with special focus on prefrontal deficits. <i>Journal of Affective Disorders</i> , 2021 , 278, 488-496	6.6	3

154	Expert consensus on information sheet proposals for patients under treatment with lithium. <i>Revista De Psiquiatría Y Salud Mental (English Edition)</i> , 2021 , 14, 27-39	0.2	
153	Expert consensus on information sheet proposals for patients under treatment with lithium. <i>Revista De Psiquiatría Y Salud Mental</i> , 2021 , 14, 27-39	2.7	1
152	Trajectories of suicidal ideation after first-episode psychosis: a growth mixture modeling approach. <i>Acta Psychiatrica Scandinavica</i> , 2021 , 143, 418-433	6.5	1
151	Fronto-Parietal Gray Matter Volume Loss Is Associated with Decreased Working Memory Performance in Adolescents with a First Episode of Psychosis. <i>Journal of Clinical Medicine</i> , 2021 , 10,	5.1	1
150	The effect of family environment and psychiatric family history on psychosocial functioning in first-episode psychosis at baseline and after 2 years. <i>European Neuropsychopharmacology</i> , 2021 , 49, 54-68	1.2	3
149	Relevance of well-being, resilience, and health-related quality of life to mental health profiles of European adolescents: results from a cross-sectional analysis of the school-based multinational UPRIGHT project. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2021 , 1	4.5	0
148	Variations in seasonal solar insolation are associated with a history of suicide attempts in bipolar I disorder. <i>International Journal of Bipolar Disorders</i> , 2021 , 9, 26	5.4	0
147	Genetics of adult attachment: An updated review of the literature. <i>World Journal of Psychiatry</i> , 2021 , 11, 530-542	3	2
146	A systematic review of suicide and suicide attempts in adolescents with psychotic disorders. <i>Schizophrenia Research</i> , 2021 , 235, 80-90	3.6	2
145	Impact of previous tobacco use with or without cannabis on first psychotic experiences in patients with first-episode psychosis. <i>Schizophrenia Research</i> , 2021 , 236, 19-28	3.6	0
144	Duration of untreated illness and bipolar disorder: time for a new definition? Results from a cross-sectional study. <i>Journal of Affective Disorders</i> , 2021 , 294, 513-520	6.6	2
143	Cognitive clusters in first-episode psychosis. <i>Schizophrenia Research</i> , 2021 , 237, 31-39	3.6	0
142	Lifestyle changes and mental health during the COVID-19 pandemic: A repeated, cross-sectional web survey. <i>Journal of Affective Disorders</i> , 2021 , 295, 173-182	6.6	3
141	An Imaging and Blood Biomarkers Open Dataset on Alzheimer's Disease vs. Late Onset Bipolar Disorder. <i>Frontiers in Aging Neuroscience</i> , 2020 , 12, 583212	5.3	
140	Communicative and Social Skills among Medical Students in Spain: A Descriptive Analysis. <i>International Journal of Environmental Research and Public Health</i> , 2020 , 17,	4.6	7
139	Cannabis use and nonuse in patients with first-episode psychosis: A systematic review and meta-analysis of studies comparing neurocognitive functioning. <i>European Psychiatry</i> , 2020 , 63, e6	6	4
138	Birth weight and antipsychotic induced weight gain: A prenatal programming approach in the PEPs study. <i>Schizophrenia Research</i> , 2020 , 218, 292-294	3.6	1
137	Esketamina intranasal: un nuevo abordaje para el tratamiento de la depresión resistente al tratamiento. <i>Psiquiatria Biologica</i> , 2020 , 27, 9-15	0.2	

136	The longitudinal effect of antipsychotic burden on psychosocial functioning in first-episode psychosis patients: the role of verbal memory. <i>Psychological Medicine</i> , 2020 , 1-10	6.9	1
135	Exploring Risk and Resilient Profiles for Functional Impairment and Baseline Predictors in a 2-Year Follow-Up First-Episode Psychosis Cohort Using Latent Class Growth Analysis. <i>Journal of Clinical Medicine</i> , 2020 , 10,	5.1	4
134	Predictors of Bipolar Disorder Versus Schizophrenia Diagnosis in a Multicenter First Psychotic Episode Cohort: Baseline Characterization and a 12-Month Follow-Up Analysis. <i>Journal of Clinical Psychiatry</i> , 2020 , 81,	4.6	4
133	Needs of people with psychosis and their caregivers: «In their own voice». <i>Revista De Psiquiatría Y Salud Mental</i> , 2020 , 13, 80-89	2.7	3
132	S229. THE EFFECT OF FAMILY ENVIRONMENT ON LONGITUDINAL FUNCTIONING IN FIRST PSYCHOTIC EPISODES. <i>Schizophrenia Bulletin</i> , 2020 , 46, S125-S126	1.3	78
131	Repercusiones del consumo de cannabis en la evolución del trastorno bipolar. <i>Psiquiatría Biológica</i> , 2020 , 27, 54-60	0.2	
130	Prevention of Suicidal Behavior with Telemedicine in Patients with a Recent Suicide Attempt: Is a 6-month Intervention Long Enough?. <i>Suicide and Life-Threatening Behavior</i> , 2020 , 50, 211-219	3.9	3
129	Auditory hallucinations in first-episode psychosis: A voxel-based morphometry study. <i>Schizophrenia Research</i> , 2019 , 209, 148-155	3.6	4
128	Gene-environment interaction between an endocannabinoid system genetic polymorphism and cannabis use in first episode of psychosis. <i>European Neuropsychopharmacology</i> , 2019 , 29, 786-794	1.2	11
127	CIBERSAM: Ten years of collaborative translational research in mental disorders. <i>Revista De Psiquiatría Y Salud Mental (English Edition)</i> , 2019 , 12, 1-8	0.2	1
126	Association between solar insolation and a history of suicide attempts in bipolar I disorder. <i>Journal of Psychiatric Research</i> , 2019 , 113, 1-9	5.2	15
125	Association Between Medication Adherence and Oxidative Stress in Patients With First-Episode Mania. <i>Frontiers in Psychiatry</i> , 2019 , 10, 162	5	
124	Neutrophil Count Is Associated With Reduced Gray Matter and Enlarged Ventricles in First-Episode Psychosis. <i>Schizophrenia Bulletin</i> , 2019 , 45, 846-858	1.3	15
123	A systematic review of sex-based differences in effectiveness and adverse effects of clozapine. <i>Psychiatry Research</i> , 2019 , 280, 112506	9.9	20
122	Mixed Forms in Bipolar Disorder and Relation to Gender 2019 , 765-781		
121	Absence of association between the level of lethality and the recidivism of suicide attempts in a Spanish province. <i>Actas Espanolas De Psiquiatría</i> , 2019 , 47, 179-89	0.7	1
120	Smoking does not impact social and non-social cognition in patients with first episode psychosis. <i>Schizophrenia Research</i> , 2018 , 199, 64-74	3.6	12
119	Benzodiazepine prescriptions and falls in older men and women. <i>Revista De Psiquiatría Y Salud Mental</i> , 2018 , 11, 12-18	2.7	11

118	Evolution of metabolic risk factors over a two-year period in a cohort of first episodes of psychosis. <i>Schizophrenia Research</i> , 2018 , 193, 188-196	3.6	25
117	Gray matter changes and cognitive predictors of 2-year follow-up abnormalities in early-onset first-episode psychosis. <i>European Child and Adolescent Psychiatry</i> , 2018 , 27, 113-126	5.5	13
116	Differences in the Use and Opinions About New eHealth Technologies Among Patients With Psychosis: Structured Questionnaire. <i>JMIR Mental Health</i> , 2018 , 5, e51	6	19
115	A multi-centre, randomised, double-blind, placebo-controlled clinical trial of methylphenidate in the initial treatment of acute mania (MEMAP study). <i>European Neuropsychopharmacology</i> , 2018 , 28, 185-194	1.3	4
114	Internet use by older adults with bipolar disorder: international survey results. <i>International Journal of Bipolar Disorders</i> , 2018 , 6, 20	5.4	8
113	Can lithium salts prevent depressive episodes in the real world?. <i>European Neuropsychopharmacology</i> , 2018 , 28, 1351-1359	1.2	9
112	Long-Term Antipsychotic Effectiveness in First Episode of Psychosis: A 3-Year Follow-Up Randomized Clinical Trial Comparing Aripiprazole, Quetiapine, and Ziprasidone. <i>International Journal of Neuropsychopharmacology</i> , 2018 , 21, 1090-1101	5.8	9
111	The complex association between the antioxidant defense system and clinical status in early psychosis. <i>PLoS ONE</i> , 2018 , 13, e0194685	3.7	4
110	F12. INFLAMMATORY BIOMARKERS AND COGNITION IN FIRST EPISODE PSYCHOSIS: GENDER DIFFERENCES. <i>Schizophrenia Bulletin</i> , 2018 , 44, S222-S223	1.3	78
109	F245. COGNITIVE RESERVE DIFFERENCE IN AFFECTIVE AND NONAFFECTIVE PSYCHOSIS. <i>Schizophrenia Bulletin</i> , 2018 , 44, S318-S318	1.3	78
108	Overdosing of benzodiazepines/Z-drugs and falls in older adults: Costs for the health system. <i>Experimental Gerontology</i> , 2018 , 110, 42-45	4.5	3
107	Correlates of neurocognitive functions in individuals at ultra-high risk for psychosis - A 6-month follow-up study. <i>Psychiatry Research</i> , 2018 , 268, 1-7	9.9	3
106	Cannabis use, COMT, BDNF and age at first-episode psychosis. <i>Psychiatry Research</i> , 2017 , 250, 38-43	9.9	21
105	Do patients with bipolar disorder and subsyndromal symptoms benefit from functional remediation? A 12-month follow-up study. <i>European Neuropsychopharmacology</i> , 2017 , 27, 350-359	1.2	21
104	Multidisciplinary consensus on the therapeutic recommendations for iatrogenic hyperprolactinemia secondary to antipsychotics. <i>Frontiers in Neuroendocrinology</i> , 2017 , 45, 25-34	8.9	30
103	The course of negative symptoms in first-episode schizophrenia and its predictors: A prospective two-year follow-up study. <i>Schizophrenia Research</i> , 2017 , 189, 84-90	3.6	30
102	Gene-environment interaction as a predictor of early adjustment in first episode psychosis. <i>Schizophrenia Research</i> , 2017 , 189, 196-203	3.6	7
101	Modelling gene-environment interaction in first episodes of psychosis. <i>Schizophrenia Research</i> , 2017 , 189, 181-189	3.6	30

100	Intuitive pharmacogenetic dosing of risperidone according to CYP2D6 phenotype extrapolated from genotype in a cohort of first episode psychosis patients. <i>European Neuropsychopharmacology</i> , 2017 , 27, 647-656	1.2	12
99	Efficacy and safety of ketamine in bipolar depression: A systematic review. <i>Revista De Psiquiatría Y Salud Mental (English Edition)</i> , 2017 , 10, 104-112	0.2	1
98	Relationship between the use of benzodiazepines and falls in older adults: A systematic review. <i>Maturitas</i> , 2017 , 101, 17-22	5	48
97	Efficacy of quetiapine XR vs. placebo as concomitant treatment to mood stabilizers in the control of subthreshold symptoms of bipolar disorder: Results from a pilot, randomized controlled trial. <i>European Neuropsychopharmacology</i> , 2017 , 27, 959-969	1.2	13
96	International multi-site survey on the use of online support groups in bipolar disorder. <i>Nordic Journal of Psychiatry</i> , 2017 , 71, 473-476	2.3	2
95	Efficacy and safety of ketamine in bipolar depression: A systematic review. <i>Revista De Psiquiatría Y Salud Mental</i> , 2017 , 10, 104-112	2.7	17
94	White Matter Tract Integrity in Alzheimer's Disease vs. Late Onset Bipolar Disorder and Its Correlation with Systemic Inflammation and Oxidative Stress Biomarkers. <i>Frontiers in Aging Neuroscience</i> , 2017 , 9, 179	5.3	12
93	Nutritional supplements in depressive disorders. <i>Actas Espanolas De Psiquiatria</i> , 2017 , 45, 8-15	0.7	10
92	Online information seeking by patients with bipolar disorder: results from an international multisite survey. <i>International Journal of Bipolar Disorders</i> , 2016 , 4, 17	5.4	16
91	Mood stabilizers and antipsychotics during breastfeeding: Focus on bipolar disorder. <i>European Neuropsychopharmacology</i> , 2016 , 26, 1562-78	1.2	41
90	Internet use by patients with bipolar disorder: Results from an international multisite survey. <i>Psychiatry Research</i> , 2016 , 242, 388-394	9.9	26
89	Psychometric properties and validation of a four-item version of the Strauss-Carpenter scale in bipolar disorder. <i>International Journal of Bipolar Disorders</i> , 2016 , 4, 22	5.4	4
88	Adherence to Antipsychotic Medication in Bipolar Disorder and Schizophrenic Patients: A Systematic Review. <i>Journal of Clinical Psychopharmacology</i> , 2016 , 36, 355-71	1.7	160
87	Dysregulated peripheral endocannabinoid system signaling is associated with cognitive deficits in first-episode psychosis. <i>Journal of Psychiatric Research</i> , 2016 , 75, 14-21	5.2	14
86	A Pharmacovigilance Study in First Episode of Psychosis: Psychopharmacological Interventions and Safety Profiles in the PEPs Project. <i>International Journal of Neuropsychopharmacology</i> , 2016 , 19,	5.8	21
85	Spanish consensus on the risks and detection of antipsychotic drug-related hyperprolactinaemia. <i>Revista De Psiquiatría Y Salud Mental</i> , 2016 , 9, 158-73	2.7	33
84	Age at First Episode Modulates Diagnosis-Related Structural Brain Abnormalities in Psychosis. <i>Schizophrenia Bulletin</i> , 2016 , 42, 344-57	1.3	42
83	Opposite Cannabis-Cognition Associations in Psychotic Patients Depending on Family History. <i>PLoS ONE</i> , 2016 , 11, e0160949	3.7	15

82	Prognostic Value of Affective Symptoms in First-Admission Psychotic Patients. <i>International Journal of Molecular Sciences</i> , 2016 , 17,	6.3	9
81	Eigenanatomy on Fractional Anisotropy Imaging Provides White Matter Anatomical Features Discriminating Between Alzheimer's Disease and Late Onset Bipolar Disorder. <i>Current Alzheimer Research</i> , 2016 , 13, 557-65	3	8
80	The Efficacy of Non-Pharmacological Interventions on Brain-Derived Neurotrophic Factor in Schizophrenia: A Systematic Review and Meta-Analysis. <i>International Journal of Molecular Sciences</i> , 2016 , 17,	6.3	19
79	Peripheral Inflammatory Parameters in Late-Life Depression: A Systematic Review. <i>International Journal of Molecular Sciences</i> , 2016 , 17,	6.3	37
78	Cognitive behavioral therapy program for cannabis use cessation in first-episode psychosis patients: study protocol for a randomized controlled trial. <i>Trials</i> , 2016 , 17, 372	2.8	4
77	Online psycho-education to the treatment of bipolar disorder: protocol of a randomized controlled trial. <i>BMC Psychiatry</i> , 2016 , 16, 452	4.2	7
76	The affective dimension of early-onset psychosis and its relationship with suicide. <i>Journal of Child Psychology and Psychiatry and Allied Disciplines</i> , 2015 , 56, 747-755	7.9	22
75	Gender effects on brain changes in early-onset psychosis. <i>European Child and Adolescent Psychiatry</i> , 2015 , 24, 1193-205	5.5	4
74	Premorbid adjustment and clinical correlates of cognitive impairment in first-episode psychosis. The PEPsCog Study. <i>Schizophrenia Research</i> , 2015 , 164, 65-73	3.6	75
73	Functional deterioration from the premorbid period to 2 years after the first episode of psychosis in early-onset psychosis. <i>European Child and Adolescent Psychiatry</i> , 2015 , 24, 1447-59	5.5	14
72	Bipolar disorder comorbid with alcohol use disorder: focus on neurocognitive correlates. <i>Frontiers in Physiology</i> , 2015 , 6, 108	4.6	28
71	Influence of light exposure during early life on the age of onset of bipolar disorder. <i>Journal of Psychiatric Research</i> , 2015 , 64, 1-8	5.2	34
70	Functional remediation for patients with bipolar II disorder: improvement of functioning and subsyndromal symptoms. <i>European Neuropsychopharmacology</i> , 2015 , 25, 257-64	1.2	39
69	Risk Factors for Emergency Department Short Time Readmission in Stratified Population. <i>BioMed Research International</i> , 2015 , 2015, 685067	3	13
68	Subclinical depressive symptoms and continued cannabis use: predictors of negative outcomes in first episode psychosis. <i>PLoS ONE</i> , 2015 , 10, e0123707	3.7	17
67	Predictors of functional and clinical outcome in early-onset first-episode psychosis: the child and adolescent first episode of psychosis (CAFEPS) study. <i>Journal of Clinical Psychiatry</i> , 2015 , 76, e1441-8	4.6	15
66	Mixed Forms in Bipolar Disorder and Relation to Gender 2015 , 661-677		
65	A longitudinal study on the relationship between duration of untreated psychosis and executive function in early-onset first-episode psychosis. <i>Schizophrenia Research</i> , 2014 , 158, 126-33	3.6	32

64	Mindfulness-based cognitive therapy versus psychoeducational intervention in bipolar outpatients with sub-threshold depressive symptoms: a randomized controlled trial. <i>BMC Psychiatry</i> , 2014 , 14, 215	4.2	14
63	Basal low antioxidant capacity correlates with cognitive deficits in early onset psychosis. A 2-year follow-up study. <i>Schizophrenia Research</i> , 2014 , 156, 23-9	3.6	30
62	Verbal memory as a mediator in the relationship between subthreshold depressive symptoms and functional outcome in bipolar disorder. <i>Journal of Affective Disorders</i> , 2014 , 160, 50-4	6.6	54
61	Relationship between sunlight and the age of onset of bipolar disorder: an international multisite study. <i>Journal of Affective Disorders</i> , 2014 , 167, 104-11	6.6	37
60	Pro-/antiinflammatory dysregulation in early psychosis: results from a 1-year follow-up study. <i>International Journal of Neuropsychopharmacology</i> , 2014 , 18,	5.8	18
59	Pro-/anti-inflammatory dysregulation in patients with first episode of psychosis: toward an integrative inflammatory hypothesis of schizophrenia. <i>Schizophrenia Bulletin</i> , 2014 , 40, 376-87	1.3	116
58	Duration of untreated psychosis predicts functional and clinical outcome in children and adolescents with first-episode psychosis: a 2-year longitudinal study. <i>Schizophrenia Research</i> , 2014 , 152, 130-8	3.6	44
57	Birth weight, working memory and epigenetic signatures in IGF2 and related genes: a MZ twin study. <i>PLoS ONE</i> , 2014 , 9, e103639	3.7	13
56	Methylphenidate in mania project (MEMAP): study protocol of an international randomised double-blind placebo-controlled study on the initial treatment of acute mania with methylphenidate. <i>BMC Psychiatry</i> , 2013 , 13, 71	4.2	12
55	Plasma brain-derived neurotrophic factor levels, learning capacity and cognition in patients with first episode psychosis. <i>BMC Psychiatry</i> , 2013 , 13, 27	4.2	25
54	Twin-based study of the complex interplay between childhood maltreatment, socioeconomic status and adult memory. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2013 , 263, 435-40	5.1	7
53	Relationship between negative symptoms and plasma levels of insulin-like growth factor 1 in first-episode schizophrenia and bipolar disorder patients. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2013 , 44, 29-33	5.5	37
52	Working memory as a predictor of negative symptoms and functional outcome in first episode psychosis. <i>Psychiatry Research</i> , 2013 , 206, 8-16	9.9	45
51	The International Society for Bipolar Disorders (ISBD) task force report on antidepressant use in bipolar disorders. <i>American Journal of Psychiatry</i> , 2013 , 170, 1249-62	11.9	451
50	Cannabis use and involuntary admission may mediate long-term adherence in first-episode psychosis patients: a prospective longitudinal study. <i>BMC Psychiatry</i> , 2013 , 13, 326	4.2	24
49	Premorbid impairments in early-onset psychosis: differences between patients with schizophrenia and bipolar disorder. <i>Schizophrenia Research</i> , 2013 , 146, 103-10	3.6	30
48	Efficacy of functional remediation in bipolar disorder: a multicenter randomized controlled study. <i>American Journal of Psychiatry</i> , 2013 , 170, 852-9	11.9	211
47	Twenty-four months of antipsychotic treatment in children and adolescents with first psychotic episode: discontinuation and tolerability. <i>Journal of Clinical Psychopharmacology</i> , 2013 , 33, 463-71	1.7	20

46	Peripheral endocannabinoid system dysregulation in first-episode psychosis. <i>Neuropsychopharmacology</i> , 2013 , 38, 2568-77	8.7	61
45	Predictors of suicide attempt in early-onset, first-episode psychoses: a longitudinal 24-month follow-up study. <i>Journal of Clinical Psychiatry</i> , 2013 , 74, 59-66	4.6	44
44	New treatment guidelines for acute bipolar mania: a critical review. <i>Journal of Affective Disorders</i> , 2012 , 140, 125-41	6.6	64
43	Impact of sunlight on the age of onset of bipolar disorder. <i>Bipolar Disorders</i> , 2012 , 14, 654-63	3.8	31
42	Number of prior episodes and the presence of depressive symptoms are associated with longer length of stay for patients with acute manic episodes. <i>Annals of General Psychiatry</i> , 2012 , 11, 7	3.4	17
41	Polarity index of pharmacological agents used for maintenance treatment of bipolar disorder. <i>European Neuropsychopharmacology</i> , 2012 , 22, 339-46	1.2	125
40	Psychosis and smoking cessation: difficulties in quitting associated with sex and substance abuse. <i>Psychiatry Research</i> , 2012 , 195, 45-50	9.9	8
39	Predictors of good outcome in patients with refractory bipolar disorder after a drug or a drug and cognitive-behavioral treatment. <i>Comprehensive Psychiatry</i> , 2012 , 53, 224-9	7.3	16
38	Predictors of recurrence in bipolar disorders in Spain (PREBIS study data). <i>Journal of Affective Disorders</i> , 2012 , 141, 406-14	6.6	17
37	Decreased glutathione levels predict loss of brain volume in children and adolescents with first-episode psychosis in a two-year longitudinal study. <i>Schizophrenia Research</i> , 2012 , 137, 58-65	3.6	41
36	Cognitive impairment is related to oxidative stress and chemokine levels in first psychotic episodes. <i>Schizophrenia Research</i> , 2012 , 137, 66-72	3.6	79
35	Antioxidant defense system and family environment in adolescents with family history of psychosis. <i>BMC Psychiatry</i> , 2012 , 12, 200	4.2	2
34	Progressive brain changes in children and adolescents with first-episode psychosis. <i>Archives of General Psychiatry</i> , 2012 , 69, 16-26		116
33	Twelve-month follow-up of family communication and psychopathology in children and adolescents with a first psychotic episode (CAFEPS study). <i>Psychiatry Research</i> , 2011 , 185, 72-7	9.9	14
32	Can positive family factors be protective against the development of psychosis?. <i>Psychiatry Research</i> , 2011 , 186, 28-33	9.9	33
31	Effectiveness of olanzapine monotherapy and olanzapine combination treatment in the long term following acute mania--results of a two year observational study in bipolar disorder (EMBLEM). <i>Journal of Affective Disorders</i> , 2011 , 131, 320-9	6.6	12
30	Two-year diagnostic stability in early-onset first-episode psychosis. <i>Journal of Child Psychology and Psychiatry and Allied Disciplines</i> , 2011 , 52, 1089-98	7.9	38
29	New treatment guidelines for acute bipolar depression: a systematic review. <i>Journal of Affective Disorders</i> , 2011 , 129, 14-26	6.6	103

28	Gender differences in outcomes of acute mania: a 12-month follow-up study. <i>Archives of Women's Mental Health</i> , 2011 , 14, 107-13	5	6
27	Reduced antioxidant defense in early onset first-episode psychosis: a case-control study. <i>BMC Psychiatry</i> , 2011 , 11, 26	4.2	75
26	Bipolar disorder differences between genders: special considerations for women. <i>Women's Health</i> , 2011 , 7, 663-74; quiz 675-6	3	23
25	Cannabis and first-episode psychosis: different long-term outcomes depending on continued or discontinued use. <i>Schizophrenia Bulletin</i> , 2011 , 37, 631-9	1.3	84
24	Trait and state attributes of insight in first episodes of early-onset schizophrenia and other psychoses: a 2-year longitudinal study. <i>Schizophrenia Bulletin</i> , 2011 , 37, 38-51	1.3	84
23	Poor long-term prognosis in mixed bipolar patients: 10-year outcomes in the Vitoria prospective naturalistic study in Spain. <i>Journal of Clinical Psychiatry</i> , 2011 , 72, 671-6	4.6	50
22	Long-term efficacy of a psychological intervention program for patients with refractory bipolar disorder: a pilot study. <i>Psychiatry Research</i> , 2010 , 176, 161-5	9.9	21
21	Increase in brain-derived neurotrophic factor in first episode psychotic patients after treatment with atypical antipsychotics. <i>International Clinical Psychopharmacology</i> , 2010 , 25, 241-5	2.2	46
20	Validation and use of the functioning assessment short test in first psychotic episodes. <i>Journal of Nervous and Mental Disease</i> , 2010 , 198, 836-40	1.8	30
19	Different profile of substance abuse in relation to predominant polarity in bipolar disorder: The Vitoria long-term follow-up study. <i>Journal of Affective Disorders</i> , 2010 , 124, 250-5	6.6	45
18	How effective is a psychological intervention program for patients with refractory bipolar disorder? A randomized controlled trial. <i>Journal of Affective Disorders</i> , 2010 , 126, 80-7	6.6	16
17	Baseline characteristics and outcomes in patients with first episode or multiple episodes of acute mania. <i>Journal of Clinical Psychiatry</i> , 2010 , 71, 255-61	4.6	36
16	Cannabis use in children and adolescents with first episode psychosis: influence on psychopathology and short-term outcome (CAFEPS study). <i>Schizophrenia Research</i> , 2009 , 113, 129-37	3.6	71
15	Validity and reliability of the Hamilton depression rating scale (5 items) for manic and mixed bipolar disorders. <i>Journal of Nervous and Mental Disease</i> , 2009 , 197, 682-6	1.8	21
14	Treatment nonadherence and neurocognitive impairment in bipolar disorder. <i>Journal of Clinical Psychiatry</i> , 2009 , 70, 1017-23	4.6	95
13	Antipsychotic treatment in child and adolescent first-episode psychosis: a longitudinal naturalistic approach. <i>Journal of Child and Adolescent Psychopharmacology</i> , 2008 , 18, 327-36	2.9	50
12	Impact of cannabis and other drugs on age at onset of psychosis. <i>Journal of Clinical Psychiatry</i> , 2008 , 69, 1210-6	4.6	69
11	The child and adolescent first-episode psychosis study (CAFEPS): design and baseline results. <i>Schizophrenia Research</i> , 2007 , 91, 226-37	3.6	74

10	Association between smoking and alcohol use in the general population: stable and unstable odds ratios across two years in two different countries. <i>Alcohol and Alcoholism</i> , 2007 , 42, 252-7	3.5	67
9	Epidemiology, diagnosis and management of mixed mania. <i>CNS Drugs</i> , 2007 , 21, 611-26	6.7	39
8	Predictors of suicide in first-episode affective and nonaffective psychotic inpatients: five-year follow-up of patients from a catchment area in Vitoria, Spain. <i>Journal of Clinical Psychiatry</i> , 2007 , 68, 242-7	4.6	35
7	Decreased levels of plasma BDNF in first-episode schizophrenia and bipolar disorder patients. <i>Schizophrenia Research</i> , 2006 , 86, 321-2	3.6	164
6	Suicidal risk in bipolar I disorder patients and adherence to long-term lithium treatment. <i>Bipolar Disorders</i> , 2006 , 8, 618-24	3.8	144
5	Axis II comorbidities are less common in people with borderline personality disorder who are in remission. <i>Evidence-Based Mental Health</i> , 2005 , 8, 51	11.1	
4	Dimensions of mania: differences between mixed and pure episodes. <i>European Psychiatry</i> , 2004 , 19, 307-10	4.0	28
3	Treatment of bipolar I rapid cycling patients during dysphoric mania with olanzapine. <i>Journal of Clinical Psychopharmacology</i> , 2002 , 22, 450-4	1.7	30
2	Suicide attempts in bipolar patients. <i>Journal of Clinical Psychiatry</i> , 2001 , 62, 963-6	4.6	103
1	First episode in bipolar disorder: misdiagnosis and psychotic symptoms. <i>Journal of Affective Disorders</i> , 1998 , 50, 41-4	6.6	59