

# Ana González-Pinto

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3625462/publications.pdf>

Version: 2024-02-01

179  
papers

6,741  
citations

61945

43  
h-index

79644

73  
g-index

181  
all docs

181  
docs citations

181  
times ranked

6849  
citing authors

#	ARTICLE	IF	CITATIONS
1	Link between cognitive polygenic risk scores and clinical progression after a first-psychotic episode. <i>Psychological Medicine</i> , 2023, 53, 4634-4647.	2.7	3
2	Effectiveness of a remote nutritional intervention to increase the adherence to the Mediterranean diet among recovered depression patients. <i>Nutritional Neuroscience</i> , 2023, 26, 696-705.	1.5	3
3	Affective symptom dimensions in early-onset psychosis over time: a principal component factor analysis of the Young Mania Rating Scale and the Hamilton Depression Rating Scale. <i>European Child and Adolescent Psychiatry</i> , 2022, 31, 1715-1728.	2.8	3
4	Relevance of well-being, resilience, and health-related quality of life to mental health profiles of European adolescents: results from a cross-sectional analysis of the school-based multinational UPRIGHT project. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2022, 57, 279-291.	1.6	5
5	Inflammation biomarkers in suicide attempts and their relation to abuse, global functioning and cognition. <i>World Journal of Biological Psychiatry</i> , 2022, 23, 307-317.	1.3	13
6	Increase in urgent care for patients with an eating disorder during the COVID-19 pandemic in a Spanish province. <i>Revista De Psiquiatría Y Salud Mental</i> , 2022, 15, 142-146.	1.0	11
7	Is the effect of cognitive reserve in longitudinal outcomes in first-episode psychoses dependent on the use of cannabis?. <i>Journal of Affective Disorders</i> , 2022, 302, 83-93.	2.0	4
8	Cortical thinning over two years after first-episode psychosis depends on age of onset. <i>NPJ Schizophrenia</i> , 2022, 8, 20.	2.0	3
9	The role of BDNF and NGF plasma levels in first-episode schizophrenia: A longitudinal study. <i>European Neuropsychopharmacology</i> , 2022, 57, 105-117.	0.3	4
10	Clinical and treatment predictors of relapse during a three-year follow-up of a cohort of first episodes of schizophrenia. <i>Schizophrenia Research</i> , 2022, 243, 32-42.	1.1	15
11	Sex and substance use in first episode psychosis: Impact on clinical symptoms, psychosocial functioning and cognitive performance. <i>Revista De Psiquiatría Y Salud Mental</i> , 2022, , .	1.0	1
12	Cognitive Behavioral Therapy Program for Cannabis Use Cessation in First-Episode Psychosis Patients: A 1-Year Randomized Controlled Trial. <i>International Journal of Environmental Research and Public Health</i> , 2022, 19, 7325.	1.2	7
13	Prefrontal abnormalities, executive dysfunction and symptoms severity are modulated by COMT Val158Met polymorphism in first episode psychosis. <i>Revista De Psiquiatría Y Salud Mental (English)</i> Tj ETQq1 1 0.784314 rgBT /Over	1.0	4
14	The longitudinal effect of antipsychotic burden on psychosocial functioning in first-episode psychosis patients: the role of verbal memory. <i>Psychological Medicine</i> , 2021, 51, 2044-2053.	2.7	4
15	Suicidal behaviour and cognition: A systematic review with special focus on prefrontal deficits. <i>Journal of Affective Disorders</i> , 2021, 278, 488-496.	2.0	13
16	Expert consensus on information sheet proposals for patients under treatment with lithium. <i>Revista De Psiquiatría Y Salud Mental (English Edition)</i> , 2021, 14, 27-39.	0.2	0
17	Consenso de expertos sobre propuestas de información al paciente en tratamiento con sales de litio. <i>Revista De Psiquiatría Y Salud Mental</i> , 2021, 14, 27-39.	1.0	6
18	Trajectories of suicidal ideation after first-episode psychosis: a growth mixture modeling approach. <i>Acta Psychiatrica Scandinavica</i> , 2021, 143, 418-433.	2.2	17

#	ARTICLE	IF	CITATIONS
19	Overview of lithium's use: a nationwide survey. <i>International Journal of Bipolar Disorders</i> , 2021, 9, 10.	0.8	28
20	The Role of Premorbid IQ and Age of Onset as Useful Predictors of Clinical, Functional Outcomes, and Recovery of Individuals with a First Episode of Psychosis. <i>Journal of Clinical Medicine</i> , 2021, 10, 2474.	1.0	10
21	Identifying clinical clusters with distinct trajectories in first-episode psychosis through an unsupervised machine learning technique. <i>European Neuropsychopharmacology</i> , 2021, 47, 112-129.	0.3	20
22	Longitudinal outcome of attenuated positive symptoms, negative symptoms, functioning and remission in people at clinical high risk for psychosis: a meta-analysis. <i>EClinicalMedicine</i> , 2021, 36, 100909.	3.2	25
23	Guía de práctica clínica para el tratamiento farmacológico y psicológico de los pacientes adultos con trastorno bipolar y un diagnóstico comórbido de trastorno por uso de sustancias. <i>Revista De Psicología De La Salud</i> , 2021, 0, 1528.	0.2	2
24	The functioning assessment short test (FAST) applied to first-episode psychosis: Psychometric properties and severity thresholds. <i>European Neuropsychopharmacology</i> , 2021, 47, 98-111.	0.3	21
25	A Multicentre, Randomised, Controlled Trial of a Combined Clinical Treatment for First-Episode Psychosis. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 7239.	1.2	7
26	Cognition in Recent Suicide Attempts: Altered Executive Function. <i>Frontiers in Psychiatry</i> , 2021, 12, 701140.	1.3	15
27	The prevention of relapses in first episodes of schizophrenia: The 2EPs Project, background, rationale and study design. <i>Revista De Psiquiatría Y Salud Mental (English Edition)</i> , 2021, 14, 164-176.	0.2	3
28	Fronto-Parietal Gray Matter Volume Loss Is Associated with Decreased Working Memory Performance in Adolescents with a First Episode of Psychosis. <i>Journal of Clinical Medicine</i> , 2021, 10, 3929.	1.0	4
29	The effect of family environment and psychiatric family history on psychosocial functioning in first-episode psychosis at baseline and after 2 years. <i>European Neuropsychopharmacology</i> , 2021, 49, 54-68.	0.3	12
30	Variations in seasonal solar insolation are associated with a history of suicide attempts in bipolar I disorder. <i>International Journal of Bipolar Disorders</i> , 2021, 9, 26.	0.8	6
31	Genetics of adult attachment: An updated review of the literature. <i>World Journal of Psychiatry</i> , 2021, 11, 530-542.	1.3	7
32	A systematic review of suicide and suicide attempts in adolescents with psychotic disorders. <i>Schizophrenia Research</i> , 2021, 235, 80-90.	1.1	18
33	Impact of previous tobacco use with or without cannabis on first psychotic experiences in patients with first-episode psychosis. <i>Schizophrenia Research</i> , 2021, 236, 19-28.	1.1	5
34	Duration of untreated illness and bipolar disorder: time for a new definition? Results from a cross-sectional study. <i>Journal of Affective Disorders</i> , 2021, 294, 513-520.	2.0	9
35	Cognitive clusters in first-episode psychosis. <i>Schizophrenia Research</i> , 2021, 237, 31-39.	1.1	10
36	Lifestyle changes and mental health during the COVID-19 pandemic: A repeated, cross-sectional web survey. <i>Journal of Affective Disorders</i> , 2021, 295, 173-182.	2.0	32

#	ARTICLE	IF	CITATIONS
37	Exploring Risk and Resilient Profiles for Functional Impairment and Baseline Predictors in a 2-Year Follow-Up First-Episode Psychosis Cohort Using Latent Class Growth Analysis. <i>Journal of Clinical Medicine</i> , 2021, 10, 73.	1.0	14
38	Prefrontal abnormalities, executive dysfunction and symptoms severity are modulated by COMT Val158Met polymorphism in first episode psychosis. <i>Revista De Psiquiatría Y Salud Mental</i> , 2021, , .	1.0	3
39	Gut microbiota, innate immune pathways, and inflammatory control mechanisms in patients with major depressive disorder. <i>Translational Psychiatry</i> , 2021, 11, 645.	2.4	34
40	Prevention of Suicidal Behavior with Telemedicine in Patients with a Recent Suicide Attempt: Is a 6-month Intervention Long Enough?. <i>Suicide and Life-Threatening Behavior</i> , 2020, 50, 211-219.	0.9	7
41	S229. THE EFFECT OF FAMILY ENVIRONMENT ON LONGITUDINAL FUNCTIONING IN FIRST PSYCHOTIC EPISODES. <i>Schizophrenia Bulletin</i> , 2020, 46, S125-S126.	2.3	0
42	Repercusiones del consumo de cannabis en la evolución del trastorno bipolar. <i>Psiquiatría Biológica</i> , 2020, 27, 54-60.	0.0	0
43	An Imaging and Blood Biomarkers Open Dataset on Alzheimer's Disease vs. Late Onset Bipolar Disorder. <i>Frontiers in Aging Neuroscience</i> , 2020, 12, 583212.	1.7	0
44	Communicative and Social Skills among Medical Students in Spain: A Descriptive Analysis. <i>International Journal of Environmental Research and Public Health</i> , 2020, 17, 1408.	1.2	11
45	Cannabis use and nonuse in patients with first-episode psychosis: A systematic review and meta-analysis of studies comparing neurocognitive functioning. <i>European Psychiatry</i> , 2020, 63, e6.	0.1	17
46	Birth weight and antipsychotic induced weight gain: A prenatal programming approach in the PEPs study. <i>Schizophrenia Research</i> , 2020, 218, 292-294.	1.1	6
47	Esketamina intranasal: un nuevo abordaje para el tratamiento de la depresión resistente al tratamiento. <i>Psiquiatría Biológica</i> , 2020, 27, 9-15.	0.0	1
48	Necesidades de las personas con psicosis y sus cuidadores: «en voz propia». <i>Revista De Psiquiatría Y Salud Mental</i> , 2020, 13, 80-89.	1.0	5
49	Predictors of Bipolar Disorder Versus Schizophrenia Diagnosis in a Multicenter First Psychotic Episode Cohort. <i>Journal of Clinical Psychiatry</i> , 2020, 81, .	1.1	17
50	Neutrophil Count Is Associated With Reduced Gray Matter and Enlarged Ventricles in First-Episode Psychosis. <i>Schizophrenia Bulletin</i> , 2019, 45, 846-858.	2.3	41
51	A systematic review of sex-based differences in effectiveness and adverse effects of clozapine. <i>Psychiatry Research</i> , 2019, 280, 112506.	1.7	28
52	Mixed Forms in Bipolar Disorder and Relation to Gender. , 2019, , 765-781.		0
53	Auditory hallucinations in first-episode psychosis: A voxel-based morphometry study. <i>Schizophrenia Research</i> , 2019, 209, 148-155.	1.1	9
54	Gene-environment interaction between an endocannabinoid system genetic polymorphism and cannabis use in first episode of psychosis. <i>European Neuropsychopharmacology</i> , 2019, 29, 786-794.	0.3	16

#	ARTICLE	IF	CITATIONS
55	CIBERSAM: Ten years of collaborative translational research in mental disorders. <i>Revista De Psiquiatría Y Salud Mental (English Edition)</i> , 2019, 12, 1-8.	0.2	5
56	Association between solar insolation and a history of suicide attempts in bipolar I disorder. <i>Journal of Psychiatric Research</i> , 2019, 113, 1-9.	1.5	25
57	Association Between Medication Adherence and Oxidative Stress in Patients With First-Episode Mania. <i>Frontiers in Psychiatry</i> , 2019, 10, 162.	1.3	1
58	Diez años de investigación traslacional colaborativa en enfermedades mentales: el CIBERSAM. <i>Revista De Psiquiatría Y Salud Mental</i> , 2019, 12, 1-8.	1.0	68
59	Absence of association between the level of lethality and the recidivism of suicide attempts in a Spanish province. <i>Actas Espanolas De Psiquiatria</i> , 2019, 47, 179-89.	0.1	4
60	Smoking does not impact social and non-social cognition in patients with first episode psychosis. <i>Schizophrenia Research</i> , 2018, 199, 64-74.	1.1	13
61	Prescripción de benzodicepinas y caídas en mujeres y hombres ancianos. <i>Revista De Psiquiatría Y Salud Mental</i> , 2018, 11, 12-18.	1.0	22
62	Evolution of metabolic risk factors over a two-year period in a cohort of first episodes of psychosis. <i>Schizophrenia Research</i> , 2018, 193, 188-196.	1.1	50
63	Gray matter changes and cognitive predictors of 2-year follow-up abnormalities in early-onset first-episode psychosis. <i>European Child and Adolescent Psychiatry</i> , 2018, 27, 113-126.	2.8	17
64	A multi-centre, randomised, double-blind, placebo-controlled clinical trial of methylphenidate in the initial treatment of acute mania (MEMAP study). <i>European Neuropsychopharmacology</i> , 2018, 28, 185-194.	0.3	9
65	Internet use by older adults with bipolar disorder: international survey results. <i>International Journal of Bipolar Disorders</i> , 2018, 6, 20.	0.8	13
66	Can lithium salts prevent depressive episodes in the real world?. <i>European Neuropsychopharmacology</i> , 2018, 28, 1351-1359.	0.3	12
67	Long-Term Antipsychotic Effectiveness in First Episode of Psychosis: A 3-Year Follow-Up Randomized Clinical Trial Comparing Aripiprazole, Quetiapine, and Ziprasidone. <i>International Journal of Neuropsychopharmacology</i> , 2018, 21, 1090-1101.	1.0	16
68	The complex association between the antioxidant defense system and clinical status in early psychosis. <i>PLoS ONE</i> , 2018, 13, e0194685.	1.1	8
69	F12. INFLAMMATORY BIOMARKERS AND COGNITION IN FIRST EPISODE PSYCHOSIS: GENDER DIFFERENCES. <i>Schizophrenia Bulletin</i> , 2018, 44, S222-S223.	2.3	0
70	F245. COGNITIVE RESERVE DIFFERENCE IN AFFECTIVE AND NONAFFECTIVE PSYCHOSIS. <i>Schizophrenia Bulletin</i> , 2018, 44, S318-S318.	2.3	0
71	Overdosing of benzodiazepines/Z-drugs and falls in older adults: Costs for the health system. <i>Experimental Gerontology</i> , 2018, 110, 42-45.	1.2	4
72	Correlates of neurocognitive functions in individuals at ultra-high risk for psychosis - A 6-month follow-up study. <i>Psychiatry Research</i> , 2018, 268, 1-7.	1.7	7

#	ARTICLE	IF	CITATIONS
73	Differences in the Use and Opinions About New eHealth Technologies Among Patients With Psychosis: Structured Questionnaire. <i>JMIR Mental Health</i> , 2018, 5, e51.	1.7	35
74	Cannabis use, COMT, BDNF and age at first-episode psychosis. <i>Psychiatry Research</i> , 2017, 250, 38-43.	1.7	26
75	Do patients with bipolar disorder and subsyndromal symptoms benefit from functional remediation? A 12-month follow-up study. <i>European Neuropsychopharmacology</i> , 2017, 27, 350-359.	0.3	26
76	Multidisciplinary consensus on the therapeutic recommendations for iatrogenic hyperprolactinemia secondary to antipsychotics. <i>Frontiers in Neuroendocrinology</i> , 2017, 45, 25-34.	2.5	46
77	The course of negative symptoms in first-episode schizophrenia and its predictors: A prospective two-year follow-up study. <i>Schizophrenia Research</i> , 2017, 189, 84-90.	1.1	49
78	Gene-environment interaction as a predictor of early adjustment in first episode psychosis. <i>Schizophrenia Research</i> , 2017, 189, 196-203.	1.1	13
79	Modelling gene-environment interaction in first episodes of psychosis. <i>Schizophrenia Research</i> , 2017, 189, 181-189.	1.1	43
80	Intuitive pharmacogenetic dosing of risperidone according to CYP2D6 phenotype extrapolated from genotype in a cohort of first episode psychosis patients. <i>European Neuropsychopharmacology</i> , 2017, 27, 647-656.	0.3	13
81	Efficacy and safety of ketamine in bipolar depression: A systematic review. <i>Revista De Psiquiatría Y Salud Mental (English Edition)</i> , 2017, 10, 104-112.	0.2	12
82	Relationship between the use of benzodiazepines and falls in older adults: A systematic review. <i>Maturitas</i> , 2017, 101, 17-22.	1.0	76
83	Efficacy of quetiapine XR vs. placebo as concomitant treatment to mood stabilizers in the control of subthreshold symptoms of bipolar disorder: Results from a pilot, randomized controlled trial. <i>European Neuropsychopharmacology</i> , 2017, 27, 959-969.	0.3	17
84	International multi-site survey on the use of online support groups in bipolar disorder. <i>Nordic Journal of Psychiatry</i> , 2017, 71, 473-476.	0.7	4
85	Eficacia y seguridad de la ketamina en depresión bipolar: una revisión sistemática. <i>Revista De Psiquiatría Y Salud Mental</i> , 2017, 10, 104-112.	1.0	24
86	White Matter Tract Integrity in Alzheimer's Disease vs. Late Onset Bipolar Disorder and Its Correlation with Systemic Inflammation and Oxidative Stress Biomarkers. <i>Frontiers in Aging Neuroscience</i> , 2017, 9, 179.	1.7	16
87	Nutritional supplements in depressive disorders. <i>Actas Espanolas De Psiquiatria</i> , 2017, 45, 8-15.	0.1	11
88	Prognostic Value of Affective Symptoms in First-Admission Psychotic Patients. <i>International Journal of Molecular Sciences</i> , 2016, 17, 1039.	1.8	16
89	Eigenanatomy on Fractional Anisotropy Imaging Provides White Matter Anatomical Features Discriminating Between Alzheimer's Disease and Late Onset Bipolar Disorder. <i>Current Alzheimer Research</i> , 2016, 13, 557-565.	0.7	9
90	The Efficacy of Non-Pharmacological Interventions on Brain-Derived Neurotrophic Factor in Schizophrenia: A Systematic Review and Meta-Analysis. <i>International Journal of Molecular Sciences</i> , 2016, 17, 1766.	1.8	26

#	ARTICLE	IF	CITATIONS
91	Peripheral Inflammatory Parameters in Late-Life Depression: A Systematic Review. <i>International Journal of Molecular Sciences</i> , 2016, 17, 2022.	1.8	62
92	Cognitive behavioral therapy program for cannabis use cessation in first-episode psychosis patients: study protocol for a randomized controlled trial. <i>Trials</i> , 2016, 17, 372.	0.7	6
93	Online psycho-education to the treatment of bipolar disorder: protocol of a randomized controlled trial. <i>BMC Psychiatry</i> , 2016, 16, 452.	1.1	11
94	Online information seeking by patients with bipolar disorder: results from an international multisite survey. <i>International Journal of Bipolar Disorders</i> , 2016, 4, 17.	0.8	35
95	Mood stabilizers and antipsychotics during breastfeeding: Focus on bipolar disorder. <i>European Neuropsychopharmacology</i> , 2016, 26, 1562-1578.	0.3	59
96	Internet use by patients with bipolar disorder: Results from an international multisite survey. <i>Psychiatry Research</i> , 2016, 242, 388-394.	1.7	36
97	Psychometric properties and validation of a four-item version of the Strauss-Carpenter scale in bipolar disorder. <i>International Journal of Bipolar Disorders</i> , 2016, 4, 22.	0.8	6
98	Adherence to Antipsychotic Medication in Bipolar Disorder and Schizophrenic Patients. <i>Journal of Clinical Psychopharmacology</i> , 2016, 36, 355-371.	0.7	250
99	Dysregulated peripheral endocannabinoid system signaling is associated with cognitive deficits in first-episode psychosis. <i>Journal of Psychiatric Research</i> , 2016, 75, 14-21.	1.5	18
100	A Pharmacovigilance Study in First Episode of Psychosis: Psychopharmacological Interventions and Safety Profiles in the PEPs Project. <i>International Journal of Neuropsychopharmacology</i> , 2016, 19, pyv121.	1.0	29
101	Consenso español sobre los riesgos y detección de la hiperprolactinemia iatrogénica por antipsicóticos. <i>Revista De Psiquiatría Y Salud Mental</i> , 2016, 9, 158-173.	1.0	47
102	Age at First Episode Modulates Diagnosis-Related Structural Brain Abnormalities in Psychosis. <i>Schizophrenia Bulletin</i> , 2016, 42, 344-357.	2.3	58
103	Opposite Cannabis-Cognition Associations in Psychotic Patients Depending on Family History. <i>PLoS ONE</i> , 2016, 11, e0160949.	1.1	22
104	Risk Factors for Emergency Department Short Time Readmission in Stratified Population. <i>BioMed Research International</i> , 2015, 2015, 1-7.	0.9	15
105	Pro-/Antiinflammatory Dysregulation in Early Psychosis: Results from a 1-Year Follow-Up Study. <i>International Journal of Neuropsychopharmacology</i> , 2015, 18, pyu037-pyu037.	1.0	26
106	The affective dimension of early-onset psychosis and its relationship with suicide. <i>Journal of Child Psychology and Psychiatry and Allied Disciplines</i> , 2015, 56, 747-755.	3.1	26
107	Gender effects on brain changes in early-onset psychosis. <i>European Child and Adolescent Psychiatry</i> , 2015, 24, 1193-1205.	2.8	7
108	Premorbid adjustment and clinical correlates of cognitive impairment in first-episode psychosis. The PEPsCog Study. <i>Schizophrenia Research</i> , 2015, 164, 65-73.	1.1	92

#	ARTICLE	IF	CITATIONS
109	Functional deterioration from the premorbid period to 2 years after the first episode of psychosis in early-onset psychosis. <i>European Child and Adolescent Psychiatry</i> , 2015, 24, 1447-1459.	2.8	19
110	Bipolar disorder comorbid with alcohol use disorder: focus on neurocognitive correlates. <i>Frontiers in Physiology</i> , 2015, 6, 108.	1.3	35
111	Influence of light exposure during early life on the age of onset of bipolar disorder. <i>Journal of Psychiatric Research</i> , 2015, 64, 1-8.	1.5	39
112	Functional remediation for patients with bipolar II disorder: Improvement of functioning and subsyndromal symptoms. <i>European Neuropsychopharmacology</i> , 2015, 25, 257-264.	0.3	52
113	Subclinical Depressive Symptoms and Continued Cannabis Use: Predictors of Negative Outcomes in First Episode Psychosis. <i>PLoS ONE</i> , 2015, 10, e0123707.	1.1	22
114	Predictors of Functional and Clinical Outcome in Early-Onset First-Episode Psychosis. <i>Journal of Clinical Psychiatry</i> , 2015, 76, e1441-e1448.	1.1	19
115	Mixed Forms in Bipolar Disorder and Relation to Gender. , 2015, , 661-677.		0
116	Pro-/Anti-inflammatory Dysregulation in Patients With First Episode of Psychosis: Toward an Integrative Inflammatory Hypothesis of Schizophrenia. <i>Schizophrenia Bulletin</i> , 2014, 40, 376-387.	2.3	156
117	Duration of untreated psychosis predicts functional and clinical outcome in children and adolescents with first-episode psychosis: A 2-year longitudinal study. <i>Schizophrenia Research</i> , 2014, 152, 130-138.	1.1	59
118	A longitudinal study on the relationship between duration of untreated psychosis and executive function in early-onset first-episode psychosis. <i>Schizophrenia Research</i> , 2014, 158, 126-133.	1.1	33
119	Mindfulness-based cognitive therapy versus psychoeducational intervention in bipolar outpatients with sub-threshold depressive symptoms: a randomized controlled trial. <i>BMC Psychiatry</i> , 2014, 14, 215.	1.1	19
120	Basal low antioxidant capacity correlates with cognitive deficits in early onset psychosis. A 2-year follow-up study. <i>Schizophrenia Research</i> , 2014, 156, 23-29.	1.1	42
121	Verbal memory as a mediator in the relationship between subthreshold depressive symptoms and functional outcome in bipolar disorder. <i>Journal of Affective Disorders</i> , 2014, 160, 50-54.	2.0	71
122	Relationship between sunlight and the age of onset of bipolar disorder: An international multisite study. <i>Journal of Affective Disorders</i> , 2014, 167, 104-111.	2.0	43
123	Birth Weight, Working Memory and Epigenetic Signatures in IGF2 and Related Genes: A MZ Twin Study. <i>PLoS ONE</i> , 2014, 9, e103639.	1.1	14
124	Methylphenidate in mania project (MEMAP): study protocol of an international randomised double-blind placebo-controlled study on the initial treatment of acute mania with methylphenidate. <i>BMC Psychiatry</i> , 2013, 13, 71.	1.1	15
125	Plasma brain-derived neurotrophic factor levels, learning capacity and cognition in patients with first episode psychosis. <i>BMC Psychiatry</i> , 2013, 13, 27.	1.1	34
126	Twin-based study of the complex interplay between childhood maltreatment, socioeconomic status and adult memory. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2013, 263, 435-440.	1.8	9



#	ARTICLE	IF	CITATIONS
127	Relationship between negative symptoms and plasma levels of insulin-like growth factor 1 in first-episode schizophrenia and bipolar disorder patients. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2013, 44, 29-33.	2.5	45
128	Working memory as a predictor of negative symptoms and functional outcome in first episode psychosis. <i>Psychiatry Research</i> , 2013, 206, 8-16.	1.7	58
129	The International Society for Bipolar Disorders (ISBD) Task Force Report on Antidepressant Use in Bipolar Disorders. <i>American Journal of Psychiatry</i> , 2013, 170, 1249-1262.	4.0	579
130	Cannabis use and involuntary admission may mediate long-term adherence in first-episode psychosis patients: a prospective longitudinal study. <i>BMC Psychiatry</i> , 2013, 13, 326.	1.1	33
131	Premorbid impairments in early-onset psychosis: Differences between patients with schizophrenia and bipolar disorder. <i>Schizophrenia Research</i> , 2013, 146, 103-110.	1.1	33
132	Efficacy of Functional Remediation in Bipolar Disorder: A Multicenter Randomized Controlled Study. <i>American Journal of Psychiatry</i> , 2013, 170, 852-859.	4.0	269
133	Twenty-Four Months of Antipsychotic Treatment in Children and Adolescents With First Psychotic Episode. <i>Journal of Clinical Psychopharmacology</i> , 2013, 33, 463-471.	0.7	23
134	Peripheral Endocannabinoid System Dysregulation in First-Episode Psychosis. <i>Neuropsychopharmacology</i> , 2013, 38, 2568-2577.	2.8	73
135	Predictors of Suicide Attempt in Early-Onset, First-Episode Psychoses. <i>Journal of Clinical Psychiatry</i> , 2013, 74, 59-66.	1.1	59
136	Progressive Brain Changes in Children and Adolescents With First-Episode Psychosis. <i>Archives of General Psychiatry</i> , 2012, 69, 16.	13.8	135
137	Polarity index of pharmacological agents used for maintenance treatment of bipolar disorder. <i>European Neuropsychopharmacology</i> , 2012, 22, 339-346.	0.3	152
138	Psychosis and smoking cessation: Difficulties in quitting associated with sex and substance abuse. <i>Psychiatry Research</i> , 2012, 195, 45-50.	1.7	10
139	Predictors of good outcome in patients with refractory bipolar disorder after a drug or a drug and cognitive-behavioral treatment. <i>Comprehensive Psychiatry</i> , 2012, 53, 224-229.	1.5	21
140	Predictors of recurrence in bipolar disorders in Spain (PREBIS study data). <i>Journal of Affective Disorders</i> , 2012, 141, 406-414.	2.0	18
141	Decreased glutathione levels predict loss of brain volume in children and adolescents with first-episode psychosis in a two-year longitudinal study. <i>Schizophrenia Research</i> , 2012, 137, 58-65.	1.1	50
142	Cognitive impairment is related to oxidative stress and chemokine levels in first psychotic episodes. <i>Schizophrenia Research</i> , 2012, 137, 66-72.	1.1	96
143	Antioxidant defense system and family environment in adolescents with family history of psychosis. <i>BMC Psychiatry</i> , 2012, 12, 200.	1.1	5
144	New treatment guidelines for acute bipolar mania: A critical review. <i>Journal of Affective Disorders</i> , 2012, 140, 125-141.	2.0	76

#	ARTICLE	IF	CITATIONS
145	Impact of sunlight on the age of onset of bipolar disorder. <i>Bipolar Disorders</i> , 2012, 14, 654-663.	1.1	39
146	Number of prior episodes and the presence of depressive symptoms are associated with longer length of stay for patients with acute manic episodes. <i>Annals of General Psychiatry</i> , 2012, 11, 7.	1.2	19
147	Twelve-month follow-up of family communication and psychopathology in children and adolescents with a first psychotic episode (CAFEPS study). <i>Psychiatry Research</i> , 2011, 185, 72-77.	1.7	20
148	Can positive family factors be protective against the development of psychosis?. <i>Psychiatry Research</i> , 2011, 186, 28-33.	1.7	40
149	Effectiveness of olanzapine monotherapy and olanzapine combination treatment in the long term following acute mania " Results of a two year observational study in bipolar disorder (EMBLEM). <i>Journal of Affective Disorders</i> , 2011, 131, 320-329.	2.0	16
150	Two-year diagnostic stability in early-onset first-episode psychosis. <i>Journal of Child Psychology and Psychiatry and Allied Disciplines</i> , 2011, 52, 1089-1098.	3.1	51
151	New treatment guidelines for acute bipolar depression: A systematic review. <i>Journal of Affective Disorders</i> , 2011, 129, 14-26.	2.0	135
152	Gender differences in outcomes of acute mania: a 12-month follow-up study. <i>Archives of Women's Mental Health</i> , 2011, 14, 107-113.	1.2	9
153	Reduced antioxidant defense in early onset first-episode psychosis: a case-control study. <i>BMC Psychiatry</i> , 2011, 11, 26.	1.1	94
154	Bipolar Disorder Differences between Genders: Special Considerations for Women. <i>Women's Health</i> , 2011, 7, 663-676.	0.7	38
155	Cannabis and First-Episode Psychosis: Different Long-term Outcomes Depending on Continued or Discontinued Use. <i>Schizophrenia Bulletin</i> , 2011, 37, 631-639.	2.3	112
156	Trait and State Attributes of Insight in First Episodes of Early-Onset Schizophrenia and Other Psychoses: A 2-Year Longitudinal Study. <i>Schizophrenia Bulletin</i> , 2011, 37, 38-51.	2.3	100
157	Poor Long-Term Prognosis in Mixed Bipolar Patients. <i>Journal of Clinical Psychiatry</i> , 2011, 72, 671-676.	1.1	59
158	Increase in brain-derived neurotrophic factor in first episode psychotic patients after treatment with atypical antipsychotics. <i>International Clinical Psychopharmacology</i> , 2010, 25, 241-245.	0.9	54
159	Validation and Use of the Functioning Assessment Short Test in First Psychotic Episodes. <i>Journal of Nervous and Mental Disease</i> , 2010, 198, 836-840.	0.5	37
160	Different profile of substance abuse in relation to predominant polarity in bipolar disorder. <i>Journal of Affective Disorders</i> , 2010, 124, 250-255.	2.0	62
161	How effective is a psychological intervention program for patients with refractory bipolar disorder? A randomized controlled trial. <i>Journal of Affective Disorders</i> , 2010, 126, 80-87.	2.0	24
162	Long-term efficacy of a psychological intervention program for patients with refractory bipolar disorder: A pilot study. <i>Psychiatry Research</i> , 2010, 176, 161-165.	1.7	29

#	ARTICLE	IF	CITATIONS
163	Baseline Characteristics and Outcomes in Patients With First Episode or Multiple Episodes of Acute Mania. <i>Journal of Clinical Psychiatry</i> , 2010, 71, 255-261.	1.1	47
164	Cannabis use in children and adolescents with first episode psychosis: Influence on psychopathology and short-term outcome (CAFEPS study). <i>Schizophrenia Research</i> , 2009, 113, 129-137.	1.1	86
165	Validity and Reliability of the Hamilton Depression Rating Scale (5 Items) for Manic and Mixed Bipolar Disorders. <i>Journal of Nervous and Mental Disease</i> , 2009, 197, 682-686.	0.5	22
166	Treatment Nonadherence and Neurocognitive Impairment in Bipolar Disorder. <i>Journal of Clinical Psychiatry</i> , 2009, 70, 1017-1023.	1.1	108
167	Antipsychotic Treatment in Child and Adolescent First-Episode Psychosis: A Longitudinal Naturalistic Approach. <i>Journal of Child and Adolescent Psychopharmacology</i> , 2008, 18, 327-336.	0.7	58
168	Impact of Cannabis and Other Drugs on Age at Onset of Psychosis. <i>Journal of Clinical Psychiatry</i> , 2008, 69, 1210-1216.	1.1	87
169	Association between smoking and alcohol use in the general population: stable and unstable odds ratios across two years in two different countries. <i>Alcohol and Alcoholism</i> , 2007, 42, 252-257.	0.9	80
170	Epidemiology, Diagnosis and Management of Mixed Mania. <i>CNS Drugs</i> , 2007, 21, 611-626.	2.7	47
171	The child and adolescent first-episode psychosis study (CAFEPS): Design and baseline results. <i>Schizophrenia Research</i> , 2007, 91, 226-237.	1.1	85
172	Predictors of Suicide in First-Episode Affective and Nonaffective Psychotic Inpatients. <i>Journal of Clinical Psychiatry</i> , 2007, 68, 242-247.	1.1	44
173	Decreased levels of plasma BDNF in first-episode schizophrenia and bipolar disorder patients. <i>Schizophrenia Research</i> , 2006, 86, 321-322.	1.1	189
174	Suicidal risk in bipolar I disorder patients and adherence to long-term lithium treatment. <i>Bipolar Disorders</i> , 2006, 8, 618-624.	1.1	165
175	Axis II comorbidities are less common in people with borderline personality disorder who are in remission. <i>Evidence-Based Mental Health</i> , 2005, 8, 51-51.	2.2	0
176	Dimensions of mania: differences between mixed and pure episodes. <i>European Psychiatry</i> , 2004, 19, 307-310.	0.1	31
177	Treatment of Bipolar I Rapid Cycling Patients During Dysphoric Mania with Olanzapine. <i>Journal of Clinical Psychopharmacology</i> , 2002, 22, 450-454.	0.7	35
178	Suicide Attempts in Bipolar Patients. <i>Journal of Clinical Psychiatry</i> , 2001, 62, 963-966.	1.1	126
179	First episode in bipolar disorder: misdiagnosis and psychotic symptoms. <i>Journal of Affective Disorders</i> , 1998, 50, 41-44.	2.0	80