

Wen-Hwa Li

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3626057/publications.pdf>

Version: 2024-02-01

9
papers

170
citations

1307594
7
h-index

1474206
9
g-index

9
all docs

9
docs citations

9
times ranked

288
citing authors

#	ARTICLE	IF	CITATIONS
1	IL-11, IL-1 β , IL-6, and TNF- α are induced by solar radiation in vitro and may be involved in facial subcutaneous fat loss in vivo. <i>Journal of Dermatological Science</i> , 2013, 71, 58-66.	1.9	34
2	Topical stabilized retinol treatment induces the expression of HAS genes and HA production in human skin in vitro and in vivo. <i>Archives of Dermatological Research</i> , 2017, 309, 275-283.	1.9	29
3	A melanocortin receptor 1 and 5 antagonist inhibits sebaceous gland differentiation and the production of sebum-specific lipids. <i>Journal of Dermatological Science</i> , 2011, 63, 23-32.	1.9	28
4	Low-level red LED light inhibits hyperkeratinization and inflammation induced by unsaturated fatty acid in an <i>in vitro</i> model mimicking acne. <i>Lasers in Surgery and Medicine</i> , 2018, 50, 158-165.	2.1	20
5	In vitro modeling of unsaturated free fatty acid-mediated tissue impairments seen in acne lesions. <i>Archives of Dermatological Research</i> , 2017, 309, 529-540.	1.9	19
6	p38 MAP Kinase Inhibition Reduces <i>Propionibacterium acnes</i> -Induced Inflammation in Vitro. <i>Dermatology and Therapy</i> , 2015, 5, 53-66.	3.0	14
7	<i>Propionibacterium acnes</i> susceptibility to low-level 449-nm blue light photobiomodulation. <i>Lasers in Surgery and Medicine</i> , 2019, 51, 727-734.	2.1	14
8	Low-level red plus near infrared lights combination induces expressions of collagen and elastin in human skin <i>in vitro</i> . <i>International Journal of Cosmetic Science</i> , 2021, 43, 311-320.	2.6	8
9	A blackberry-dill extract combination synergistically increases skin elasticity. <i>International Journal of Cosmetic Science</i> , 2020, 42, 444-451.	2.6	4