Wen-Hwa Li

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/3626057/publications.pdf

Version: 2024-02-01

1307594 1474206 9 170 7 9 citations g-index h-index papers 9 9 9 288 citing authors all docs docs citations times ranked

#	Article	IF	Citations
1	Lowâ€level red plus near infrared lights combination induces expressions of collagen and elastin in human skin <i>in vitro</i> . International Journal of Cosmetic Science, 2021, 43, 311-320.	2.6	8
2	A blackberry–dill extract combination synergistically increases skin elasticity. International Journal of Cosmetic Science, 2020, 42, 444-451.	2.6	4
3	<i>Propionibacterium acnes</i> susceptibility to lowâ€level 449 nm blue light photobiomodulation. Lasers in Surgery and Medicine, 2019, 51, 727-734.	2.1	14
4	Lowâ€level red LED light inhibits hyperkeratinization and inflammation induced by unsaturated fatty acid in an <i>in vitro</i> model mimicking acne. Lasers in Surgery and Medicine, 2018, 50, 158-165.	2.1	20
5	Topical stabilized retinol treatment induces the expression of HAS genes and HA production in human skin in vitro and in vivo. Archives of Dermatological Research, 2017, 309, 275-283.	1.9	29
6	In vitro modeling of unsaturated free fatty acid-mediated tissue impairments seen in acne lesions. Archives of Dermatological Research, 2017, 309, 529-540.	1.9	19
7	p38 MAP Kinase Inhibition Reduces Propionibacterium acnes-Induced Inflammation in Vitro. Dermatology and Therapy, 2015, 5, 53-66.	3.0	14
8	IL-11, IL-1 \hat{l} ±, IL-6, and TNF- \hat{l} ± are induced by solar radiation in vitro and may be involved in facial subcutaneous fat loss in vivo. Journal of Dermatological Science, 2013, 71, 58-66.	1.9	34
9	A melanocortin receptor 1 and 5 antagonist inhibits sebaceous gland differentiation and the production of sebum-specific lipids. Journal of Dermatological Science, 2011, 63, 23-32.	1.9	28