Olena D Chorna

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/3626294/publications.pdf

Version: 2024-02-01

471509 501196 1,052 30 17 28 citations h-index g-index papers 30 30 30 1201 times ranked docs citations citing authors all docs

#	Article	IF	CITATIONS
1	Early Intervention for Children Aged 0 to 2 Years With or at High Risk of Cerebral Palsy. JAMA Pediatrics, 2021, 175, 846.	6.2	147
2	The Dual Nature of Early-Life Experience on Somatosensory Processing in the Human Infant Brain. Current Biology, 2017, 27, 1048-1054.	3.9	138
3	Cerebral Palsy: Early Markers of Clinical Phenotype and Functional Outcome. Journal of Clinical Medicine, 2019, 8, 1616.	2.4	116
4	A Pacifier-Activated Music Player With Mother's Voice Improves Oral Feeding in Preterm Infants. Pediatrics, 2014, 133, 462-468.	2.1	98
5	The Pooled Diagnostic Accuracy of Neuroimaging, General Movements, and Neurological Examination for Diagnosing Cerebral Palsy Early in High-Risk Infants: A Case Control Study. Journal of Clinical Medicine, 2019, 8, 1879.	2.4	65
6	Implementation of the Hammersmith Infant Neurological Examination in a High-Risk Infant Follow-Up Program. Pediatric Neurology, 2016, 65, 31-38.	2.1	54
7	Abnormal sensory reactivity in preterm infants during the first year correlates with adverse neurodevelopmental outcomes at 2â€years of age. Archives of Disease in Childhood: Fetal and Neonatal Edition, 2014, 99, F475-F479.	2.8	44
8	Neuroprocessing Mechanisms of Music during Fetal and Neonatal Development: A Role in Neuroplasticity and Neurodevelopment. Neural Plasticity, 2019, 2019, 1-9.	2.2	42
9	Hammersmith Infant Neurological Examination Asymmetry Score Distinguishes Hemiplegic Cerebral Palsy From Typical Development. Pediatric Neurology, 2018, 87, 70-74.	2.1	35
10	Vision Assessments and Interventions for Infants 0-2 Years at High Risk for Cerebral Palsy: A Systematic Review. Pediatric Neurology, 2017, 76, 3-13.	2.1	32
11	Pulmonary sequelae and functional limitations in children and adults with bronchopulmonary dysplasia. Paediatric Respiratory Reviews, 2018, 26, 55-59.	1.8	30
12	Early motor signs of attention-deficit hyperactivity disorder: a systematic review. European Child and Adolescent Psychiatry, 2020, 29, 903-916.	4.7	26
13	Parent-Infant Interaction during the First Year of Life in Infants at High Risk for Cerebral Palsy: A Systematic Review of the Literature. Neural Plasticity, 2019, 2019, 1-19.	2.2	25
14	Relationship between brain structure and Cerebral Visual Impairment in children with Cerebral Palsy: A systematic review. Research in Developmental Disabilities, 2020, 99, 103580.	2.2	25
15	Early childhood constraint therapy for sensory/motor impairment in cerebral palsy: a randomised clinical trial protocol. BMJ Open, 2015, 5, e010212.	1.9	23
16	Feasibility of a Team Approach to Complex Congenital Heart Defect Neurodevelopmental Follow-Up. Circulation: Cardiovascular Quality and Outcomes, 2016, 9, 432-440.	2.2	21
17	Cry presence and amplitude do not reflect cortical processing of painful stimuli in newborns with distinct responses to touch or cold. Archives of Disease in Childhood: Fetal and Neonatal Edition, 2017, 102, F428-F433.	2.8	21
18	Increasing F2-isoprostanes in the first month after birth predicts poor respiratory and neurodevelopmental outcomes in very preterm infants. Journal of Perinatology, 2016, 36, 779-783.	2.0	20

#	Article	IF	CITATIONS
19	Speech and language interventions for infants aged 0 to 2 years at high risk for cerebral palsy: a systematic review. Developmental Medicine and Child Neurology, 2017, 59, 355-360.	2.1	17
20	Early Intervention to Improve Sucking in Preterm Newborns. Advances in Neonatal Care, 2019, 19, 97-109.	1.1	17
21	A randomised controlled trial of protocolised music therapy demonstrates developmental milestone acquisition in hospitalised infants. Acta Paediatrica, International Journal of Paediatrics, 2019, 108, 828-834.	1.5	13
22	Feasibility of event-related potential (ERP) biomarker use to study effects of mother's voice exposure on speech sound differentiation of preterm infants. Developmental Neuropsychology, 2018, 43, 123-134.	1.4	12
23	Feeding outcomes and parent perceptions after the pacifierâ€activated musicÂplayer with mother's voice trial. Acta Paediatrica, International Journal of Paediatrics, 2015, 104, e372-4.	1.5	9
24	A parent–infant music therapy intervention to improve neurodevelopment after neonatal intensive care. Acta Paediatrica, International Journal of Paediatrics, 2017, 106, 1703-1704.	1.5	8
25	Principles of early intervention. Handbook of Clinical Neurology / Edited By P J Vinken and G W Bruyn, 2020, 174, 333-341.	1.8	6
26	Standardized music therapy with and without acclimatization, to improve EEG data acquisition in young children with and without disability. Journal of Neuroscience Methods, 2019, 321, 12-19.	2.5	5
27	Development of Foreign Language Teachers' Diagnostic Competence in the System of Military Education. TEM Journal, 2020, , 1213-1220.	0.7	2
28	<i>In Reply</i> . Pediatrics, 2014, 134, e167-e168.	2.1	1
29	ISDN2014_0116: Early tactile experiences can alter immature brains: Evidence from somatosensory ERPs in preterm and newborn infants. International Journal of Developmental Neuroscience, 2015, 47, 33-33.	1.6	0
30	ISDN2014_0275: REMOVED: Multisensory processing in immature brains: ERP evidence of distinct auditory–somatosensory integration patterns in preterm and newborn infants. International Journal of Developmental Neuroscience, 2015, 47, 81-81.	1.6	0