

BÃ©nÃ©dicte Nobile

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3626558/publications.pdf>

Version: 2024-02-01

19
papers

207
citations

1040056

9
h-index

1125743

13
g-index

21
all docs

21
docs citations

21
times ranked

251
citing authors

#	ARTICLE	IF	CITATIONS
1	Neuropsychiatric presentations of antiphospholipid antibodies. <i>Thrombosis Research</i> , 2015, 135, S56-S59.	1.7	28
2	Polymorphism A118G of opioid receptor mu 1 (OPRM1) is associated with emergence of suicidal ideation at antidepressant onset in a large naturalistic cohort of depressed outpatients. <i>Scientific Reports</i> , 2019, 9, 2569.	3.3	27
3	The Anti-inflammatory Effect of the Tricyclic Antidepressant Clomipramine and Its High Penetration in the Brain Might Be Useful to Prevent the Psychiatric Consequences of SARS-CoV-2 Infection. <i>Frontiers in Pharmacology</i> , 2021, 12, 615695.	3.5	16
4	Psilocybin, a Naturally Occurring Indoleamine Compound, Could Be Useful to Prevent Suicidal Behaviors. <i>Pharmaceuticals</i> , 2021, 14, 1213.	3.8	15
5	Could the antipsychotic chlorpromazine be a potential treatment for SARS-CoV-2?. <i>Schizophrenia Research</i> , 2020, 223, 373-375.	2.0	13
6	Clomipramine Could Be Useful in Preventing Neurological Complications of SARS-CoV-2 Infection. <i>Journal of NeuroImmune Pharmacology</i> , 2020, 15, 347-348.	4.1	13
7	Tianeptine is associated with lower risk of suicidal ideation worsening during the first weeks of treatment onset compared with other antidepressants: A naturalistic study. <i>Journal of Psychiatric Research</i> , 2018, 96, 167-170.	3.1	12
8	Characterization of depressed bipolar patients with current suicidal ideation. <i>Australian and New Zealand Journal of Psychiatry</i> , 2021, 55, 289-304.	2.3	12
9	Characteristics and treatment outcome of suicidal depression: Two large naturalistic cohorts of depressed outpatients. <i>Australian and New Zealand Journal of Psychiatry</i> , 2022, 56, 347-364.	2.3	11
10	The Role of Opiates in Social Pain and Suicidal Behavior. <i>Current Topics in Behavioral Neurosciences</i> , 2020, 46, 197-210.	1.7	10
11	The implications of previous history of anorexia nervosa in patients with current bulimia nervosa: Alterations in daily functioning, decision-making, and bone status. <i>European Eating Disorders Review</i> , 2020, 28, 34-45.	4.1	9
12	Corticotropin releasing hormone receptor CRHR1 gene is associated with tianeptine antidepressant response in a large sample of outpatients from real-life settings. <i>Translational Psychiatry</i> , 2020, 10, 378.	4.8	8
13	Polymorphisms of stress pathway genes and emergence of suicidal ideation at antidepressant treatment onset. <i>Translational Psychiatry</i> , 2020, 10, 320.	4.8	7
14	Characterization of suicidal depression: A 1 year prospective study. <i>European Psychiatry</i> , 2022, 65, 1-40.	0.2	6
15	Inclusion of Suicidal Individuals in Research Studies. <i>Journal of Clinical Psychiatry</i> , 2020, 81, .	2.2	5
16	Effects of Hormonal Contraception Use on Cognitive Functions in Patients With Bulimia Nervosa. <i>Frontiers in Psychiatry</i> , 2021, 12, 658182.	2.6	3
17	Association Between the A118G Polymorphism of the OPRM1 Gene and Suicidal Depression in a Large Cohort of Outpatients with Depression. <i>Neuropsychiatric Disease and Treatment</i> , 2021, Volume 17, 3109-3118.	2.2	2
18	Commentary: Psychedelic Psychiatry's Brave New World. <i>Frontiers in Psychiatry</i> , 2020, 11, 594077.	2.6	1

#	ARTICLE	IF	CITATIONS
19	Multiple suicide attempts associated with addiction to tramadol. Annals of General Psychiatry, 2022, 21, .	2.7	1