

Dong Zhou

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/3630417/dong-zhou-publications-by-year.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

80
papers

5,194
citations

42
h-index

71
g-index

86
ext. papers

6,811
ext. citations

13.4
avg, IF

6.11
L-index

#	Paper	IF	Citations
80	Sulfur-Containing Polymer Cathode Materials for LiS Batteries. <i>Modern Aspects of Electrochemistry</i> , 2022 , 295-330		0
79	Cavitation causes brain injury. <i>Physics of Fluids</i> , 2021 , 33, 031908	4.4	3
78	Multi-ion Strategy toward Highly Durable Calcium/Sodium-Sulfur Hybrid Battery. <i>Nano Letters</i> , 2021 , 21, 3548-3556	11.5	3
77	In situ visualizing the interplay between the separator and potassium dendrite growth by synchrotron X-ray tomography. <i>Nano Energy</i> , 2021 , 83, 105841	17.1	6
76	A universal strategy towards high-energy aqueous multivalent-ion batteries. <i>Nature Communications</i> , 2021 , 12, 2857	17.4	29
75	Localized Water-In-Salt Electrolyte for Aqueous Lithium-Ion Batteries. <i>Angewandte Chemie</i> , 2021 , 133, 20118-20126	3.6	0
74	Non-Flammable Liquid and Quasi-Solid Electrolytes toward Highly-Safe Alkali Metal-Based Batteries. <i>Advanced Functional Materials</i> , 2021 , 31, 2008644	15.6	44
73	Localized Water-In-Salt Electrolyte for Aqueous Lithium-Ion Batteries. <i>Angewandte Chemie - International Edition</i> , 2021 , 60, 19965-19973	16.4	16
72	Rechargeable anion-shuttle batteries for low-cost energy storage. <i>CheM</i> , 2021 , 7, 1993-2021	16.2	21
71	Serosa-Mimetic Nanoarchitecture Membranes for Highly Efficient Osmotic Energy Generation. <i>Journal of the American Chemical Society</i> , 2021 , 143, 16206-16216	16.4	14
70	A synergistic exploitation to produce high-voltage quasi-solid-state lithium metal batteries. <i>Nature Communications</i> , 2021 , 12, 5746	17.4	17
69	Recent progress in solution assembly of 2D materials for wearable energy storage applications. <i>Journal of Energy Chemistry</i> , 2021 , 62, 27-42	12	5
68	Fluid-Guided CVD Growth for Large-Scale Monolayer Two-Dimensional Materials. <i>ACS Applied Materials & Interfaces</i> , 2020 , 12, 26342-26349	9.5	7
67	Polyolefin-Based Janus Separator for Rechargeable Sodium Batteries. <i>Angewandte Chemie</i> , 2020 , 132, 16868-16877	3.6	3
66	Polyolefin-Based Janus Separator for Rechargeable Sodium Batteries. <i>Angewandte Chemie - International Edition</i> , 2020 , 59, 16725-16734	16.4	48
65	Boosting Sodium Storage in Two-Dimensional Phosphorene/TiCT MXene Nanoarchitectures with Stable Fluorinated Interphase. <i>ACS Nano</i> , 2020 , 14, 3651-3659	16.7	90
64	Two Birds with One Stone: FeS@C Yolk-Shell Composite for High-Performance Sodium-Ion Energy Storage and Electromagnetic Wave Absorption. <i>Nano Letters</i> , 2020 , 20, 3769-3777	11.5	63

63	Deep-Eutectic-Solvent-Based Self-Healing Polymer Electrolyte for Safe and Long-Life Lithium-Metal Batteries. <i>Angewandte Chemie - International Edition</i> , 2020 , 59, 9134-9142	16.4	122
62	Deep-Eutectic-Solvent-Based Self-Healing Polymer Electrolyte for Safe and Long-Life Lithium-Metal Batteries. <i>Angewandte Chemie</i> , 2020 , 132, 9219-9227	3.6	20
61	Quasi-Solid-State Dual-Ion Sodium Metal Batteries for Low-Cost Energy Storage. <i>Chem</i> , 2020 , 6, 902-918	16.2	77
60	TEMPO-Ionic Liquids as Redox Mediators and Solvents for Li ₂ O ₂ Batteries. <i>Journal of Physical Chemistry C</i> , 2020 , 124, 5087-5092	3.8	16
59	Boost Anion Storage Capacity Using Conductive Polymer as a Pseudocapacitive Cathode for High-Energy and Flexible Lithium Ion Capacitors. <i>ACS Applied Materials & Interfaces</i> , 2020 , 12, 10479-10489	9.5	27
58	Supercool sulfur. <i>Nature Nanotechnology</i> , 2020 , 15, 167-168	28.7	0
57	Self-Healing Janus Interfaces for High-Performance LAGP-Based Lithium Metal Batteries. <i>ACS Energy Letters</i> , 2020 , 5, 1456-1464	20.1	51
56	A biscuit-like separator enabling high performance lithium batteries by continuous and protected releasing of NO ₃ ⁻ in carbonate electrolyte. <i>Energy Storage Materials</i> , 2020 , 24, 229-236	19.4	18
55	MXene-Based Dendrite-Free Potassium Metal Batteries. <i>Advanced Materials</i> , 2020 , 32, e1906739	24	130
54	Revitalising sodium-sulfur batteries for non-high-temperature operation: a crucial review. <i>Energy and Environmental Science</i> , 2020 , 13, 3848-3879	35.4	70
53	Performance and behavior of LLZO-based composite polymer electrolyte for lithium metal electrode with high capacity utilization. <i>Nano Energy</i> , 2020 , 77, 105196	17.1	18
52	Safe LAGP-based all solid-state Li metal batteries with plastic super-conductive interlayer enabled by in-situ solidification. <i>Energy Storage Materials</i> , 2020 , 25, 613-620	19.4	43
51	High-performance lithium-organic batteries by achieving 16 lithium storage in poly(imine-anthraquinone). <i>Journal of Materials Chemistry A</i> , 2019 , 7, 2368-2375	13	62
50	High-Performance Quasi-Solid-State MXene-Based Li-I Batteries. <i>ACS Central Science</i> , 2019 , 5, 365-373	16.8	53
49	Strong charge polarization effect enabled by surface oxidized titanium nitride for lithium-sulfur batteries. <i>Communications Chemistry</i> , 2019 , 2,	6.3	25
48	Temperature-Dependent Nucleation and Growth of Dendrite-Free Lithium Metal Anodes. <i>Angewandte Chemie - International Edition</i> , 2019 , 58, 11364-11368	16.4	111
47	Temperature-Dependent Nucleation and Growth of Dendrite-Free Lithium Metal Anodes. <i>Angewandte Chemie</i> , 2019 , 131, 11486-11490	3.6	44
46	Interface Modulation of Two-Dimensional Superlattices for Efficient Overall Water Splitting. <i>Nano Letters</i> , 2019 , 19, 4518-4526	11.5	121

45	Liquid electrolyte immobilized in compact polymer matrix for stable sodium metal anodes. <i>Energy Storage Materials</i> , 2019 , 23, 610-616	19.4	21
44	Stable Conversion Chemistry-Based Lithium Metal Batteries Enabled by Hierarchical Multifunctional Polymer Electrolytes with Near-Single Ion Conduction. <i>Angewandte Chemie - International Edition</i> , 2019 , 58, 6001-6006	16.4	116
43	Stable Conversion Chemistry-Based Lithium Metal Batteries Enabled by Hierarchical Multifunctional Polymer Electrolytes with Near-Single Ion Conduction. <i>Angewandte Chemie</i> , 2019 , 131, 6062-6067	3.6	20
42	Co-Fe Mixed Metal Phosphide Nanocubes with Highly Interconnected-Pore Architecture as an Efficient Polysulfide Mediator for Lithium-Sulfur Batteries. <i>ACS Nano</i> , 2019 , 13, 4731-4741	16.7	154
41	High-Energy and High-Power Nonaqueous Lithium-Ion Capacitors Based on Polypyrrole/Carbon Nanotube Composites as Pseudocapacitive Cathodes. <i>ACS Applied Materials & Interfaces</i> , 2019 , 11, 15646-15655	9.5	30
40	Squalene-derived sulfur-rich copolymer@ 3D graphene-carbon nanotube network cathode for high-performance lithium-sulfur batteries. <i>Polyhedron</i> , 2019 , 162, 147-154	2.7	12
39	Polymer Electrolytes for Lithium-Based Batteries: Advances and Prospects. <i>CheM</i> , 2019 , 5, 2326-2352	16.2	354
38	CoB Nanoflakes as Multifunctional Bridges in ZnCo ₂ O ₄ Micro-/Nanospheres for Superior Lithium Storage with Boosted Kinetics and Stability. <i>Advanced Energy Materials</i> , 2019 , 9, 1803612	21.8	78
37	Revealing Hidden Facts of Li Anode in Cycled Lithium-Oxygen Batteries through X-ray and Neutron Tomography. <i>ACS Energy Letters</i> , 2019 , 4, 306-316	20.1	43
36	Toward High Performance Lithium-Sulfur Batteries Based on Li ₂ S Cathodes and Beyond: Status, Challenges, and Perspectives. <i>Advanced Functional Materials</i> , 2018 , 28, 1800154	15.6	81
35	Correlating Morphological Evolution of Li Electrodes with Degrading Electrochemical Performance of Li/LiCoO ₂ and Li/S Battery Systems: Investigated by Synchrotron X-ray Phase Contrast Tomography. <i>ACS Energy Letters</i> , 2018 , 3, 356-365	20.1	50
34	Redox-Active Organic Sodium Anthraquinone-2-Sulfonate (AQS) Anchored on Reduced Graphene Oxide for High-Performance Supercapacitors. <i>Advanced Energy Materials</i> , 2018 , 8, 1802088	21.8	91
33	A room-temperature sodium-sulfur battery with high capacity and stable cycling performance. <i>Nature Communications</i> , 2018 , 9, 3870	17.4	247
32	Lithium-Sulfur Batteries: Toward High Performance Lithium-Sulfur Batteries Based on Li ₂ S Cathodes and Beyond: Status, Challenges, and Perspectives (Adv. Funct. Mater. 38/2018). <i>Advanced Functional Materials</i> , 2018 , 28, 1870273	15.6	15
31	A high-capacity P ₂ Na ₂ /3Ni ₁ /3Mn ₂ /3O ₂ cathode material for sodium ion batteries with oxygen activity. <i>Journal of Power Sources</i> , 2018 , 395, 16-24	8.9	94
30	A Stable Quasi-Solid-State Sodium-Sulfur Battery. <i>Angewandte Chemie - International Edition</i> , 2018 , 57, 10168-10172	16.4	128
29	Truncated Octahedral High-Voltage Spinel LiNi _{0.5} Mn _{1.5} O ₄ Cathode Materials for Lithium Ion Batteries: Positive Influences of Ni/Mn Disorder and Oxygen Vacancies. <i>Journal of the Electrochemical Society</i> , 2018 , 165, A1886-A1896	3.9	29
28	A Stable Quasi-Solid-State Sodium-Sulfur Battery. <i>Angewandte Chemie</i> , 2018 , 130, 10325-10329	3.6	12

27	Investigation of electronic and local structural changes during lithium uptake and release of nano-crystalline NiFe ₂ O ₄ by X-ray absorption spectroscopy. <i>Journal of Power Sources</i> , 2017 , 342, 56-63	8.9	21
26	Achieving Low Overpotential Lithium-Oxygen Batteries by Exploiting a New Electrolyte Based on N,N'-Dimethylpropyleneurea. <i>ACS Energy Letters</i> , 2017 , 2, 313-318	20.1	25
25	Suppressing Self-Discharge and Shuttle Effect of Lithium-Sulfur Batteries with V ₂ O ₅ -Decorated Carbon Nanofiber Interlayer. <i>Small</i> , 2017 , 13, 1602539	11	165
24	In situ synthesis of hierarchical poly(ionic liquid)-based solid electrolytes for high-safety lithium-ion and sodium-ion batteries. <i>Nano Energy</i> , 2017 , 33, 45-54	17.1	154
23	Investigation of nano-sized Cu(II)O as a high capacity conversion material for Li-metal cells and lithium-ion full cells. <i>Journal of Materials Chemistry A</i> , 2017 , 5, 6556-6568	13	12
22	A Lithium/Polysulfide Battery with Dual-Working Mode Enabled by Liquid Fuel and Acrylate-Based Gel Polymer Electrolyte. <i>ACS Applied Materials & Interfaces</i> , 2017 , 9, 2526-2534	9.5	22
21	Study of the Mechanisms of Internal Short Circuit in a Li/Li Cell by Synchrotron X-ray Phase Contrast Tomography. <i>ACS Energy Letters</i> , 2017 , 2, 94-104	20.1	71
20	In situ XAS study of CoB modified hematite photoanodes. <i>Dalton Transactions</i> , 2017 , 46, 15719-15726	4.3	17
19	Boosting the Electrocatalytic Activity of Co ₃ O ₄ Nanosheets for a Li-O ₂ Battery through Modulating Inner Oxygen Vacancy and Exterior Co ³⁺ /Co ²⁺ Ratio. <i>ACS Catalysis</i> , 2017 , 7, 6533-6541	13.1	175
18	A dual-functional gel-polymer electrolyte for lithium ion batteries with superior rate and safety performances. <i>Journal of Materials Chemistry A</i> , 2017 , 5, 18888-18895	13	58
17	Local structural changes of nano-crystalline ZnFe ₂ O ₄ during lithiation and de-lithiation studied by X-ray absorption spectroscopy. <i>Electrochimica Acta</i> , 2017 , 246, 699-706	6.7	16
16	A Novel Lithiated Silicon-Sulfur Battery Exploiting an Optimized Solid-Like Electrolyte to Enhance Safety and Cycle Life. <i>Small</i> , 2017 , 13, 1602015	11	25
15	A highly-safe lithium-ion sulfur polymer battery with SnO ₂ anode and acrylate-based gel polymer electrolyte. <i>Nano Energy</i> , 2016 , 28, 97-105	17.1	51
14	Cyclized-polyacrylonitrile modified carbon nanofiber interlayers enabling strong trapping of polysulfides in lithium-sulfur batteries. <i>Journal of Materials Chemistry A</i> , 2016 , 4, 12973-12980	13	54
13	SiO ₂ Hollow Nanosphere-Based Composite Solid Electrolyte for Lithium Metal Batteries to Suppress Lithium Dendrite Growth and Enhance Cycle Life. <i>Advanced Energy Materials</i> , 2016 , 6, 1502214	21.8	271
12	In Situ Radiographic Investigation of (De)Lithiation Mechanisms in a Tin-Electrode Lithium-Ion Battery. <i>ChemSusChem</i> , 2016 , 9, 946-50	8.3	19
11	A honeycomb-cobweb inspired hierarchical core-shell structure design for electrospun silicon/carbon fibers as lithium-ion battery anodes. <i>Carbon</i> , 2016 , 98, 582-591	10.4	104
10	Morphological Evolution of High-Voltage Spinel LiNi _{0.5} Mn _{1.5} O ₄ Cathode Materials for Lithium-Ion Batteries: The Critical Effects of Surface Orientations and Particle Size. <i>ACS Applied Materials & Interfaces</i> , 2016 , 8, 4661-75	9.5	152

9	O3-type Na[Fe _{1/3} Ni _{1/3} Ti _{1/3}]O ₂ cathode material for rechargeable sodium ion batteries. <i>Journal of Materials Chemistry A</i> , 2016 , 4, 3431-3437	13	57
8	Novel gel polymer electrolyte for high-performance lithium-sulfur batteries. <i>Nano Energy</i> , 2016 , 22, 278-289	17.1	289
7	Investigation of a porous NiSi ₂ /Si composite anode material used for lithium-ion batteries by X-ray absorption spectroscopy. <i>Journal of Power Sources</i> , 2016 , 324, 830-835	8.9	16
6	Morphological Evolution of Electrochemically Plated/Stripped Lithium Microstructures Investigated by Synchrotron X-ray Phase Contrast Tomography. <i>ACS Nano</i> , 2016 , 10, 7990-7	16.7	83
5	In-situ Fabrication of a Freestanding Acrylate-based Hierarchical Electrolyte for Lithium-sulfur Batteries. <i>Electrochimica Acta</i> , 2016 , 213, 871-878	6.7	60
4	Electrolytes: In Situ Synthesis of a Hierarchical All-Solid-State Electrolyte Based on Nitrile Materials for High-Performance Lithium-Ion Batteries (Adv. Energy Mater. 15/2015). <i>Advanced Energy Materials</i> , 2015 , 5, n/a-n/a	21.8	2
3	In Situ Synthesis of a Hierarchical All-Solid-State Electrolyte Based on Nitrile Materials for High-Performance Lithium-Ion Batteries. <i>Advanced Energy Materials</i> , 2015 , 5, 1500353	21.8	215
2	Investigation of cyano resin-based gel polymer electrolyte: in situ gelation mechanism and electrode/electrolyte interfacial fabrication in lithium-ion battery. <i>Journal of Materials Chemistry A</i> , 2014 , 2, 20059-20066	13	65
1	Electrochemical performance of trimethylolpropane trimethylacrylate-based gel polymer electrolyte prepared by in situ thermal polymerization. <i>Electrochimica Acta</i> , 2013 , 89, 334-338	6.7	41